



TEST REPORT

NUMBER: SHAH00343795

APPLICANT: NINGBO MYBABY BABY&CHILDREN PRODUCTS
MANUFACTURING CO.,LTD
BINGHAI 1 ROAD XINGCI 5 ROAD
HANGZHOU BAY NEW ZONE CIXICITY,
ZHEJIANG PROVINCE, CHINA.

DATE: NOV 02, 2012

ATTN: ZHOU JIAPENG

SAMPLE DESCRIPTION:

ONE (1) PIECE OF SUBMITTED SAMPLE SAID TO BE **CARRIAGE.**
ITEM NAME : **CARRIAGE.**
BUYER : 4 MOMS
GOODS EXPORTED TO : EUROPE/USA.
COUNTRY OF ORIGIN : CHINA.

TESTS CONDUCTED:

AS REQUESTED BY THE APPLICANT, FOR DETAILS REFER TO ATTACHED PAGE(S)

CONCLUSION:

<u>TESTED SAMPLES</u>	<u>STANDARD</u>	<u>RESULT</u>
SUBMITTED SAMPLE	EN 1888: 2012-CHILD CARE ARTICLES-WHEELED CHILD CONVEYANCES-SAFETY REQUIREMENTS AND TEST METHODS	PASS

TO BE CONTINUED

AUTHORIZED BY:
FOR INTERTEK TESTING SERVICES
LTD., SHANGHAI

JACOB LIN
GENERAL MANAGER



TEST REPORT

NUMBER: SHAH00343795

TESTS CONDUCTED

WHEELED CHILD CONVEYANCES-SAFETY REQUIREMENTS AND TEST METHODS

With reference to EN 1888:2012-Standard Specification for Child Care articles-Wheeled Child Conveyances, the submitted sample was subjected to the following tests:

Number of Sample Tested: One (1) Piece

Initial inspection: No any damage was found

Executive Summary:

Clause	Test items	Verdict
6	Chemical hazards	See Chemical report
7	Flammability	See textile report
8	Mechanical hazards	-
8.1	Protective function	-
8.1.1	Suitability of vehicle	-
8.1.1.1.1	Vehicles intended for use from birth	P
8.1.1.1.2	Vehicles intended for use from 6 months of age	NA
8.1.1.1.3	Seat units	NA
8.1.2	Minimum internal height of pram body	P
8.1.3	Restraint system and fasteners	-
8.1.3.1.1	Restraint system	NA
8.1.3.1.2	Harness anchorage points	NA
8.2	Entrapment hazards	-
8.2.1	Holes and openings	P
8.2.2	Entrapment between the handle and the pram body	NA
8.3	Hazards from moving parts	-
8.3.1	Requirements	P
8.3.2	Wheels	NA
8.3.3	Locking mechanism	-
8.3.3.1	Folding system for storage or transportation	-
8.3.3.1.1.1	General requirements	P
8.3.3.1.1.2	Incomplete deployment	NA
8.3.3.1.1.3	Unintentional release of locking mechanism(s)	NA
8.3.3.2	Pushchairs with rotating seat units	NA
8.3.3.3	Handle movement	-
8.3.3.3.1	Requirements for reversible handles	NA
8.3.3.3.2	Requirements for telescopic handles	NA
8.3.3.4	Requirements for the attachment of pram body and seat unit and car seats to the chassis	P
8.4	Entanglement hazards	NA
8.5	Choking and ingestion hazards	P
8.6	Suffocation hazards	-
8.6.1	Internal lining of the pram body and seat unit	P
8.6.2	Plastic packaging	P
8.7	Hazardous edges and protrusions	P
8.8	Parking and braking devices	P
8.9	Stability	-
8.9.1	Stability of vehicle	P
8.9.2	Longitudinal stability of a pram body with carrying handles	P
8.10	Structural integrity	-
8.10.1	Carrying handles and handle anchorage points of pram bodies and detachable seat units	P
8.10.2	Strength and durability of attachment devices for pram bodies or seat units or car seats	P
8.10.3	Irregular surface test	P
8.10.4	Dynamic strength	P

TO BE CONTINUED

TESTS CONDUCTED

Clause	Test items	Verdict
8.10.5	Wheel strength	P
8.10.6	Handle strength	P
9	Durability of marking	P
10	Product information	-
10.1	General	P
10.2	Marking of product	P
10.3	Purchase information	P
10.4	Instructions for use	P

Abbreviation: **P** = Pass; **NA** = Not Applicable



Picture 1: Sample

Date Sample Received: Sep.28, 2012
 Testing Period: Sep.28, 2012 to Nov.2, 2012

 End Of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.