





Smart Pet Water Fountain


## Parts Diagram




Main Body



Transparent Cover




Drinking Tray




USB Cable



Anti-bacterial Pack  
(Optional)



Filter



Filter Cover




Water Pipe

## Product Introduction



Anti-slip Mat



In-built power cable



UV Lamp(Optional)

Anti-bacterial Pack(Optional)

It has multiple functions such as antibacterial, strengthening immunity and supplementing minerals and trace elements required by pets.



## Assemble Instructions



① Please fix the filter into the filter cover and assemble it under the drinking tray. (Install the Chitosan into the bottom of the filter cover)



② Please insert the head of the water pipe into the side outlet of drinking tray.



③ Please align the drinking tray with the related position of the main body, and insert the other side of water pipe into soft rubber of water pump.



④ Tighten the transparent cover according to the buckle position of the main body.

## Function Instructions



### W2 Basic Version

Device will keep dispensing water after power on.

Dry burning protection: The pump will stop working when the water level is lower than the MIN line. But it will return to work automatically after adding the water.



### W2 WiFi Version

Please download the E-Manual from our website [www.petwant.com](http://www.petwant.com)

Please take the E-manual manual for your operation reference.

## Function Instructions



### W2 Heating Version

Device will keep dispensing water after power on.

"Normal" will be default mode, double click "Function key " to switch mode;

Normal-dispense water continuously

Smart-dispense water intermittently

Long press the Function key for 3 Seconds to turn on the heating function. When the water temperature is detected to be lower than 26°C, the device will heat automatically until reaches up for 30°C. After heating, the device will switch to insulation state.

Indicator Status:

Working: white light will be solid for both "Normal" & " Smart" working mode

Low water alarm: White indicator for Normal & Smart will flash in the meanwhile.

Heating: Blue light flash.

Insulation: Blue light will be solid.

## Function Instructions



### W2 UV Version

Device will keep dispensing water after power on.

"Normal" will be default mode, double click "Function key " to switch mode;

Normal-dispense water continuously

Smart-dispense water intermittently

Long press the Function key for 3 seconds to turn on/off the device. The UV sterilization lamp will automatically turn on/off according to the internal logic of the program. When it is turned on, the device white light flashes for corresponding mode

Note: To ensure your safety, UV lamp will stop working as soon as users take out the water tray which controlled by magnetic switch. And it will return normal after water tray is well assembled.

## Attention

1. Please cut off the power as soon as you do not use the device.
2. Base is forbidden to soak into water, please cut off the power while wiping the base and keep dry before using.
3. Please ensure the water level is over "Min" Line and below "Max" Line.
4. Please ensure the water is below the Max water line.
5. The transparent cover is detachable, please do not lift up the waterer separately.
6. Filters are suggested to replace every two months to ensure the filtration effect.
7. Please do not watch the UV lamp in direct sight when Normal indicator are flashing.
8. Device will stop working and normal/smart indicators will flash when the water level is below Min line. It will alarm you 10 times to remind you filling the water and water fountain will return normal when the water is over the Min line.
9. It's recommended to take out the filter for cleaning while cleaning the water fountain. The impurities on the PP cotton of the filter will affect the water quality and the permeation of the water fountain.

Product Name	Smart Pet Water Fountain
Dimension	W200mm*D200mm*H207mm
Net Weight	750g
Material	ABS
Capacity	1.5L
Drinking Depth	2cm