

Owner's Manual

2600T&B

AVAILABLE IN 2-DOG SYSTEM:
2602T&B



Dogtra-Europe

12-14 Rue Augustin Fresnel
78310 Coignières, France

Tél. 01.30.62.65.65

Fax. 01.30.62.66.11

E-mail. info@dogtra-europe.com

MADE IN KOREA

Copyright © 2018 Dogtra Company All rights reserved.

Ver.1



Les réparations hors garantie

Pour les travaux de réparation qui ne sont plus couverts par la garantie, après contrôle du technicien, un devis sera communiqué au client. Ce devis comprend le coût des pièces de rechange, la main d'oeuvre et le transport. Joindre un courrier expliquant le problème rencontré et préciser vos nom, prénom, adresse, numéro de téléphone et adresse e-mail.

La procédure pour la réparation

Si l'unité ne fonctionne pas correctement, se référer au "Guide de Dépannage" de la notice d'utilisation et appeler le Service Après-vente au +33 (0)1 30 62 65 65 avant de retourner l'appareil à Dogtra-Europe pour une réparation. Les frais de transport pour renvoyer des produits sous garantie à Dogtra-Europe sont à la charge du client. Dogtra-Europe n'est pas responsable des dégâts ou pertes survenus lors du retour d'un appareil. Dogtra-Europe n'est pas responsable de la perte de temps ou toute autre inconvenance causée par le retour d'un appareil pour réparation. Dogtra-Europe ne prête pas d'appareils et n'offre aucune compensation pendant que l'appareil est en réparation. Une copie de la facture faisant apparaître la date d'achat doit être présentée avant toute réparation sous garantie. Joindre un courrier expliquant le problème rencontré et préciser vos nom, prénom, adresse, numéro de téléphone et adresse e-mail. Si les travaux de réparation ne sont pas couverts par la garantie, un devis vous sera communiqué avant toute intervention. Si vous avez des questions sur les produits Dogtra, appelez-nous au +33 (0)1 30 62 65 65, ou envoyez un email à sav@dogtra-europe.com.

Envoyer les appareils à réparer à

Dogtra-Europe
12 - 14 rue Augustin Fresnel
78310 Coignières
FRANCE

Les schémas et représentations se trouvant dans le manuel peuvent légèrement différer du produit réel selon le type de modèle.

2600T&B

AVAILABLE IN 2-DOG SYSTEM: 2602T&B

Owner's Manual

Please read this manual thoroughly
before operating the Dogtra 2600T&B or 2602T&B
Training & Beeper Collar.

THANK YOU FOR PURCHASING THE WORLD'S FINEST E-COLLAR

2600T&B Training & Beeper Collar

The 2600T&B Series remote training system will give you the ability to keep track of your dog's location when he/she is out of sight or on point.

The 2600T&B Series is also a training collar that can be used for behavior management.

The Dogtra Training & Beeper collars are waterproof, lightweight, and reliable. They are built to withstand the most rugged conditions that your dog may encounter.

The use of microcomputer technology, digital circuitry, and lithium polymer batteries make both the collar and transmitter compact and very reliable.

PRODUCT SAFETY AND HEALTH STATEMENTS

Proper E-Collar Use

Dogtra e-collars are intended for the sole purpose of behavior modification of dogs. They are not intended for human use or use on other animals. Dogtra-Europe does not assume any liability for improper use of the Dogtra e-collar.

Aggressive Dogs

Dogtra does not recommend using the e-collar to correct dogs that are aggressive towards other dogs or people. In many cases, the dog will associate the stimulation with the other dog or individual and become even more aggressive. Dog aggression is best treated by a dog-training specialist.

Interference With Other Electronic Devices

Dogtra's industry-leading technology filtering system ensures minimal interference with other electronic devices (garage door openers, pacemakers, etc.). Our digital microprocessor offers thousands of unique codes to eliminate frequency match-up with other Dogtra e-collars. Dogtra recommends consulting your physician if you are going to use the e-collar and you have any type of medical devices.

Inadvertent Activation


If the Constant button is held down for 12 seconds or more, the unit will automatically shut down. It will reactivate when the button is released.

CONTENTS

AT A GLANCE	47
MAIN FEATURES	48
OVERVIEW	50
UNDERSTANDING YOUR TRAINING SYSTEM	
1. TURNING THE 2600T&B ON/OFF	52
2. TRANSMITTER BUTTON FUNCTION	54
3. BEEPER SOUND	57
4. BEEPER VOLUME ADJUSTMENT	58
5. COLLAR FITTING	59
6. FINDING THE RIGHT STIMULATION	
INTENSITY SELECTION	60
7. FAMILIARIZING THE DOG TO THE BEEPER	61
8. MAXIMIZING THE DISTANCE	61
9. LED INDICATOR	62
10. BATTERY CHARGER	63
11. CHARGING THE BATTERY	64
12. HANDHELD TRANSMITTER LCD	66
13. ATTACHING THE BELT CLIP	68
14. USING THE TEST LIGHT	69

GENERAL TRAINING TIPS	73
MAINTENANCE	75
TROUBLESHOOTING GUIDE	76
WARRANTY AND REPAIR INFORMATION	79

AT A GLANCE



Optional Accessories

Auto Charger

Dogtra's auto chargers are designed for use with a 12 volt car outlet.

US Charger

Dogtra's US chargers are designed for use with a 110 volt AC electrical outlet.

To purchase accessories, please visit www.dogtra-europe.com, call customer service at +33 (0) 130 62 65 65 or contact a Dogtra retailer.


MAIN FEATURES

- Easy-to-use, ergonomically fitted transmitter
- Rheostat Dial that allows for gradual adjustments in stimulation intensity with no jumps between levels (0-127)
- Two-dog models allow the trainer to control two different dogs from one transmitter
- 1,600 metre range
- 2 different stimulation types - Nick & Constant
- New High Performance Pager (HPP) vibration feature
- New advanced Accelerometer run/point sensor
- Three beeper modes - Run/Point, Point-Only, and Locate
- Innovative beeper volume control that lets you select between 3 volume levels for each tone
- Combines the receiver with the beeper horn into one small, compact unit
- 2-hour rapid charge lithium polymer batteries
- Fully waterproof receiver/collar and transmitter
- No bothersome external antenna on the receiver/collar
- One-charging system allows the transmitter and receiver(s) to be charged at the same time
- Over 8000 different identity codes to prevent signal match-up with other e-collars
- Easily visible blue LCD screen displays the exact level of stimulation that can be seen in the dark
- A three bar battery life indicator and LED colored indicator to show the remaining battery life

OVERVIEW



2600T&B, 2602T&B
Transmitter



2600T&B, 2602T&B
Receiver/Collar

UNDERSTANDING YOUR TRAINING SYSTEM

1. TURNING THE 2600T&B ON/OFF


To turn the handheld transmitter on, hold down the button on the right side of the transmitter until the LCD screen illuminates. To turn the transmitter off, hold down the same button on the right side of the transmitter until the LCD screen shuts off.




Receiver On/Off Magnetic Red Dot

To turn on the receiver/collar, place the magnetic red dot on the back of the transmitter to the red dot on the receiver/collar. Hold the two red dots together for a moment until the LED light on the receiver/collar comes on. The receiver/collar will emit a melody when turned on.

To turn off the unit, repeat the same procedure holding the two red dots together momentarily. The LED light will turn red for a brief moment indicating that the receiver/collar has now shut off. The receiver/collar will emit a melody when turned off.



2. TRANSMITTER BUTTON FUNCTION



The transmitter for the 2600T&B Series has five buttons (two on the face of the transmitter, two on the left side, and one on the right side) and a toggle switch.

Nick Button

When the Nick button is pushed, the receiver emits a single rapid pulse of electrical stimulation.

Constant Button

Pressing the Constant button gives continuous stimulation as long as the button is pushed, for up to 12 seconds. If the button is not released after 12 seconds, the stimulation will automatically turn off as a safety feature. The collar will be ready to be reactivated once the button has been released.

Locate Button

The Locate button is located on the left side. It causes the collar's beeper horn to emit a series of beeps when held down and gives you the ability to keep track of your dog's location.

Note: The green collar emits the high tone and the orange collar emits the low tone automatically. If you want to change the tones, please contact us at info@dogtra-europe.com or call customer service at +33 (0) 130 62 65 65.

Pager Button

The Pager button is located on the left side of the transmitter. Pressing it will give a vibration for as long as the button is pressed, for up to 12 seconds.

Mode Button

Your 2600T&B has three different modes: Locate, Run/Point, and Point-Only. The Locate mode can be activated at any time, even when another mode is set, by pressing the top orange button labeled Locate on the left side of the transmitter. To set the beeper unit to Run/Point and Point-Only mode, press the black Mode button. This button is located on the right side of the transmitter.



The 2600T&B series is expandable, it can be used with one or two collars. The transmitter has a toggle switch located above the Nick button. This toggle switch allows for selection of the orange or the green collar. Set the toggle switch on the green position to select the green collar and the orange position to select the orange collar. The stimulation (Nick and Constant) along with the beeper and Locate modes will only operate when the toggle is in the desired position for the appropriate receiver/collar.

3. BEEPER SOUND

When you press the Mode button the first time, the collar will beep twice. The beeper unit will always start in Run/Point mode. The beeper will sound every 7 seconds while the dog is running, and every 2 seconds when the dog is on point or becomes stationary. The second time you push the Mode button, it will beep once and remain silent while the dog is running and beep every 2 seconds when the dog is on point or stationary.

To turn the beeper unit off, press the Mode button a third time. The unit will emit three rapid beeps, and the beeper will turn off. The Locate mode can still be used!

	Initial Beeper Sound	Mode	Action
Press 1st Time	2 Beeps	Run/Point Mode	- Dog running/moving: emits double beep every 7 seconds - Dog stationary/pointing: emits double beep every 2 seconds
Press 2nd Time	1 Beep	Point-Only Mode	- Dog running/moving: silent - Dog stationary/pointing: emits double beep every 2 seconds
Press 3rd Time	3 Beeps	No Beeper Mode	No sound

Note: The Locate button can be used in any mode you are in.

4. BEEPER VOLUME ADJUSTMENT

The beeper volume level for the Run/Point mode and Point-Only mode can be increased or decreased by holding the Locate button down and briefly pushing the Pager button. There are two beeper tones: High (H1 = lowest volume, H2 = medium volume, and H3 = highest volume) for the green collar and Low (L1 = lowest volume, L2 = medium volume, and L3 = highest volume) for the orange collar. If you want to change the tone of your collar(s) from High to Low or from Low to High, email us at info@dogtra-europe.com or call customer service at +33 (0) 130 62 65 65.

	Toggle Switch High LCD Displays	Toggle Switch Low LCD Displays
Press Pager 1st Time (While holding down the Locate button)	H1	L1
Press Pager 2nd Time (While holding down the Locate button)	H2	L2
Press Pager 3rd Time (While holding down the Locate button)	H3	L3

Note: The Locate beeper volume is not adjustable; it is always on the highest level, L3 on low tone, or H3 on high tone.


5. COLLAR FITTING

Proper Fit

The collar should be fitted so that the surgical stainless steel contact points press firmly against the dog's skin. You should be able to fit a finger in between the contact point and your dog's skin. The best location is on either side of the dog's windpipe.

Improper Fit

A loose fit can allow the collar to move around on the dog's neck. When this happens, the contact points may rub against the skin and cause irritation. If the collar is too loose, the contact will not be consistent and cause the corrections to be inconsistent. Dogtra uses surgical stainless steel contact points and anti-microbial plastic to protect the dog's skin.



Attention!

Leaving the receiver/collar in the same location on the dog's neck for an extended period of time can cause skin irritation. If the dog is to wear the e-collar for more than 6 hours in a row, occasionally reposition the collar so that the contact points are moved to a different location on the dog's neck. Make sure you check for skin irritation each time you use the unit.

6. FINDING THE RIGHT STIMULATION INTENSITY SELECTION

The 2600T&B Series has a Rheostat Dial on the top of the transmitter (0 is the lowest and 127 is the highest). Remember that you will need to adjust the setting (upward or downward) depending on your dog's temperament and threshold for stimulation. Also, as the dog's attitude changes, especially during times of increased excitement or distraction, you may need to adjust the intensity level.

Note: The stimulation intensity can be adjusted even when the stimulation is in use.


7. FAMILIARIZING THE DOG TO THE BEEPER

Turn the beeper collar on and leave it outside the dog's kennel area for about 30 minutes. Repeat this several times until you can see that the dog disregards the beeper. Next, adjust the beeper volume level to level L1 or H1, the lowest level. Fit the beeper collar on the dog and select the desired beeper volume level as the dog becomes accustomed to the beeping sound.

8. MAXIMIZING THE DISTANCE

The 2600T&B Series collar has a maximum range of 1600 metres. Depending on where you are and the way you use your transmitter, the transmitter range may vary.

To get the greatest range, hold the transmitter away from your body and avoid touching the antenna. Keep your unit properly charged for maximum signal strength.



9. LED INDICATOR

The LED indicator flashes every 5 seconds when the receiver is on and ready for use. The LED indicator will blink on both the transmitter and the receiver when the transmitter buttons are pressed.

The LED indicator color indicates the battery life level.

Green = Full charge

Amber = Medium charge

Red = Needs charge


If the unit is used while the LED indicator is red, it may shut down automatically.



Receiver Indicator Light

When the Constant button on the transmitter is pushed, the collar indicator light will glow steadily (either green, amber, or red based on the remaining battery life), as long as you hold the button down, for up to 12 seconds. When the Nick button is pushed, the light comes on for a fraction of a second.

10. BATTERY CHARGER




The battery charger and charging cables allow you to charge both the transmitter and receiver at the same time. The battery charger is designed for a 230 volt wall outlet (Also available: 10 volt car chargers for lithium polymer batteries).

To use the battery charger for the two-dog unit, combine both sets of charging splitter cables as shown. This enables you to charge the transmitter and both receivers at the same time.

Note: Only use Dogtra-approved lithium polymer battery chargers for your Dogtra e-collar. This will prevent any damage that can be incurred from attempting to use a different charger.

11. CHARGING THE BATTERY



The 2600T&B Series uses lithium polymer batteries.

1. Charge the unit before using the unit for the first time.
2. Do not charge the batteries near any flammable substances.
3. Fully charge the batteries if the unit is to be stored without use for a period of 3 months or more.

Recharge the Unit If:

- The LED indicator light on the receiver/collar is emitting a red color.
- If the 3 bar indicator on the transmitter LCD shows just 1 bar.
- The indicator light on the transmitter or receiver will not come on.
- The indicator light on the transmitter or receiver comes on momentarily, but will not stay on when the Constant button is pushed.

Battery Charging Procedure

Note: The unit has a partial charge when it leaves the Dogtra facility. Upon receipt of the collar, be sure to give it a full 2-hour initial charge before the first use.

1. Attach the charging cables to both the transmitter and receiver(s), as shown on page 64.
2. Plug the charger into a 230 volt wall outlet or, if using the auto charger, plug into a cigarette lighter only for lithium polymer batteries. All indicator lights should glow red when properly plugged in and the unit will automatically shut off during the charging process. You will need to turn the unit on again before use once the unit is fully charged and unplugged from the battery cable.
3. The lithium polymer battery is fully charged within 2 hours. The lights will stay red during the charging process. The red light will turn green once the unit is fully charged.
4. After charging, cover the battery charging receptacles with the rubber plugs on the transmitter and receiver.

Note: Only use Dogtra approved batteries, chargers, and accessories for your Dogtra e-collars. When a charger is not in use, disconnect it from the power source.

12. HANDHELD TRANSMITTER LCD



The LCD screen indicates the stimulation level on the screen ranging from (0-127). The battery life indicator shows: 3 bars = full charge, 2 bars = medium charge, and 1 bar = needs charge.

When pressing the Mode button, the selected beeper volume level is shown on the LCD (Note: Pressing the Mode button once will also set the unit in the Run/Point mode). When the toggle switch is set on the orange collar, the LCD will read: L1= lowest volume, L2 = medium volume and L3 = highest volume. When the toggle switch is set on the green collar, the LCD will read: H1 = lowest volume, H2 = medium volume and H3 = highest volume.

Care for LCD Transmitters in Cold Temperature


In cold temperatures (- 10° C or below), the Liquid Crystal Display (LCD) on your transmitter may be dim or slow to respond. Wait until the display becomes visible before selecting any training level. Even though the LCD screen might be dim or slow to respond when you push the Nick or Constant button, the transmitter will still function properly. In the occurrence of extremely cold weather, the LCD screen might take a moment to respond causing the intensity level to freeze at that current level. In this situation, if you turn the Rheostat Dial, the level on the screen may not change but the actual intensity from the receiver/collar will change in agreement with the dial.

In this situation, it is ideal to either wait until your transmitter is back to working order before emitting a correction, or while holding the Constant button down slowly turn the Rheostat Dial while watching your dog's reaction. Do not turn the Rheostat Dial rapidly, because the receiver/collar will emit a static correction based on the level of the Rheostat Dial, which might not be correctly reflected on the LCD screen.

Attention!

When using the unit in cold temperatures, it is recommended that the transmitter is placed under your jacket next to your body. The warmth of your body will greatly improve the battery life and usage.

13. ATTACHING THE BELT CLIP



Follow the instructions below to attach the included belt clip to the transmitter.

1. Align the belt clip to the grooves on the back of the transmitter.
2. With a firm grip, screw on the belt clip's Phillips head screws with a screwdriver.

Caution!

Tighten until firmly in place. Be careful not to over tighten.

14. USING THE TEST LIGHT



1. To turn on the receiver/collar, place the red dot on the back of the transmitter to the red dot on the receiver/collar. Hold the two red dots together for a moment until the LED light on the receiver/collar comes on. The indicator light will come on for a moment then blink once every 5 seconds, showing that the collar is ready to use (the receiver needs to be charged if the indicator light is red). The receiver/collar will emit a melody when turned on.
2. Turn the transmitter on by pressing the black button on the right side of the transmitter until the LCD screen illuminates. The LED will blink every 5 seconds and the LCD screen will show the remaining battery life (the transmitter needs to be charged if there is only 1 bar showing on the battery icon for the LCD transmitter screen).
3. Place the test light, included in the package contents, on the contact points as shown in the picture.

4. Watch the test light as you push the Nick button on the transmitter. It should light up for just a moment. The higher the intensity, the brighter the test light will be.
5. Watch the test light as you push the Constant button on the transmitter. It should light up as long as the button is pressed. However, as a safety feature, the receiver/collar will automatically stop the stimulation if the Constant button is pressed for 12 seconds or longer.
6. Turn the Rheostat Dial on the transmitter clockwise and then counterclockwise. The test light should glow brighter with higher levels of stimulation and dimmer with lower levels. When you change the intensity dial, the number on the LCD screen will change as well.

Note: The test light may not be visible if the intensity level is set below level ten.

7. To make sure that your beeper is working properly, press the Locate button once with the horn portion facing away from you (or place your hand over the horn). The sound may be extremely loud and may cause discomfort to your ears. If you do hear an audible beeper sound, your Locate button is in working order.

8. Press the Mode button once; you should hear 2 rapid beeps. This will put you into the Run/Point mode. Keep the receiver/collar steady to mimic your dog at a standstill point. Wait for a moment until you hear a double beep every 2 seconds. You may proceed to the next step if the double beep occurs.
9. Press the Mode button a second time; you should hear 1 rapid beep. This will put you into the Point-Only mode. Once again, keep your receiver/collar steady and wait for a moment until the collar emits a double beep every 2 seconds. If it is audible, move onto the next step.
10. Press the Mode button a third time; you should hear 3 rapid beeps. This mode will turn off your beeper and remain silent.

Note 1: The tone that the beeper will emit will vary depending on which collar you selected. The orange collar emits a low tone, the green collar emits a high tone. If you wish to change the tone setting of a collar, please contact us: info@dogtra-europe.com or by phone: +33 (0) 130 62 65 65.

Note 2: When using the Run/Point mode or the Point-Only mode, the beeper volume level reverts back to the volume level that was last used.

Note 3: In the Run/Point or Point-Only mode the volume can be changed by holding down the Locate button and then pressing the Pager button to choose the desired volume.

Note 4: In the Run/Point or Point-Only mode, it is still possible to use vibration and electrical stimulation.

*** To make sure that your beeper volume is in working condition, please refer to page 17 for further testing instructions.**

GENERAL TRAINING TIPS

Getting Started With Your 2600T&B

Your dog must know some basic obedience commands before beginning training with the 2600T&B. A dog learns by first being shown a command, followed by lots of repetition over an extended period. As the dog becomes proficient at these commands, the trainer can introduce distractions and different locations to strengthen them.

Obedience Training on the Leash

Your dog must fully understand the obedience commands (sit, stay, here, heel, and kennel) before using the e-collar for reinforcement of these commands. A leash attached to a standard collar is used to "teach" the dog the basic obedience commands (here, heel, sit, and stay). A tug on the leash/collar is used to reinforce the command. When the dog complies with the command, use positive reinforcement/praise. Once the dog understands these commands, the e-collar can be used to reinforce them.

Beginning E-Collar Training

When you feel your dog understands the obedience commands on the leash we can now start with the e-collar training. With the dog on the leash and wearing the e-collar, continue with your obedience drills. Apply light stimulation (Nick or Constant) when a command is given; the stimulation can be removed as the dog complies. Through repetition, the dog learns to perform the command. The final step is the avoidance phase in which the dog learns that he can avoid the stimulation altogether by performing your commands. When these training procedures are complete, the e-collar is used as a reminder when the dog does not comply with your commands at home or in the field. Keep your initial training sessions short and positive as dogs have a short attention span.

How Much Stimulation to Use

Always start with low levels of stimulation and work your way up depending on the disposition of your dog and the given situation. By using the correct amount of stimulation to get your point across, you will have a more controllable environment and a dog that is under less stress. Animals (and humans) perform better in a less stressful environment.

For more training information, please consult with a professional dog trainer.

MAINTENANCE

Basic Maintenance

Be sure the rubber charging cap is securely in place when the collar is in use. After each training session, carefully inspect the unit for any missing parts or damage to the casing. Damaged or broken casing may affect the waterproof guarantee on the unit. After confirming that there is no damage to the casing, rinse the receiver/collar and clean out any dirt or debris.

Storage Maintenance

The 2600T&B should be fully charged before storing for extended periods. While in storage, the unit should be given a full charge once a month, and before the first use. Store the units in room temperature. Do not keep the units exposed to extreme climates.

Troubleshooting

If the unit is malfunctioning, please refer to the “Troubleshooting Guide” before sending it to Dogtra for service. If you have any questions or concerns, you may email them to info@dogtra-europe.com, or call customer service at +33 (0) 130 62 65 65.

TROUBLESHOOTING GUIDE

1. My dog is not reacting to the collar.

- Make sure the unit is turned on: Place the two red dots together to turn on the receiver and push the black button on the transmitter until it illuminates to turn on the transmitter.
- Be sure the collar strap is tight enough so both contact points are touching the dog's skin.
- The contact points may be too short for the dog. To place an order for longer contact points that are more appropriate for your dog, please call +33 (0) 130 62 65 65 or email us at info@dogtra-europe.com. If you are already using the longest contact points available, you might need to trim down the hair on the dog's neck so both contact points are touching the dog's skin.
- The intensity level may be too low for your dog. Keep increasing the stimulation until the dog responds, usually with neck movement, head shaking, looking over its shoulder, etc. (response may be very subtle).

2. The test light comes on, but I do not feel any stimulation.

- Your tolerance may be higher than your dogs. We recommend placing both contact points on your inner wrist, where the sensitivity is higher, in order to test the unit.

- The battery may be low, so check the LED light for battery life.
- If you have a full charge and you have done all of the above, your unit may need to be serviced. Please contact customer service at info@dogtra.com or (888) 811-9111.

3. The transmitter has no range or stimulation is less when the dog is farther away.

- The antenna(s) may be damaged. To order parts, please contact customer service at +33 (0) 130 62 65 65 or go to www.dogtra-europe.com.
- The range indicated on the unit's box is for flat terrain. Heavy brush, trees, hills, or moisture will affect the range of your unit. For best range, hold the transmitter vertically above your head, and/or try moving to higher ground.
- Any electrical conductors will affect the range, such as cars, chain-link dog runs, metal building, and radio towers. For best results, operate away from these structures.

4. My unit is not holding a charge.

- The batteries might not be charged properly, or the charger, splitter, and the charging port needs to be looked at. If you suspect your charger/splitter is not functioning properly, please contact customer service at info@dogtra-europe.com or call us at +33 (0) 130 62 65 65. You can send in your charging units to have us inspect them.

- The charging pin may be damaged. Inside the charging port, there is a metal pin that should be standing straight up and stiff. If the pin is wobbling, broken, or missing, you will need to send the unit in to the Repair Department. The charging port must be clean prior to charging; clean the dirt out with a cotton swab and some rubbing alcohol. If the dog is in salt-water, be sure to rinse the receiver and charging port with clean water.
- For Dogtra units over two years old from the purchase date, the batteries may need to be replaced. You can replace them yourself by contacting Dogtra. But, damages incurred to the unit due to improper battery installation are not covered under any warranty and any other unauthorized servicing or tampering with the unit voids the warranty. This will be up to the user's discretion. If you are still having problems after replacing the batteries, Dogtra strongly recommends sending the unit in for inspection.

WARRANTY AND REPAIR INFORMATION

Two-Year Limited Warranty

Dogtra-Europe provides the original purchaser with a 2-YEAR LIMITED WARRANTY for the products sold by Dogtra-Europe and its authorized distributors/retailers. The warranty begins from the date of the original purchase. The replaceable batteries of YS100, iQ No Bark Collar and iQ CLiQ are not covered by Warranty.

* The cost of shipping products under warranty back to Dogtra-Europe is the customer's responsibility. Dogtra-Europe will provide/pay (via regular ground service) the shipping cost back to the customer. Any expedited shipping service will be at the customer's expense.

If a repair is not covered by warranty, the cost of Parts, Accessories, Labor fees, and Shipping fees incurred are the customer's responsibility. Labor fees will be variable depending on the extent of the work required.

To Qualify for the Dogtra Warranty

A proof of purchase is required to initiate repair work under warranty. We strongly recommend keeping the original receipt.

Not Covered Under Warranty

Dogtra-Europe DOES NOT cover the cost of repairs and replacements due to misuse by the owner or dog, improper maintenance, and/or lost units. Any water damage on the Water Resistant Transmitters of the **175NCP, 180NCP, 200NCP, 400NCP, 410NCP** Series, and **iQ Pet** Series, and the Water Resistant Receivers of the **RRS, RRD, and RR Deluxe**, will not be covered. All replacement costs for either the transmitter or receiver resulting from damage, abuse or loss of parts. The warranty is void if the unit has been altered or an unauthorized person has damaged the unit while attempting repair work. Battery replacement by the customer during the warranty period is not recommended. If the customer chooses to replace the batteries, any damage to the unit during the change-out by the owner will void the warranty. The removal of serial numbers from any Dogtra products will void the warranty. Dogtra reserves the right to retain and discard any parts or accessories that have been found damaged upon replacement and repair.

EU DECLARATION OF CONFORMITY

We, **Dogtra Co., Ltd.**, located at **#715-2(146BL-3L) Gojan-dong, Namdong-gu, Incheon, Korea**, declare under our sole responsibility that the Products described in the tables are in conformity with the essential requirements and other relevant requirements of the following Directives:

EMC Directive **2014/30/EU**, Radio Equipment Directive **2014/53/EU**, and LVD Directive **2014/35/EU** of the European Parliament and the Council of 26 February 2014.

Product Name: DOG TRAINING DEVICE

Model No: 2602T&B

Family model names: 2600T&B, 2700T&B, 2702T&B

Trade Name: None **Frequency Band(s):** 27.145 MHz

Output Power: 10.69 dBm

Declares that the product(s) listed above conform(s) to following documents

Description	Applied Standards
Safety	EN 60950-1: 2006 + A11:2009 + A1:2010 + A12: 2011 + A2:2013
EMF exposure	EN 62479:2010
EMC	ETSI EN 301 489-1 V2.1.1 (2017-02), ETSI EN 301 489-3 V2.1.1(2017-03) EN 61000-3-2:2014, EN 61000-3-3:2013
Radio	ETSI EN 300 220-1 V3.1.1 (2017-02) ETSI EN 300 220-2 V3.1.1 (2017-02)

We hereby declare that the equipment named above has been designed to comply with the relevant sections of the above referenced specifications. The unit complies with all applicable Essential Requirements of the Directive 2014/53/EU.

The full text of the device's statement of compliance is available on written request to the following address : 4, Rue de Panicalé 78320 La Verrière, France. It is also available on the following website: www.dogtra-europe.com

Authorized Signatory:



Name/Position : H.K. YANG / CEO La Verrière, 26/03/2018



4, Rue de Panicalé 78320 La Verrière, France **New address from 1st May 2018**

12-14 Rue Augustin Fresnel, 78310 Coignières, France

T. + 33 (0) 30 62 65 65 E. info@dogtra-europe.com W. www.dogtra-europe.com

The device has been approved for use in EU countries and is therefore provided with the **CE mark**. All necessary documentation is available on the website: www.electric-collars.com
Changes to technical parameters, properties and printing errors reserved.

Service center and distribution

Reedog, sro

Sedmidomky 459/8 101

00 Prague 10

Phone: +1 646 980 4569

Email: info@electric-collars.eu