

Quick Start

p-collar 681N

reedog



0.3.0.02.681NXX-ZX-01

Please read the quick start before beginning.

Thanks for purchasing!

The dog training collar is designed to let dogs live safely, happily and get along with people more harmoniously.

WARNING Do not use with aggressive dogs.

Aggressive dogs can cause severe injury and even death to their owner and others. If you are unsure whether this product is appropriate for your dog, please consult your veterinarian or certified trainer.

CAUTION Safety during on-leash training.

It is vitally important that you and your dog remain safe while learning during on-leash training. Your dog should be on a strong leash, long enough for him to attempt to chase an object, but short enough for him not to reach a road or other unsafe area. You must also be physically strong enough to restrain your dog when he tries to chase.

CAUTION Risk of Skin Damage

Please read and follow the instructions in this manual. Proper fit of the collar is important. A collar worn for too long or made too tight on the pet's neck may cause skin damage ranging from redness to pressure ulcers. This condition is commonly known as bed sores.

- Avoid leaving the collar on the dog for more than 12 hours per day. When possible reposition the collar on the pet's neck every 1 to 2 hours.
- Never connect a lead to the electronic collar: it will cause excessive pressure on the contacts.
- If a rash or sore is found, discontinue use of the collar until the skin has healed.
- If the condition persists beyond 48 hours, see your veterinarian.
- This product is not a toy, please keep away from children.
- This product is only for use with healthy dogs.

Package Contents




1 Remote



2 Collar Receiver with Strap



3 Contact Points



4 Test Light Tool




5 Charging Cable



6 User Manual


Overview

Remote




- A. Mode indication
- B. Channel Display
- C. Shock Button
- D. Battery Display
- E. Channel Conversion Switch
- F. Tone Button
- G. Level Icon
- H. Level+
- I. Level-
- J. On/Off Button
- K. Vibration Button
- L. Charging Port

Collar Receiver



- R. Contact Points
- S. Charging Port (with cover)
- T. On/Off Button
- U. LED Indicator




Setting Up the Product

Before you can use the Dog Training Collar, you must set up the product as below steps:

- 1.Charging the Remote and the Receiver Collar.
- 2.Prepare the Remote and turn it on.
- 3.Prepare the Receiver Collar and turn it on.
- 4.Function test, test function of buttons before wearing it on dog.
- 5.Use the Test Lamp, test Shock function or use as a screw driver.
- 6.Pair the Remote and the Receiver Collar, pair them when the product lose its code or pair for a second collar.

Charging the Remote and the Receiver Collar

- 1.Plugin and fully charge the Remote and the Receiver collar.For the initial charge,be sure to charge it for 4 hours.Subsequent charges only take 2-3 hours.
- 2.When full charged, the red LED on the Receiver Collar will become green. The screen will display a full battery status, and the indicator light will turn green if is fully charged.
- 3.Please replace the rubber cover when the Receiver Collar is full charged.




Tips:

- 1.Excessive charging will shorten battery life.Only charge them when batteries are low.
- 2.When you're not using the collar,please turn it off to increase the battery life.

Prepare the Remote


Turn ON/OFF the Remote



1. Short press the ON/OFF button to turn the remote ON.
2. The LCD will light up and display the current channel, battery power, and levels. If this does not happen, please charge the remote.
3. Long press the ON/OFF button to turn the remote OFF.


Prepare the Receiver

Please use our distribution test tool to install the contact points.



Turn on the Receiver Collar

- Short press the ON/OFF button to turn the receiver on.
- In normal mode, the Green LED will flash every 4 seconds, indicating the Receiver Collar is on and ready to receive a signal from the Remote.




Turn off the Receiver Collar

Press and hold the On/Off Button until the Red LED light turns off (this takes approximately 2 seconds). Release the On/Off Button.

NOTE:


To extend the life of the batteries, please turn the Receiver Collar off when it is not in use.



Function Test

We recommend you experience firsthand how the different levels feel on yourself and always start at the lowest level, then increase the levels up to your personal comfort level.

1. Place one finger over both Contact Points of the training collar.
2. Hold your remote approximately 2 feet from the training collar. Press the Vibration Button continuously for 1 to 2 seconds. You should feel a continuous vibration.
3. Press "-" Button to decrease levels. Starting at level 1, press the Shock Button.
4. Increase the level until the sensation begins to feel uncomfortable.



NOTE: Continuous stimulation will transmit for no more than 10 seconds. To reactivate, release the button and wait for 5 seconds before pressing it again.

🔊	Tone:sends H1-H3 adjustable levels to the Receiver Collar.
震动	Vibration:sends 1-16 adjustable levels of vibration stimulation to the Receiver Collar.
⚡	Shock:sends 1-99 adjustable levels of static stimulation to the Receiver Collar.
↑ ↓	Slide up,control dog 1,slide down,control dog 2.
⟳	Short press to turn on, long press to turn off.
+	Press to increase the stimulation level.
-	Press to decrease the stimulation level.

NOTE:

The Shock Level can be adjusted from 1 to 99 levels. Please adjust it properly according to your dog's reaction. It is not recommended to press and hold the Vibration/Shock Button for too long to avoid causing physical or psychological harm to the dog.



How to Use the Test Lamp

Shock Function Test

1. Turn on the Receiver Collar.
2. Hold the Test Lamp contacts against the Contact Points (or Conductive Silicone).
3. Press the Shock Button, and the Test Lamp will illuminate. It will become brighter as the Shock Level increases.


As a Screwdriver

Use the Test Lamp to tighten or loosen the Contact Points when preparing the Receiver Collar.



Pair the Remote and the Receiver Collar

1. Use the **1** switch on the Remote to select Dog 1.
2. With the Remote turned on and the Receiver Collar turned off, press and hold the ON/OFF Button on the Receiver Collar for 4-5 seconds.
3. The red and green LED lights alternately flash, indicating entry into pairing mode, lasting for 10 seconds. Pairing must be completed during this process; otherwise, the above actions need to be repeated to re-enter pairing mode.



4. Press and hold Tone Button and Vibration Button at the same time for 2-3 seconds, the Green Led on the Receiver Collar will blink for 3 times and beep for 2 times, indicating that pairing is successful.



Pairing a Second Collar with the Remote

1. Use the **2** Button on the Remote to select Dog 2.
2. Then follow the the above pairing steps from 2-4.

Collar Fitting

Please fit the collar properly so that the Contact Points press firmly against the dog's skin. When properly fitted, you should be able to put a finger in between the Receiver Collar and dog's neck.

Too loose: the Receiver Collar will move around the dog's neck, the Contact Points may hurt the dog's skin.

Too tight: it may cause dog's to breathe hard.

Caution: 1. do not shave the pet's neck as this may increase the risk of skin irritation.

2. the collar should not be worn for more than 12 hours per day. Or it may cause skin irritation.



Find the Best Shock Level for Your Pet

The unit comes with Up and Down buttons to control the Shock Level, with Level 1 being the lowest level and Level 99 being the highest. The level of Shock best suited for your dog depends on your dog's temperament and threshold for Shock. Always start at the lowest level and work your way up. The appropriate level can be found when the dog responds to the Shock with a mild reaction, such as a flick of the ear, a lick of the lips, a tensing of the neck muscles etc. The Shock Level may vary depending on the training situation. When highly distracted, dog's will require a higher level of Shock.

Device Information

Product Specification

Battery Type	Rechargeable,lithium polymer battery
Battery Life(typical use)	Remote: 27 days Receive: 11 days
Remote Waterproof Rating	Non-Waterproof(Keep away from water)
Receiver Waterproof Rating	IEC 60529 IPX7,waterproof
Operating temperature range	From 0-40°C(from 32-104°F)
Wireless Power	20dBm(100mW)

The unit need to be charged under any of below situations

1. The indicator light on the Receiver Collar is emitting a red color every 4 seconds or flashes rapidly.
2. The 3 bar indicator on the Remote LCD shows just 1 bar.
3. The indicator light on the Remote or Receiver Collar will not come on.
4. The indicator light on the Remote or Receiver Collar comes on momentarily when any of the Mode Buttons is pressed.

Frequently Asked Questions

Is the Vibration/Shock safe for my pet?	While the Vibration/Shock is unpleasant, it is harmless to your pet. Electronic training devices require interaction and training from the owner to achieve desired results.
How old does my pet have to be before using the Remote Training Collar?	Your pet should be able to recognize basic obedience commands such as "Sit" or "Stay". Pets should be at least 6 months old before using the Training Collar.
Once my pet is trained and has been obeying my commands, will he have to continue to wear the Receiver Collar?	Probably not. You may need to reinforce training with the Receiver Collar from time to time.
Is the Receiver Collar waterproof?	Yes.
Will I get exactly 1968 feet of range with the Remote Training Collar?	The range of the Remote Training will vary according to terrain, weather, vegetation, as well as transmission from other radio devices. Refer to "To maximize the distance" for tips on maximizing your range.

<p>How long can I continuously deliver Vibration/Shock to my pet?</p>	<p>The maximum amount of time you can press the Vibration/Shock Button and deliver Vibration/Shock to your pet continuously is 10 seconds. After this, there's a time-out and Vibration/Shock cannot be delivered for 5 seconds. After the 5 second time-out period, the Button can be pressed and Vibration/Shock can be delivered again.</p>
--	--

Troubleshooting Guide

<p>My pet does not respond when I press a button.</p>	<ul style="list-style-type: none"> • Make sure the Receiver Collar has been turned on. • If your range has reduced from the first time you used the Remote Training Collar, the battery(s) may be low in either the Remote or Receiver Collar. • Terrain, weather, vegetation, transmission from other radio devices and many other factors can impact the amount of range you have with the unit. • Test the Receiver Collar. Refer to "How to use the Test Lamp" for details. • Increase the Shock Level. Refer to "Find the Best Shock Level for Your Pet" for more information. • Make sure the Receiver Collar's Contact Points are placed snugly against your pet's skin. Refer to "Collar Fitting" for more information.
<p>The Receiver Collar will not turn on.</p>	<ul style="list-style-type: none"> • Make sure the Receiver Collar has been charged. For the initial charge, be sure to charge it for 4 hours. Subsequent charges only take 2-3 hours.
<p>The Receiver Collar is not responding to the Remote.</p>	<ul style="list-style-type: none"> • Make sure the Receiver Collar is on. • If the Indicator Light does not come on when any button is pressed on the remote, ensure that the batteries are charged properly. • If the first two solutions did not resolve your problem, Refer to "Pair the Remote and the Receiver Collar"

Warranty and repair information

1-Year Limited Lifetime Warranty

The original purchaser for this unit is provided with 1-YEAR WARRANTY. The warranty begins from the date of purchase. For the first year, coverage is for both Parts and Labor on warranty repair services.

Accessories such as straps and batteries are covered for the first year only. After the first year, the Limited Lifetime Warranty covers Parts only and does not cover Labor Fees and Accessories. All shipping fees incurred, the cost of Accessories after the first year, and Labor fees associated with out of warranty repair work, are the customer's responsibility. Labor fees will be variable depending on the extent of the work required. The Limited Lifetime Warranty expires 5 years after a model is discontinued from production.

To Qualify for the Warranty

All products must provide a proof of purchase is required to initiate repair work under warranty. We strongly recommend keeping the original receipt, if a proof of purchase is not available at the time of service, we will estimate the age of unit by the serial number. Serial number estimates can differ from the actual purchase date. A serial number estimate is the only method of determining an approximate date of purchase without a proof of purchase.

Not Covered Under Warranty

We DO NOT offer warranty for products that have been bought secondhand or as a resold product. We DO NOT replace defective units or provide refunds for products purchased from us after 30 days from the date of purchase. Issues of replacement and refunds on units purchased less than 30 days from an authorized dealer must be addressed to the dealer directly. If the products purchased from an authorized dealer are after 30 days from the date of purchase, please send the units to us for service and repair. We DO NOT cover the cost of repairs and replacements due to misuse by the owner or dog, improper maintenance, and/or lost units. Any water damage on the Water Resistant remote and the Water Resistant Receiver of our product series will not be covered. All replacement costs for either the remote or receiver will be the owner's responsibility. The warranty is void if the unit has been altered or an unauthorized person has damaged the unit while attempting repair work. We reserve the right to retain and discard any parts or accessories that have been found damaged upon replacement and repair.

Compliance FCC -USA

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference.
- (2) this device must accept any interference received, including interference that may cause undesired operation.

CAUTION: Modification or changes to this equipment not expressly approved by manufacturer may void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been approved for use in EU countries and is therefore provided with the **CE mark**. All necessary documentation is available on the website: www.electric-collars.com
Changes to technical parameters, properties and printing errors reserved.

Service center and distribution

Reedog, sro
Sedmidomky 459/8 101
00 Prague 10
Phone: +1 646 980 4569
Email: info@electric-collars.eu

reedog



MADE IN CHINA