



ENJOY EVERY BRAKING...

INFORMACION TECNICA / TECHNICAL INFORMATION

DISCOS CLASIFICADOS X MARCAS / BRAKE DISCS BY BRANDS



GENERAL															MONTH UPDATE														
AJP	3	PR3 SUPERMOTO PRO	4	125	15/16	E	1096	L	S	260	-	3,5	4	6,5	1277	R	S	220	45	3,5	4	6,5							
AJP	3	PR4 ENDURO / PR4 SM	4	125	05	E	731	L	S	260	108	3,5	6	6,5	060	R	S	210	108	3,5	6	6,5							

1 TIPO DE CATALOGO O ESPECIALIDAD / CATALOGUE TYPE

2 MES Y AÑO ACTUALIZACION / MONTH AND YEAR UPDATE

3 MARCA / BRAND

4 MODELO / MODEL

5 CILINDRADA / CYLINDER CAPACITY (E = VEHICULOS ELECTRICOS / ELECTRIC VEHICLES)

6 AÑO DE FABRICACION / MANUFACTURING YEAR

8 REFERENCIA NG / NG REFERENCE

0000 / A / E / S / ST - STANDARD REDONDO / FIXED ROUND

0000 / F - FLOTANTE REDONDO / FLOATING ROUND

0000X / XA / XAT / XE / XS / XK - STANDARD ONDULADO / FIXED CONTOURED

0000X / XF - FLOTANTE ONDULADO / FLOATING CONTOURED

0000G - FLOTANTE REDONDO NUCLEO ALUMINIO / FLOATING ROUND WITH ALUMINIUM CENTER

0000XG - FLOTANTE ONDULADO NUCLEO ALUMINIO / FLOATING CONTOURED WITH ALUMINIUM CENTER

0000XBH - FLOTANTE ONDULADO CON REGATAS / FLOATING CONTOURED WITH RACES

0000SP - STANDARD O FLOTANTE REDONDO SIN VENTILACIONES / FIXED OR FLOATING ROUND WITHOUT VENTILATIONS

0000XSP - STANDARD O FLOTANTE ONDULADO SIN VENTILACIONES / FIXED OR FLOATING CONTOURED WITHOUT VENTILATIONS

0000XSPG - FLOTANTE ONDULADO SIN VENTILACIONES NUCLEO ALUMINIO / FLOATING CONTOURED WITHOUT VENTILATIONS WITH ALUMINIUM CENTER

0000K00 - KIT REDONDO SOBREDIMENSIONADO / KIT ROUND OVERSIZE

0000GK00 - KIT REDONDO SOBREDIMENSIONADO NUCLEO ALUMINIO / KIT ROUND OVERSIZE WITH ALUMINIUM CENTER

0000SPK00 - KIT REDONDO SOBREDIMENSIONADO SIN VENTILACIONES / KIT ROUND OVERSIZE WITHOUT VENTILATIONS

0000SPGK00 - KIT REDONDO SOBREDIMENSIONADO NUCLEO ALUMINIO SIN VENTILACIONES / KIT ROUND OVERSIZE ALUMINIUM CENTER W/O VENTILATIONS

0000XK00 - KIT ONDULADO SOBREDIMENSIONADO / KIT CONTOURED OVERSIZE

0000XGK00 - KIT ONDULADO SOBREDIMENSIONADO NUCLEO ALUMINIO / KIT CONTOURED OVERSIZE WITH ALUMINIUM CENTER

0000XSPK00 - KIT ONDULADO SOBREDIMENSIONADO SIN VENTILACIONES / KIT CONTOURED OVERSIZE WITHOUT VENTILATIONS

0000XBHK00 - KIT ONDULADO SOBREDIMENSIONADO CON REGATAS / KIT CONTOURED OVERSIZE WITH RACES

ND / NA - PODEMOS FABRICARLO BAJO PEDIDO / WE CAN MAKE BY SPECIAL ORDER ONLY

- NO DISPONIBLE / NOT AVAILABLE

TODOS LOS KITS (DISCO + SOPORTE PINZA), QUE EN LA REFERENCIA CONTIENE LA LETRA K, SI POR CUALQUIER MOTIVO SE NECESITA EL DISCO SOLAMENTE, SE DEBE PEDIR SUPRIMIENDO LA LETRA K Y LOS DOS ULTIMOS DIGITOS DE LA REFERENCIA QUE CONSTA EN EL CATALOGO. / ALL KITS (DISC + CALIPER), IN THE REFERENCE CONTAINS THE LETTER K, IF FOR ANY REASON THE DISC IS ONLY NEEDED, IT MUST BE ORDERED BY DELETING THE LETTER K AND THE LAST 2 DIGITS OF THE REFERENCE THAT COUNTS UN THE

KIT CROSS - ENDURO - Ø185/220/225/260/270/318/320

KIT SUPERMOTO / SUPERMOTARD - Ø320

KIT SCOOTER - Ø240/298

KIT TRAIL - Ø320

KIT DAKAR - Ø300


KIT RACING - Ø122 / 320

TODAS LAS MEDIDAS ESTAN INDICADAS EN MILIMETROS / SUJETAS A CAMBIOS SIN PREVIO AVISO / ALL INDICATED SIZES ARE IN MILIMETERS AND SUBJECTED TO CHANGE WITHOUT FURTHER NOTICE

WWW.NGBRAKEDISC.COM

INFORMACION TECNICA / TECHNICAL INFORMATION

DISCOS CLASIFICADOS X MARCAS / BRAKE DISCS BY BRANDS



GENERAL 1															2 MONTH UPDATE									
AJP	3	PR3 SUPERMOTO PRO	4	125	15/16	E	1096	L	S	260	-	3,5	4	6,5	1277	R	S	220	45	3,5	4	6,5		
AJP	3	PR4 ENDURO / PR4 SM	4	125	05	E	731	L	S	260	108	3,5	6	6,5	060	R	S	210	108	3,5	6	6,5		

7 CATEGORIA / CATEGORY

A: CICLOMOTOR OFFROAD 50-100CC. CON MARCHAS / OFFROAD MOPED 50-100CC W/GUIDE
B: BICICLETA / BICYCLE **C:** CUSTOM / TOURING BIKES **CS:** CUATRICYCLE / FOURCYCLE
D: RETRO / VINTAGE **E:** ENDURO **F:** SUPERMOTO / SUPERMOTARD **G:** TRIKES
H: CICLOMOTOR CARRETERA 50-100CC. CON MARCHAS / ONROAD MOPED 50-100CC W/GUIDE
L: SIDECAR / SIDE-BIKE **M:** CROSS **N:** NAKED **Q:** ATV / QUAD
R: TURISMO / RACING / STREET / SPORT **S:** SCOOTER **SB:** SUPERBIKE **S3:** SUPERSPORT 300-390CC
S6: SUPERSPORT 600-675CC **T:** TRIAL **TS:** TRICYCLE **U:** TRAIL **W:** SSV (SIDE X SIDE) / UTV / BUGGIES
VEHICULOS ELECTRICOS / ELECTRIC VEHICLES:
EV: ENDURO **HV:** CICLOMOTOR / MOPED **FV:** SUPERMOTO / SUPERMOTARD **MV:** CROSS
RV: TURISMO / RACING / STREET / SPORT / NAKED **SV:** SCOOTER **TV:** TRIAL **UV:** TRAIL
WV: UTV (SIDE X SIDE) / UTV / BUGGIES
MOTOR V-TWIN / V-TWIN ENGINE:
CVT: CUSTOM / TOURING BIKES **DVT:** RETRO / VINTAGE **FVT:** SUPERMOTO / SUPERMOTARD
GVT: TRIKES **NVT:** NAKED **RVT:** TURISMO / RACING / STREET / SPORT **UVT:** TRAIL

9 LADO / SIDE

L IZQUIERDO / LEFT SIDE
R DERECHO / RIGHT SIDE
C CENTRADO / CENTER

10 TIPO / TYPE

F FLOTANTE / FLOATING +H
FO FLOTANTE SOBREDIMENSIONADO / FLOATING OVERSIZE
FIM DISCO S/FIM 2016 / DISC ACCORDING TO FIM 2016
KF KIT FLOTANTE SOBREDIMENSIONADO / KIT FLOATING OVERSIZE
KO KIT STANDARD SOBREDIMENSIONADO / KIT STANDARD OVERSIZE
KS KIT FIJO SOBREDIMENSIONADO / KIT FIXED OVERSIZE
MD MULTIDISCO FIJO / FIXED MULTIDISC
MDF MULTIDISCO FLOTANTE / MULTIDISC FLOATING
S FIJO / FIXED, FIJO / FIXED +H
SO STANDARD SOBREDIMENSIONADO / STANDARD OVERSIZE
SP FIJO SIN VENTILACIONES / FIXED WITHOUT VENTILATIONS
T TURBINA / TURBINE



11 DIAMETRO EXTERIOR / OUTSIDE DIAMETER

DIAMETRO EN NEGRITA: KIT OVERSIZE / **DIAMETER IN BOLD LETTER:** OVERSIZE KIT

12 DIAMETRO INTERIOR / INSIDE DIAMETER

13 ESPESOR / THICKNESS

14 N° TALADROS / HOLES NUMBER

15 DIAMETRO TALADROS / HOLES DIAMETER

MH DIFERENTES DIAMETROS DE FIJACIÓN / FIXING DIFFERENT DIAMETERS

TODAS LAS MEDIDAS ESTAN INDICADAS EN MILIMETROS / SUJETAS A CAMBIOS SIN PREVIO AVISO / ALL INDICATED SIZES ARE IN MILIMETERS AND SUBJECTED TO CHANGE WITHOUT FURTHER NOTICE



JOHANN ZARCO
WORLD CHAMPION
MOTO 2



MARVIN FRITZ
CHAMPION
SUPERBIKE IDM

PRESENTACION NG BRAKE DISC / NG BRAKE DISC PRESENTATION

KITS OVERSIZE / OVERSIZE KITS

DISCOS POR MARCAS / BRAKE DISCS BY BRANDS

DISCOS POR REFERENCIA / BRAKE DISCS BY REFERENCE

PLATOS CADENA SEMIMECANIZADOS / HALF FINISHED SPROCKETS

INSTRUCCIONES WEB / WEB INSTRUCTIONS

NOTAS / NOTES

DISTRIBUIDORES INTERNACIONALES / WORLDWIDE DISTRIBUTORS



PRESENTACION / PROFILE

En 1969, la familia Torras-Maseras funda la empresa Technologies Metal.lurgiques MT S.L., dedicada al diseño y fabricación de moldes.

Desde entonces y hasta hoy, 47 años después, se ha caracterizado por ser una empresa familiar que poco a poco ha ido creciendo adaptándose a los constantes cambios del mercado.

En 1992, la empresa se inicia en la fabricación de discos de freno, para ello se crea una empresa con 2 socios: por una parte Technologies Metal.lurgiques MT S.L como socio-fabricante y por otra NG Products como socio-comercial.

En ese momento, la empresa obtiene la certificación ISO-9001, así como el reconocido certificado TÜV.

En 2006 la familia Torras da un gran paso y toma la decisión de adquirir la parte comercial de la empresa de la que hasta ese momento era sólo fabricante a su socio NG Products.

Desde ese momento, Technologies Metal.lurgiques MT S.L., diseña, fabrica y comercializa los discos de freno con la marca NG BRAKE DISC "NEW GENERATION".

In 1969, the Torras-Maseras family founded the company Technologies Metal.lurgiques MT S.L., dedicated to the design and production of moulds.

Since then and until today, 47 years later, it has been a family company that step by step has gone growing and adapting to the constant changes of the market.

In 1992, Technologies Metal.lurgiques MT S.L. joined to NG Products to start with the production of brake discs, the new company was divided into two departments. Technologies Metal.lurgiques MT S.L took charge of the manufacturing part and NG Products took charge of the commercial part.

In that moment, the company obtained the certification ISO-9001 and TÜV certificated.

In 2006, the Torras family stepped up and reached the decision of buying the commercial part of the company to his partner Ng Products.


Starting from this moment, Technologies Metal.lurgiques MT S.L design, manufacture and commercialize the brake discs with the brand NG BRAKE DISC "NEW GENERATION".

Marcas de fabricación OEM (Primeras marcas originales) OEM manufacturer brands:




Todas las marcas son propiedad de sus respectivos fabricantes / All trademarks are property of their respective owner


PROCESO DE DISEÑO Y FABRICACION / DESIGN AND MANUFACTURING PROCESS




>Fabrica / Factory



>I+D+I




>CAD/CAM/CAE




>Análisis de esfuerzos / Stress Simulation




>Materia Prima / Raw material



>Laser / Laser cut



>Prensa / Press machine



>Mecanizado / Mechanized



>Grabacion disco / Engraving disc



>Verificacion / Verification



>Embalaje / Packing



>Almacen / Storehouse

TAKE A LOOK AND CHOOSE THE MOST ADVANCED BRAKE DISCS IN THE MARKET.

ENJOY EVERY CURVE... ENJOY EVERY BRAKING...



Management
System
ISO 9001:2008

www.tuv.com
ID 9105024550



TÜV

TODOS LOS DISCOS NG TIENEN HOMOLOGACIÓN TÜV
ALL NG BRAKE DISCS HAVE TÜV HOMOLOGATION



Management
System
ISO 9001:2008

www.tuv.com
ID 9105024550



KITS OVERSIZE

CROSS

CROSS
JUNIOR

ENDURO

TRAIL

DAKAR

OPTIONAL
CONTOURED
REAR DISC

OPTIONAL
SOLID
REAR DISC

SUPERMOTARD

YAMAHA T-MAX

OPTIONAL
CONTOURED
REAR DISC

HONDA
SCOOPY

ENJOY EVERY BRAKING⁶⁰⁰⁰

NG
Brake Disc

KITS SOBREDIMENSIONADOS CROSS-ENDURO

Ref. xxxX

Contoured with ventilations
Ondulado con ventilaciones


Ref. xxxXBH

contoured with ventilations and Races
Ondulado con ventilaciones y regatas

BRAND	MODEL	FRONT REFERENCE		O.D.
BETA				
RR 250 Enduro 2T-12/15, RR 250 Enduro 2T R-15, RR 300 Enduro 2T-12/15,		1254XK09	1254XBHK09	*270
RR 300 Enduro 2T R-15, Xtrainer 300 Crosstrainer-15,				
RR 350 EFI Enduro 4T-13/15, RR 350 EFI Enduro 4T Racing-15,				
RR 390 Enduro 4T-15, RR 430 Enduro 4T-15, RR 430 Enduro 4T R-15,				
RR 480 Enduro 4T-15, RR 480 Enduro 4T R-15				
BMW				
G X 450-08/11		1162XK16	-	*270
GAS GAS				
EC 125-14/15, EC 125 Six Days 2T-10/11, EC 125 R-12/15, EC 125- 98/09,		1199XK09	-	*270
Enducross 125 HX-94/97, Enducross 125 TT-94/97,				
MC 125-01/08, EC 200 Hobby-08, Enducross 200 EC-99/09,				
EC 200 Six Days 2T-10/11, EC 200 Racing 2T-12/15, EC 250 2T-96/15,				
EC 250 E 2T-96/15, EC 250 4T Cami-14/15, EC 250 4T-10/11,				
Six Days 250 2T-10/11, EC 250 4T R-12/15, EC 250 R-12/15,				
Enducross 250 TT-95/98, FSE 250 EC 4T-99/00, MC 250-98/08, EC 300-99/14,				
EC 300 Nanbolin-99/14, EC 300 4T Racing-12/15, EC 300 E-14/15, EC 300 F-14/15,				
EC 300 2T Six Days-10/15, EC 300 2T Racing -10/15, Enducross 400 EC FSE-01/03,				
SM 450 FSR-07/08, Enducross 450 EC FSE-02/05, EC 450 F 4T Racing 06/15,				
FSE 450 SM-01/05, Pampera 450 4T-07, EC 515 FSR 4T-08/09				
HM Motorcycles				
CRE 250 F-04/09, CRE 250 X-04/09		1154XK03	1154XBHK03	*270
HONDA				
CR 125 E-98/08, CR 125 R-04/08, CR 250 E-04/09, CR 250 F-04/09,		1154XK03	1154XBHK03	*270
CRF 250 X-04/15, CRF 250 R-04/15, CR 250 R-04/09,				
CR 250 X-04/09, CR 250 R1-04/05, CR 250 R4-04/05,				
CRF 360 R-14, CRF 450 R-04/14, CRF 450 X-04/15				
HUSABERG				
FE 400-00/03, FE 400 E-00/03, FS 400 C-01/03, FS 400-00/03,		1254XK16	1254XBHK16	*270
FS 400 E-01/03, FC 470-01/02, FE 501-99/04, FC 501-99/04,				
FE 501 E-99/04, FE 510-13/14, FC 550-01/05, FE 550 E-04/08, FC 600-99/03,				
FC 600 4 CR-99/03, FE 600 E-99/02, FE 650 E-01/08, FX 650 E-01/05,				
FS 650 C-01/04, FS 650 E-01/04				
FE 250-11/14, FE 250 4T-11/14, TE 250-11/14, TE 300-11/14, FE 350-12/14,		1254XK17	1254XBHK17	*270
FE 390-10/12, FE 450-09/14, FX 450-09/14, FE 570-10/12				
HUSQVARNA				
CR 125-00/12, WR 125-07/14, CR 250-05/11, TC 250-07/13, TC 250 R-07/13,		1325XK16	1325XK16	*270
TE 250-04/10, TXC 250-11, WR 250-05/14, WR 300-12/14, TC 450-07/10,				
TE 450-06/10, TC 510-07/09, TE 510-06/10, TXC 510-09/10				
TC 450-11, TXC 450-11/12, TXC 480-13, TE 511-11/13, TXC 511-11/13		1325XK17	1325XBHK17	*270
KAWASAKI				
KX 85-00/15, KX 85 II-00/15		1427XK24	-	*260
KX 125-95/02, KLX 250 R-93/96, KX 250-94/02, KLX 300 R-97/07		1150XK01	1150XBHK01	*270

CROSS / ENDURO OVERSIZE KITS

KITS SOBREDIMENSIONADOS CROSS-ENDURO

BRAND	MODEL	FRONT REFERENCE		O.D.
KTM "KIDS MOTORCYCLES"				
SX 50-12/15		1378XK21	.	*185
SX 65-00/15, XC 65-08		1379XK22	-	*225
SX 85-11/15		1324XK20	-	*260
SX 85-11/15 Rear oversize disc		1481XK25	-	*220
SX 85 19 / 16"-13/15 Rear oversize disc		1481XK25	-	*220
KTM				
EXC 125-00/08, SX 125-93/08, SXS 125-00/08, GS 125-93/97, MX 125-92, SX 144-07/08, SX 150-07/08, EXC 200-00/09, MXC 200-98/03, SX 200-03/08, XC 200 W-06/09, EXC 250-03/09, EXC 250 G-03/09, GS 250-93/97, MXC 250-98/03, SX 250-93/08, SX 250 F-03/08, SXS 250-03/08, XC 250 F-06/09, XC 250 W-06/09, EXC 300-94/09, EXC 300 Six Days-94/09, GS 300-93/96, MX 300-92, MXC 300-94/06, SX 300-93, SX 300-00/03, SX 300 F-10/12, XC 300-06/09, XC 300 W-06/09, GS 350 4T-93/96, EXC 380-00/02, SX 380-98/02, EXC 400-94/06, EXC 400 G-04/06, SX 400 4T-00/02, XC 400 W-07/09, EXC 450-03/09, EXC 450 R-08/09, MXC 450-03/06, SX 450 F-03/10, SXS 450-03/08, SXS 450 F-03/08, XC 450-07/09, XC 450 F-07/09, XC 450 W-07/09, XC 450 G-06, MX 500-92/11, SX 500-93/11, SX 505 F-07/08, XC 505 F-07/09, MXC 520 4T-01/02, SX 520 4T-00/02, EXC 525-03/08, MXC 525 4T-03/05, SX 525-03/06, XC 525 G-06/08, XC 525 W-06/08, EXC 530 R-08/09, SXC 540-99/00, SXS 540-01/06, GS 600 4T-93/11, LC4 625 Super Competicion-02, SXC 625-03/08		1254XK16	1254XBHK16	*270
EXC 125-09/14 , EXC 125 Six Days 09/14, SX 125-09/15, SXS 125-09/12, SX 144-09/12, SX 150-09/15, EXC 200-10/15, SX 200-09, EXC 250-10/15, EXC 250 F-10/15, Six Days 250-10/15, EXC 250 Six Days-09/14, SX 250-09/15, SX 250 F-09/15, EXC 300-10/15, EXC 300 Six Days-10/15, SX 350 F-10/15, EXC 400-10/15, EXC 450 F-10/15, SX 450 F-11/15, SXS 450-09/10, SXS 450 F-09/10, EXC 450 F Six Days-10/15, SX 505 F-09, EXC 530-10/12, EXC 530 Six Days-09		1254XK17	1254XBHK17	*270
SHERCO				
SE 250 i-12/13, SE 250 i R-12/13, SEF 250 R 4T-14/15, SE 300 i R-12/13, SEF 300 R-12/13, SE 300 R 2T-14/15, SEF 300 R 4T-14/15, SEF 300 R Factory 4T-14/15, SEF 450 R 4T-14/15		1326XK17	1326XBHK17	*270
SUZUKI				
RM 250 Z-04/06		1150XK01	1150XBHK01	*270
RM 250 Z 4T, CROSS / ENDURO-07/15, RM 450 Z-05/15		1160XK01	1160XBHK01	*270
RM 125-96/08, RM 250-96/08		1153XK01	1153XBHK01	*270
YAMAHA				
YZ 125-02/07, WR 125-98/12, WR 250-98/07, WR 250 F-02/15, WR 250 R-01/08, WR 400 F-98/00, YZ 400 F-98/00, WR 426 F-00/02, WR 450 F-03/12, WR 450 F-14/15, YZF 450-03/07		1153XK02	1153XBHK02	*270
YZ 125-98/01, YZ 125-08/15, YZ 250-98/15, YZF 250-01/15, YZF 450-08/15		1153XK05	1153XBHK05	*270
WR 450 F Especial DAKAR-09/12		1209XK10	-	*300

OPTIONAL

SOLID REAR DISCS CONTOURED REAR DISC



Ref. 129X



Ref. 654X



Ref. 1049X



Ref. 789X



Ref. 129SP



Ref. 654SP



Ref. 789SP



Ref. xxx

Round with ventilations
Redondo con ventilaciones



Ref. xxxX

Contoured with ventilations
Ondulado con ventilaciones



Ref. xxxSP

Solid without ventilations
Sólido sin ventilaciones

BRAND	MODEL	REFERENCE			O.D.
BMW		ROUND	CONTOURED	SOLID	
	G X 450-08/11	-	1146XK11	-	*320
GAS GAS					
	All models w/NISSIN caliper 02/11	022K12	1204XK12	-	*320
HONDA					
	CR 125-95/97, CR 125 E-95/97, CR 125 R-95/97, CR 250 E-95/03, CR 250 R-95/03 CR 250 RW-95/03, CR 250 RX-95/03, CR 250 RY-95/03, CR 250 R1-95/03, CR 250 R4-95/03, XR 250 R-91/04,XR 400 R-95/05,XR 400 R Supermotard-96/99, CRF 450 R-02/03, CR 500-95/01,XR 600 R-94/99, XR 650 Supermotard-07/08, XR 650 R-93/11	724K15	724XK15	724SPK15	*320
	CR 125 E-04/08, CR 125 R-04/08, CR 250 E-04/09, CR 250 F-04/09,CR 250 R-04/09 CR 250 X-04/09, CR 250 R1-04/05, CR 250 R4-04/05, CRF 250 R-04/14, CRF 250 X-04/14, CRF 360-14,CRF 450 R-04/14, CRF 450 SM-04/11, CRF 450 X-04/15	724K14	724XK14	724SPK14	*320
HUSQVARNA					
	TC 250-04/06, TE 250-02/06, TE 400-00/02, TE 410-00/01, TE 410 E-00/01, TC 450-02/06, TE 450-02/06, TC 510-02/06, TE 510-02/06, TE 570-00/03, TC 570-00/03, TE 610-00/06, TE 610 E-02/06	722K11	722XK11	722SPK11	*320
KAWASAKI					
	KX 125-06/08, KX 250-06/08, KX 250 F-06/15, KLX 450 F-07/09, KX 450 F-06/15	732K13	732XK13	732SPK13	*320
KTM					
	All models reverse suspension 07/11	730K11	-	-	*320
	All models reverse susp-07/11, EXC 125-09/14, SXS 125-09/12, SX 144-09/12, EXC 200-10/15, EXC 250-10/14,EXC 250 F-10/14, Six Days 250-10/14, EXC 400-10/15, EXC 450-10/15, EXC 530-10/12	725K11	725XK11	725SPK11	*320
	EXC 300-10/15	725K11	725XK11	-	*320
SUZUKI					
	RM 125-96/08, RM 250-96/08, DR 400 Z E-00/08, DR 400 Z S-00/08	723K13	723XK13	723SPK13	*320
	RM 250 Z 4T, CROSS / ENDURO-07/15, RM 450 Z-05/15	749K13	749XK13	749SPK13	*320
YAMAHA					
	WR 125-00/12, YZ 125-00/15, WR 250-00/08, WR 250 F-02/15, YZ 250-01/15, YZF 250-01/16, YZF 400-00, WR 426 F-00/02, WR 450 F-03/08, YZF 450-03/07	723K13	723XK13	723SPK13	*320
	YZF 450-08/16	723K14	723XK14	723SPK14	*320

YAMAHA T-MAX KITS

OVERSIZE DISCS KIT / KIT DISCOS SOBREDIMENSIONADOS



2015-2016
PINZA RADIAL

Tmax 530

2012-2014

Tmax 530

2008-2011

Tmax 500



Ø298



Ø298



Ø286



Ref. 1205XK23

Left and Right side
Lado izquierdo y derecho

Ref. 1296X

Rear/Trasero



Ø298



Ø298



Ø286

Ref. 1205XK07

Left side / Lado izquierdo

Ref. 1205XK08

Right side / Lado derecho

Ref. 1296X

Rear/Trasero



Ø298



Ø298



Ø267

Ref. 1196XK07

Left side / Lado izquierdo

Ref. 1196XK08

Right side / Lado derecho

Ref. 1032X

Rear/Trasero

Ø240mm DISC
+
SUPPORT DROP



SCOOPY KIT

Ref. 364XK6



Caliper support
#6



SUITABLE FOR THE MODELS:

NES CHIOCCIOLA	125	00/06
PASSION I	125	06/13
SH I / SH I EDO / SH I SPORTY	125	00/10
SH MODE	125	14/15
NES CHIOCCIOLA	150	00/03
PS PASSION I	150	06/08
SH I	150	00/09

REF. 1022X

Ø 190

Ø 190

REF. 1022

UTIL PARA MÁS DE 270 DIFERENTES MODELOS DE 32 MARCAS
SUITABLE FOR MORE THAN 270 DIFEERENT MODELS FROM 32 BRANDS

023



Aprilia, Beta, Fantic, Gilera, Husqvarna, K1, Mbk, Moto Martin, Piaggio, Rieju, Yamana

303



Beta, Gilera, Peugeot, Piaggio, Siamoto, Sym

007
665



Atala, Benelli, Beta, Macal, Malaguti, Motron, Peugeot, Renault, Rieju

107
1086



Adly, Akt, Beeline, Benelli, Cpi, Daelim, Derbi, Garelli, Generic, Honda, Mbk, Moto Roma, Peugeot, Pgo, Sym, Tbg, Yamaha

Enjoy Every Braking...



REF. 1154XBHK03

CRF 250R - 04/14, CRF 450R - 04/14, CRF 250X - 04/14
CRF 450X - 04/16, CRF 360R - 14



REF. 1154XBHK26

CRF 250R - 15/17, CRF 450R - 15/17, CRF300 RME - 15/17
CRF 450RX - 17, CRF 500R - 15/16



REF. 1151XBHK01

KX 250F - 04/14, KX 450F - 06/14



REF. 1254XBHK17

SX 125 - 09/15, SX 250 - 09/15, SX 250F - 09/16
SX 350F - 11/16, SX 450F - 10/16



REF. 1160XBHK01

RM-Z 250 - 07/17, RM-Z 450 - 05/17




REF. 1153XBHK05

YZ 125 - 08/16, YZ 250 - 02/16, YZ 250F - 02/14
YZ 450F - 08/14

REAR DISC SOLID

Ref.789SP




Ref.654SP



Ref.129SP



HUSABERG
Husqvarna



CROSS RACING JUNIOR

KITS OVERSIZE



REF. 1378XK21

SX 50 - 12/17



REF. 1379XK22

SX 65 - 00/17, XC65 - 08



REF. 1427XK24

KXII 85 - 00/16, KXII 85 - 00/16



FRONT REF. 1324XK20

SX 85 - 11/15

REAR REF. 1481XK25

SX 85 - 11/15

SX 85 19/16" - 13/17

DISCOS POR
MARCAS

BRAKE DISC
BY BRANDS

MOTORCYCLES

ENJOY EVERY BRAKING⁶⁰⁰⁰

NG
Brake Disc



ADLY											ADLY										
50 c.c.											50 c.c.										
FOX / JET	07/11	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	-		
FOX / JET	07/11	S	727	L	SO	*180	40,6	3,5	3	10,5											
GTA 2T A.C. / L.C.	16/17	S	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-	-		
PREDATOR	ALL	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-		
PREDATOR	ALL	S	1022 / 1022X	L	MD	190	58	3,7	3	MH											
PREDATOR	ALL	S	1300X	L	FO	*220	58	3,5	3	10,5											
ROAD TRACER	04/06	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	-		
ROAD TRACER	04/06	S	727	L	SO	*180	40,6	3,5	3	10,5											
SF SILVER FOX	06/09	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	-		
SF SILVER FOX	06/09	S	727	L	SO	*180	40,6	3,5	3	10,5											
SS SUPERSONIC	04/05	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-		
SS SUPERSONIC	04/05	S	1022 / 1022X	L	MD	190	58	3,7	3	MH											
SS SUPERSONIC	04/05	S	1300X	L	FO	*220	58	3,5	3	10,5											
TB THUNDERBIKE	08/09	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-		
TB THUNDERBIKE	08/09	S	1022 / 1022X	L	MD	190	58	3,7	3	MH											
TB THUNDERBIKE	08/09	S	1300X	L	FO	*220	58	3,5	3	10,5											
90 c.c.											90 c.c.										
ROAD TRACER	02/06	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	-		
ROAD TRACER	02/06	S	727	L	SO	*180	40,6	3,5	3	10,5											
100 c.c.											100 c.c.										
JET	07/09	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	-		
JET	07/09	S	727	L	SO	*180	40,6	3,5	3	10,5											
PREDATOR	ALL	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-		
PREDATOR	ALL	S	1022 / 1022X	L	MD	190	58	3,7	3	MH											
PREDATOR	ALL	S	1300X	L	FO	*220	58	3,5	3	10,5											
ROAD TRACER	02/06	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	-		
ROAD TRACER	02/06	S	727	L	SO	*180	40,6	3,5	3	10,5											
SUPER SONIC	04/05	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-		
SUPER SONIC	04/05	S	1022 / 1022X	L	MD	190	58	3,7	3	MH											
SUPER SONIC	04/05	S	1300X	L	FO	*220	58	3,5	3	10,5											
125 c.c.											125 c.c.										
GTA	16/17	S	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-	-		
SUPER SONIC	04/05	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-		
SUPER SONIC	04/05	S	1022 / 1022X	L	MD	190	58	3,7	3	MH											
SUPER SONIC	04/05	S	1300X	L	FO	*220	58	3,5	3	10,5											
SS B / D SUPERSONIC	04/05	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-		
SS B / D SUPERSONIC	04/05	S	1022 / 1022X	L	MD	190	58	3,7	3	MH											
SS B / D SUPERSONIC	04/05	S	1300X	L	FO	*220	58	3,5	3	10,5											
THUNDER BIKE	ALL	S	107 / xxxX	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-	-		
THUNDER BIKE	ALL	S	1022 / 1022X	L	MD	190	58	3,7	3	MH											
THUNDER BIKE	ALL	S	1300X	L	FO	*220	58	3,5	3	10,5											
THUNDER BIKE DT	ALL	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-		
THUNDER BIKE DT	ALL	S	1022 / 1022X	L	MD	190	58	3,7	3	MH											
THUNDER BIKE DT	ALL	S	1300X	L	FO	*220	58	3,5	3	10,5											
AEON											AEON										
125 c.c.											125 c.c.										
ELITE	17	S	-	L	S	256	-	-	-	-	-	-	-	256	-	-	-	-	-		
URBAN	16/17	S	-	L	S	256	-	-	-	-	-	R	S	256	-	-	-	-	-		
350 c.c.											350 c.c.										
ELITE i / URBAN i	16/17	S	-	L	S	256	-	-	-	-	-	R	S	256	-	-	-	-	-		
AFAM											AFAM										
- C.C.											- C.C.										
AFAM	-	R	-	-	-	-	-	-	-	-	068	L	S	220	81	4,0	5	6,5			
AJP											AJP										
50 c.c.											50 c.c.										
ENDURO R	98/99	A	331	L	S	255	108	3,5	6	6,5	332	R	S	185	103	3,5	-	-			
ENDURO R	98/99	A									035	R	S	185	103	3,5	-	-			
125 c.c.											125 c.c.										
ENDURO	08	E	1096	L	S	260	-	3,5	4	6,5	1097	R	S	185	45	3,5	4	6,5			
AJP											AJP										
125 c.c.											125 c.c.										



PR3 MODELS														
ENDURO	08/14	E	1096	L	S	260	-	3,5	4	6,5	1097	R	S	185 45 3,5 4 6,5
ENDURO	15/16	E	1096	L	S	260	-	3,5	4	6,5	1277	R	S	220 45 3,5 4 6,5
ENDURO / SM	12/13	E	1096	L	S	260	-	3,5	4	6,5	1277	R	S	220 45 3,5 4 6,5
ENDURO PRO	08/14	E	1096	L	S	260	-	3,5	4	6,5	1097	R	S	185 45 3,5 4 6,5
ENDURO PRO	15/16	E	1096	L	S	260	-	3,5	4	6,5	1277	R	S	220 45 3,5 4 6,5
SUPERMOTO / PRO	08/14	F	1096	L	S	260	-	3,5	4	6,5	1097	R	S	185 45 3,5 4 6,5
SUPERMOTO / PRO	15/16	F	1096	L	S	260	-	3,5	4	6,5	1277	R	S	220 45 3,5 4 6,5
PR4 MODELS														
ENDURO	10/11	E	1096	L	S	260	-	3,5	4	6,5	302	R	S	220 108 4,0 6 6,5
ENDURO / SM	05	E	731	L	S	260	108	3,5	6	6,5	060	R	S	210 108 3,5 6 6,5
ENDURO / SM	05	E	731XK	L	S	260	108	3,5	6	6,5				
ENDURO / SM	05	E	1288X	L	F00,0	260	108	3,5	6	6,5				
ENDURO / SM	05	E	1690X	L	F00,0	260	108	3,0	6	6,5				
ENDURO / SM	04/09	E	331	L	S	255	108	3,5	6	6,5	060	R	S	210 108 3,5 6 6,5
SUPERMOTO / PRO	10/11	F	1096	L	S	260	-	3,5	4	6,5	302	R	S	220 108 4,0 6 6,5
200 c.c.											200 c.c.			
PR3 MODELS														
ENDURO	04/09	E	331	L	S	255	108	3,5	6	6,5	060	R	S	210 108 3,5 6 6,5
ENDURO / PRO	08/11	E	1096	L	S	260	-	3,5	4	6,5	1097	R	S	185 45 3,5 4 6,5
ENDURO / SM	12/13	E	1096	L	S	260	-	3,5	4	6,5	1277	R	S	220 45 3,5 4 6,5
MX 4T / MX PRO	07/11	M	1096	L	S	260	-	3,5	4	6,5	1097	R	S	185 45 3,5 4 6,5
SUPERMOTO / PRO	10/11	F	1096	L	S	260	-	3,5	4	6,5	1097	R	S	185 45 3,5 4 6,5
PR4 MODELS														
ENDURO	10/11	E	1096	L	S	260	-	3,5	4	6,5	302	R	S	220 108 4,0 6 6,5
ENDURO PRO	10/11	E	1096	L	S	260	-	3,5	4	6,5	302	R	S	220 108 4,0 6 6,5
SUPERMOTO	04/09	F	331	L	S	255	108	3,5	6	6,5	302	R	S	220 108 4,0 6 6,5
SUPERMOTO / PRO	10/11	F	1096	L	S	260	-	3,5	4	6,5	302	R	S	220 108 4,0 6 6,5
240 c.c.											240 c.c.			
PR3 ENDURO / PRO	15/16	E	1096	L	S	260	-	3,5	4	6,5	1277	R	S	220 45 3,5 4 6,5
PR3 MX PRO	15/16	M	1096	L	S	260	-	3,5	4	6,5	1277	R	S	220 45 3,5 4 6,5
PR3 SUPERMOTO	15/16	F	1096	L	S	260	-	3,5	4	6,5	1277	R	S	220 45 3,5 4 6,5
600 c.c.											600 c.c.			
PR7 ADVENTURE 650	16/18	E	1568X	L	F00,0	300	124,3	5,0	6	6,5	1569X	R	S	240 110 4,2 6 6,5
AJR														
125 c.c.											125 c.c.			
REGAL RAPTOR CR3	06	C	1201X	L	S22,0	220	58	4,0	3	8,5	Drum	-	-	-
AKT														
125 c.c.											125 c.c.			
AK SL / EVO NE	12/13	R	1201X	L	S22,0	220	58	4,0	3	8,5	Drum	-	-	-
JET 4	11/13	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-
JET 4	11/13	S	1022 / 1022X	L	MD	190	58	3,7	3	MH				
JET 4	11/13	S	1300X	L	FO	*220	58	3,5	3	10,5				
150 c.c.											150 c.c.			
EVO NE	12/13	R	1201X	L	S22,0	220	58	4,0	3	8,5	Drum	-	-	-
EVO RXT	12/13	R	1201X	L	S22,0	220	58	4,0	3	8,5	Drum	-	-	-
ALFER														
50 c.c.											50 c.c.			
MINI	01/02	A	600	L	S	207	45	3,0	5	6,5	426	R	S	150 45 3,0 5 6,5
65 c.c.											65 c.c.			
150	06	E	918	L	S	210	-	3,0	4	6,5	389	R	S	150 45 3,0 4 6,5
150	06	E									650SP	R	S	150 45 3,0 4 6,5
150	06	E									1570X	R	FIM	150 45 3,0 4 6,5
125 c.c.											125 c.c.			
VRE NO LIMITS	03	E	338	L	S	260	108	3,5	6	6,5	-	-	-	-
VRE NO LIMITS	03	E	1690X	L	F00,0	260	108	3,0	6	6,5				
250 c.c.											250 c.c.			
VR	96/03	M	338	L	S	260	108	3,5	6	6,5	302	L	S	220 108 4,0 6 6,5
VR	96/03	M	1690X	L	F00,0	260	108	3,0	6	6,5	1057X	L	S	220 108 4,0 6 6,5
ALFER														
250 c.c.											250 c.c.			
VR NO LIMITS	96/03	F	022	L	F00,0	320	108	4,0	6	6,5	302	L	S	220 108 4,0 6 6,5



YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø
VR NO LIMITS	96/03	F															
VR NO LIMITS	96/03	F															
VR NO LIMITS	96/03	F															
300 c.c.										300 c.c.							
TRIAL	95	T															
APRILIA										APRILIA							
50 c.c.										50 c.c.							
AMICO ALL MODELS	92/99	S															
AMICO ALL MODELS	92/99	S															
AREA 51 / SUPERBIKE	98/02	S															
AREA 51 / SUPERBIKE	98/02	S															
GULLIVER A.C. / L.C.	95/00	S															
GULLIVER A.C. / L.C.	95/00	S															
HABANA / CUSTOM	98/02	S															
HABANA / CUSTOM	98/02	S															
MOJITO / CUSTOM	94/12	S															
MOJITO / CUSTOM	94/12	S															
MOJITO RETRO	94/12	S															
MOJITO RETRO	94/12	S															
MC GULLIVER	99/00	S															
MC GULLIVER	99/00	S															
MX	03/05	A															
PEGASO	92/05	A															
RALLY A.C. ALL MODELS	95/02	S															
RALLY A.C. ALL MODELS	95/02	S															
RALLY L.C. ALL MODELS	96/00	S															
RALLY L.C. ALL MODELS	96/00	S															
RED ROSE	89	C															
RS	99/05	H															
RS	06/11	H															
RS	06/11	H															
RS	06/11	H															
RS EXTREMA	96/98	H															
RS EXTREMA / RACING	99→	H															
RS REPLICA GP-1 / SBX	04/05	H															
RS4	11/17	H															
RS4	11/17	H															
RS4	11/17	H															
RX	89/91	H															
RX	95/04	H															
RX	05/10	H															
RX	05/10	H															
RX	11	H															
RX	11	H															
RX	12/17	H															
RX	12/17	H															
RX RACING	03/06	H															
SCARABEO 2T	98/05	S															
SCARABEO 2T	06/17	S															
SCARABEO 4T	02/10	S															
SCARABEO 4T	02/10	S															
SCARABEO 4T 4V	02/17	S															
SCARABEO BRIGHT	97	S															
SCARABEO BRIGHT	97	S															
SCARABEO DE-LUXE	97	S															
SCARABEO DE-LUXE	97	S															
APRILIA										APRILIA							
50 c.c.										50 c.c.							
SCARABEO DE-LUXE	98/99	S															
SCARABEO DE-LUXE	98/99	S															
SCARABEO DD	98/02	S															



MODEL	YEAR	TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø
SCARABEO DD	98/02	S									1022 / 1022X	L	MD	190	58	3,7	3	MH
SCARABEO DI-TECH	01/06	S	291	L	S	220	60	4,0	5	6,5	023	L	S	190	58	3,5	3	8,5
SCARABEO DI-TECH	01/06	S									1022 / 1022X	L	MD	190	58	3,7	3	MH
SCARABEO DT	93/97	S	147	L	S	220	96	4,0	5	6,5	Drum	-	-	-	-	-	-	-
SCARABEO QUATTRO	09	A	291	L	S	220	60	4,0	5	6,5	-	-	-	-	-	-	-	-
SCARABEO STREET	98/07	S	291	L	S	220	60	4,0	5	6,5	Drum	-	-	-	-	-	-	-
SCARABEO STREET 2T	05/10	S	291	L	S	220	60	4,0	5	6,5	Drum	-	-	-	-	-	-	-
SONIC AC / GP L.C.	97/08	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
SONIC AC / GP L.C.	97/08	S	727	L	SO	*180	40,6	3,5	3	10,5								
SPICE SONIC	98	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
SPICE SONIC	98	S	727	L	SO	*180	40,6	3,5	3	10,5								
SPORT CITY 4T	08/10	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-
SPORT CITY 4T	08/10	S	612	L	S	220	58	4,0	5	6,5								
SR A.C. / L.C.	92/02	S	023	L	S	190	58	3,5	3	8,5	-	-	-	-	-	-	-	-
SR A.C. / L.C.	92/02	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
SR / AIR / CAPIROSSI	01/06	S	023	L	S	190	58	3,5	3	8,5	023	L	S	190	58	3,5	3	8,5
SR / AIR / CAPIROSSI	01/06	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH
SR DITECH / HIPER2	01/06	S	023	L	S	190	58	3,5	3	8,5	023	L	S	190	58	3,5	3	8,5
SR DITECH / HIPER2	01/06	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH
SR FACTORY	05	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1107	L	S	190	70	4,5	3	8,5
SR L.C.	99/02	S	023	L	S	190	58	3,5	3	8,5	023	L	S	190	58	3,5	3	8,5
SR L.C.	99/02	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH
SR L.C. DD	97	S	023	L	S	190	58	3,5	3	8,5	023	L	S	190	58	3,5	3	8,5
SR L.C. DD	97	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH
SR MOTARD 2T	12/17	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-
SR MOTARD 2T	12/17	S	612	L	S	220	58	4,0	5	6,5								
SR MOTARD 4T / 4V	13/15	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-
SR MOTARD 4T / 4V	13/15	S	612	L	S	220	58	4,0	5	6,5								
SR MT	18	S	-	L	S	220	-	4,0	5	6,5	Drum	-	-	-	-	-	-	-
SR NETSCAPER	97/99	S	023	L	S	190	58	3,5	3	8,5	023	L	S	190	58	3,5	3	8,5
SR NETSCAPER	97/99	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH
SR PUREJET	03/05	S	023	L	S	190	58	3,5	3	8,5	023	L	S	190	58	3,5	3	8,5
SR PUREJET	03/05	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH
SR R	18	S	023	L	S	190	58	3,5	3	8,5	023	L	S	190	58	3,5	3	8,5
SR R	18	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH
SR R / SR REPLICA SBK	04/17	S	023	L	S	190	58	3,5	3	8,5	023	L	S	190	58	3,5	3	8,5
SR R / SR REPLICA SBK	04/17	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH
SR RACING	97/04	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-
SR RACING	97/04	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
SR R FACTORY	04/15	S	023	L	S	190	58	3,5	3	8,5	023	L	S	190	58	3,5	3	8,5
SR R FACTORY	04/15	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH
SR R FACTORY PUREJET	05/07	S	023	L	S	190	58	3,5	3	8,5	023	L	S	190	58	3,5	3	8,5
SR R FACTORY PUREJET	05/07	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH
SR SPORT	00	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-
SR SPORT	00	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
SR SPORT PRO	03	S	023	L	S	190	58	3,5	3	8,5	1069	L	S	190	68	4,0	3	8,5
SR SPORT PRO	03	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
SR STEALTH	96/00	S	023	L	S	190	58	3,5	3	8,5	023	L	S	190	58	3,5	3	8,5
SR STEALTH	96/00	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH
SR STREET	03/15	S	023	L	S	190	58	3,5	3	8,5	023	L	S	190	58	3,5	3	8,5
SR STREET	03/15	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH
SR URBAN KID / SR WWW	96/97	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-
SR URBAN KID / SR WWW	96/97	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
SX	06/17	A	866 / 866X	L	T/S	300	108	4,0	6	7,0	351	R	S	180	62	3,5	3	10,5
SX	06/17	A	867	L	T	300	108	3,5	6	6,5	089X	R	S	180	62	3,8	3	10,5

APRILIA
50 c.c.

APRILIA
50 c.c.

SX LIMITED	15/16	A	081	L	S	260	90	4,0	6	6,5	099	R	S	220	57	4,0	6	6,5
TUAREG	86/87	A	-	-	-	-	-	-	-	-	042	R	S	220	57	4,0	5	6,5
TUAREG	88/89	A	274	L	S	230	112	4,5	6	6,5	042	R	S	220	57	4,0	5	6,5
TUONO	03/07	A	289	L	S	280	155	4,0	5	6,5	290	R	S	220	102	4,0	5	8,5

LAS DIMENSIONES INDICADAS PUEDEN ESTAR SUJETAS A CAMBIOS SIN PREVIO AVISO
PARA MÁS INFORMACIÓN VER LA PÁGINA DE INFORMACIÓN TÉCNICA

DIMENSIONS SUBJECTED TO CHANGE WITHOUT FURTHER NOTICE
FOR MORE INFORMATION, SEE THE TECHNICAL INFORMATION PAGE





70 c.c.											70 c.c.										
SCARABEO	94/98	S	147	L	S	220	96	4,0	5	6,5	Drum	-	-	-	-	-	-	-	-	-	
100 c.c.											100 c.c.										
SCARABEO 2T	00	S	017	L	S	220	60	4,0	5	8,5	Drum	-	-	-	-	-	-	-	-	-	
SCARABEO 4T	01/16	S	147	L	S	220	96	4,0	5	6,5	Drum	-	-	-	-	-	-	-	-	-	
125 c.c.											125 c.c.										
AF1 FUTURA	90/92	U	-	R	F00,0	320	-	-	5	-	-	-	-	-	-	-	-	-	-	-	
ATLANTIC	03/11	S	1008	L	S	240	105	4,5	5	6,5	1107	R	S	190	70	4,5	3	8,5			
ARRECIFE	03/10	S	1008	L	S	240	105	4,5	5	6,5	1107	R	S	190	70	4,5	3	8,5			
ETX	85/90	U	287	L	S	250	140	4,0	6	9,0	160	R	S	220	110	4,0	6	6,5			
HABANA / CUSTOM	99/02	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-	-	-	
HABANA / CUSTOM	99/02	S	1022 / 1022X	L	MD	190	58	3,7	3	MH											
HABANA DIETCH	99/02	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-	-	-	
HABANA DIETCH	99/02	S	1022 / 1022X	L	MD	190	58	3,7	3	MH											
KAT	89/99	E	324	L	S	300	105	5,0	6	6,5	326	L	S	220	110	4,5	6	6,5			
KAT	89/99	E	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5											
KAT	89/99	E	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5											
LEONARDO 4T / ST 4T	96/04	S	017	L	S	220	60	4,0	5	8,5	023	R	S	190	58	3,5	3	8,5			
LEONARDO 4T / ST 4T	96/04	S									1022 / 1022X	R	MD	190	58	3,7	3	MH			
MOJITO / MOJITO RETRO	99/08	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-	-	-	
MOJITO / MOJITO RETRO	99/08	S	1022 / 1022X	L	MD	190	58	3,7	3	MH											
MX	04/07	U	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	288	R	S	220	110	4,0	6	6,5			
MX	04/07	U	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5											
MX SUPERMOTARD	04/06	F	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	326	L	S	220	110	4,5	6	6,5			
MX SUPERMOTARD	04/06	F	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5											
PEGASO	89/99	E	324	L	S	300	105	5,0	6	6,5	288	R	S	220	110	4,0	6	6,5			
PEGASO	89/99	E	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5											
PEGASO	89/99	E	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5											
RED ROSE	89/99	C	318	L	S	260	105	3,5	6	6,5	ND / NA	L	S	240	90	5,0	6	6,5			
RS	92/96	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	288	L	S	220	110	4,0	6	6,5			
RS	92/96	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5											
RS	97	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	326	L	S	220	110	4,5	6	6,5			
RS	97	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5											
RS	98/12	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5			
RS	98/12	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5											
RS	15/17	R	1608 / xxxxxX	L	S	300	90	4,0	6	6,5	1607	R	S	220	95	4,5	4	6,5			
RS	15/17	R	1103	L	F00,0	300	90	4,0	6	6,5											
RS	15/17	R	1068	L	F00,0	300	90	4,0	6	6,5											
RS MOTO GP	03	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5			
RS MOTO GP	03	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5											
RS R PISTA	04/10	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5			
RS R PISTA	04/10	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5											
RS RACING	98/00	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5			
RS RACING	98/00	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5											
RS EXTREMA	92/97	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	326	L	S	220	110	4,5	6	6,5			
RS EXTREMA	92/97	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5											
RS EXTREMA	98/09	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5			
RS EXTREMA	98/09	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5											
RS REPLICA	92/97	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	326	L	S	220	110	4,5	6	6,5			
RS REPLICA	92/97	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5											
RS REPLICA	98/09	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5			
RS REPLICA	98/09	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5											
APRILIA											APRILIA										
125 c.c.											125 c.c.										
RS REPLICA GP1 / SBX	04	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5			
RS REPLICA GP1 / SBX	04	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5											
RS4 / RS4 REPLICA	11/17	R	1103	R	F00,0	300	90	4,0	6	6,5	099	L	S	220	57	4,0	6	6,5			
RS4 / RS4 REPLICA	11/17	R	1068	R	F00,0	300	90	4,0	6	6,5											
RS4 / RS4 REPLICA	11/17	R	801	R	T	300	90	4,0	6	6,5											



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø
RX / RX C	89/00	E	287	L	S	250	140	4,0	6	9,0	288	L	S	220	110	4,0	6	6,5
SCARABEO	98	S	147	L	S	220	96	4,0	5	6,5	Drum	-	-	-	-	-	-	-
SCARABEO / ROTAX	99/03	S	292	L	S	260	60	4,0	5	8,5	017	L	S	220	60	4,0	5	8,5
SCARABEO, ENG. PIAGGIO	03/07	S	292	L	S	260	60	4,0	5	8,5	1071	L	S	240	125	4,0	5	6,5
SCARABEO / GT / NET	99/17	S	292	L	S	260	60	4,0	5	8,5	291	R	S	220	60	4,0	5	6,5
SPORT PROT	92/94	S	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SPORT PROT	92/94	S	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SPORTCITY / CUBE	04/12	S	292	L/R	S	260	60	4,0	5	8,5	017	R	S	220	60	4,0	5	8,5
SR SPORT CITY	08/11	S	365	L	S	220	58	4,0	5	6,5	-	-	-	-	-	-	-	-
SR SPORT CITY	08/11	S	612	L	S	220	58	4,0	5	6,5	-	-	-	-	-	-	-	-
SR / SR SPORTER	99/03	R	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-
SR / SR SPORTER	99/03	R	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-
SR MAX i	10/17	S	1001	L	S	260	125	5,0	5	6,5	1071	L	S	240	125	4,0	5	6,5
SR MOTARD	12/17	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-
SR MOTARD	12/17	S	612	L	S	220	58	4,0	5	6,5	-	-	-	-	-	-	-	-
SX	08/09	E	-	L	S	260	-	-	6	-	-	L	S	220	-	-	6	-
TUAREG	86/88	U	-	-	-	-	-	-	-	-	1100	L	S	230	105	4,0	6	6,5
TUAREG	87	U	318	L	S	260	105	3,5	6	6,5	1100	L	S	230	105	4,0	6	6,5
TUAREG RALLY	89/94	U	-	-	-	-	-	-	-	-	160	R	S	220	110	4,0	6	6,5
TUONO	03/16	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
TUONO	03/16	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
TUONO 4T ABS	15/17	R	1608 / xxxxX	L	S	300	90	4,0	6	6,5	1607	R	S	220	95	4,5	4	6,5
TUONO 4T ABS	15/17	R	1103	L	F00,0	300	90	4,0	6	6,5	-	-	-	-	-	-	-	-
TUONO 4T ABS	15/17	R	1068	L	F00,0	300	90	4,0	6	6,5	-	-	-	-	-	-	-	-
150 c.c.											150 c.c.							
LEONARDO 4T / L ST 4T	97/99	S	017	L	S	220	60	4,0	5	8,5	023	L	S	190	58	3,5	3	8,5
SCARABEO 4T	99/03	S	292	L	S	260	60	4,0	5	8,5	017	L	S	220	60	4,0	5	8,5
SR R	99/03	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-
SR R	99/03	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-
200 c.c.											200 c.c.							
ARECIFE	03→	S	1008	L	S	240	105	4,5	5	6,5	1107	L	S	190	70	4,5	3	8,5
ATLANTIC	02/05	S	1008	L	S	240	105	4,5	5	6,5	1107	L	S	190	70	4,5	3	8,5
SCARABEO	99/00	S	292	L	S	260	60	4,0	5	8,5	-	-	-	-	-	-	-	-
SCARABEO	01/03	S	292	L	S	260	60	4,0	5	8,5	017	L	S	220	60	4,0	5	8,5
SCARABEO	07	S	292	L	S	260	60	4,0	5	8,5	1341	R	S	220	102	5,0	5	8,5
SCARABEO 4T, E. PIAGGIO	03/07	S	292	L	S	260	60	4,0	5	8,5	1071	L	S	240	125	4,0	5	6,5
SCARABEO 4T, E. ROTAX	99/03	S	292	L	S	260	60	4,0	5	8,5	017	L	S	220	60	4,0	5	8,5
SCARABEO CLASS	10→	S	292	L	S	260	60	4,0	5	8,5	1341	R	S	220	102	5,0	5	8,5
SCARABEO GT	02→	S	292	L	S	260	60	4,0	5	8,5	017	L	S	220	60	4,0	5	8,5
SCARABEO LIGHT i.e.	12/16	S	292	L	S	260	60	4,0	5	8,5	1341	R	S	220	102	5,0	5	8,5
SPORT CITY	04/08	S	292	L	S	260	60	4,0	5	8,5	017	L	S	220	60	4,0	5	8,5
SPORT CITY CUBE	09→	S	292	L	S	260	60	4,0	5	8,5	017	L	S	220	60	4,0	5	8,5
250 c.c.											250 c.c.							
ATLANTIC	02/08	S	1008	L	S	240	105	4,5	5	6,5	1107	L	S	190	70	4,5	3	8,5
ARRECIFE	03/06	S	1008	L	S	240	105	4,5	5	6,5	1107	L	S	190	70	4,5	3	8,5
CLIMBER / CLIMBER R	89/92	T	308	R	S	184	45	4,0	6	6,5	-	-	-	-	-	-	-	-
LEONARDO ST 4T	99/04	S	017	L	S	220	60	4,0	5	8,5	147	R	S	220	96	4,0	5	6,5
RS REPLICA	95/05	R	1236	L/R	F10,5	300	61	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
SCARABEO i.e.	04/10	S	292	L	S	260	60	4,0	5	8,5	1071	R	S	240	125	4,0	5	6,5
SCARABEO LIGHT	04/10	S	292	L/R	S	260	60	4,0	5	8,5	1071	R	S	240	125	4,0	5	6,5
SPORTCITY	06/10	S	292	L/R	S	260	60	4,0	5	8,5	017	R	S	220	60	4,0	5	8,5
APRILIA											APRILIA							
280 c.c.											280 c.c.							
CLIMBER R	93/96	T	308	R	S	184	45	4,0	6	6,5	-	-	-	-	-	-	-	-
300 c.c.											300 c.c.							
ATLANTIC	10/11	S	1008	L	S	240	105	4,5	5	6,5	1107	R	S	190	70	4,5	3	8,5
LEONARDO / ST	02/06	S	017	L	S	220	60	4,0	5	8,5	147	L	S	220	96	4,0	5	6,5
SCARABEO / LIGHT / S i.e.	09/12	S	292	L	S	260	60	4,0	5	8,5	1071	L	S	240	125	4,0	5	6,5
SPORTCITY CUBE	09/12	S	292	L/R	S	260	60	4,0	5	8,5	017	R	S	220	60	4,0	5	8,5
SR MAX i	10/17	S	1001	L	S	260	125	5,0	5	6,5	1071	L	S	240	125	4,0	5	6,5



350 c.c.											350 c.c.										
ETX	86/92	U	324	L	S	300	105	5,0	6	6,5	326	L	S	220	110	4,5	6	6,5			
ETX	86/92	U	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5											
ETX	86/92	U	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5											
400 c.c.											400 c.c.										
ATLANTIC SPRINT	05/08	S	292	L/R	S	260	60	4,0	5	8,5	147	R	S	220	96	4,0	5	6,5			
SCARABEO LIGHT / URBAN	06/08	S	292	L/R	S	260	60	4,0	5	8,5	1071	L	S	240	125	4,0	5	6,5			
450 c.c.											450 c.c.										
RXV / SXV	05/12	E-F	1162X	L	F00,0	270	105	3,0	5	6,5	1147X	R	S	240	102	4,0	5	6,5			
500 c.c.											500 c.c.										
ATLANTIC	01/08	S	292	L/R	S	260	60	4,0	5	8,5	147	R	S	220	96	4,0	5	6,5			
ATLANTIC SPRINT	05/08	S	292	L/R	S	260	60	4,0	5	8,5	1107	R	S	190	70	4,5	3	8,5			
ARRECIFE	01/04	S	292	L/R	S	260	60	4,0	5	8,5	147	R	S	220	96	4,0	5	6,5			
SCARABEO / LIGHT	03/05	S	292	L/R	S	260	60	4,0	5	8,5	147	L	S	220	96	4,0	5	6,5			
SCARABEO / URBAN	06/12	S	292	L/R	S	260	60	4,0	5	8,5	1071	L	S	240	125	4,0	5	6,5			
550 c.c.											550 c.c.										
RXV / SXV	05/12	E	1162X	L	F00,0	270	105	3,0	5	6,5	1147X	R	S	240	102	4,0	5	6,5			
ETX / PEGASO	86/92	U	324	L	S	300	105	5,0	6	6,5	326	L	S	220	110	4,5	6	6,5			
ETX / PEGASO	86/92	U	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5											
ETX / PEGASO	86/92	U	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5											
600 c.c.											600 c.c.										
PEGASO	89/90	U	1232	L	S	300	105	5,0	6	6,5	326	L	S	220	110	4,5	6	6,5			
650 c.c.											650 c.c.										
MOTO 6,5 PHILIP STARK	95/02	C	1321	L	F00,0	298	110	4,0	6	6,5	326	L	S	220	110	4,5	6	6,5			
PEGASO / CUBE	91/00	U	324	L	S	300	105	5,0	6	6,5	326	L	S	220	110	4,5	6	6,5			
PEGASO / CUBE	91/00	U	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5											
PEGASO / CUBE	91/00	U	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5											
PEGASO i.e.	01/04	U	324	L	S	300	105	5,0	6	6,5	325 / 325X	R	S	240	110	5,0	6	6,5			
PEGASO i.e.	01/04	U	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5											
PEGASO i.e.	01/04	U	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5											
PEGASO i.e.	07/08	U	1060X / 1060	L	F10,5	320	64	5,0	6	8,5	325X / 325	R	S	240	110	5,0	6	6,5			
PEGASO i.e.	07/08	U	1060XG / 1060G	R	F10,5	320	64	5,0	6	8,5											
PEGASO FACTORY	05/10	U	1060X / 1060	L	F10,5	320	64	5,0	6	8,5	325X / 325	R	S	240	110	5,0	6	6,5			
PEGASO FACTORY	05/10	U	1060XG / 1060G	R	F10,5	320	64	5,0	6	8,5											
PEGASO STRADA	04	U	1060X / 1060	L	F10,5	320	64	5,0	6	8,5	325X / 325	R	S	240	110	5,0	6	6,5			
PEGASO STRADA	04	U	1060XG / 1060G	R	F10,5	320	64	5,0	6	8,5											
PEGASO STRADA	05/10	U	1060X / 1060	L	F10,5	320	64	5,0	6	8,5	1342X / 1342	R	S	240	102	5,0	5	8,5			
PEGASO STRADA	05/10	U	1060XG / 1060G	R	F10,5	320	64	5,0	6	8,5											
PEGASO TRAIL	05/08	U	324	L	S	300	105	5,0	6	6,5	325 / 325X	R	S	240	110	5,0	6	6,5			
PEGASO TRAIL	05/08	U	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5											
PEGASO TRAIL	05/08	U	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5											
PEGASO TUS TIBET	04	U	324	L	S	300	105	5,0	6	6,5	326	L	S	220	110	4,5	6	6,5			
PEGASO TUS TIBET	04	U	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5											
PEGASO TUS TIBET	04	U	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5											
STARK	95/00	U	-	-	-	-	-	-	-	-	326	L	S	220	110	4,5	6	6,5			

750 c.c.

SL SILVER MODELS

ABS / GT ABS	07/16	NVT	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5			1342X / 1342	R	S	240	102	5,0	5	8,5				
ABS / GT ABS	07/16	NVT	1060XG / 1060G	R	F10,5	320	64	5,0	6	8,5														

SMV DORSODURO MODELS

ABS	08/16	FVT	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5			1342X / 1342	R	S	240	102	5,0	5	8,5				
ABS	08/16	FVT	1060XG / 1060G	R	F10,5	320	64	5,0	6	8,5														

APRILIA

750 c.c.

SMV DORSODURO MODELS

FACTORY ABS	08/14	F	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5			1342X / 1342	R	S	240	102	5,0	5	8,5				
FACTORY ABS	08/14	F	1060XG / 1060G	R	F10,5	320	64	5,0	6	8,5														

850 c.c.

MOTO 6,5 PHILIP STARK	07/16	RVT	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5			1343	L	S	260	102	5,0	5	8,5				
MOTO 6,5 PHILIP STARK	07/16	RVT	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5														
NA MANA / NA MANA ABS	07/16	RVT	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5			1343	L	S	260	102	5,0	5	8,5				
NA MANA / NA MANA ABS	07/16	RVT	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5														
NA MANA GT ABS	09/17	RVT	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5			1343	L	S	260	102	5,0	5	8,5				



NA MANA GT ABS	09/17	RVT	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
NA MANA X / ABS	10	RVT	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	1343	L	S	260	102	5,0	5	8,5
NA MANA X / ABS	10	RVT	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
SRV i.e. / SRV i.e. ABS	12/17	S	1351	L/R	S	300	145	5,0	5	13,7	1352	L	S	280	142	5,0	5	13,7
SRV i.e. ABS - ATC	12/17	S	1351	L/R	S	300	145	5,0	5	13,7	1352	L	S	280	142	5,0	5	13,7
896 c.c.																		
SHILVER 950	17	NVT	1597G / 1597XG	L/R	F10,5	320	64	4,5	6	8,5	-	-	-	-	-	-	-	-
900 c.c.																		
DORSODURO ABS	17	FVT	1597G / 1597XG	L/R	F10,5	320	64	4,5	6	8,5	1342 / 1342X	R	S	240	102	5,0	5	8,5
SHILVER ABS	17	NVT	1597G / 1597XG	L/R	F10,5	320	64	4,5	6	8,5	1342 / 1342X	R	S	240	102	5,0	5	8,5
1000 c.c.																		
ETV CAPONORD	01/07	U	1091	L/R	S	300	140	5,0	6	8,5	1361	R	S	272	140,5	5,0	6	8,5
BLUE MARLIN	02	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
BLUE MARLIN	02	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
RST FUTURA	01/04	R	404 / 404X	L/R	F9,5	298	64	4,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
RSV	98/03	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
RSV	98/03	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
RSV 4 / FACTORY / ABS	09/16	SB	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
RSV 4 / FACTORY / ABS	09/16	SB	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
RSV 4 R	17	SB	1601G	L/R	F10,5	330	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
RSV 4 R / RSV 4 R APRC	10/16	SB	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
RSV 4 R / RSV 4 R APRC	10/16	SB	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
RSV 4 RACE PACK	15/16	SB	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
RSV 4 RACE PACK	15/16	SB	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
RSV 4 RF	15/16	SB	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
RSV 4 RF	15/16	SB	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
RSV 4 RF ABS	17/18	SB	1601G	L/R	F10,5	330	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
RSV 4 RR	15/16	SB	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
RSV 4 RR	15/16	SB	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
RSV 4 RR ABS	17/18	SB	1601G	L/R	F10,5	330	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
RSV MILLE	98/00	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
RSV MILLE	98/00	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
RSV MILLE FUTURA	01/04	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
RSV MILLE FUTURA	01/04	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
RSV MILLE R	98/09	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
RSV MILLE R	98/09	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
RSV MILLE R FACTORY	01/09	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
RSV MILLE R FACTORY	01/09	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
RSV MILLE SP	99/00	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
RSV MILLE SP	99/00	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
RSV TUONO / FIGHTER	02/05	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
RSV TUONO / FIGHTER	02/05	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
RSV TUONO R FACTORY	02/11	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
RSV TUONO R FACTORY	02/11	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
SL FALCO / SL R FALCO	00/05	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
SL FALCO / SL R FALCO	00/05	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
SL SPORT	00/05	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
SL SPORT	00/05	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								

APRILIA

1000 c.c.

TUONO MODELS

R FACTORY	03/09	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
R FACTORY	03/09	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
R RACING	03/09	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
R RACING	03/09	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
V4 R ABS / APRC	12/14	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
V4 R ABS / APRC	12/14	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								

1100 c.c.

TUONO MODELS

V4 / FACTORY / RR	11/16	N	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
-------------------	-------	---	--------------	-----	-------	-----	----	-----	---	-----	------	---	---	-----	-----	-----	---	-----



V4 / FACTORY / RR	11/16	N	1060G / 1060XG								R	F10,5	320	64	5,0	6	8,5								
V4 FACTORY ABS	15/18	N	1601G		L/R	F10,5	330	64	5,0	6	8,5	1341		R	S	220	102	5,0	5	8,5					
V4 FACTORY R ABS	17/18	N	1601G		L/R	F10,5	330	64	5,0	6	8,5	1341		R	S	220	102	5,0	5	8,5					
1200 c.c.										1200 c.c.															
CAPONORD MODELS																									
ABS + ADD	13/17	UVT	1060 / 1060X		L/R	F10,5	320	64	5,0	6	8,5	1342 / 1342X		R	S	240	102	5,0	5	8,5					
ABS + ADD	13/17	UVT	1060G / 1060XG		R	F10,5	320	64	5,0	6	8,5														
RALLY ABS	15/17	UVT	1560 / 1560X		L/R	F00,0	320	140	5,0	6	8,5	1342 / 1342X		R	S	240	102	5,0	5	8,5					
TRAVEL PACK ABS	13/16	UVT	1060 / 1060X		L/R	F10,5	320	64	5,0	6	8,5	1342 / 1342X		R	S	240	102	5,0	5	8,5					
TRAVEL PACK ABS	13/16	UVT	1060G / 1060XG		R	F10,5	320	64	5,0	6	8,5														
DORSODURO MODELS																									
ABS -TCS / ATC	11/16	FVT	1060 / 1060X		L/R	F10,5	320	64	5,0	6	8,5	1342 / 1342X		R	S	240	102	5,0	5	8,5					
ABS -TCS / ATC	11/16	FVT	1060G / 1060XG		R	F10,5	320	64	5,0	6	8,5														
ABS -TCS / ATC	11/17	FVT	1060 / 1060X		L/R	F10,5	320	64	5,0	6	8,5	1342 / 1342X		R	S	240	102	5,0	5	8,5					
ABS -TCS / ATC	11/16	FVT	1060G / 1060XG		R	F10,5	320	64	5,0	6	8,5														
ATALA										ATALA															
50 c.c.										50 c.c.															
AT 18	98	S	007		L	S	190	58	3,5	3	9,5	-		-	-	-	-	-	-	-					
AT 18	98	S	1022 / 1022X		L	MD	190	58	3,7	3	MH														
BYTE	97/00	S	406		L	S	155	40,6	3,8	3	10,5	-		-	-	-	-	-	-	-					
BYTE	97/00	S	727		L	SO	*180	40,6	3,5	3	10,5														
CAROSELLO	99/01	S	147		L	S	220	96	4,0	5	6,5	Drum		-	-	-	-	-	-	-					
HACKER AT12 / L.C.	97/00	S	007		L	S	190	58	3,5	3	9,5	Drum		-	-	-	-	-	-	-					
HACKER AT12 / L.C.	97/00	S	1022 / 1022X		L	MD	190	58	3,7	3	MH														
HACKER RACING	97	S	007		L	S	190	58	3,5	3	9,5	-		-	-	-	-	-	-	-					
HACKER RACING	97	S	1022 / 1022X		L	MD	190	58	3,7	3	MH														
SKEGGIA / L.C.	99/00	S	007		L	S	190	58	3,5	3	9,5	Drum		-	-	-	-	-	-	-					
SKEGGIA / L.C.	99/00	S	1022 / 1022X		L	MD	190	58	3,7	3	MH														
BAJA										BAJA															
150 c.c.										150 c.c.															
SC	-	S	1201X		R	S22,0	220	58	4,0	3	8,5	1312X		R	S17,0	190	58	4,0	3	8,5					
BAJAJ										BAJAJ															
135 c.c.										135 c.c.															
R	12/13	R	1381X		R	S	240	112	4,0	5	10,5	Drum		-	-	-	-	-	-	-					
180 c.c.										180 c.c.															
UG R	12/13	R	1380X		R	S	260	130	4,5	6	10,5	Drum		-	-	-	-	-	-	-					
220 c.c.										220 c.c.															
F R / S R	12/13	R	1380X		R	S	260	130	4,5	6	10,5	1382X		R	S	230	110	4,0	6	6,5					
BEELINE										BEELINE															
125 c.c.										125 c.c.															
VELOCE / VELOCE GT	08/10	S	107 / xxxX		L	S	190	58	4,0	3	10,5	Drum		-	-	-	-	-	-	-					
VELOCE / VELOCE GT	08/10	S	1022 / 1022X		L	MD	190	58	3,7	3	MH														
VELOCE / VELOCE GT	08/10	S	1300X		L	FO	*220	58	3,5	3	10,5														
BENELLI										BENELLI															
50 c.c.										50 c.c.															
491 ARMY	97/99	S	665		L	S	190	58	4,0	3	12,0	665		L	S	190	58	4,0	3	12,0					
491 GP	00/04	S	665		L	S	190	58	4,0	3	12,0	665		L	S	190	58	4,0	3	12,0					
491 GT	97/00	S	665		L	S	190	58	4,0	3	12,0	Drum		-	-	-	-	-	-	-					
491 K2 / 491 NAMUR	97	S	665		L	S	190	58	4,0	3	12,0	Drum		-	-	-	-	-	-	-					
491 NAKED	01/03	S	665		L	S	190	58	4,0	3	12,0	665		L	S	190	58	4,0	3	12,0					
BENELLI										BENELLI															
50 c.c.										50 c.c.															
491 RACING	97/00	S	665		L	S	190	58	4,0	3	12,0	665		L	S	190	58	4,0	3	12,0					
491 RR MORINI	00/04	S	665		L	S	190	58	4,0	3	12,0	665		L	S	190	58	4,0	3	12,0					
491 SP / 491 ST	01	S	665		L	S	190	58	4,0	3	12,0	665		L	S	190	58	4,0	3	12,0					
491 SPORT / SUPERBIKE	97/04	S	665		L	S	190	58	4,0	3	12,0	665		L	S	190	58	4,0	3	12,0					
GRIDO	12/13	S	1022X		L	MD	190	58	3,7	3	MH	Drum		-	-	-	-	-	-	-					
QUATTRO NOVE X	08/13	S	107 / xxxX		L	S	190	58	4,0	3	10,5	-		-	-	-	-	-	-	-					
QUATTRO NOVE X	08/13	S	1022 / 1022X		L	MD	190	58	3,7	3	MH														
QUATTRO NOVE X	08/13	S	1300X		L	FO	*220	58	3,5	3	10,5														
PEPE / PEPE LX	99/15	S	113 / 113X		L	S	220	105	4,0	6	6,5	Drum		-	-	-	-	-	-	-					
K2 AC / K2 L.C. / K2 MAMUR	98/02	S	665		L	S	190	58	4,0	3	12,0	665		L	S	190	58	4,0	3	12,0					
NAKED	99/03	S	665		L	S	190	58	4,0	3	12,0	Drum		-	-	-	-	-	-	-					



100 c.c.											100 c.c.													
491 K2	01	S	665	L	S	190	58	4,0	3	12,0	Drum	-	-	-	-	-	-	-	-	-	-	-	-	
K2 / BIPOSTO / NAKED	99/01	S	665	L	S	190	58	4,0	3	12,0	665	L	S	190	58	4,0	3	12,0						
PEPE	02	S	113 / 113X	L	S	220	105	4,0	6	6,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-	
NAKED	99/02	S	665	L	S	190	58	4,0	3	12,0	Drum	-	-	-	-	-	-	-	-	-	-	-	-	
125 c.c.											125 c.c.													
ADIVA 12'	00	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-	
ADIVA 13'	01/04	S	1077	L	S	220	105	4,0	5	6,5	1050	L	S	220	96	4,0	5	6,5						
MACIS	10/17	S	-	L	S	240	-	4,0	4	-	-	L	S	240	-	4,0	4	-						
TORNADO NAKED T	16	N	-	L/R	S	220	-	-	-	-	-	R	S	190	-	-	-	-						
TORNADO TNT 12'	16/17	N	-	R	S	220	-	4,0	4	-	-	R	S	190	-	4,0	4	-						
VELVET 13'	99/07	S	1077	L	S	220	105	4,0	5	6,5	717	R	S	220	89,6	4,0	6	6,5						
VELVET TOURING 13'	08/12	S	1077	L	S	220	105	4,0	5	6,5	717	R	S	220	89,6	4,0	6	6,5						
150 c.c.											150 c.c.													
ADIVA 12'	00	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-	
ADIVA 13'	00/05	S	1077	L	S	220	105	4,0	5	6,5	1050	L	S	220	96	4,0	5	6,5						
VELVET 13'	99/07	S	1077	L	S	220	105	4,0	5	6,5	717	R	S	220	89,6	4,0	6	6,5						
VELVET TOURING 13'	08/12	S	1077	L	S	220	105	4,0	5	6,5	717	R	S	220	89,6	4,0	6	6,5						
250 c.c.											250 c.c.													
BN 251	15/17	N	-	L	-	280	-	-	-	-	325X / 325	R	S	240	110	5,0	6	6,5						
BN 251 ABS	15/17	N	-	L	-	280	-	-	-	-	-	R	S	240	110	5,0	6	6,5						
VELVET / VELVET TOURING	99/12	S	1034	L	S	240	105	4,0	5	6,5	717	R	S	220	89,6	4,0	6	6,5						
302 c.c.											302 c.c.													
BN / ABS / BN R ABS	15/17	N	-	L/R	F00,0	260	-	4,0	5	-	-	R	S	240	110	5,0	5	6,5						
350 c.c.											350 c.c.													
ZEN ZERO	15/17	S	-	L	S	256	-	-	-	-	-	R	S	256	-	-	-	-						
400 c.c.											400 c.c.													
VELVET DUSK	03	S	1034	L	S	240	105	4,0	5	6,5	717	R	S	220	89,6	4,0	6	6,5						
500 c.c.											500 c.c.													
LEONCINO ABS	16/17	D	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5	-	R	S	260	-	5,0	6	-						
LEONCINO ABS	16/17	D	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5														
TRK 502 ABS	16/17	U	-	L/R	F10,5	320	-	5,5	6	8,5	ND / NA	R	S	255	115	5,0	6	6,5						
600 c.c.											600 c.c.													
BN GT / BN i / BN R	13/17	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	R	S	260	-	-	-	-						
BN GT / BN i / BN R	13/17	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5														
750 c.c.											750 c.c.													
2UE	09/10	R	145	L/R	F9,5	320	64	4,0	6	8,5	-	-	-	-	-	-	-	-						
899 c.c.											899 c.c.													
TNT MODELS																								
CENTURY RACER	11/16	R	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5	325X / 325	R	S	240	110	5,0	6	6,5						
CENTURY RACER	11/16	R	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5														
S / T	07/11	R	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5	325X / 325	R	S	240	110	5,0	6	6,5						
S / T	07/11	R	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5														
TORNADO NAKED TRE	07/16	N	145	L/R	F9,5	320	64	4,0	6	8,5	325 / 325X	R	S	240	110	5,0	6	6,5						
TRE K	07/17	R	145	L/R	F9,5	320	64	4,0	6	8,5	325 / 325X	R	S	240	110	5,0	6	6,5						
900 c.c.											900 c.c.													
CENTURY RACER	11	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	325 / 325X	R	S	240	110	5,0	6	6,5						
CENTURY RACER	11	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5														
BENELLI											BENELLI													
900 c.c.											900 c.c.													
TORNADO	02	R	-	L/R	-	-	-	-	-	-	325 / 325X	R	S	240	110	5,0	6	6,5						
TORNADO	03/06	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-						
TORNADO	03/06	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5														
TORNADO i.e	00/02	R	145	L/R	F9,5	320	64	4,0	6	8,5	-	-	-	-	-	-	-	-						
TORNADO S	08/09	R	145	L/R	F9,5	320	64	4,0	6	8,5	325 / 325X	R	S	240	110	5,0	6	6,5						
TORNADO TRE / LE / LM / RS	01/13	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1341	R	S	220	102	5,0	5	8,5						
TORNADO TRE / LE / LM / RS	01/13	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5														
TORNADO TRE NAKED	08/11	R	145	L/R	F9,5	320	64	4,0	6	8,5	325 / 325X	R	S	240	110	5,0	6	6,5						
1100 c.c.											1100 c.c.													
TNT	04/16	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	325 / 325X	R	S	240	110	5,0	6	6,5						
TNT	04/16	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5														
1130 c.c.											1130 c.c.													
RACER GP	07/08	R	145	L/R	F9,5	320	64	4,0	6	8,5	-	-	-	-	-	-	-	-						



TNT MODELS																		
TNT	04/10	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	325 / 325X	R	S	240	110	5,0	6	6,5
TNT	04/10	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
CAFÉ RACER / RS	05/16	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	325 / 325X	R	S	240	110	5,0	6	6,5
CAFÉ RACER / RS	05/16	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
CAFÉ RACE TITANIUM	04/10	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	325 / 325X	R	S	240	110	5,0	6	6,5
CAFÉ RACE TITANIUM	04/10	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
CENTURY RACER	05/17	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	325 / 325X	R	S	240	110	5,0	6	6,5
CENTURY RACER	05/17	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
OFFICINE	07→	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
OFFICINE	07→	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
R 160	11	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	325 / 325X	R	S	240	110	5,0	6	6,5
R 160	11	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
RS	04/10	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	325 / 325X	R	S	240	110	5,0	6	6,5
RS	04/10	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
SPORT / SPORT EVO	05/13	R	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5	325X / 325	R	S	240	110	5,0	6	6,5
SPORT / SPORT EVO	05/13	R	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5								
TORNADO TRE NAKED	15/16	N	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5	325X / 325	R	S	240	110	5,0	6	6,5
TORNADO TRE NAKED	15/16	N	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5								

TORNADO TRE	06/16	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	325 / 325X	R	S	240	110	5,0	6	6,5
TORNADO TRE	06/16	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
TRE	06/10	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	325 / 325X	R	S	240	110	5,0	6	6,5
TRE	06/10	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
TRE K	05/17	R	145	L/R	F9,5	320	64	4,0	6	8,5	325 / 325X	R	S	240	110	5,0	6	6,5
TRE K AMAZONAS	06/17	R	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5	325X / 325	R	S	240	110	5,0	6	6,5
TRE K AMAZONAS	06/17	R	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5								
TRE R	12	R	1060X / 1060	L/R	F10,5	320	64	5,0	6	8,5	325X / 325	R	S	240	110	5,0	6	6,5
TRE R	12	R	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5								
TRE TORNADO	06→	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
TRE TORNADO	06→	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								

BEON 450 c.c.											BEON 450 c.c.							
KIT GP - APRILIA SVX	06/11	R-M	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
KIT GP - APRILIA SVX	06/11	R-M	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
KIT GP - HONDA CRF	05/11	R-M	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
KIT GP - HONDA CRF	05/11	R-M	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
KIT GP - KAWASAKI KXF	06/11	R-M	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
KIT GP - KAWASAKI KXF	06/11	R-M	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
KIT GP - KTM EXC / SXF	06/11	R-M	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
KIT GP - KTM EXC / SXF	06/11	R-M	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
KIT GP - SUZUKI RMZ	08/10	R-M	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
KIT GP - SUZUKI RMZ	08/10	R-M	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
KIT GP - YAMAHA YZF	06/11	R-M	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
KIT GP - YAMAHA YZF	06/11	R-M	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								

BEON											BEON							
550 c.c.											550 c.c.							
KIT GP - APRILIA SVX 550	10/11	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	
KIT GP - APRILIA SVX 550	10/11	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								

BETA																		
EVO MINITRIAL ELECTRIC MODELS																		
CROSS-E 12' / 10'	17/18	MV	-	L	S	170	-	3,0	4	6,5	-	-	S	170	-	3,0	4	6,5
TRIAL E 16' / E 20' / E 20'XL	14/18	EV	1447X	L	S	160	-	1,8	6	5,0	1447X	L	S	160	-	1,8	6	5,0

50 c.c.																	
ALP	92	A-T	-	-	-	-	-	-	-	161	L	S	160	-	3,5	6	6,5

ARK MODELS																		
AC	96/14	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
AC	96/14	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
AC PADDOCK / HB	14	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
AC PADDOCK / HB	14	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
K SERIES	96/05	S	303	L	S	190	58	4,0	3	8,5	303	L	S	190	58	4,0	3	8,5
K SERIES	96/05	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH

NG Brake Disc											FRONT											REAR										
YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø		REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø														
L.C.	97/14	S									303	L	S	190	58	4,0	3	8,5														
L.C.	97/14	S									1022 / 1022X	L	MD	190	58	3,7	3	MH														
L.C. TRIBE / PADDOCK	12	S									1287	L	S	220	58	4,0	3	9,0														
L.C. TRIBE / PADDOCK	12	S																														
L.C. PADDOCK	10/11	S									303	L	S	190	58	4,0	3	8,5														
L.C. PADDOCK	10/11	S									1022 / 1022X	L	MD	190	58	3,7	3	MH														
L.C. RAZOR / FACTORY	10/11	S									303	L	S	190	58	4,0	3	8,5														
L.C. RAZOR / FACTORY	10/11	S									1022 / 1022X	L	MD	190	58	3,7	3	MH														
L.C. RAZOR / FACTORY	12	S									1287	L	S	220	58	4,0	3	9,0														
L.C. RAZOR / FACTORY	12	S																														
RR	06	S									303	L	S	190	58	4,0	3	8,5														
RR	06	S									1022 / 1022X	L	MD	190	58	3,7	3	MH														
ART	03/05	S									201	L	S	260	72	3,0	6	6,5														
ART	03/05	S																														
CHRONO 13	94/99	S									023	L	S	190	58	3,5	3	8,5														
CHRONO 13	94/99	S									1022 / 1022X	L	MD	190	58	3,7	3	MH														
CHRONO 502	96/99	S									303	L	S	190	58	4,0	3	8,5														
CHRONO 502	96/99	S									1022 / 1022X	L	MD	190	58	3,7	3	MH														
EIKON	99/06	S									665	L	S	190	58	4,0	3	12,0														
EIKON	99/06	S																														
ENDURO RR ITALIA	98	A									114	L	S	240	72	3,5	6	6,5														
ENDURO URC6 - RR	02/03	A									114	L	S	240	72	3,5	6	6,5														
MINI TRIAL 16' and 20'	15	A									1447X	L	S	160	-	1,8	6	5,0														
MOTARD / SPORT / TRACK	14/15	A									1251X	L	S	260	105	3,5	4	10,5														
MX R ENDURO	95/96	A									336	L	S	220	108	3,5	6	6,5														
QUADRA	94/01	S									303	L	S	190	58	4,0	3	8,5														
QUADRA	94/01	S									1022 / 1022X	L	MD	190	58	3,7	3	MH														
R	12/14	A									1251X	L	S	260	105	3,5	4	10,5														
REV-3	05/06	A									646	L	S	175	45	3,5	5	6,5														
RK 6 / RK 6 ITALIA	93/97	A									143	L	S	240	108	3,5	6	6,5														
RK 6 ITALIA	96	A									403	L	S	185	-	3,5	4	6,5														
RK 6 ITALIA	97	A									072	L	S	240	72	3,5	4	6,5														
RK 6 T	98	A									441	L	S	220	72	3,5	6	6,5														
RK 6 T / RK 6 T SM	99/01	A									440	L	S	240	72	3,5	6	6,5														
RK ADVENTURE	95/96	A									336	L	S	220	108	3,5	6	6,5														
RR FACTORY MOTOREX	15/17	A									1585X	L	S	260	72	3,2	6	6,5														
RR6 FIRST PRODUCTION	97/98	A									-	-	-	-	-	-	-	-														
RR6 SECOND PRODUCTION	97/98	A									440	L	S	240	72	3,5	6	6,5														
RR ENDURO / RACING	05	A									1251X	L	S	260	105	3,5	4	10,5														
RR ENDURO	06/12	A									ND / NA	L	S	260	120,2	3,5	4	9,5														
RR ENDURO	17/18	A									1251X	L	S	260	105	3,5	4	10,5														
RR ENDURO ALU	03	A									721	L	S	260	120	3,0	4	8,5														

BETA 50 c.c.											BETA 50 c.c.							
RR ENDURO FACTORY	12	A	1251X	L	S	260	105	3,5	4	10,5	-	-	-	-	-	-	-	
RR ENDURO MOTARD	06	A	ND / NA	L	S	260	120,2	3,5	4	9,5	1089	R	S	220	100	3,5	4	6,5
RR ENDURO RACING	17/18	A	1251X	L	S	260	105	3,5	4	10,5	1252X	R	S	220	100	3,5	4	6,5
RR ENDURO RACING	06	A	ND / NA	L	S	260	120,2	3,5	4	9,5	1089	R	S	220	100	3,5	4	6,5
RR ENDURO SPORT	15	A	1251X	L	S	260	105	3,5	4	10,5	-	-	-	-	-	-	-	
RR ENDURO SPORT	17/18	A	1251X	L	S	260	105	3,5	4	10,5	1252X	R	S	220	100	3,5	4	6,5
RR MOTARD	12	A	ND / NA	L	S	260	120,2	3,5	4	9,5	1252X	-	S	220	100	3,5	4	6,5
RR MOTARD / SPORT	15/18	A	342 / xxxX	L	S	260	90	3,5	6	6,5	310 / xxxX	R	S	220	105	3,5	6	6,5
RR MOTARD / SPORT	15/18	A	xxxX / 342	L	S	260	90	3,5	6	6,5	xxxX / 310	R	S	220	105	3,5	6	6,5
RR MOTARD STANDARD	12	A	1251X	L	S	260	105	3,5	4	10,5	-	-	-	-	-	-	-	
RR MOTARD TRACK	14	A	1251X	L	S	260	105	3,5	4	10,5	-	-	-	-	-	-	-	
RR MOTARD TRACK	17/18	A	1251X	L	S	260	105	3,5	4	10,5	1252X	R	S	220	100	3,5	4	6,5
RR SUPERMOTARD	98/03	A	440	L	S	240	72	3,5	6	6,5	442	R	S	185	45	3,5	5	6,5
RR 4T	05/09	A	1263X	L	S	260	120,2	3,5	4	8,5	-	-	-	-	-	-	-	
RR T	99/01	A	440	L	S	240	72	3,5	6	6,5	442	R	S	185	45	3,5	5	6,5
RR T	05	A	907 / 907X	L	S	240	72	3/3,5	6	6,5	908 / 908X	R	S	185	45	3,5	5	6,5



RR-T ENDURO	04/05	A	114	L	S	240	72	3,5	6	6,5	127	R	S	185	45	3,5	5	6,5	
RR-T ENDURO	08/09	A	201	L	S	260	72	3,0	6	6,5	465	R	S	200	45	3,5	5	6,5	
RR-T ENDURO / SPORT / SM	14/15	A	1251X	L	S	260	105	3,5	4	10,5	1252X	R	S	220	100	3,5	4	6,5	
RR-T MOTARD	04/05	A	114	L	S	240	72	3,5	6	6,5	127	R	S	185	45	3,5	5	6,5	
RR-T MOTARD / S.M. R.E.	08	A	907 / 907X	L	S	240	72	3/3,5	6	6,5	908 / 908X	R	S	185	45	3,5	5	6,5	
RR-T RACING / FACTORY	14/15	A	1251X	L	S	260	105	3,5	4	10,5	1252X	R	S	220	100	3,5	4	6,5	
ST	96/97	A	005	L	S	185	-	4,0	4	10,5	006	L	S	160	-	4,0	4	10,0	
ST	99/00	A	273	L	S	185	72	3,5	6	10,1	271	R	S	185	46	3,5	5	10,5	
SUPERMOTARD	98/99	A	440	L	S	240	72	3,5	6	6,5	-	-	-	-	-	-	-	-	
SUPERMOTARD RR	98/03	A	440	L	S	240	72	3,5	6	6,5	442	R	S	185	45	3,5	5	6,5	
TEMPO 13	94/02	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-	
TEMPO 13	94/02	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
80 c.c.											80 c.c.								
EVO JUNIOR 19' / 17'	09/18	A-T	646	L	S	175	45	3,5	5	6,5	647	R	S	150	45	3,5	5	6,5	
EVO SENIOR 21' / 18'	09/17	A-T	626 / 626X	L	S	185	-	3/2,7	4	10,0	647	R	S	150	45	3,5	5	6,5	
EVO SENIOR 21' / 18'	18	A-T	626 / 626X	L	S	185	-	3/2,7	4	10,0	905	R	S	150	45	2,5	4	6,5	
REV 3	02/08	A-T	646	L	S	175	45	3,5	5	6,5	647	R	S	150	45	3,5	5	6,5	
90 c.c.											90 c.c.								
ALP	89	A-U	-	-	-	-	-	-	-	-	402	L	S	160	45	3,2	6	6,5	
95 c.c.											95 c.c.								
ALP	95	A-U	-	-	-	-	-	-	-	-	056	L	S	185	-	3,5	4	10,0	
125 c.c.											125 c.c.								
ALP 4T	00/01	U	128	L	S	220	108	3,5	6	6,5	352	R	S	200	45	3,5	6	6,5	
ALP 4T	02/03	U	128	L	S	220	108	3,5	6	6,5	465	R	S	200	45	3,5	5	6,5	
ALP 4T	12	U	1087	L	S	260	120	4,0	6	6,5	-	-	-	-	-	-	-	-	
ALP 4T	15/16	U	-	L	S	245	-	-	-	-	-	R	S	220	-	-	-	-	
EIKON	99/06	S	365	L	S	220	58	4,0	5	6,5	303	L	S	190	58	4,0	3	8,5	
EIKON	99/06	S									1022 / 1022X	L	MD	190	58	3,7	3	MH	
EVO 2T	09/16	T	626 / 626X	L	S	185	-	3/2,7	4	10,0	1152	L	S	160	-	2,5	4	6,5	
EVO 2T	09/16	T	1588X	L	S	185	-	2,7	4	10,5	1152X	L	S	160	-	2,7	4	6,5	
EVO 2T	09/16	T									1530X	L	S	160	-	2,5	4	6,0	
EVO 2T	09/16	T									1530XSP	L	S	160	-	2,5	4	6,0	
EVO 2T	09/16	T									1594X	L	FIM	160	-	2,5	4	6,0	
EVO 2T / EVO 2T FACTORY	09/18	T	1588X	L	S	185	-	2,7	4	10,5	1152	L	S	160	-	2,5	4	6,5	
EVO 2T / EVO 2T FACTORY	09/18	T									1152X	L	S	160	-	2,7	4	6,5	
EVO 2T / EVO 2T FACTORY	09/18	T									1530X	L	S	160	-	2,5	4	6,0	
EVO 2T / EVO 2T FACTORY	09/18	T									1530XSP	L	S	160	-	2,5	4	6,0	
EVO 2T / EVO 2T FACTORY	09/18	T									1594X	L	FIM	160	-	2,5	4	6,0	
JONATHAN	99/05	C	232	R	F11,0	300	110	4,0	6	6,5	189	R	S	220	110	4,0	6	6,5	
RE 4T	12	E	ND / NA	L	S	260	120,2	3,5	4	9,5	1089	R	S	220	100	3,5	4	6,5	
RE 4T	08/17	E	1251X	L	S	260	105	3,5	4	10,5	1252X	R	S	220	100	3,5	4	6,5	
BETA											BETA								
125 c.c.											125 c.c.								
REV 3	99/02	T	316	L	S	185	-	3,5	4	10,5	317	L	S	165	-	3,5	4	10,5	
REV 3	99/02	T									317SP	L	S	165	-	3,5	4	10,5	
REV 3	03/08	T	626 / 626X	L	S	185	-	3/2,7	4	10,0	645	L	S	165	-	3,0	4	10,5	
REV 3	03/08	T	1588X	L	S	185	-	2,7	4	10,5									
RR ENDURO / RR MOTARD	06	E-F	ND / NA	L	S	260	120,2	3,5	4	9,5	1089	R	S	220	100	3,5	4	6,5	
RR L.C.	11/12	E	ND / NA	L	S	260	120,2	3,5	4	9,5	1252X	-	S	220	100	3,5	4	6,5	
RR ENDURO 2T	18	E	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5	
RR ENDURO 4T A.C. / L.C.	08/18	E	1251X	L	S	260	105	3,5	4	10,5	1252X	R	S	220	100	3,5	4	6,5	
RR MOTARD 4T A.C. / L.C.	10/18	F	1608 / xxxX	L	S	300	90	4,0	6	6,5	310 / xxxX	R	S	220	105	3,5	6	6,5	
RR MOTARD 4T A.C. / L.C.	10/18	F	xxxxX / 1608	L	S	300	90	4,0	6	6,5	xxxX / 310	R	S	220	105	3,5	6	6,5	
RR SUPERMOTARD 4T	08/09	F	1251X	L	S	260	105	3,5	4	10,5	-	-	-	-	-	-	-	-	
TECHNO	95/98	T	005	L	S	185	-	4,0	4	10,5	006	L	S	160	-	4,0	4	10,0	
URBAN	12/15	U	1087	L	S	260	120	4,0	6	6,5	189	R	S	220	110	4,0	6	6,5	
URBAN SPECIAL	10/11	U	1608 / xxxX	L	S	300	90	4,0	6	6,5	310 / xxxX	R	S	220	105	3,5	6	6,5	
150 c.c.											150 c.c.								
EIKON	00/06	S	365	L	S	220	58	4,0	5	6,5	303	L	S	190	58	4,0	3	8,5	
EIKON	00/06	S									1022 / 1022X	L	MD	190	58	3,7	3	MH	
200 c.c.											200 c.c.								



ALP	00/01	U	128	L	S	220	108	3,5	6	6,5	352	R	S	200	45	3,5	6	6,5
ALP	02/03	U	128	L	S	220	108	3,5	6	6,5	465	R	S	200	45	3,5	5	6,5
ALP	06	U	ND / NA	L	-	245	110	3,5	6	6,5	189	R	S	220	110	4,0	6	6,5
ALP	12	U	1087	L	S	260	120	4,0	6	6,5	-	-	-	-	-	-	-	-
ALP	16/17	U	159	L	S	260	110	4,0	6	6,5	189	R	S	220	110	4,0	6	6,5
ALP	18	U	ND / NA	L	-	245	110	3,5	6	6,5	189	R	S	220	110	4,0	6	6,5
EVO 2T / EVO 2T FACTORY	09/16	T	626 / 626X	L	S	185	-	3/2,7	4	10,0	1152	L	S	160	-	2,5	4	6,5
EVO 2T / EVO 2T FACTORY	09/16	T	1588X	L	S	185	-	2,7	4	10,5	1152X	L	S	160	-	2,7	4	6,5
EVO 2T / EVO 2T FACTORY	09/16	T									1530X	L	S	160	-	2,5	4	6,0
EVO 2T / EVO 2T FACTORY	09/16	T									1530XSP	L	S	160	-	2,5	4	6,0
EVO 2T / EVO 2T FACTORY	09/16	T									1594X	L	FIM	160	-	2,5	4	6,0
REV 3	99/02	T	316	L	S	185	-	3,5	4	10,5	317 / 317SP	L	S	165	-	3,5	4	10,5
REV 3	03/08	T	626 / 626X	L	S	185	-	3/2,7	4	10,0	645	L	S	165	-	3,0	4	10,5
REV 3	03/08	T	1588X	L	S	185	-	2,7	4	10,5								
URBAN	12/15	U	1087	L	S	260	120	4,0	6	6,5	189	R	S	220	110	4,0	6	6,5
URBAN SPECIAL	10/11	U	1608 / xxxX	L	S	300	90	4,0	6	6,5	310 / xxxX	R	S	220	105	3,5	6	6,5
URBAN SPECIAL	12/14	U	1087	L	S	260	120	4,0	6	6,5	189	R	S	220	110	4,0	6	6,5
250 c.c.			250 c.c.															
ALP	96	U	005	L	S	185	-	4,0	4	10,5	-	-	-	-	-	-	-	-
ALP	97/99	U	273	L	S	185	72	3,5	6	10,1	271	L	S	185	46	3,5	5	10,5
ALP	00/03	U	128	L	S	220	108	3,5	6	6,5	352	R	S	200	45	3,5	6	6,5
EVO 2T	09/18	T	626 / 626X	L	S	185	-	3/2,7	4	10,0	1152	L	S	160	-	2,5	4	6,5
EVO 2T	09/18	T	1588X	L	S	185	-	2,7	4	10,5	1152X	L	S	160	-	2,7	4	6,5
EVO 2T	09/18	T									1530X	L	S	160	-	2,5	4	6,0
EVO 2T	09/18	T									1530XSP	L	S	160	-	2,5	4	6,0
EVO 2T	09/18	T									1594X	L	FIM	160	-	2,5	4	6,0
EVO 2T FACTORY	17	T	1588X	L	S	185	-	2,7	4	10,5	1152	L	S	160	-	2,5	4	6,5
EVO 2T FACTORY	17	T									1152X	L	S	160	-	2,7	4	6,5
EVO 2T FACTORY	17	T									1530X	L	S	160	-	2,5	4	6,0
EVO 2T FACTORY	17	T									1530XSP	L	S	160	-	2,5	4	6,0
EVO 2T FACTORY	17	T									1594X	L	FIM	160	-	2,5	4	6,0
EVO 4T / REV 4T RACING	09/16	T	626 / 626X	L	S	185	-	3/2,7	4	10,0	1152	L	S	160	-	2,5	4	6,5
EVO 4T / REV 4T RACING	09/16	T	1588X	L	S	185	-	2,7	4	10,5	1152X	L	S	160	-	2,7	4	6,5
EVO 4T / REV 4T RACING	09/16	T									1530X	L	S	160	-	2,5	4	6,0
EVO 4T / REV 4T RACING	09/16	T									1530XSP	L	S	160	-	2,5	4	6,0
EVO 4T / REV 4T RACING	09/16	T									1594X	L	FIM	160	-	2,5	4	6,0
REV 3	99/02	T	316	L	S	185	-	3,5	4	10,5	317	L	S	165	-	3,5	4	10,5
REV 3	99/02	T									317SP	L	S	165	-	3,5	4	10,5
BETA 250 c.c.			BETA 250 c.c.															
REV 3	03/08	T	626 / 626X	L	S	185	-	3/2,7	4	10,0	645	L	S	165	-	3,0	4	10,5
REV 3	03/08	T	1588X	L	S	185	-	2,7	4	10,5								
REV 3 LONG RANGE	07/08	U	626 / 626X	L	S	185	-	3/2,7	4	10,0	645	L	S	165	-	3,0	4	10,5
REV 3 LONG RANGE	07/08	U	1588X	L	S	185	-	2,7	4	10,5								
REV 4T	07/09	T	626 / 626X	L	S	185	-	3/2,7	4	10,0	647	R	S	150	45	3,5	5	6,5
REV 4T	07/09	T	1588X	L	S	185	-	2,7	4	10,5								
RR ENDURO 4T	05/07	E	1263X	L	S	260	120,2	3,5	4	8,5	1264X	R	S	240	112	4,0	4	9,5
RR ENDURO 4T	11/12	E	1263X	L	S	260	120,2	3,5	4	8,5	1264X	R	S	240	112	4,0	4	9,5
RR 2T / R / OIL MIX	12/18	E	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
RR 2T / R / OIL MIX	12/18	E	1254XK09	L	KF	*270	-	3,0	6	6,5								
RR 2T / R / OIL MIX	12/18	E	1254XBHK09	L	KF	*270	-	3,0	6	6,5								
ST	97/99	T	273	L	S	185	72	3,5	6	10,1	271	L	S	185	46	3,5	5	10,5
TECHNO	94/96	T	005	L	S	185	-	4,0	4	10,5	-	-	-	-	-	-	-	-
TECHNO	97	T	005	L	S	185	-	4,0	4	10,5	018	L	S	165	50	3,5	4	10,5
TECHNO	98/99	T	005	L	S	185	-	4,0	4	10,5	006	L	S	160	-	4,0	4	10,0
XTRAINER	17/18	E	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6	6,5
XTRAINER	17/18	E	1254XK09	L	KF	*270	-	3,0	6	6,5								
XTRAINER	17/18	E	1254XBHK09	L	KF	*270	-	3,0	6	6,5								
260 c.c.			260 c.c.															



ALP	95	U	005	L	S	185	-	4,0	4	10,5	-	-	-	-	-	-	-
270 c.c.											270 c.c.						
REV 3	03/08	T	626 / 626X	L	S	185	-	3/2,7	4	10,0	645	L	S	165	-	3,0	4 10,5
REV 3	03/08	T	1588X	L	S	185	-	2,7	4	10,5							
290 c.c.											290 c.c.						
EVO 2T	09/11	T	626 / 626X	L	S	185	-	3/2,7	4	10,0	1152	L	S	160	-	2,5	4 6,5
EVO 2T	09/11	T	1588X	L	S	185	-	2,7	4	10,5	1152X	L	S	160	-	2,7	4 6,5
EVO 2T	09/11	T									1530X	L	S	160	-	2,5	4 6,0
EVO 2T	09/11	T									1530XSP	L	S	160	-	2,5	4 6,0
EVO 2T	09/11	T									1594X	L	FIM	160	-	2,5	4 6,0
300 c.c.											300 c.c.						
CROSSTRAINER	15/18	E	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6 6,5
CROSSTRAINER	15/18	E	1254XK09	L	KF	*270	-	3,0	6	6,5							
CROSSTRAINER	15/18	E	1254XBHK09	L	KF	*270	-	3,0	6	6,5							
EVO 2T - 4T / FACTORY	09/16	T	626 / 626X	L	S	185	-	3/2,7	4	10,0	1152	L	S	160	-	2,5	4 6,5
EVO 2T - 4T / FACTORY	09/16	T	1588X	L	S	185	-	2,7	4	10,5	1152X	L	S	160	-	2,7	4 6,5
EVO 2T - 4T / FACTORY	09/16	T									1530X	L	S	160	-	2,5	4 6,0
EVO 2T - 4T / FACTORY	09/16	T									1530XSP	L	S	160	-	2,5	4 6,0
EVO 2T - 4T / FACTORY	09/16	T									1594X	L	FIM	160	-	2,5	4 6,0
EVO / SS 2T / 4T	17/18	T	1588X	L	S	185	-	2,7	4	10,5	1152	L	S	160	-	2,5	4 6,5
EVO / SS 2T / 4T	17/18	T									1530XSP	L	S	160	-	2,5	4 6,0
EVO / SS 2T / 4T	17/18	T									1530X	L	S	160	-	2,5	4 6,0
EVO / SS 2T / 4T	17/18	T									1152X	L	S	160	-	2,7	4 6,5
EVO / SS 2T / 4T	17/18	T									1594X	L	FIM	160	-	2,5	4 6,0
REV 4T RACING	09/16	T	626 / 626X	L	S	185	-	3/2,7	4	10,0	1152	L	S	160	-	2,5	4 6,5
REV 4T RACING	09/16	T									1152X	L	S	160	-	2,7	4 6,5
REV 4T RACING	09/16	T	1588X	L	S	185	-	2,7	4	10,5	1530X	L	S	160	-	2,5	4 6,0
REV 4T RACING	09/16	T									1530XSP	L	S	160	-	2,5	4 6,0
REV 4T RACING	09/16	T									1594X	L	FIM	160	-	2,5	4 6,0
RR 2T / R / OIL MIX	12/18	E	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6 6,5
RR 2T / R / OIL MIX	12/18	E	1254XK09	L	KF	*270	-	3,0	6	6,5							
RR 2T / R / OIL MIX	12/18	E	1254XBHK09	L	KF	*270	-	3,0	6	6,5							
XTRAINER / OIL MIX	15/18	E	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6 6,5
XTRAINER / OIL MIX	15/18	E	1254XK09	L	KF	*270	-	3,0	6	6,5							
XTRAINER / OIL MIX	15/18	E	1254XBHK09	L	KF	*270	-	3,0	6	6,5							
350 c.c.											350 c.c.						
EURO	99/05	C	232	R	F11,0	300	110	4,0	6	6,5	189	R	S	220	110	4,0	6 6,5
BETA											BETA						
350 c.c.											350 c.c.						
JONATHAN	02/03	C	232	R	F11,0	300	110	4,0	6	6,5	189	R	S	220	110	4,0	6 6,5
M4 / M4 4T / M4 SM	05/07	F	684	L	S	310	140	4,0	6	8,5	160	R	S	220	110	4,0	6 6,5
RR Efi ENDURO 4T	13/14	E	1263X	L	S	260	120,2	3,5	4	8,5	1264X	R	S	240	112	4,0	4 9,5
RR Efi ENDURO 4T	13/14	E	1254XK09	L	KF	*270	-	3,0	6	6,5							
RR Efi ENDURO 4T	13/14	E	1254XBHK09	L	KF	*270	-	3,0	6	6,5							
RR Efi / ENDURO / R	13/18	E	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6 6,5
RR Efi / ENDURO / R	13/18	E	1254XK09	L	KF	*270	-	3,0	6	6,5							
RR Efi / ENDURO / R	13/18	E	1254XBHK09	L	KF	*270	-	3,0	6	6,5							
RR ENDURO 4T	15/17	E	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6 6,5
VCM 4T	01	C	232	R	F11,0	300	110	4,0	6	6,5	189	R	S	220	110	4,0	6 6,5
VTM 35	03	C	159	L	S	260	110	4,0	6	6,5	160	R	S	220	110	4,0	6 6,5
VSP 35	03	C	684	L	S	310	140	4,0	6	8,5	160	R	S	220	110	4,0	6 6,5
390 c.c.											390 c.c.						
RR Efi MODELS																	
ENDURO / RACING	14/18	E	1293X	L	S	260	-	3,5	6	6,5	1294X	R	S	240	110	4,0	6 6,5
ENDURO / RACING	14/18	E	1254XK09	L	KF	*270	-	3,0	6	6,5							
ENDURO / RACING	14/18	E	1254XBHK09	L	KF	*270	-	3,0	6	6,5							
400 c.c.											400 c.c.						
ALP 4.0,w/o speedometer hole	03/18	U	159	L	S	260	110	4,0	6	6,5	189	R	S	220	110	4,0	6 6,5
MOTARD 4.0	06	F	684	L	S	310	140	4,0	6	8,5	189	R	S	220	110	4,0	6 6,5
RR ENDURO	05/12	E	1263X	L	S	260	120,2	3,5	4	8,5	1264X	R	S	240	112	4,0	4 9,5

NG Brake Disc		YEAR	MODEL TYPE	REFERENCE	FRONT	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø	REAR	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø
RR ENDURO	12/13	E		1263X	L S	260	120,2	3,5	4	8,5			1264X	R S	240	112	4,0	4	9,5		
RR ENDURO 4T	05/11	E		1263X	L S	260	120,2	3,5	4	8,5			1264X	R S	240	112	4,0	4	9,5		
RR ENDURO 4T	13/14	E		1293X	L S	260	-	3,5	6	6,5			1294X	R S	240	110	4,0	6	6,5		
RR SM	05/07	F		392	L S	260	120	3,5	4	6,5			648	R S	240	112	4,0	4	9,5		
RR SM	05/07	F		910 / 910X	L S	260	120	3,0	4	6,5											
RR SM	05/07	F		910SP	L S	260	120	3,0	4	6,5											
RR SM	05/07	F		1164X	L F00,0	260	120	3,0	4	6,5			1264X	R S	240	112	4,0	4	9,5		
430 c.c.																					430 c.c.
RR Efi MODELS																					
ENDURO / RACING	15/18	E		1293X	L S	260	-	3,5	6	6,5			1294X	R S	240	110	4,0	6	6,5		
ENDURO / RACING	15/18	E		1254XK09	L KF	*270	-	3,0	6	6,5											
ENDURO / RACING	15/18	E		1254XBHK09	L KF	*270	-	3,0	6	6,5											
450 c.c.																					450 c.c.
RR EN	05/12	E		1263X	L S	260	120,2	3,5	4	8,5			1264X	R S	240	112	4,0	4	9,5		
RR ENDURO 4T	05/13	E		1263X	L S	260	120,2	3,5	4	8,5			1264X	R S	240	112	4,0	4	9,5		
RR ENDURO 4T / RACING	13/14	E		1293X	L S	260	-	3,5	6	6,5			1294X	R S	240	110	4,0	6	6,5		
RR SM	05/07	F		392	L S	260	120	3,5	4	6,5			648	R S	240	112	4,0	4	9,5		
RR SM	05/07	F		910 / 910X	L S	260	120	3,0	4	6,5											
RR SM	05/07	F		910SP	L S	260	120	3,0	4	6,5											
RR SM	05/07	F		1164X	L F00,0	260	120	3,0	4	6,5			1264X	R S	240	112	4,0	4	9,5		
480 c.c.																					480 c.c.
RR Efi MODELS																					
ENDURO / RACING	15/18	E		1293X	L S	260	-	3,5	6	6,5			1294X	R S	240	110	4,0	6	6,5		
ENDURO / RACING	15/18	E		1254XK09	L KF	*270	-	3,0	6	6,5											
ENDURO / RACING	15/18	E		1254XBHK09	L KF	*270	-	3,0	6	6,5											
498 c.c.																					498 c.c.
RR ENDURO 4T	13/14	E		1293X	L S	260	-	3,5	6	6,5			1294X	R S	240	110	4,0	6	6,5		
RR ENDURO 4T R	13/14	E		1293X	L S	260	-	3,5	6	6,5			1294X	R S	240	110	4,0	6	6,5		
500 c.c.																					500 c.c.
RR ENDURO 4T	14	E		1263X	L S	260	120,2	3,5	4	8,5			1264X	R S	240	112	4,0	4	9,5		
520 c.c.																					520 c.c.
RR ENDURO 4T	10/11	E		1263X	L S	260	120,2	3,5	4	8,5			1264X	R S	240	112	4,0	4	9,5		
525 c.c.																					525 c.c.
RR ENDURO 4T	05/09	E		1263X	L S	260	120,2	3,5	4	8,5			1264X	R S	240	112	4,0	4	9,5		
BIMOTA																					BIMOTA
400 c.c.																					400 c.c.
YB7	89	R		1060 / 1060X	L/R F10,5	320	64	5,0	6	8,5			-	-	-	-	-	-	-	-	-
YB7	89	R		1060G / 1060XG	L/R F10,5	320	64	5,0	6	8,5			-	-	-	-	-	-	-	-	-
BIMOTA																					BIMOTA
500 c.c.																					500 c.c.
V DUE / EVOLUZIONE	97/00	R		1060 / 1060X	L/R F10,5	320	64	5,0	6	8,5			-	-	-	-	-	-	-	-	-
V DUE / EVOLUZIONE	97/00	R		1060G / 1060XG	L/R F10,5	320	64	5,0	6	8,5			-	-	-	-	-	-	-	-	-
600 c.c.																					600 c.c.
YB9	97/00	R		1060 / 1060X	L/R F10,5	320	64	5,0	6	8,5			-	-	-	-	-	-	-	-	-
YB9	97/00	R		1060G / 1060XG	L/R F10,5	320	64	5,0	6	8,5			-	-	-	-	-	-	-	-	-
YB9 SUPERSPORT	93	R		1060 / 1060X	L/R F10,5	320	64	5,0	6	8,5			-	-	-	-	-	-	-	-	-
YB9 SUPERSPORT	93	R		1060G / 1060XG	L/R F10,5	320	64	5,0	6	8,5			-	-	-	-	-	-	-	-	-
650 c.c.																					650 c.c.
BB1 SUPERMONO	95/00	R		1060 / 1060X	L/R F10,5	320	64	5,0	6	8,5			-	-	-	-	-	-	-	-	-
BB1 SUPERMONO	95/00	R		1060G / 1060XG	L/R F10,5	320	64	5,0	6	8,5			-	-	-	-	-	-	-	-	-
850 c.c.																					850 c.c.
TESI 1D	90/91	R		1060 / 1060X	L/R F10,5	320	64	5,0	6	8,5			-	-	-	-	-	-	-	-	-
TESI 1D	90/91	R		1060G / 1060XG	L/R F10,5	320	64	5,0	6	8,5			-	-	-	-	-	-	-	-	-
900 c.c.																					900 c.c.
DB2 H.F. / SR / INJECTION	93/00	R		1060 / 1060X	L/R F10,5	320	64	5,0	6	8,5			-	-	-	-	-	-	-	-	-
DB2 H.F. / SR / INJECTION	93/00	R		1060G / 1060XG	L/R F10,5	320	64	5,0	6	8,5			-	-	-	-	-	-	-	-	-
DB3 MANTRA	95/00	R		1060 / 1060X	L/R F10,5	320	64	5,0	6	8,5			-	-	-	-	-	-	-	-	-
DB3 MANTRA	95/00	R		1060G / 1060XG	L/R F10,5	320	64	5,0	6	8,5			-	-	-	-	-	-	-	-	-
DB4 / DB4 i.e.	98/00	R		1060 / 1060X	L/R F10,5	320	64	5,0	6	8,5			-	-	-	-	-	-	-	-	-
DB4 / DB4 i.e.	98/00	R		1060G / 1060XG	L/R F10,5	320	64	5,0	6	8,5			-	-	-	-	-	-	-	-	-
TESI	91/93	R		1060 / 1060X	L/R F10,5	320	64	5,0	6	8,5			-	-	-	-	-	-	-	-	-
TESI	91/93	R		1060G / 1060XG	L/R F10,5	320	64	5,0	6	8,5			-	-	-	-	-	-	-	-	-
1000 c.c.																					1000 c.c.



MODEL	YEAR	MODEL TYPE	REFERENCE	FRONT	REAR	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø	REFERENCE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø
DB6 / DB6 DELIRIO / DB6 R	06/08	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
DB6 / DB6 DELIRIO / DB6 R	06/08	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
DB7	08/10	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
DB7	08/10	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
DIECI BIPOSTO	91/95	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
DIECI BIPOSTO	91/95	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SB6 / SB 6 R	96/00	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SB6 / SB 6 R	96/00	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SB8 K GOBERT	06	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SB8 K GOBERT	06	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SB8 K SANTA MONICA	06	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SB8 K SANTA MONICA	06	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SB8 R SPECIAL	97/00	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SB8 R SPECIAL	97/00	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
1100 c.c.																1100 c.c.		
SB5 / SB5 S / SB5 SP	85	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SB5 / SB5 S / SB5 SP	85	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SB6 / SB 6 R	96/00	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SB6 / SB 6 R	96/00	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
1198 c.c.																1198 c.c.		
DB8 BIPOSTO / DB8 SP	10→	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
DB8 BIPOSTO / DB8 SP	10→	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
DB11	14→	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
DB11	14→	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
IMPETO	16	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
IMPETO	16	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
BLATA																BLATA		
125 c.c.																125 c.c.		
ENDURO	10/11	E	1170X	L	S	280	71	4,0	6	8,5	1168X	R	S	220	68	4,0	3	8,5
MOTARD	10/11	F	1169X	L	S	280	71	4,0	6	8,5	1167X	R	S	220	68	4,0	3	8,5
BMW																BMW		
ELECTRIC																ELECTRIC		
C EVOLUTION MODELS																C EVOLUTION MODELS		
ABS	14/17	SV	1338 / 1338X	L/R	S	270	-	5,0	5	9,8	1338 / 1338X	C	S	270	-	5,0	5	9,8
ABS	14/17	SV	1373 / 1373X	L/R	F00,0	270	-	5,0	5	9,8	-	-	-	-	-	-	-	-
BMW																BMW		
ELECTRIC																ELECTRIC		
C EVOLUTION MODELS																C EVOLUTION MODELS		
LONG RANCE ABS	17/18	SV	1338 / 1338X	L/R	S	270	-	5,0	5	9,8	1338 / 1338X	C	S	270	-	5,0	5	9,8
LONG RANCE ABS	17/18	SV	1373 / 1373X	L/R	F00,0	270	-	5,0	5	9,8	-	-	-	-	-	-	-	-
125 c.c.																125 c.c.		
C1	99/03	S	1341	L	S	220	102	5,0	5	8,5	1341	R	S	220	102	5,0	5	8,5
200 c.c.																200 c.c.		
C1	01/03	S	1341	L	S	220	102	5,0	5	8,5	1341	R	S	220	102	5,0	5	8,5
310 c.c.																310 c.c.		
G GS ABS	16/18	U	1438	L	MD	300	60,5	5,0	6	MH	-	R	-	240	-	4,5	5	-
G R ABS	16/18	U	1438	L	MD	300	60,5	5,0	6	MH	-	R	S	240	-	4,5	5	-
450 c.c.																450 c.c.		
G X	08/11	E	1240XSP	L	S	260	105	3,2	5	6,0	1241	R	S	220	103	4,0	6	6,5
G X	08/11	E	1162XK16	L	KF	*270	105	3,0	5	6,5	-	-	-	-	-	-	-	-
G X	08/11	E	1146XK11	L	KF	*320	105	5,0	5	6,5	-	-	-	-	-	-	-	-
475 c.c.																475 c.c.		
R 45, DISC ONLY	78/86	R	1047	L	S	260	144	5,0	10	5,5	Drum	-	-	-	-	-	-	-
R 60 / 7 - TIC, DISC ONLY	76/84	R	1047	L	S	260	144	5,0	10	5,5	Drum	-	-	-	-	-	-	-
650 c.c.																650 c.c.		
C SPORT / ABS	12/18	S	1338 / 1338X	L/R	S	270	-	5,0	5	9,8	1338 / 1338X	C	S	270	-	5,0	5	9,8
C SPORT / ABS	12/18	S	1373 / 1373X	L/R	F00,0	270	-	5,0	5	9,8	-	-	-	-	-	-	-	-
C GT / ABS	12/18	S	1338 / 1338X	L/R	S	270	-	5,0	5	9,8	1338 / 1338X	C	S	270	-	5,0	5	9,8
C GT / ABS	12/18	S	1373 / 1373X	L/R	F00,0	270	-	5,0	5	9,8	-	-	-	-	-	-	-	-
F	94/01	U	324	L	S	300	105	5,0	6	6,5	325 / 325X	L	S	240	110	5,0	6	6,5
F	94/01	U	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5	-	-	-	-	-	-	-	-
F	94/01	U	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5	-	-	-	-	-	-	-	-



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø		REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø
F B GS DAKAR	94/06	U	324	L	S	300	105	5,0	6	6,5		325 / 325X	L	S	240	110	5,0	6	6,5
F B GS DAKAR	94/06	U	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5									
F B GS DAKAR	94/06	U	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5									
F CS F GS	01/07	U	324	R	S	300	105	5,0	6	6,5		325 / 325X	L	S	240	110	5,0	6	6,5
F CS F GS	01/07	U	1194 / 1194X	R	F00,0	300	105	5,0	6	6,5									
F CS F GS	01/07	U	1194G / 1194XG	R	F00,0	300	105	5,0	6	6,5									
F CS SCARVER	02/07	U	324	R	S	300	105	5,0	6	6,5		325 / 325X	R	S	240	110	5,0	6	6,5
F CS SCARVER	02/07	U	1194 / 1194X	R	F00,0	300	105	5,0	6	6,5									
F CS SCARVER	02/07	U	1194G / 1194XG	R	F00,0	300	105	5,0	6	6,5									
F F ENDURO	98/03	E	324	L	S	300	105	5,0	6	6,5		325 / 325X	L	S	240	110	5,0	6	6,5
F F ENDURO	98/03	E	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5									
F F ENDURO	98/03	E	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5									
F FL	93/05	U	324	L	S	300	105	5,0	6	6,5		325 / 325X	L	S	240	110	5,0	6	6,5
F FL	93/05	U	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5									
F FL	93/05	U	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5									
F GS	08/12	U	324	R	S	300	105	5,0	6	6,5		1045 / 1045X	L	S	265	136,5	4,8	5	10,0
F GS	08/12	U	1194 / 1194X	R	F00,0	300	105	5,0	6	6,5									
F GS	08/12	U	1194G / 1194XG	R	F00,0	300	105	5,0	6	6,5									
F GS ABS	01/07	U	1232	R	S	300	105	5,0	6	6,5		325 / 325X	L	S	240	110	5,0	6	6,5
F GS ABS	01/07	U	1194 / 1194X	R	F00,0	300	105	5,0	6	6,5									
F GS ABS	01/07	U	1194G / 1194XG	R	F00,0	300	105	5,0	6	6,5									
F GS ABS	08/15	U	1232	R	S	300	105	5,0	6	6,5		1045 / 1045X	L	S	265	136,5	4,8	5	10,0
F GS ABS	08/15	U	1194 / 1194X	R	F00,0	300	105	5,0	6	6,5									
F GS ABS	08/15	U	1194G / 1194XG	R	F00,0	300	105	5,0	6	6,5									
F ST STRADA	97/01	U	1232	L	S	300	105	5,0	6	6,5		325 / 325X	L	S	240	110	5,0	6	6,5
F ST STRADA	97/01	U	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5									
F ST STRADA	97/01	U	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5									
F SCARVER 324 SL	02/06	U	324	L	S	300	105	5,0	6	6,5		325 / 325X	L	S	240	110	5,0	6	6,5
F SCARVER 324 SL	02/06	U	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5									
F SCARVER 324 SL	02/06	U	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5									
G GS / G GS ABS	09/15	U	1232	L	S	300	105	5,0	6	6,5		325 / 325X	L	S	240	110	5,0	6	6,5
G GS / G GS ABS	09/15	U	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5									
G GS / G GS ABS	09/15	U	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5									
BMW																			
650 c.c.										650 c.c.									
G GS SERTAO / ABS	11/14	U	324	L	S	300	105	5,0	6	6,5		325 / 325X	L	S	240	110	5,0	6	6,5
G GS SERTAO / ABS	11/14	U	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5									
G GS SERTAO / ABS	11/14	U	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5									
G X CHALLENGE	07/09	E	324	L	S	300	105	5,0	6	6,5		1090 / 1090X	L	S	240	105	4,5	6	6,5
G X CHALLENGE	07/09	E	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5									
G X CHALLENGE	07/09	E	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5									
G X COUNTRY	07/09	E	324	L	S	300	105	5,0	6	6,5		1090 / 1090X	L	S	240	105	4,5	6	6,5
G X COUNTRY	07/09	E	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5									
G X COUNTRY	07/09	E	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5									
G X COUNTRY ABS	07/10	E	1232	R	S	300	105	5,0	6	6,5		1090 / 1090X	L	S	240	105	4,5	6	6,5
G X COUNTRY ABS	07/10	E	1194 / 1194X	R	F00,0	300	105	5,0	6	6,5									
G X COUNTRY ABS	07/10	E	1194G / 1194XG	R	F00,0	300	105	5,0	6	6,5									
G X MOTO	06/09	E	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5		325 / 325X	L	S	240	110	5,0	6	6,5
G X MOTO	06/09	E	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5									
R / R LS, DISC ONLY	81	R	1047	L	S	260	144	5,0	10	5,5		Drum	-	-	-	-	-	-	-
R 65	81	R	1047	L	S	260	144	5,0	10	5,5		Drum	-	-	-	-	-	-	-
R 65	81	R	1217	L	SO	*285	144	5,0	10	5,0									
R 65/20, DISC ONLY	85/95	R	1047	L	S	260	144	5,0	10	5,5		Drum	-	-	-	-	-	-	-
R 65/20, DISC ONLY	85/95	R	1217	L	SO	*285	144	5,0	10	5,0									
R 65/35-R RT, DISC ONLY	85/95	R	1047	L	S	260	144	5,0	10	5,5		Drum	-	-	-	-	-	-	-
R 65/35-R RT, DISC ONLY	85/95	R	1217	L	SO	*285	144	5,0	10	5,0									
R GS, DISC ONLY	80/92	R	1047	L	S	260	144	5,0	10	5,5		Drum	-	-	-	-	-	-	-
R GS, DISC ONLY	80/92	R	1217	L	SO	*285	144	5,0	10	5,0									
700 c.c.										700 c.c.									
F GS / F GS ABS	12/16	U	324	L/R	S	300	105	5,0	6	6,5		1045 / 1045X	L	S	265	136,5	4,8	5	10,0
F GS / F GS ABS	12/16	U	1194 / 1194X	L/R	F00,0	300	105	5,0	6	6,5									



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø		REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø
F GS / F GS ABS	12/16	U	1194G / 1194XG	L/R	F00,0	300	105	5,0	6	6,5									
F GS ABS	17/18	U	1194 / 1194X	L/R	F00,0	300	105	5,0	6	6,5		1045 / 1045X	L	S	265	136,5	4,8	5	10,0
F GS ABS	17/18	U	1194G / 1194XG	L/R	F00,0	300	105	5,0	6	6,5									
750 c.c.											750 c.c.								
K 75	84/96	R	1042	L/R	S	285	165	4,8	10	13,8		Drum	-	-	-	-	-	-	-
K 75 C / S C	85/91	R	1271	L/R	S	285	165	4,8	10	5,5		Drum	-	-	-	-	-	-	-
K 75 S / K 75 RT	85/96	R	1042	L/R	S	285	165	4,8	10	13,8		1042	R	S	285	165	4,8	10	13,8
R 75, DISC ONLY	73/84	R	1047	L	S	260	144	5,0	10	5,5		Drum	-	-	-	-	-	-	-
800 c.c.											800 c.c.								
F GS	06/16	U	324	L/R	S	300	105	5,0	6	6,5		1045 / 1045X	L	S	265	136,5	4,8	5	10,0
F GS	06/16	U	1194 / 1194X	L/R	F00,0	300	105	5,0	6	6,5									
F GS	06/16	U	1194G / 1194XG	L/R	F00,0	300	105	5,0	6	6,5									
F GS	17/18	U	1194 / 1194X	L/R	F00,0	300	105	5,0	6	6,5		1045 / 1045X	L	S	265	136,5	4,8	5	10,0
F GS	17/18	U	1194G / 1194XG	L/R	F00,0	300	105	5,0	6	6,5									
F GS / ADVENTURE ABS	13/16	U	1232	L/R	S	300	105	5,0	6	6,5		1045 / 1045X	L	S	265	136,5	4,8	5	10,0
F GS / ADVENTURE ABS	13/16	U	1194 / 1194X	L/R	F00,0	300	105	5,0	6	6,5									
F GS / ADVENTURE ABS	13/16	U	1194G / 1194XG	L/R	F00,0	300	105	5,0	6	6,5									
F GS / ADVENTURE ABS	17/18	U	1194 / 1194X	L/R	F00,0	300	105	5,0	6	6,5		1045 / 1045X	L	S	265	136,5	4,8	5	10,0
F GS / ADVENTURE ABS	17/18	U	1194G / 1194XG	L/R	F00,0	300	105	5,0	6	6,5									
F GT / ABS - F R / ABS	09/17	N	1046	L/R	S	320	181	4,8	5	14,8		1045 / 1045X	L	S	265	136,5	4,8	5	10,0
F R 35 KW / ABS	14/17	N	1046	L/R	S	320	181	4,8	5	14,8		1045 / 1045X	L	S	265	136,5	4,8	5	10,0
F S / F ST	06/15	R	324	L/R	S	300	105	5,0	6	6,5		1045 / 1045X	R	S	265	136,5	4,8	5	10,0
F S / F ST	06/15	R	1194 / 1194X	L/R	F00,0	300	105	5,0	6	6,5									
F S / F ST	06/15	R	1194G / 1194XG	L/R	F00,0	300	105	5,0	6	6,5									
R 80, DISC ONLY	81/93	R	1042	R	S	285	165	4,8	10	13,8		Drum	-	-	-	-	-	-	-
R 80 G / S, DISC ONLY	81	R	1047	L/R	S	260	144	5,0	10	5,5		Drum	-	-	-	-	-	-	-
R 80 GS PARIS DAKAR	88/94	U	1042	R	S	285	165	4,8	10	13,8		Drum	-	-	-	-	-	-	-
R 80, GS DISC ONLY	80/92	R	1047	R	S	260	144	5,0	10	5,5		Drum	-	-	-	-	-	-	-
R 80 MONO, DISC ONLY	76/84	R	1047	L/R	S	260	144	5,0	10	5,5		Drum	-	-	-	-	-	-	-
R 80 ST, DISC ONLY	80/85	R	1047	L/R	S	260	144	5,0	10	5,5		Drum	-	-	-	-	-	-	-
R 80 R ROADSTER	92/93	R	1042	L/R	S	285	165	4,8	10	13,8		Drum	-	-	-	-	-	-	-
BMW											800 c.c.								
800 c.c.											800 c.c.								
R 80 RT	85/95	R	1042	L/R	S	285	165	4,8	10	13,8		Drum	-	-	-	-	-	-	-
R 80 RT, DISC ONLY	76/84	R	1047	L/R	S	260	144	5,0	10	5,5		Drum	-	-	-	-	-	-	-
R 80 RT, DISC ONLY	80/92	R	1047	R	S	260	144	5,0	10	5,5		Drum	-	-	-	-	-	-	-
R 80 RT, DISC ONLY	01/04	R	1046	L/R	S	320	181	4,8	5	14,8		Drum	-	-	-	-	-	-	-
R 80 TIC, DISC ONLY	76/84	R	1047	L/R	S	260	144	5,0	10	5,5		Drum	-	-	-	-	-	-	-
850 c.c.											850 c.c.								
R C	98/01	C	1044 / 1044X	L/R	S	305	181	4,8	5	14,0		236 / 236X	R	S	276	-	5,0	5	10,5
R GS	98/07	U	1044 / 1044X	L/R	S	305	181	4,8	5	14,0		236 / 236X	R	S	276	-	5,0	5	10,5
R R	94/03	R	1137 / 1137X	L/R	F00,0	305	118	5,0	6	9,0		236 / 236X	R	S	276	-	5,0	5	10,5
R R	94/03	R	1137G / 1137XG	L/R	F00,0	305	118	5,0	6	9,0									
R R	04/07	R	1046	L/R	S	320	181	4,8	5	14,8		236 / 236X	R	S	276	-	5,0	5	10,5
R RT	95/01	R	1137 / 1137X	L/R	F00,0	305	118	5,0	6	9,0		236 / 236X	R	S	276	-	5,0	5	10,5
R RT	95/01	R	1137G / 1137XG	L/R	F00,0	305	118	5,0	6	9,0									
R RT, INTEGRAL WHEELS ABS	01/04	R	1046	L/R	S	320	181	4,8	5	14,8		236 / 236X	R	S	276	-	5,0	5	10,5
900 c.c.											900 c.c.								
R 90 / 6 / R 90 S, DISC ONLY	73/76	R	1047	L/R	S	260	144	5,0	10	5,5		Drum	-	-	-	-	-	-	-
1000 c.c.											1000 c.c.								
HP4	12/14	SB	1387G / 1387XG	L/R	F00,0	320	64	5,0	6	8,5		1282	R	S	220	119	5,0	5	6,6
HP4 ABS	12/14	SB	1538	L/R	F00,0	320	64	5,0	6	8,5		1282	R	S	220	119	5,0	5	6,6
K 1	89/93	R	1137 / 1137X	L/R	F00,0	305	118	5,0	6	9,0		1042	R	S	285	165	4,8	10	13,8
K 1	89/93	R	1137G / 1137XG	L/R	F00,0	305	118	5,0	6	9,0									
K / K LT ABS / K LT LIMITED	83/92	R	1271	L/R	S	285	165	4,8	10	5,5		1271	R	S	285	165	4,8	10	5,5
K RS	84/89	R	1271	L/R	S	285	165	4,8	10	5,5		1271	R	S	285	165	4,8	10	5,5
K RS 16V	89/93	R	1137 / 1137X	L/R	F00,0	305	118	5,0	6	9,0		1271	R	S	285	165	4,8	10	5,5
K RS 16V	89/93	R	1137G / 1137XG	L/R	F00,0	305	118	5,0	6	9,0									
K RT	84/89	R	1271	L/R	S	285	165	4,8	10	5,5		1271	R	S	285	165	4,8	10	5,5
R CS, DISC ONLY	76/89	R	1047	L/R	S	260	144	5,0	10	5,5		Drum	-	-	-	-	-	-	-
R / R GS, DISC ONLY	76/84	R	1047	L/R	S	260	144	5,0	10	5,5		Drum	-	-	-	-	-	-	-



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø
R GS	87/94	U	1042	R	S	285	165	4,8	10	13,8	Drum	-	-	-	-	-	-	-
R GS MYSTIC	91/95	U	1042	L/R	S	285	165	4,8	10	13,8	Drum	-	-	-	-	-	-	-
R R ROADSTER / R RT	91/95	R	1042	R	S	285	165	4,8	10	13,8	Drum	-	-	-	-	-	-	-
R RS, DISC ONLY	76/84	R	1047	L/R	S	260	144	5,0	10	5,5	Drum	-	-	-	-	-	-	-
R RT / R 7T, DISC ONLY	76/84	R	1047	L/R	S	260	144	5,0	10	5,5	Drum	-	-	-	-	-	-	-
R S / R TIC, DISC ONLY	76/84	R	1047	L/R	S	260	144	5,0	10	5,5	Drum	-	-	-	-	-	-	-
S R, VERSION 1 / ABS	14/17	SB	1046	L/R	S	320	181	4,8	5	14,8	1282	R	S	220	119	5,0	5	6,6
S R, VERSION 2 / ABS	14/17	SB	1387 / 1387X	L/R	F00,0	320	64	5,0	6	8,5	1282	R	S	220	119	5,0	5	6,6
S R, VERSION 2 / ABS	14/17	SB	1387G / 1387XG	L/R	F00,0	320	64	5,0	6	8,5								
S RR, SUPERBIKE	15/16	SB	1387 / 1387X	L/R	F00,0	320	64	5,0	6	8,5	1282	R	S	220	119	5,0	5	6,6
S RR, SUPERBIKE	15/16	SB	1387G / 1387XG	L/R	F00,0	320	64	5,0	6	8,5								
S RR, ABS VERSION 1	09/18	SB	1046	L/R	S	320	181	4,8	5	14,8	1282	R	S	220	119	5,0	5	6,6
S RR, VERSION 2 ABS	14/18	SB	1387G / 1387XG	L/R	F00,0	320	64	5,0	6	8,5	1282	R	S	220	119	5,0	5	6,6
S XR, VERSION 1	15/18	SB	1046	L/R	S	320	181	4,8	5	14,8	1045	R	S	265	136,5	4,8	5	10,0
S XR, VERSION 2	17	SB	1387G / 1387XG	L/R	F00,0	320	64	5,0	6	8,5	1045	R	S	265	136,5	4,8	5	10,0
S XR, VERSION 2	17	SB	1387 / 1387X	L/R	F00,0	320	64	5,0	6	8,5								
1100 c.c.											1100 c.c.							
K LT / K SE	92/00	R	1137 / 1137X	L/R	F00,0	305	118	5,0	6	9,0	1271	R	S	285	165	4,8	10	5,5
K LT / K SE	92/00	R	1137G / 1137XG	L/R	F00,0	305	118	5,0	6	9,0								
K RS	93/96	R	1137 / 1137X	L/R	F00,0	305	118	5,0	6	9,0	1271	R	S	285	165	4,8	10	5,5
K RS	93/96	R	1137G / 1137XG	L/R	F00,0	305	118	5,0	6	9,0								
R C / R CL	97/03	R	-	-	-	-	-	-	-	-	236 / 236X	R	S	276	-	5,0	5	10,5
R GS	94/01	R	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	236 / 236X	R	S	276	-	5,0	5	10,5
R R	97/08	R	1137 / 1137X	L/R	F00,0	305	118	5,0	6	9,0	236 / 236X	R	S	276	-	5,0	5	10,5
R R	97/08	R	1137G / 1137XG	L/R	F00,0	305	118	5,0	6	9,0								
R R, SPOKES WHEELS	93/01	R	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	236 / 236X	R	S	276	-	5,0	5	10,5
R RS	94/01	R	1137 / 1137X	L/R	F00,0	305	118	5,0	6	9,0	1042	R	S	285	165	4,8	10	13,8
R RS	94/01	R	1137G / 1137XG	L/R	F00,0	305	118	5,0	6	9,0								
BMW																		
1100 c.c.											1100 c.c.							
R RT / R RT ABS	94/01	R	1137 / 1137X	L/R	F00,0	305	118	5,0	6	9,0	236 / 236X	R	S	276	-	5,0	5	10,5
R RT / R RT ABS	94/01	R	1137G / 1137XG	L/R	F00,0	305	118	5,0	6	9,0								
R RT, SPOKES WHEELS	93/03	R	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	236 / 236X	R	S	276	-	5,0	5	10,5
R S / ABS	98/00	R	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	236 / 236X	R	S	276	-	5,0	5	10,5
R S / ABS	01/06	R	1046	L/R	S	320	181	4,8	5	14,8	236 / 236X	R	S	276	-	5,0	5	10,5
R S BOXER CUP REPLIKA	03/06	R	1046	L/R	S	320	181	4,8	5	14,8	236 / 236X	R	S	276	-	5,0	5	10,5
1150 c.c.											1150 c.c.							
R GS	99/05	U	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	236 / 236X	R	S	276	-	5,0	5	10,5
R GS ADVENTURE	02/05	U	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	236 / 236X	R	S	276	-	5,0	5	10,5
R R	01/06	R	1046	L/R	S	320	181	4,8	5	14,8	236 / 236X	R	S	276	-	5,0	5	10,5
R R ROCKSTER	03/06	R	1046	L/R	S	320	181	4,8	5	14,8	236 / 236X	R	S	276	-	5,0	5	10,5
1170 c.c.											1170 c.c.							
R NINE MODELS																		
R	14/16	N	1046	L/R	S	320	181	4,8	5	14,8	1045 / 1045X	R	S	265	136,5	4,8	5	10,0
T ABS	17	DVT	1046	L/R	S	320	181	4,8	5	14,8	1045	R	S	265	136,5	4,8	5	10,0
T PURE ABS	14/17	D	1046	L/R	S	320	181	4,8	5	14,8	1045	R	S	265	136,5	4,8	5	10,0
T RACER ABS	14/17	D	1046	L/R	S	320	181	4,8	5	14,8	1045	R	S	265	136,5	4,8	5	10,0
T SCRAMBLER ABS	17	D	1046	L/R	S	320	181	4,8	5	14,8	1045	R	S	265	136,5	4,8	5	10,0
T URBAN G / S ABS	17	D	1046	L/R	S	320	181	4,8	5	14,8	1045	R	S	265	136,5	4,8	5	10,0
R RS / R RT / RT ABS	01/05	R	1046	L/R	S	320	181	4,8	5	14,8	236 / 236X	R	S	276	-	5,0	5	10,5
1200 c.c.											1200 c.c.							
HP 2	06/10	U	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1045 / 1045X	R	S	265	136,5	4,8	5	10,0
HP 2 MEGAMOTO	07/10	U	1046	L	S	320	181	4,8	5	14,8	1045 / 1045X	R	S	265	136,5	4,8	5	10,0
HP 2 SPORT	08/12	R	1046	L/R	S	320	181	4,8	5	14,8	1045 / 1045X	R	S	265	136,5	4,8	5	10,0
K GT ABS	04/08	R	1046	L/R	S	320	181	4,8	5	14,8	1564	L	S	294	136,5	6,0	5	10,5
K LT ABS	97/00	R	1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1648G	R	F6,1	285	51,1	7,0	4	12,8
K LT ABS	01/07	R	1046	L/R	S	320	181	4,8	5	14,8	1648G	R	F6,1	285	51,1	7,0	4	12,8
K LT ABS	08/09	R	-	-	-	-	-	-	-	-	1648G	R	F6,1	285	51,1	7,0	4	12,8
K R / K R ABS	04/15	N	1046	L/R	S	320	181	4,8	5	14,8	1045 / 1045X	R	S	265	136,5	4,8	5	10,0
K S / K S ABS	04/15	R	1046	L/R	S	320	181	4,8	5	14,8	1045 / 1045X	R	S	265	136,5	4,8	5	10,0

NG Brake Disc		YEAR	MODEL TYPE	REFERENCE	FRONT								REAR							
					SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø	
K R SPORT																				
	07	R		1046	L/R	S	320	181	4,8	5	14,8	1045 / 1045X	R	S	265	136,5	4,8	5	10,0	
K RS																				
	97/00	R		1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1042	R	S	285	165	4,8	10	13,8	
K RS																				
	01/06	R		1046	L/R	S	320	181	4,8	5	14,8	-	-	-	-	-	-	-	-	
R C / ABS																				
	97/01	C		1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1648G	R	F6,1	285	51,1	7,0	4	12,8	
R C / ABS																				
	02/05	C		1044 / 1044X	L/R	S	305	181	4,8	5	14,0	-	R	-	285	-	5,0	4	10,5	
R C CLASSIC																				
	03/04	C		1044 / 1044X	L/R	S	305	181	4,8	5	14,0	-	R	-	285	-	5,0	4	10,5	
R C CRUISER																				
	96/01	C		1044 / 1044X	L/R	S	305	181	4,8	5	14,0	236 / 236X	R	S	276	-	5,0	5	10,5	
R C CRUISER																				
	02/03	C		1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1323	R	S	285	-	5,0	5	13,8	
R C INDEPENDENT																				
	00/02	C		1044 / 1044X	L/R	S	305	181	4,8	5	14,0	-	-	-	285	-	-	-	-	
R C INDEPENDENT X																				
	03/04	C		1044 / 1044X	L/R	S	305	181	4,8	5	14,0	-	-	-	285	-	-	-	-	
R C MONTAUK																				
	03/04	C		1044 / 1044X	L/R	S	305	181	4,8	5	14,0	-	-	-	285	-	-	-	-	
R CL																				
	01/04	C		1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1648G	R	F6,1	285	51,1	7,0	4	12,8	
R CL																				
	05/06	C		1044 / 1044X	L/R	S	305	181	4,8	5	14,0	236 / 236X	R	S	276	-	5,0	5	10,5	
R GS MODELS																				
ABS																				
	04/12	U		1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1045 / 1045X	L	S	265	136,5	4,8	5	10,0	
ABS																				
	04/12	U		1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1045 / 1045X	L	S	265	136,5	4,8	5	10,0	
ADVENTURE / ABS																				
	13/18	U		1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1434	L	S	276	136	5,0	5	10,5	
ADVENTURE / ABS																				
	13/18	U		1046K28	L/R	KO	*320	181	4,8	5	14,0									
EXCLUSIVE / ABS																				
	13/18	U		1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1434	L	S	276	136	5,0	5	10,5	
EXCLUSIVE / ABS																				
	13/18	U		1046K28	L/R	KO	*320	181	4,8	5	14,0									
RALLYE / ABS																				
	17/18	U		1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1434	L	S	276	136	5,0	5	10,5	
RALLYE / ABS																				
	17/18	U		1046K28	L/R	KO	*320	181	4,8	5	14,0									
RIDE / ABS																				
	17/18	U		1044 / 1044X	L/R	S	305	181	4,8	5	14,0	1434	L	S	276	136	5,0	5	10,5	
RIDE / ABS																				
	17/18	U		1046K28	L/R	KO	*320	181	4,8	5	14,0									
R LT																				
	08/09	R		1046	L/R	S	320	181	4,8	5	14,8	-	-	-	-	-	-	-	-	
R R / R R ABS																				
	06/18	N		1046	L/R	S	320	181	4,8	5	14,8	1045 / 1045X	L	S	265	136,5	4,8	5	10,0	
R R CLASSIC																				
	12	N		1046	L/R	S	320	181	4,8	5	14,8	1045 / 1045X	R	S	265	136,5	4,8	5	10,0	
BMW																				
1200 c.c.										1200 c.c.										
R RS																				
	16/18	R		1046	L/R	S	320	181	4,8	5	14,8	1434	L	S	276	136	5,0	5	10,5	
R RT																				
	03/13	R		1046	L/R	S	320	181	4,8	5	14,8	1045 / 1045X	R	S	265	136,5	4,8	5	10,0	
R RT																				
	14/18	R		1046	L/R	S	320	181	4,8	5	14,8	1434	L	S	276	136	5,0	5	10,5	
R S																				
	06/10	R		1046	L/R	S	320	181	4,8	5	14,8	1045 / 1045X	R	S	265	136,5	4,8	5	10,0	
R ST																				
	05/08	R		1046	L/R	S	320	181	4,8	5	14,8	1045 / 1045X	R	S	265	136,5	4,8	5	10,0	
1300 c.c.										1300 c.c.										
K GT																				
	07/13	R		1046	L/R	S	320	181	4,8	5	14,8	1564	L	S	294	136,5	6,0	5	10,5	
K R / ABS																				
	08/16	R		1046	L/R	S	320	181	4,8	5	14,8	1045 / 1045X	L	S	265	136,5	4,8	5	10,0	
K S / ABS																				
	08/17	R		1046	L/R	S	320	181	4,8	5	14,8	1045 / 1045X	L	S	265	136,5	4,8	5	10,0	
1600 c.c.										1600 c.c.										
K B Bagger ABS																				
	17/18	R		1046	L/R	S	320	181	4,8	5	14,8	1646	L	S	320	136,5	5,5	5	10,5	
K GT / K GT ABS																				
	10/18	R		1046	L/R	S	320	181	4,8	5	14,8	1646	C	S	320	136,5	5,5	5	10,5	
K GTL / K GTL ABS																				
	17/18	R		1046	L/R	S	320	181	4,8	5	14,8	1646	L	S	320	136,5	5,5	5	10,5	
K GTL EXCLUSIVE																				
	10/16	R		1046	L/R	S	320	181	4,8	5	14,8	1045E1	L	S	265	136,5	5,5	5	10,0	
K SPORT																				
	11/16	R		1046	L/R	S	320	181	4,8	5	14,8	1045E1	L	S	265	136,5	5,5	5	10,0	
BOTTPOWER																				
1200 c.c.										BOTTPOWER										
BOTT XC1																				
	09	RVT		1562	R	S	375	307	5,0	6	13,0	1563	L	S	240	70,4	5,0	6	8,0	
BRAMMO																				
ELECTRIC										BRAMMO										
ELECTRIC																				
EMPULSE R / ENERTIA																				
	12/13	RV		145	L/R	F9,5	320	64	4,0	6	8,5	-	-	-	-	-	-	-	-	
BRUNE																				
- C.C.										BRUNE										
- C.C.																				
TRICICLO																				
	99/00	G		505 / 512	L	S	230	44	5,0	6	8,5	-	-	-	-	-	-	-	-	
BRANSON																				
50 c.c.										BRANSON										
50 c.c.																				
BS CUBA / BS STING																				
	08	S		107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
BS CUBA / BS STING																				
	08	S		1022 / 1022X	L	MD	190	58	3,7	3	MH									
BS CUBA / BS STING																				
	08	S		1300X	L	FO	*220	58	3,5	3	10,5									
BUELL																				
984 c.c.										BUELL										
984 c.c.																				
XB9 MODELS																				
R FIREBOLT																				
	02/07	RVT		1562	R	S	375	307	5,0	6	13,0	1563	L	S	240	70,4	5,0	6	8,0	
S LIGHTNING																				
	02/06	RVT		1562	R	S	375	307	5,0	6	13,0	1563	L	S	240	70,4	5,0	6	8,0	



MODEL	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø
SX LIGHTNING	08/10	RVT	1562	R	S	375	307	5,0	6	13,0	1563	L	S	240	70,4	5,0	6	8,0
SX LIGHTNING CITY X	05/09	RVT	1562	R	S	375	307	5,0	6	13,0	1563	L	S	240	70,4	5,0	6	8,0
1125 c.c.											1125 c.c.							
CR / R	08/10	RVT	1562	R	S	375	307	5,0	6	13,0	-	R	S	-	-	-	-	-
1200 c.c.											1200 c.c.							
ALL MODELS	94/97	R	-	-	-	-	-	-	-	-	209	R	S	240	105	5,0	4	10,5
M2 CYCLONE / S1 / S3 / S3T	98/02	R	ND / NA	R	F11,0	340	60,5	5,0	5	8,5	209	R	S	240	105	5,0	4	10,5
X1 LIGHTNING	98/02	R	-	R	-	-	-	-	-	-	209	R	S	240	105	5,0	4	10,5
XB12 R FIREBOLT	04/10	RVT	1562	R	S	375	307	5,0	6	13,0	1563	L	S	240	70,4	5,0	6	8,0
XB12 S LIGHTNING	03/10	RVT	1562	R	S	375	307	5,0	6	13,0	1563	L	S	240	70,4	5,0	6	8,0
XB12 SCG LIGHTNING	09/10	RVT	1562	R	S	375	307	5,0	6	13,0	1563	L	S	240	70,4	5,0	6	8,0
XB12 SS LIGHTNING LONG	05/10	RVT	1562	R	S	375	307	5,0	6	13,0	1563	L	S	240	70,4	5,0	6	8,0
XB12 SS / XB12 SCG	06/08	RVT	1562	R	S	375	307	5,0	6	13,0	1563	L	S	240	70,4	5,0	6	8,0
XB12 STT LIGHTNING	08	RVT	1562	R	S	375	307	5,0	6	13,0	1563	L	S	240	70,4	5,0	6	8,0
XB12 X / XT ULYSSES	06/10	RVT	1562	R	S	375	307	5,0	6	13,0	1563	L	S	240	70,4	5,0	6	8,0
1340 c.c.											1340 c.c.							
XBR R	06	RVT	1562	R	S	375	307	5,0	6	13,0	1563	L	S	240	70,4	5,0	6	8,0
BSM											BSM							
100 c.c.											100 c.c.							
TB	-	S	107 / xxxX	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-
TB	-	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-
TB	-	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-
125 c.c.											125 c.c.							
TB	-	S	107 / xxxX	L	S	190	58	4,0	3	10,5	107 / xxxX	L	S	190	58	4,0	3	10,5
TB	-	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH
TB	-	S	1300X	L	FO	*220	58	3,5	3	10,5	1300X	L	FO	*220	58	3,5	3	10,5
BULTACO											BULTACO							
ELECTRIC											ELECTRIC							
BRINCO C / R / RE / S	17/18	EV	1463X	L	S	203	-	1,8	6	5,0	1463X	L	S	203	-	1,8	6	5,0
50 c.c.											50 c.c.							
ASTRO / LOBITO	99/02	A	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
CAGIVA											CAGIVA							
50 c.c.											50 c.c.							
CITY SCOOTER	92/94	S	108	L	S	160	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
CUCCIOLO	00/02	S	447	L	S	220	58	3,5	3	10,5	Drum	-	-	-	-	-	-	-
MANTIS	98	S	087	L	S	190	62	3,5	3	10,5	Drum	-	-	-	-	-	-	-
MITO	98/99	H	081	L	S	260	90	4,0	6	6,5	099	R	S	220	57	4,0	6	6,5
PASSING	95	S	108	L	S	160	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
PRIMA	92	H	-	-	-	-	-	-	-	-	099	R	S	220	57	4,0	6	6,5
PROGRESS / L.C.	97/99	S	087	L	S	190	62	3,5	3	10,5	Drum	-	-	-	-	-	-	-
SUPERCITY	91	H	1103	R	F00,0	300	90	4,0	6	6,5	099	R	S	220	57	4,0	6	6,5
SUPERCITY	91	H	1068	R	F00,0	300	90	4,0	6	6,5	-	-	-	-	-	-	-	-
SUPERCITY	93/95	H	-	-	-	-	-	-	-	-	099	R	S	220	57	4,0	6	6,5
75 c.c.											75 c.c.							
PRIMA R	95/97	H-R	-	-	-	-	-	-	-	-	099	R	S	220	57	4,0	6	6,5
125 c.c.											125 c.c.							
BLUES	88	R	ND / NA	R	S	260	124	3,5	6	6,5	ND / NA	R	S	240	124	5,0	6	6,5
CUCCIOLO	01/02	S	448	L	S	240	58	3,5	3	10,5	Drum	-	-	-	-	-	-	-
FRECCIA C 12	89/91	R	404 / 404X	R	F9,5	298	64	4,0	6	8,5	-	-	-	-	-	-	-	-
MITO CORSA	89/94	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MITO CORSA	89/94	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MITO EDDY	93	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MITO EDDY	93	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MITO EVOLUZIONE	90/07	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	146	R	S	229	110	4,0	6	6,5
MITO EVOLUZIONE	90/07	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MITO N1	95/03	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	146	R	S	229	110	4,0	6	6,5
MITO N1	95/03	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MITO SP 525 2T	06/17	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	146	R	S	229	110	4,0	6	6,5
MITO SP 525 2T	06/17	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
PASSING	94/95	S	108	L	S	160	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
PLANET	97/07	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	146	R	S	229	110	4,0	6	6,5
PLANET	97/07	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
RAPTOR 2T	03/17	N	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	146	R	S	229	110	4,0	6	6,5



MODEL	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø
RAPTOR 2T	03/17	N	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
SUPERCITY	91/00	F	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	146	R	S	229	110	4,0	6	6,5
SUPERCITY	91/00	F	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
500 c.c.											500 c.c.							
CANYON	96/00	U	048	L	S	296	144	4,0	6	10,5	-	-	-	-	-	-	-	-
CANYON	96/00	U	110 / 110X	R	S	296	144	5,0	6	10,5								
CANYON	99/01	U	456	L	S	296	144	4,5	6	10,5	-	-	-	-	-	-	-	-
CANYON	99/01	U	110 / 110X	L	S	296	144	5,0	6	10,5								
MITO	07/08	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	146	R	S	229	110	4,0	6	6,5
MITO	07/08	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
RIVER	00	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
RIVER	00	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
600 c.c.											600 c.c.							
CANYON	95/99	U	048	R	S	296	144	4,0	6	10,5	-	-	-	-	-	-	-	-
CANYON	95/99	U	110 / 110X	R	S	296	144	5,0	6	10,5								
RIVER	95/99	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	146	R	S	229	110	4,0	6	6,5
RIVER	95/99	R	1060G / 1060XG	R	F10,5	320	64	5,0	6	8,5								
RAPTOR / RAPTOR V	00/07	R	1236	L/R	F10,5	300	61	5,0	6	8,5	337	R	S	220	87	5,0	4	10,5
750 c.c.											750 c.c.							
ELEFANT	94/97	U	048	L	S	296	144	4,0	6	10,5	209	R	S	240	105	5,0	4	10,5
ELEFANT	94/97	U	110 / 110X	R	S	296	144	5,0	6	10,5								
900 c.c.											900 c.c.							
GRAN CANYON	97/00	U	048	L/R	S	296	144	4,0	6	10,5	209	R	S	240	105	5,0	4	10,5
GRAN CANYON	97/00	U	110 / 110X	R	S	296	144	5,0	6	10,5								
CAGIVA											CAGIVA							
900 c.c.											900 c.c.							
ELEFANT	94/97	U	1334	L/R	S	282	144	5,0	6	10,5	209	R	S	240	105	5,0	4	10,5
ELEFANT / C	90/97	U	456	R	S	296	144	4,5	6	10,5	209	R	S	240	105	5,0	4	10,5
ELEFANT / C	93/97	U	110 / 110X	R	S	296	144	5,0	6	10,5								
ELEFANT i.e. / GT / AC	91/94	U	048	L	S	296	144	4,0	6	10,5	-	-	-	-	-	-	-	-
ELEFANT i.e. / GT / AC	91/94	U	110 / 110X	L	S	296	144	5,0	6	10,5								
1000 c.c.											1000 c.c.							
NAVIGATOR	00/06	R	048	L/R	S	296	144	4,0	6	10,5	209	L	S	240	105	5,0	4	10,5
NAVIGATOR	00/06	R	110 / 110X	L/R	S	296	144	5,0	6	10,5								
RAPTOR / V / X	00/07	R	1236	L/R	F10,5	300	61	5,0	6	8,5	337	R	S	220	87	5,0	4	10,5
XTRA RAPTOR	04	R	1236	L/R	F10,5	300	61	5,0	6	8,5	-	-	-	-	-	-	-	-
CAN-AM											CAN-AM							
1330 c.c.											1330 c.c.							
SYDER F3 / SPYDER RT	14/17	R	-	L/R	S	270	-	-	-	-	-	R	S	270	-	-	-	-
CANNONDALE											CANNONDALE							
400 c.c.											400 c.c.							
XC	00/03	M	066 / 066X	L	S	240	101	3,0	6	6,5	045 / 045X	L	S	220	121	5,0	4	10,5
440 c.c.											440 c.c.							
E / X / X S	00/03	M	066 / 066X	L	S	240	101	3,0	6	6,5	045 / 045X	L	S	220	121	5,0	4	10,5
CCM											CCM							
50 c.c.											50 c.c.							
S. MOTO / REGOLITÀ	11/12	A	275	L	S	260	108	3,5	6	6,5	213	R	S	220	62	3,5	3	10,5
230 c.c.											230 c.c.							
C-XR S	07/08	U	1079	L	S	320	102	3,5	6	6,5	1084	R	S	220	122	4,0	4	8,5
C-XR E	07/08	E	1080	L	S	260	102	3,5	6	6,5	1084	R	S	220	122	4,0	4	8,5
F-T35 FLAT TRACKER	07/08	U	022	L	F00,0	320	108	4,0	6	6,5	302	R	S	220	108	4,0	6	6,5
F-T35 FLAT TRACKER	07/08	U	1204X	L	F00,0	318	108	4,0	6	6,5	1057X	R	S	220	108	4,0	6	6,5
F-T35 FLAT TRACKER	07/08	U	1613	L	F00,0	320	108	5,0	6	6,5	1057	R	S	220	108	3,5	6	6,5
F-T35 FLAT TRACKER	07/08	U	1613X	L	F00,0	318	108	5,0	6	6,5								
400 c.c.											400 c.c.							
CR	07/08	R	232	R	F11,0	300	110	4,0	6	6,5	302	R	S	220	108	4,0	6	6,5
CR	07/08	R									1057	R	S	220	108	3,5	6	6,5
CR	07/08	R									1057X	R	S	220	108	4,0	6	6,5
SR	07/08	U	300	L	S	260	108	3,5	6	6,5	302	R	S	220	108	4,0	6	6,5
SR	07/08	U									1057	R	S	220	108	3,5	6	6,5
SR	07/08	U									1057X	R	S	220	108	4,0	6	6,5
SUPERMOTO	07/08	F	1079	L	S	320	102	3,5	6	6,5	1084	R	S	220	122	4,0	4	8,5
R EXCALIBUR	03	F	-	-	-	-	-	-	-	-	302	R	S	220	108	4,0	6	6,5



MODEL	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
R EXCALIBUR	03	F									1057	R	S	220	108	3,5	6	6,5
R EXCALIBUR	03	F									1057X	R	S	220	108	4,0	6	6,5
450 c.c.											450 c.c.							
DS	07/08	E	1080	L	S	260	102	3,5	6	6,5	1084	R	S	220	122	4,0	4	8,5
E F	12	E	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
E F	12	E									654SP	R	S	240	121,5	4,0	4	6,5
R	07/08	F	022	L	F00,0	320	108	4,0	6	6,5	302	R	S	220	108	4,0	6	6,5
R	07/08	F	1204X	L	F00,0	318	108	4,0	6	6,5	1057X	R	S	220	108	4,0	6	6,5
R	07/08	F	1613	L	F00,0	320	108	5,0	6	6,5	1057	R	S	220	108	3,5	6	6,5
R	07/08	F	1613X	L	F00,0	318	108	5,0	6	6,5								
600 c.c.											600 c.c.							
E	99/00	F	300	L	S	260	108	3,5	6	6,5	302	R	S	220	108	4,0	6	6,5
E	99/00	F									1057	R	S	220	108	3,5	6	6,5
E S. MOTO / RS ROADSTER	99/03	F	022	L	F00,0	320	108	4,0	6	6,5	302	R	S	220	108	4,0	6	6,5
E S. MOTO / RS ROADSTER	99/03	F	1204X	L	F00,0	318	108	4,0	6	6,5	1057X	R	S	220	108	4,0	6	6,5
E S. MOTO / RS ROADSTER	99/03	F	1613	L	F00,0	320	108	5,0	6	6,5	1057	R	S	220	108	3,5	6	6,5
E S. MOTO / RS ROADSTER	99/03	F	1613X	L	F00,0	318	108	5,0	6	6,5								
600 c.c.											600 c.c.							
R	99/00	U	022	L	F00,0	320	108	4,0	6	6,5	302	R	S	220	108	4,0	6	6,5
R	99/00	U	1204X	L	F00,0	318	108	4,0	6	6,5	1057X	R	S	220	108	4,0	6	6,5
R	99/00	U	1613	L	F00,0	320	108	5,0	6	6,5	1057	R	S	220	108	3,5	6	6,5
R	99/00	U	1613X	L	F00,0	318	108	5,0	6	6,5								
CCM											CCM							
644 c.c.											644 c.c.							
644	07/08	F	1080	L	S	260	102	3,5	6	6,5	1084	R	S	220	122	4,0	4	8,5
DS	02/06	F	-	-	-	-	-	-	-	-	129 / 129X	R	S	220	110	4,2	6	6,5
DS	02/06	F									129SP	R	S	220	110	4,2	6	6,5
DUAL SPORT SUPERMOTO	03	F	022	L	F00,0	320	108	4,0	6	6,5	302	R	S	220	108	4,0	6	6,5
DUAL SPORT SUPERMOTO	03	F	1204X	L	F00,0	318	108	4,0	6	6,5	1057X	R	S	220	108	4,0	6	6,5
DUAL SPORT SUPERMOTO	03	F	1613	L	F00,0	320	108	5,0	6	6,5	1057	R	S	220	108	3,5	6	6,5
DUAL SPORT SUPERMOTO	03	F	1613X	L	F00,0	318	108	5,0	6	6,5								
DUAL SPORT TRAIL	03	U	300	L	S	260	108	3,5	6	6,5	302	R	S	220	108	4,0	6	6,5
DUAL SPORT TRAIL	03	U									1057	R	S	220	108	3,5	6	6,5
DUAL SPORT TRAIL	03	U									1057X	R	S	220	108	4,0	6	6,5
R30	02/06	U	022	L	F00,0	320	108	4,0	6	6,5	129	R	S	220	110	4,2	6	6,5
R30	02/06	U	1204X	L	F00,0	318	108	4,0	6	6,5	129X	R	S	220	110	4,2	6	6,5
R30	02/06	U	1613	L	F00,0	320	108	5,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
R30	02/06	U	1613X	L	F00,0	318	108	5,0	6	6,5								
R45	07/09	F	-	-	-	-	-	-	-	-	302	R	S	220	108	4,0	6	6,5
R45	07/09	F									1057	R	S	220	108	3,5	6	6,5
R45	07/09	F									1057X	R	S	220	108	4,0	6	6,5
710 c.c.											710 c.c.							
FT-S	07/09	U	022	L	F00,0	320	108	4,0	6	6,5	302	R	S	220	108	4,0	6	6,5
FT-S	07/09	U	1204X	L	F00,0	318	108	4,0	6	6,5	1057X	R	S	220	108	4,0	6	6,5
FT-S	07/09	U	1613	L	F00,0	320	108	5,0	6	6,5	1057	R	S	220	108	3,5	6	6,5
FT-S	07/09	U	1613X	L	F00,0	318	108	5,0	6	6,5								
CF MOTO											CF MOTO							
650 c.c.											650 c.c.							
TK-G	16/17	R	-	L/R	Fxx,x	300	-	-	-	-	-	R	S	240	-	-	-	-
CH RACING											CH RACING							
50 c.c.											50 c.c.							
WSM MOTARD / RACING	05	A	640	L	S	260	108	3,0	6	6,5	354	L	S	185	45	3,5	5	6,5
WSM WXE	05	A	640	L	S	260	108	3,0	6	6,5	354	L	S	185	45	3,5	5	6,5
125 c.c.											125 c.c.							
WSM / WXE / WXR	05	F	640	L	S	260	108	3,0	6	6,5	354	L	S	185	45	3,5	5	6,5
WSM SPARTA	05	E	640	L	S	260	108	3,0	6	6,5	781	R	S	200	45	3,0	5	6,5
CLEVELAND											CLEVELAND							
125 c.c.											125 c.c.							
MISFIT	-	R	1417X	L	F10,8	280	50	4,0	4	8,5	1418X / 1418	-	S	220	58	4,0	4	10,5
250 c.c.											250 c.c.							
CRUISER SHOOTOUT	12	C	1376X	L	F00,0	292	50,8	5,0	5	10,5	1377X	-	S	240	58	4,0	4	10,5
CLIPIC											CLIPIC							



50 c.c.															50 c.c.														
CJ E FIRST	-	A	003	L	S	220	108	4,0	6	6,5	002	R	S	185	60	3,5	6	6,5											
CJ E FIRST	-	A	026	L	S	220	108	4,0	6	6,5																			
CJ R	99	A-T	062	L	S	185	72	4,0	6	15,5	063	R	S	150	45	3,0	5	6,5											
80 c.c.															80 c.c.														
CJ R2	99/09	A	062	L	S	185	72	4,0	6	15,5	063	R	S	150	45	3,0	5	6,5											
COLIBRI															COLIBRI														
125 c.c.															125 c.c.														
CAROLINA / MOTORETTA	17/18	S	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-											
SCOOTER 10	17/18	S	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-											
CPI															CPI														
50 c.c.															50 c.c.														
ARAGON ALL MODELS	06/09	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-											
ARAGON ALL MODELS	06/09	S	1022 / 1022X	L	MD	190	58	3,7	3	MH																			
ARAGON ALL MODELS	06/09	S	1300X	L	FO	*220	58	3,5	3	10,5																			
BABY / BABJ J	02	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-											
BABY / BABJ J	02	S	1022 / 1022X	L	MD	190	58	3,7	3	MH																			
BABY / BABJ J	02	S	1300X	L	FO	*220	58	3,5	3	10,5																			
FORMULA BASCI / R	04	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-											
FORMULA BASCI / R	04	S	1022 / 1022X	L	MD	190	58	3,7	3	MH																			
FORMULA BASCI / R	04	S	1300X	L	FO	*220	58	3,5	3	10,5																			
CPI															CPI														
50 c.c.															50 c.c.														
HUSSAR ALL MODELS	01/06	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-											
HUSSAR ALL MODELS	01/06	S	1022 / 1022X	L	MD	190	58	3,7	3	MH																			
HUSSAR ALL MODELS	01/06	S	1300X	L	FO	*220	58	3,5	3	10,5																			
MARS	01/02	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-											
MARS	01/02	S	1022 / 1022X	L	MD	190	58	3,7	3	MH																			
MARS	01/02	S	1300X	L	FO	*220	58	3,5	3	10,5																			
OLIVER / CITY / SPORT	03/12	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-											
OLIVER / CITY / SPORT	03/12	S	1022 / 1022X	L	MD	190	58	3,7	3	MH																			
OLIVER / CITY / SPORT	03/12	S	1300X	L	FO	*220	58	3,5	3	10,5																			
SUPERMOTO / BASIC	07/09	S	1075	L	S	267	-	3,5	6	6,5	1076	R	S	209	-	3,5	6	6,5											
SUPERMOTO LIMITED	07/08	A	1075	L	S	267	-	3,5	6	6,5	1076	R	S	209	-	3,5	6	6,5											
SUPER CROSS LIMITED	07/09	A	1075	L	S	267	-	3,5	6	6,5	1076	R	S	209	-	3,5	6	6,5											
SM SUPERMOTARD	05/08	A	1075	L	S	267	-	3,5	6	6,5	1076	R	S	209	-	3,5	6	6,5											
SM BLACK TIGER	09	A	1075	L	S	267	-	3,5	6	6,5	1076	R	S	209	-	3,5	6	6,5											
SX SUPERCROSS	07/08	A	1075	L	S	267	-	3,5	6	6,5	1076	R	S	209	-	3,5	6	6,5											
125 c.c.															125 c.c.														
OLIVER CITY	06/07	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-											
OLIVER CITY	06/07	S	1022 / 1022X	L	MD	190	58	3,7	3	MH																			
OLIVER CITY	06/07	S	1300X	L	FO	*220	58	3,5	3	10,5																			
150 c.c.															150 c.c.														
GTR	05	S	1397 / 1397X	L	S	280	155	4,0	5	6,5	1398 / 1398X	L	S	210	56	4,0	3	10,5											
250 c.c.															250 c.c.														
SM ENDURO	09	E	1075	L	S	267	-	3,5	6	6,5	ND / NA	R	S	227	-	4,0	6	6,5											
DAELIM															DAELIM														
50 c.c.															50 c.c.														
A-FOUR	06/09	S	1274	L	S	220	100	4,0	5	10,5	Drum	-	-	-	-	-	-	-											
BEAGLE 4T	17	S	-	R	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-											
BONITA	12	S	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-											
CORDI	08/12	S	629	L	S	160	60	3,5	3	10,5	Drum	-	-	-	-	-	-	-											
DX D CAMPER	03	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-											
DX D CAMPER	03	S	727	L	SO	*180	40,6	3,5	3	10,5																			
E-FIVE	12	S	1274	L	S	220	100	4,0	5	10,5	-	-	-	-	-	-	-	-											
M D / MD MILLENIUM	03	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-											
M D / MD MILLENIUM	03	S	727	L	SO	*180	40,6	3,5	3	10,5																			
MESSAGE II	97	S	371	L	S	160	60	3,0	3	8,5	Drum	-	-	-	-	-	-	-											
MESSAGE II / VIVO	98/02	S	1274	L	S	220	100	4,0	5	10,5	Drum	-	-	-	-	-	-	-											
S4 4T	17	S	-	R	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-											
S-FIVE	06/10	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-											



YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø
S-FIVE	06/10	S	1022 / 1022X	L	MD	190	58	3,7	3	MH							
S-FIVE	06/10	S	1300X	L	FO	*220	58	3,5	3	10,5							
S-FOUR S4 / S-FIVE	11/12	S	1274	L	S	220	100	4,0	5	10,5	Drum	-	-	-	-	-	-
VIVO	97/98	S	371	L	S	160	60	3,0	3	8,5	Drum	-	-	-	-	-	-
VIVO	99→	S	1274	L	S	220	100	4,0	5	10,5	Drum	-	-	-	-	-	-
WITTY 4T	17	S	-	R	S	-	-	-	-	-	Drum	-	-	-	-	-	-
90 c.c.																	90 c.c.
ST PRO MONKEY	03	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-
ST PRO MONKEY	03	S	727	L	SO	*180	40,6	3,5	3	10,5							
100 c.c.																	100 c.c.
DELFINO	99/06	S	1274	L	S	220	100	4,0	5	10,5	Drum	-	-	-	-	-	-
110 c.c.																	110 c.c.
CA	17	S	-	-	S	-	-	-	-	-	Drum	-	-	-	-	-	-
125 c.c.																	125 c.c.
AROMA	16	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-
AROMA	16	S	1022 / 1022X	L	MD	190	58	3,7	3	MH							
AROMA	16	S	1300X	L	FO	*220	58	3,5	3	10,5							
AROMA	17	S	-	L	S	188	-	-	5	-	Drum	-	-	-	-	-	-
B-BONE Fi	16/17	S	-	L	S	220	-	-	-	-	-	R	S	200	-	-	-
DAELIM										DAELIM							
125 c.c.																	125 c.c.
BESBI	11/12	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-
BESBI	11/12	S	1022 / 1022X	L	MD	190	58	3,7	3	MH							
BESBI	11/12	S	1300X	L	FO	*220	58	3,5	3	10,5							
DART NC	15/17	S	-	L	S	-	-	-	-	-	-	-	-	-	-	-	-
DELFINO	07/12	S	1274	R	S	220	100	4,0	5	10,5	Drum	-	-	-	-	-	-
HISTORY	-	S	1181	-	S	220	58,3	4,0	3	10,5	-	-	-	-	-	-	-
HISTORY SL	01/08	S	1274	R	S	220	100	4,0	5	10,5	-	-	-	-	-	-	-
NS DLX	00/08	S	1201X	R	S22,0	220	58	4,0	3	8,5	1190	-	S	200	68	3,7	3
NS OTELLO	00/08	S	1201X	R	S22,0	220	58	4,0	3	8,5	1135	-	S	200	68	4,0	3
NS III	-	S	1201X	R	S22,0	220	58	4,0	3	8,5	Drum	-	-	-	-	-	-
ROADWIN Fi	04/17	R	1175	L	S	276	124	4,0	6	10,5	1315	R	S	219	80	4,0	5
ROADWIN R Fi	08/17	R	1175	L	S	276	124	4,0	6	10,5	1315	R	S	219	80	4,0	5
ROCKET	99/00	S	208	L	S	276	144	4,5	6	10,5	Drum	-	-	-	-	-	-
S1 / S1 Fi	08/17	S	1315	L	S	219	80	4,0	5	10,5	1279	R	S	200	78	4,0	5
S2	06/09	S	1185	L	S	240	58	4,0	3	10,5	1190	-	S	200	68	3,7	3
S2 Fi	10/17	S	1185	L	S	240	58	4,0	3	10,5	1135	R	S	200	68	4,0	3
S2 Fi	10/17	S									1279	R	S	200	78	4,0	5
S3 Fi ABS	12/17	S	1316X	L	S	240	80	4,0	5	10,5	1315	R	S	219	80	4,0	5
S3 Fi TOURING ABS	12/17	S	1316X	L	S	240	80	4,0	5	10,5	1315	R	S	219	80	4,0	5
SL	08	S	-	-	-	-	-	-	-	-	1190	R	S	200	68	3,7	3
STEEZER / S / ABS	15/17	S	-	L	S	-	-	-	-	-	-	-	S	-	-	-	-
VL DAYSTAR / Fi PLUS	00/14	C	208	L	S	276	144	4,5	6	10,5	Drum	-	-	-	-	-	-
VL DAYSTAR CLASSIC	00/03	C	208	L	S	276	144	4,5	6	10,5	Drum	-	-	-	-	-	-
VL DAYSTAR Z Fi PLUS	17	C	-	L	S	276	-	-	-	-	-	-	-	220	-	-	-
VS / VT EVOLUTION	99/11	C	208	L	S	276	144	4,5	6	10,5	Drum	-	-	-	-	-	-
250 c.c.																	250 c.c.
DAYSTAR VL Fi / F / ABS	13/17	C	-	L/R	S	290	-	-	-	-	-	R	S	218	-	-	-
ROADWIN R Fi	12/17	R	-	L/R	Fxx,x	290	-	-	-	-	-	R	S	218	-	-	-
S2	05	S	1185	L	S	240	58	4,0	3	10,5	1186	R	S	220	58	4,0	3
S2	06/09	S	1185	L	S	240	58	4,0	3	10,5	1315	-	S	219	80	4,0	5
S3 Fi / ADVANCE / ABS	15/17	S	-	L	S	-	-	-	-	-	-	R	S	-	-	-	-
DERBI										DERBI							
ELECTRIC										ELECTRIC							
ATLANTIS ELECTRIC	05/07	SV	087	L	S	190	62	3,5	3	10,5	Drum	-	-	-	-	-	-
50 c.c.																	50 c.c.
ATLANTIS 2T AC 12'	07/11	S	130	L	S	200	97,5	4,0	5	6,5	Drum	-	-	-	-	-	-
ATLANTIS 2T A.C. / L.C.	99/07	S	087	L	S	190	62	3,5	3	10,5	Drum	-	-	-	-	-	-
ATLANTIS 4T	07/09	S	130	L	S	200	97,5	4,0	5	6,5	Drum	-	-	-	-	-	-
ATLANTIS 4T 13'	04/10	S	444	L	S	190	58	3,5	5	6,5	Drum	-	-	-	-	-	-



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø		REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø
ATLANTIS 4T L.C.	99/01	S	087	L	S	190	62	3,5	3	10,5		Drum	-	-	-	-	-	-	-
ATLANTIS CITY AC 2T	03/06	S	087	L	S	190	62	3,5	3	10,5		Drum	-	-	-	-	-	-	-
ATLANTIS RED BULLET	01/05	S	087	L	S	190	62	3,5	3	10,5		Drum	-	-	-	-	-	-	-
ATLANTIC TWO CHIC AC	05	S	087	L	S	190	62	3,5	3	10,5		Drum	-	-	-	-	-	-	-
BOULEVARD 2T / 4T	09/17	S	130	L	S	200	97,5	4,0	5	6,5		Drum	-	-	-	-	-	-	-
BULLET ATLANTIS	06	S	087	L	S	190	62	3,5	3	10,5		Drum	-	-	-	-	-	-	-
DRD EDITION	02/06	A	618	L/R	S	240	125	3,5	6	7,5		238 / 238X	R	S	218	62	3,5	3	10,5
DRD EDITION	02/06	A	632	L/R	S	240	125	3,5	6	7,5		843	R	T	218	62	3,5	3	10,5
DRD PRO	04/05	A	840 / 840X	L	T/S	260	108	3,5	6	6,5		843	R	T	218	62	3,5	3	10,5
DRD PRO	04/05	A	193 / 193X	L	S	260	108	3,5	6	6,5		238 / 238X	R	S	218	62	3,5	3	10,5
DRD PRO SM	06/07	A	866 / 866X	L	T/S	300	108	4,0	6	7,0		843	R	T	218	62	3,5	3	10,5
DRD PRO SM	06/07	A	867	L	T	300	108	3,5	6	6,5		238 / 238X	R	S	218	62	3,5	3	10,5
DRD RACING	02	A	828	L	T	260	108	4,0	6	6,5		099	R	S	220	57	4,0	6	6,5
DRD RACING R	05/06	A	840 / 840X	L	T/S	260	108	3,5	6	6,5		843	R	T	218	62	3,5	3	10,5
DRD RACING R	05/06	A	193 / 193X	L	S	260	108	3,5	6	6,5		238 / 238X	R	S	218	62	3,5	3	10,5
DRD RACING SM	05	A	841 / 841X	L	S	300	108	3,5	6	6,5		843	R	T	218	62	3,5	3	10,5
DRD RACING SM	05	A	867	L	T	300	108	3,5	6	6,5		238 / 238X	R	S	218	62	3,5	3	10,5
DERBI 50 c.c.											DERBI 50 c.c.								
DRD RACING SM	06	A	866 / 866X	L	T/S	300	108	4,0	6	7,0		843	R	T	218	62	3,5	3	10,5
DRD RACING SM	06	A	867	L	T	300	108	3,5	6	6,5		238 / 238X	R	S	218	62	3,5	3	10,5
DRD SM LIMITED EDITION	06	A	618	L/R	S	240	125	3,5	6	7,5		099	R	S	220	57	4,0	6	6,5
DRD SM LIMITED EDITION	06	A	632	L/R	S	240	125	3,5	6	7,5									
FDS WORLD CHAMPION	92	A	083	L	S	219	53	3,5	4	8,5		Drum	-	-	-	-	-	-	-
FENIX EX	95/97	H	082	R	S	218	62	3,5	3	8,5		089 / 089X	R	S	180	62	3,8	3	10,5
FENIX EX	98/01	H	082	R	S	218	62	3,5	3	8,5		-	-	-	-	-	-	-	-
GP 1	01/04	S	444	L	S	190	58	3,5	5	6,5		366	R	S	175	73	4,0	5	6,5
GP 1	05	S	471	L	T	245	125	3,5	5	6,5		734	L	T	180	60	3,5	3	10,5
GP 1 OPEN / GP 1 MALOSSI	06/07	S	113 / 113X	L	S	220	105	4,0	6	6,5		734	L	T	180	60	3,5	3	10,5
GP 1 OPEN / GP 1 MALOSSI	08/09	S	-	-	-	-	-	-	-	-		233	C	S	175	73	4,0	5	6,5
GP 1 RACING	05/06	S	471	L	T	245	125	3,5	5	6,5		734	L	T	180	60	3,5	3	10,5
GP 1 REPLICAS	01/04	S	444	L	S	190	58	3,5	5	6,5		233	L	S	175	73	4,0	5	6,5
GP SERIES	02	S	087	L	S	190	62	3,5	3	10,5		Drum	-	-	-	-	-	-	-
GPR / GPR REPLICAS	97/03	H	081	L	S	260	90	4,0	6	6,5		099	R	S	220	57	4,0	6	6,5
GPR / GPR R / GPR NUDE	04/09	H	801	L	T	300	90	4,0	6	6,5		802	R	T	180	57	4,0	6	6,5
GPR / GPR R / GPR NUDE	04/09	H	1103	L	F00,0	300	90	4,0	6	6,5									
GPR / GPR R / GPR NUDE	04/09	H	1068	L	F00,0	300	90	4,0	6	6,5									
GPR R 2T	09/15	H	801	L	T	300	90	4,0	6	6,5		829	R	T	220	57	4,0	5	6,5
GPR R 2T	09/15	H	1103	L	F00,0	300	90	4,0	6	6,5									
GPR R 2T	09/15	H	1068	L	F00,0	300	90	4,0	6	6,5									
GPX 1	06	A	471	L	T	245	125	3,5	5	6,5		734	L	T	180	60	3,5	3	10,5
HUNTER	96/99	S	087	L	S	190	62	3,5	3	10,5		Drum	-	-	-	-	-	-	-
MXR	97/99	A	087	L	S	190	62	3,5	3	10,5		-	-	-	-	-	-	-	-
PADDOCK L.C.	97/99	S	087	L	S	190	62	3,5	3	10,5		Drum	-	-	-	-	-	-	-
PADDOCK ST	96/98	S	087	L	S	190	62	3,5	3	10,5		Drum	-	-	-	-	-	-	-
PREDATOR / REPLICAS	97/01	S	087	L	S	190	62	3,5	3	10,5		087	L	S	190	62	3,5	3	10,5
PREDATOR TSI	99/01	S	087	L	S	190	62	3,5	3	10,5		Drum	-	-	-	-	-	-	-
PREDATOR 02 GPS	01	S	087	L	S	190	62	3,5	3	10,5		087	L	S	190	62	3,5	3	10,5
SEMDA MODELS																			
BLACK DEVIL	05/07	A	840 / 840X	L	T/S	260	108	3,5	6	6,5		843	R	T	218	62	3,5	3	10,5
BLACK DEVIL	05/07	A	193 / 193X	L	S	260	108	3,5	6	6,5		238 / 238X	R	S	218	62	3,5	3	10,5
DRD	03	A	193 / 193X	L	S	260	108	3,5	6	6,5		238 / 238X	R	S	218	62	3,5	3	10,5
DRD EDITION	04	A	841 / 841X	L	S	300	108	3,5	6	6,5		-	-	-	-	-	-	-	-
DRD EVO	08/09	A	801	L	T	300	90	4,0	6	6,5		8021	R	T	218	57	3,5	6	6,5
DRD EVO	08/09	A	1103	L	F00,0	300	90	4,0	6	6,5		1614	R	S	218	57	3,5	6	6,5
DRD EVO	08/09	A	1068	L	F00,0	300	90	4,0	6	6,5									
DRD PRO SM	07/08	A	866 / 866X	L	T/S	300	108	4,0	6	7,0		843	R	T	218	62	3,5	3	10,5
DRD PRO SM	07/08	A	867	L	T	300	108	3,5	6	6,5		238 / 238X	R	S	218	62	3,5	3	10,5
DRD RACING / SM	08/09	A	868	L	T	260	108	3,5	6	6,5		843	R	T	218	62	3,5	3	10,5

																																			
		YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø			REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø														
DRD RACING / SM		08/09	A	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X		R	S	218	62	3,5	3	10,5															
DRD RACING R		11	A	840 / 840X	L	T/S	260	108	3,5	6	6,5	843		R	T	218	62	3,5	3	10,5															
DRD RACING R		11	A	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X		R	S	218	62	3,5	3	10,5															
DRD RACING SM		11	A	868	L	T	260	108	3,5	6	6,5	8021		R	T	218	57	3,5	6	6,5															
DRD RACING SM		11	A	193 / 193X	L	S	260	108	3,5	6	6,5	1614		R	S	218	57	3,5	6	6,5															
DRD RACING SM		17	A	081	L	S	260	90	4,0	6	6,5	1614		R	S	218	57	3,5	6	6,5															
DRD X-TREME R		11	A	868	L	T	260	108	3,5	6	6,5	843		R	T	218	62	3,5	3	10,5															
DRD X-TREME R		11	A	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X		R	S	218	62	3,5	3	10,5															
DRD X-TREME R		16/17	A	081	L	S	260	90	4,0	6	6,5	1614		R	S	218	57	3,5	6	6,5															
DRD X-TREME SM		11	A	868	L	T	260	108	3,5	6	6,5	8021		R	T	218	57	3,5	6	6,5															
DRD X-TREME SM		11	A	193 / 193X	L	S	260	108	3,5	6	6,5	1614		R	S	218	57	3,5	6	6,5															
DRD X-TREME SM LTD		14/17	A	081	L	S	260	90	4,0	6	6,5	1614		R	S	218	57	3,5	6	6,5															
EX		95/97	A	-	-	-	-	-	-	-	-	089 / 089X		R	S	180	62	3,8	3	10,5															
EXTREME		03	A	-	-	-	-	-	-	-	-	351		R	S	180	62	3,5	3	10,5															
EXTREME		03	A	-	-	-	-	-	-	-	-	089X		R	S	180	62	3,8	3	10,5															
L		99/01	A	-	-	-	-	-	-	-	-	089 / 089X		R	S	180	62	3,8	3	10,5															

DERBI

50 c.c.

DERBI

50 c.c.

SENDA MODELS

L 6V	94/97	A		088	L	S	218	90	3,8	3	8,5	-	-	-	-	-	-	-	-
R	97→	A		614	L	S	259	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
R	97/99	A		088	L	S	218	90	3,8	3	8,5	089 / 089X	R	S	180	62	3,8	3	10,5
R	00/03	A		335	L	S	240	108	3,5	6	6,5	089 / 089X	R	S	180	62	3,8	3	10,5
R 6V	94/97	A		088	L	S	218	90	3,8	3	8,5	-	-	-	-	-	-	-	-
R DRD	02/03	A		193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
R DRD	06	A		868	L	T	260	108	3,5	6	6,5	-	-	-	-	-	-	-	-
R DRD	06	A		193 / 193X	L	S	260	108	3,5	6	6,5	-	-	-	-	-	-	-	-
R DRD DEVIL	04/05	A		840 / 840X	L	T/S	260	108	3,5	6	6,5	843	R	T	218	62	3,5	3	10,5
R DRD DEVIL	04/05	A		193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
R LE	01/03	A		088	L	S	218	90	3,8	3	8,5	089 / 089X	R	S	180	62	3,8	3	10,5
R RACER	02/03	A		335	L	S	240	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
R RACER	02/03	A										089X	R	S	180	62	3,8	3	10,5
R X-TREME	00/01	A		614	L	S	259	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
R X-TREME	00/01	A										089X	R	S	180	62	3,8	3	10,5
R X-TREME	03/04	A		193 / 193X	L	S	260	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
R X-TREME	03/04	A										089X	R	S	180	62	3,8	3	10,5
R X-TREME	18	A		081	L	S	260	90	4,0	6	6,5	1614	R	S	218	57	3,5	6	6,5
RACING SM	18	A		081	L	S	260	90	4,0	6	6,5	1614	R	S	218	57	3,5	6	6,5
SM	97/99	A		088	L	S	218	90	3,8	3	8,5	089 / 089X	R	S	180	62	3,8	3	10,5
SM X-TREME	04	A		-	-	-	-	-	-	-	-	843	R	T	218	62	3,5	3	10,5
SM X-TREME	04	A										238 / 238X	R	S	218	62	3,5	3	10,5
SM X-TREME	08/09	A		193 / 193X	L	S	260	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
SM X-TREME	08/09	A										089X	R	S	180	62	3,8	3	10,5
SR	99→	A		614	L	S	259	108	3,5	6	6,5	-	-	-	-	-	-	-	-
SR	01	A		088	L	S	218	90	3,8	3	8,5	089 / 089X	R	S	180	62	3,8	3	10,5
SM DRD	02	A		618	L/R	S	240	125	3,5	6	7,5	-	-	-	-	-	-	-	-
SM DRD	02	A		632	L/R	S	240	125	3,5	6	7,5	-	-	-	-	-	-	-	-
X RACE SM	06	A		-	-	-	-	-	-	-	-	351	R	S	180	62	3,5	3	10,5
X RACE SM	06	A		-	-	-	-	-	-	-	-	089X	R	S	180	62	3,8	3	10,5
X RACE SM	08/09	A		193 / 193X	L	S	260	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
X RACE SM	08/09	A										089X	R	S	180	62	3,8	3	10,5
X-TREME R	15	A		193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
X-TREME SM	05/06	A		193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
SM RACER	02/03	A		193 / 193X	L	S	260	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
SM RACER	02/03	A										089X	R	S	180	62	3,8	3	10,5
SM X-TREM	00/03	A		335	L	S	240	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
SM X-TREM	00/03	A										089X	R	S	180	62	3,8	3	10,5
SM X-TREM	05/06	A		193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
VAMOS FL	95/01	S		452	L	S	155	40,6	4,0	3	8,5	Drum	-	-	-	-	-	-	-



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø
VARIANT SPORT 2T	14/17	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-
VARIANT SPORT R	92/00	S	079	R	S	180	62	3,5	3	10,5	Drum	-	-	-	-	-	-	-
X-RACE	04/05	A	335	L	S	240	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
X-RACE	04/05	A									089X	R	S	180	62	3,8	3	10,5
X-RACE R	05/09	A	335	L	S	240	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
X-RACE SM	05/07	A	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
X-TREME / X-TREME R	04/09	A	335	L	S	240	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
X-TREME / X-TREME R	04/09	A									089X	R	S	180	62	3,8	3	10,5
X-TREME SM	05	A	193 / 193X	L	S	260	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
X-TREME SM	05	A									089X	R	S	180	62	3,8	3	10,5
X-TREME SM	06/07	A	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
X-TREME DRD SM LIMITED	17	A	081	L	S	260	90	4,0	6	6,5	099	R	S	220	57	4,0	6	6,5
YUMBO FDS SAVANNAH	88	A	088	L	S	218	90	3,8	3	8,5	Drum	-	-	-	-	-	-	-
YUMBO FDS SAVANNAH	91/93	A	-	-	-	-	-	-	-	-	085	R	S	179	62	3,5	3	6,5
DERBI 80 c.c.										DERBI 80 c.c.								
DRD COPA	05/08	H-R	801	L	T	300	90	4,0	6	6,5	802	R	T	180	57	4,0	6	6,5
DRD COPA	05/08	H-R	1103	L	F00,0	300	90	4,0	6	6,5								
DRD COPA	05/08	H-R	1068	L	F00,0	300	90	4,0	6	6,5								
100 c.c.										100 c.c.								
ATLANTIS	01/07	S	087	L	S	190	62	3,5	3	10,5	Drum	-	-	-	-	-	-	-
PREDATOR	98/03	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
PREDATOR	98/03	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
PREDATOR	98/03	S	1300X	L	FO	*220	58	3,5	3	10,5								
125 c.c.										125 c.c.								
BOULEVARD	02/10	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-
CROSS CITY	07/13	U	8019	L	T	280	108	4,0	6	6,5	843	R	T	218	62	3,5	3	10,5
CROSS CITY	07/13	U	1327	L	S	280	108	4,0	6	7,0	238 / 238X	R	S	218	62	3,5	3	10,5
DRD R / DRD R SM	06	E	840 / 840X	L	T/S	260	108	3,5	6	6,5	843	R	T	218	62	3,5	3	10,5
DRD R / DRD R SM	06	E	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
GP 1	05/07	S	471	L	T	245	125	3,5	5	6,5	864	R	T	240	125	3,5	5	6,5
GP 1	08	S	8006	L	T	245	105	4,0	6	6,5	-	-	-	-	-	-	-	-
GP 1 LOW SEAT E3	06/07	S	8006	L	T	245	105	4,0	6	6,5	-	-	-	-	-	-	-	-
GP 1 RACING	08/10	S	471	L	T	245	125	3,5	5	6,5	-	-	-	-	-	-	-	-
GPR R 2T / GPR R 4T	05/11	R	801	L	T	300	90	4,0	6	6,5	802	R	T	180	57	4,0	6	6,5
GPR R 2T / GPR R 4T	05/11	R	1103	L	F00,0	300	90	4,0	6	6,5								
GPR R 2T / GPR R 4T	05/11	R	1068	L	F00,0	300	90	4,0	6	6,5								
GPR R 4T / GPR 4T 4V	09/12	R	801	L	T	300	90	4,0	6	6,5	8022	R	T	220	57	4,0	6	6,5
GPR R 4T / GPR 4T 4V	09/12	R	1068	L	F00,0	300	90	4,0	6	6,5								
GPR R 4T / GPR 4T 4V	09/12	R	1103	L	F00,0	300	90	4,0	6	6,5								
GPR NUDE	05/09	R	1068	L	F00,0	300	90	4,0	6	6,5	802	R	T	180	57	4,0	6	6,5
MULHACEN	06/12	U	8019	L	T	280	108	4,0	6	6,5	843	R	T	218	62	3,5	3	10,5
MULHACEN	06/12	U	1327	L	S	280	108	4,0	6	7,0	238 / 238X	R	S	218	62	3,5	3	10,5
MULHACEN CAFÉ	07/12	R	801	L	T	300	90	4,0	6	6,5	8021	R	T	218	57	3,5	6	6,5
PREDATOR	02	S	612	L	S	220	58	4,0	5	6,5	233	L	S	175	73	4,0	5	6,5
RAMBLA	08/12	S	292	L	S	260	60	4,0	5	8,5	017	R	S	220	60	4,0	5	8,5
SENDA BAJA 4T SM	07/13	F	866 / 866X	L	T/S	300	108	4,0	6	7,0	843	R	T	218	62	3,5	3	10,5
SENDA BAJA 4T SM	07/13	F	867	L	T	300	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
SENDA BAJA R 4T	05/13	U	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
SENDA R 4T	05/08	U	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
SENDA R DRD DEVIL 4T	04/05	U	840 / 840X	L	T/S	260	108	3,5	6	6,5	843	R	T	218	62	3,5	3	10,5
SENDA R DRD DEVIL 4T	04/05	U	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
SENDA SM 4T	04/06	F	866 / 866X	L	T/S	300	108	4,0	6	7,0	843	R	T	218	62	3,5	3	10,5
SENDA SM 4T	04/06	F									238 / 238X	R	S	218	62	3,5	3	10,5
SENDA STREET	06/07	U	8019	L	T	280	108	4,0	6	6,5	-	-	-	-	-	-	-	-
SENDA STREET	06/07	U	1327	L	S	280	108	4,0	6	7,0								
SR STREET	07	R	8020	L	T	280	90	4,0	6	6,5	8021	R	T	218	57	3,5	6	6,5
TERRA	06/13	E	8019	L	T	280	108	4,0	6	6,5	843	R	T	218	62	3,5	3	10,5
TERRA	06/13	E	1327	L	S	280	108	4,0	6	7,0	238 / 238X	R	S	218	62	3,5	3	10,5

FRONT											REAR										
NG Brake Disc		YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø		
TERRA ADVENTURE		07/13	E	866 / 866X	L	T/S	300	108	4,0	6	7,0	843	R	T	218	62	3,5	3	10,5		
TERRA ADVENTURE		07/13	E	867	L	T	300	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5		
VARIANT SPORT 4T		14/17	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-		
150 c.c.																			150 c.c.		
BOULEVARD		03/05	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-		
180 c.c.																			180 c.c.		
PREDATOR		02	S	612	L	S	220	58	4,0	5	6,5	233	L	S	175	73	4,0	5	6,5		
200 c.c.																			200 c.c.		
BOULEVARD		03/05	S	612	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-		
250 c.c.																			250 c.c.		
GP 1		05/06	S	471	L/R	T	245	125	3,5	5	6,5	864	R	T	240	125	3,5	5	6,5		
GP 1 LOW SEAT E3		07	S	8006	L	T	245	105	4,0	6	6,5	-	-	-	-	-	-	-	-		
GP 1 RACING		08/10	R	471	L	T	245	125	3,5	5	6,5	-	-	-	-	-	-	-	-		
RAMBLA i		08/09	S	292	L/R	S	260	60	4,0	5	8,5	017	R	S	220	60	4,0	5	8,5		
DERBI																			DERBI		
300 c.c.																			300 c.c.		
RAMBLA i		10/12	S	292	L/R	S	260	60	4,0	5	8,5	017	R	S	220	60	4,0	5	8,5		
DIAMO																			DIAMO		
260 c.c.																			260 c.c.		
TURISTA		-	S	1266X	-	S	243	115	4,0	6	8,5	-	-	-	-	-	-	-	-		
300 c.c.																			300 c.c.		
TURISTA		-	S	1266X	-	S	243	115	4,0	6	8,5	-	-	-	-	-	-	-	-		
DUCATI																			DUCATI		
350 c.c.																			350 c.c.		
F3		86	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5		
F3		86	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5										
JUNIOR SS		91/93	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5		
JUNIOR SS		91/93	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5										
SPORT		91	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5		
SPORT		91	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5										
400 c.c.																			400 c.c.		
JUNIOR SUPERSPORT		92/97	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5		
JUNIOR SUPERSPORT		92/97	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5										
SS / NUDA SS		92	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5		
SS / NUDA SS		92	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5										
M MONSTER		94/06	N	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5		
M MONSTER		94/06	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5										
600 c.c.																			600 c.c.		
SS SUPERSPORT		93/00	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5		
SS SUPERSPORT		93/00	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5										
MONSTER / M		93/02	N	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5		
MONSTER / M		93/02	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5										
MONSTER CITY		98/00	N	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5		
MONSTER CITY		98/00	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5										
MONSTER ROAD		97	N	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5		
MONSTER ROAD		97	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5										
620 c.c.																			620 c.c.		
M MONSTER		05/06	N	1385	L/R	F00,0	300	64	5,0	6	10,5	636 / 636X	R	S	245	115	5,0	6	8,5		
MONSTER		02/05	N	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	028	R	S	245	115	4,0	6	8,5		
MONSTER		02/05	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5										
MONSTER DARK		94/05	N	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5		
MONSTER DARK		94/05	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5										
MONSTER i.e / S		01/04	N	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	028	R	S	245	115	4,0	6	8,5		
MONSTER i.e / S		01/04	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5										
MONSTER		05/06	N	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	028	R	S	245	115	4,0	6	8,5		
MONSTER		05/06	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5										
MULTISTRADA		05/06	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5		
MULTISTRADA M		05/06	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5										
MULTISTRADA MTS		05	N	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5		
MULTISTRADA MTS		05	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5										
MULTISTRADA		05/06	R	1385	L/R	F00,0	300	64	5,0	6	10,5	636 / 636X	R	S	245	115	5,0	6	8,5		
SPORT		03/06	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5		
SPORT		03/06	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5										



SS SUPERSPORT	02/05	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
SS SUPERSPORT	02/05	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
675 c.c.																		
MONSTER	08	N	1385	L/R	F00,0	300	64	5,0	6	10,5	636 / 636X	R	S	245	115	5,0	6	8,5
695 c.c.																		
MONSTER	06/08	N	1385	L/R	F00,0	300	64	5,0	6	10,5	636 / 636X	R	S	245	115	5,0	6	8,5
696 c.c.																		
MONSTER	08/14	N	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
MONSTER	08/14	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
MONSTER ABS	10/14	N	1579G / 1579XG	L/R	F9,7	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
MONSTER 20th	13	N	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
MONSTER 20th	13	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
DUCATI																		
748 c.c.																		
748	98/99	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	718	R	S	220	108	4,5	4	8,5
748	98/99	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
BIPOSTO	95/03	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	718	R	S	220	108	4,5	4	8,5
BIPOSTO	95/03	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
DESMO QUATTRO	94/97	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	718	R	S	220	108	4,5	4	8,5
DESMO QUATTRO	94/97	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
E / S	99/02	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	718	R	S	220	108	4,5	4	8,5
E / S	99/02	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
R	00/01	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	718	R	S	220	108	4,5	4	8,5
R	00/01	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
749 c.c.																		
749 / 749 S / 749 R	03/07	R	1051 / 1051X	L/R	F15,0	320	72	4,5	5	8,5	1052	R	S	240	107	4,0	5	8,5
SP / SPS	95/99	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	718	R	S	220	108	4,5	4	8,5
SP / SPS	95/99	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
RACING	95/02	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	718	R	S	220	108	4,5	4	8,5
RACING	95/02	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
750 c.c.																		
M MONSTER	96/02	N	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
M MONSTER	96/02	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
MONSTER	94/01	N	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
MONSTER	94/01	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
MONSTER CITY / DARK	99/01	N	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
MONSTER CITY / DARK	99/01	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
SPORT	00/02	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
SPORT	00/02	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
SS SUPERSPORT	91/02	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
SS SUPERSPORT	91/02	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
780 c.c.																		
R	99	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
R	99	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
796 / 797 c.c.																		
HYPERMOTARD ABS	10/13	R	1302	L/R	F10,0	305	72	5,0	5	8,5	1303A	L	S	245	108,3	5,0	4	8,5
MONSTER	11/14	N	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1303	R	S	245	108,3	5,0	4	8,5
MONSTER ABS	11/14	N	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1303A	L	S	245	108,3	5,0	4	8,5
MONSTER ABS / + ABS	17/18	N	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	636 / 636X	C	S	245	115	5,0	6	8,5
800 c.c.																		
MONSTER i.e. / M MONSTER	03/06	N	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
MONSTER i.e. / M MONSTER	03/06	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
MONSTER S / SPORT	03/06	N	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
MONSTER S / SPORT	03/06	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
MONSTER SUPER SPORT	03/06	N	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
MONSTER SUPER SPORT	03/06	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
MONSTER S2R	05/06	N	1385	L/R	F00,0	300	64	5,0	6	10,5	1303	L	S	245	108,3	5,0	4	8,5
MONSTER S2R ABS	05/06	N	1385	L/R	F00,0	300	64	5,0	6	10,5	1303A	L	S	245	108,3	5,0	4	8,5
SPORT / SUPERSPORT	03/05	N	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
SPORT / SUPERSPORT	03/05	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
821 c.c.																		



HYPERMOTARD / SP	13/15	FVT	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1303	L	S	245	108,3	5,0	4	8,5
HYPERMOTARD / SP ABS	13/15	FVT	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1303A	L	S	245	108,3	5,0	4	8,5
HYPERSTRADA	13/15	UVT	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1303	L	S	245	108,3	5,0	4	8,5
HYPERSTRADA ABS	13/15	UVT	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1303A	L	S	245	108,3	5,0	4	8,5
MONSTER / ABS	13/17	N	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
MONSTER ABS	18	N	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	xxxx	C	S	245	115	4,0	6	8,5
MONSTER STRIPE ABS	13/17	N	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
848 c.c.																		
848	08/10	R	1051 / 1051X	L/R	F15,0	320	72	4,5	5	8,5	1303A	L	S	245	108,3	5,0	4	8,5
CORSE NON ABS	13	R	1566	L/R	F15,0	330	72	5,0	5	8,5	-	-	-	-	-	-	-	-
DUCATI 848 c.c.																		
<i>EVO DARK MODELS</i>																		
STEALTH	11/13	R	1051 / 1051X	L/R	F15,0	320	72	4,5	5	8,5	1303	L	S	245	108,3	5,0	4	8,5
STEALTH CORSE	12	R	1051 / 1051X	L/R	F15,0	320	72	4,5	5	8,5	1303	L	S	245	108,3	5,0	4	8,5
STREETFIGHTER / S	12/15	R	1051 / 1051X	L/R	F15,0	320	72	4,5	5	8,5	1303	R	S	245	108,3	5,0	4	8,5
851 c.c.																		
851	89/91	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
851	89/91	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
AA 6V STRADA	88/89	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
AA 6V STRADA	88/89	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
REPLICA	88	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
REPLICA	88	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SBK-BIP / STRADA / SP	88/91	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
SBK-BIP / STRADA / SP	88/91	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SP2	90	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SP2	90	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SP4	92	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SP4	92	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SP5	93	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SP5	93	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SPORT PRODUCTION	90/91	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
SPORT PRODUCTION	90/91	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
STRADA	89	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
STRADA	89	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
888 c.c.																		
DESMOQUATTRO	93/94	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
DESMOQUATTRO	93/94	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SUPERBIKE	93/94	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
SUPERBIKE	93/94	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SP	90/93	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
SP	90/93	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SP - SBK - BIPOSTO	94/95	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
SP - SBK - BIPOSTO	94/95	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SPORT / M MONSTER	02	N	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
SPORT / M MONSTER	02	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SPS	92	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
SPS	92	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
STRADA	94/95	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
STRADA	94/95	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
899 c.c.																		
PANIGALE / ABS	14/17	RVT	1051 / 1051X	L/R	F15,0	320	72	4,5	5	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
900 c.c.																		
M MONSTER	93/02	N	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
M MONSTER	93/02	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MH EVOLUTION	01/02	R	145	L/R	F9,5	320	64	4,0	6	8,5	-	-	-	-	-	-	-	-
MONSTER	93/04	N	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
MONSTER	93/04	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MONSTER CITY	99/00	N	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
MONSTER CITY	99/00	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MONSTER CROMO	98	N	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
MONSTER CROMO	98	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-

FRONT											REAR										
NG Brake Disc	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø			
											DUCATI										
900 c.c.											900 c.c.										
MONSTER DARK	97/01	N	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5			
MONSTER DARK	97/01	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5											
MONSTER S	00/01	N	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5			
MONSTER S	00/01	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5											
SPORT	02→	R	404 / 404X	L/R	F9,5	298	64	4,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5			
SS SUPERSPORT	88/90	R	404 / 404X	L/R	F9,5	298	64	4,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5			
SS SUPERSPORT	91/02	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5			
SS SUPERSPORT	91/02	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5											
DUCATI											DUCATI										
900 c.c.											900 c.c.										
SL SUPER LIGHT	91/97	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5			
SL SUPER LIGHT	91/97	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5											
906 c.c.											906 c.c.										
PASO 906	89/90	R	-	-	-	-	-	-	-	-	636 / 636X	R	S	245	115	5,0	6	8,5			
907 c.c.											907 c.c.										
907 i.e.	91	N	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5			
907 i.e.	91	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5											
S	89	R	404 / 404X	L/R	F9,5	298	64	4,0	6	8,5	028	R	S	245	115	4,0	6	8,5			
916 c.c.											916 c.c.										
BIPOSTO	94/98	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	718	L	S	220	108	4,5	4	8,5			
BIPOSTO	94/98	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5											
MONSTER S4	01/03	N	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5			
MONSTER S4	01/03	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5											
MONSTER S4 R	03/05	N	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	1303A	L	S	245	108,3	5,0	4	8,5			
MONSTER S4 R	03/05	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5											
R	94/98	R	145	L/R	F9,5	320	64	4,0	6	8,5	718	R	S	220	108	4,5	4	8,5			
S	99/01	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	718	R	S	220	108	4,5	4	8,5			
S	99/01	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5											
SENNA	94/97	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	718	R	S	220	108	4,5	4	8,5			
SENNA	94/97	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5											
SP	94/96	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	718	R	S	220	108	4,5	4	8,5			
SP	94/96	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5											
SPS	97/98	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	718	R	S	220	108	4,5	4	8,5			
SPS	97/98	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5											
ST4	98/04	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5			
ST4	98/04	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5											
STRADA	94/98	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	718	R	S	220	108	4,5	4	8,5			
STRADA	94/98	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5											
USA	94/98	R	145	L/R	F9,5	320	64	4,0	6	8,5	718	R	S	220	108	4,5	4	8,5			
937 c.c.											937 c.c.										
MULTISTRADA / ABS	17	U	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1555	R	S	265	83,5	6,0	4	10,0			
MULTISTRADA ABS	18	U	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	xxxx	R	S	265	83,5	6,0	4	10,0			
HYPERMOTARD MODELS																					
ABS / SP ABS	15/18	F	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1523	C	S	245	83,5	5,0	4	10,0			
HYPERSTRADA MODELS																					
ABS / SP ABS	16	U	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1523	C	S	245	83,5	5,0	4	10,0			
SUPERSPORT	17/18	R	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1523	C	S	245	83,5	5,0	4	10,0			
SUPERSPORT S	17/18	R	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1523	C	S	245	83,5	5,0	4	10,0			
944 c.c.											944 c.c.										
ST2	97/04	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	028	R	S	245	115	4,0	6	8,5			
ST2	97/04	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5											
959 c.c.											959 c.c.										
PANIGALE / ABS	15/17	SB	1051 / 1051X	L/R	F15,0	320	72	4,5	5	8,5	636 / 636X	R	S	245	115	5,0	6	8,5			
992 c.c.											992 c.c.										
ST3 / ST3 S ABS	04/07	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5			
ST3 / ST3 S ABS	04/07	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5											
996 c.c.											996 c.c.										
BIPOSTO	99/03	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	718	R	S	220	108	4,5	4	8,5			
BIPOSTO	99/03	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5											
R / R TESTASTRETTA	99/02	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	718	R	S	220	108	4,5	4	8,5			
R / R TESTASTRETTA	99/02	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5											



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø		REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø
ST4 ABS	03/06	R	-	-	-	-	-	-	-	-		028	R	S	245	115	4,0	6	8,5
S	99/01	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5		718	R	S	220	108	4,5	4	8,5
S	99/01	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5									
SPS	99/01	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5		718	R	S	220	108	4,5	4	8,5
SPS	99/01	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5									
ST4 S / ST4 S ABS	01/06	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5		636 / 636X	R	S	245	115	5,0	6	8,5
ST4 S / ST4 S ABS	01/06	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5									
DUCATI										DUCATI									
996 c.c.										996 c.c.									
MONSTER S4 R	03/06	N	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5		1303	L	S	245	108,3	5,0	4	8,5
MONSTER S4 R	03/06	N	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5									
998 c.c.										998 c.c.									
BIPOSTO / BIPOSTO S	02/03	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5		718	L	S	220	108	4,5	4	8,5
BIPOSTO / BIPOSTO S	02/03	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5									
R / S TESTASTRETTA	02/03	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5		718	R	S	220	108	4,5	4	8,5
R / S TESTASTRETTA	02/03	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5									
BIPOSTO / R / S	02/07	R	1051 / 1051X	L/R	F15,0	320	72	4,5	5	8,5		1052	R	S	240	107	4,0	5	8,5
1000 c.c.										1000 c.c.									
DESMOSEDICI RR	08/09	R	1693G	L/R	F15,0	330	72	5,0	5	8,5		1052	R	S	240	107	4,0	5	8,5
DESMOSEDICI RR	08/09	R	1388	L/R	F15,0	330	72	5,0	5	8,5									
DIS	07/10	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5		636 / 636X	R	S	245	115	5,0	6	8,5
DIS	07/10	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5									
GT	06/10	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5		636 / 636X	R	S	245	115	5,0	6	8,5
GT	06/10	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5									
GT TOURING	09→	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5		636 / 636X	R	S	245	115	5,0	6	8,5
GT TOURING	09→	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5									
MONSTER / S i.e.	03/05	N	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5		636 / 636X	R	S	245	115	5,0	6	8,5
MONSTER / S i.e.	03/05	N	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5									
MONSTER DARK	03	N	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5		636 / 636X	R	S	245	115	5,0	6	8,5
MONSTER DARK	03	N	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5									
MONSTER S2R	06/09	N	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5		1303A	L	S	245	108,3	5,0	4	8,5
MONSTER S2R	06/09	N	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5									
MONSTER S4R	03/05	N	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5		1303A	R	S	245	108,3	5,0	4	8,5
MONSTER S4R	03/05	N	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5									
MONSTER SPORT	06/07	N	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5		-	-	-	-	-	-	-	-
MONSTER SPORT	06/07	N	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5									
MONSTER SPORT S	07/09	N	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5		636 / 636X	R	S	245	115	5,0	6	8,5
MONSTER SPORT S	07/09	N	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5									
MULTISTRADA DS	03/06	R	ND / NA	L/R	S	320	176,7	4,0	6	13,8		1303	L	S	245	108,3	5,0	4	8,5
MULTISTRADA DS	07/09	R	ND / NA	L/R	S	320	176,7	4,0	6	13,8		-	-	-	-	-	-	-	-
MULTISTRADA DS S	05/06	R	ND / NA	L/R	S	320	176,7	4,0	6	13,8		1303	L	S	245	108,3	5,0	4	8,5
MULTISTRADA DS S	07/09	R	ND / NA	L/R	S	320	176,7	4,0	6	13,8		-	-	-	-	-	-	-	-
PAUL SMART LE	06/07	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5		636 / 636X	R	S	245	115	5,0	6	8,5
PAUL SMART LE	06/07	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5									
ST3	04/07	R	1579G / 1579XG	L/R	F9,7	320	64	5,0	6	8,5		636 / 636X	R	S	245	115	5,0	6	8,5
ST3 S ABS	06/07	R	1579G / 1579XG	L/R	F9,7	320	64	5,0	6	8,5		636 / 636X	R	S	245	115	5,0	6	8,5
ST4 ABS	05	R	1579G / 1579XG	L/R	F9,7	320	64	5,0	6	8,5		636 / 636X	R	S	245	115	5,0	6	8,5
S4R TESTASTRETTA MODELS																			
TESTASTRETTA MONSTER	07/08	N	1051 / 1051X	L/R	F15,0	320	72	4,5	5	8,5		1303	L	S	245	108,3	5,0	4	8,5
S MONSTER	06/08	N	1051 / 1051X	L/R	F15,0	320	72	4,5	5	8,5		1303	L	S	245	108,3	5,0	4	8,5
SUPERSPORT HF	03	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5		636 / 636X	R	S	245	115	5,0	6	8,5
SUPERSPORT HF	03	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5									
SPORT	05/08	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5		636 / 636X	R	S	245	115	5,0	6	8,5
SPORT	05/08	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5									
SPORTCLASSIC	08/09	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5		636 / 636X	R	S	245	115	5,0	6	8,5
SPORTCLASSIC	08/09	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5									
SPORT S	07/09	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5		636 / 636X	R	S	245	115	5,0	6	8,5
SPORT S	07/09	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5									



SS SUPERSPORT DS	03/06	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
SS SUPERSPORT DS	03/06	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
1078 c.c.											1078 c.c.							
MONSTER DIESEL ABS	12/13	N	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1303A	R	S	245	108,3	5,0	4	8,5
1098 c.c.											1098 c.c.							
1098 / R / S NON ABS	07/09	R	1566	L/R	F15,0	330	72	5,0	5	8,5	1523A	L	S	245	83,5	5,0	4	10,0
TRICOLORE NON ABS	07/09	R	1566	L/R	F15,0	330	72	5,0	5	8,5	1523A	L	S	245	83,5	5,0	4	10,0
DUCATI											DUCATI							
1100 c.c.											1100 c.c.							
HYPERMOTARD MODELS																		
S	07/10	R	1302	L/R	F10,0	305	72	5,0	5	8,5	1303	L	S	245	108,3	5,0	4	8,5
EVO / SP	07/12	R	1302	L/R	F10,0	305	72	5,0	5	8,5	1303	L	S	245	108,3	5,0	4	8,5
EVO SP CORSE	07/12	R	1302	L/R	F10,0	305	72	5,0	5	8,5	718	L	S	220	108	4,5	4	8,5
MULTISTRADA DS	07/09	R	ND / NA	L/R	S	320	176,7	4,0	6	13,8	1303	L	S	245	108,3	5,0	4	8,5
MULTISTRADA DS S	07/09	R	ND / NA	L/R	S	320	176,7	4,0	6	13,8	1303	L	S	245	108,3	5,0	4	8,5
MONSTER	09/10	N	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1303	L	S	245	108,3	5,0	4	8,5
MONSTER ABS	10/11	N	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1303A	L	S	245	108,3	5,0	4	8,5
MONSTER EVO	11/13	N	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1303	R	S	245	108,3	5,0	4	8,5
MONSTER EVO ABS	11/13	N	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1303A	R	S	245	108,3	5,0	4	8,5
MONSTER DIESEL ABS	13	N	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1303A	R	S	245	108,3	5,0	4	8,5
MONSTER S	09/11	N	1051 / 1051X	L/R	F15,0	320	72	4,5	5	8,5	1303	L	S	245	108,3	5,0	4	8,5
MONSTER S ABS	09/11	N	1051 / 1051X	L/R	F15,0	320	72	4,5	5	8,5	1303A	L	S	245	108,3	5,0	4	8,5
STREETFIGHTER / S	09/13	R	1566	L/R	F15,0	330	72	5,0	5	8,5	1523A	L	S	245	83,5	5,0	4	10,0
1198 c.c.											1198 c.c.							
1198 / S / SP NON ABS	09/12	R	1566	L/R	F15,0	330	72	5,0	5	8,5	1523A	L	S	245	83,5	5,0	4	10,0
1199 c.c.											1199 c.c.							
PANIGALE	12/14	RVT	1693G	L/R	F15,0	330	72	5,0	5	8,5	1523	R	S	245	83,5	5,0	4	10,0
PANIGALE	12/14	RVT	1388	L/R	F15,0	330	72	5,0	5	8,5								
PANIGALE ABS	12/14	RVT	1693G	L/R	F15,0	330	72	5,0	5	8,5	1523	R	S	245	83,5	5,0	4	10,0
PANIGALE R	13/14	RVT	1693G	L/R	F15,0	330	72	5,0	5	8,5	1523	R	S	245	83,5	5,0	4	10,0
PANIGALE R	13/14	RVT	1388	L/R	F15,0	330	72	5,0	5	8,5								
PANIGALE R ABS	13/14	RVT	1693G	L/R	F15,0	330	72	5,0	5	8,5	1523	R	S	245	83,5	5,0	4	10,0
PANIGALE S	12/14	RVT	1693G	L/R	F15,0	330	72	5,0	5	8,5	1523	R	S	245	83,5	5,0	4	10,0
PANIGALE S	12/14	RVT	1388	L/R	F15,0	330	72	5,0	5	8,5								
PANIGALE S ABS	12/14	RVT	1693G	L/R	F15,0	330	72	5,0	5	8,5	1523	R	S	245	83,5	5,0	4	10,0
PANIGALE S TRICOLORE	12/13	RVT	1693G	L/R	F15,0	330	72	5,0	5	8,5	1523	R	S	245	83,5	5,0	4	10,0
PANIGALE S TRICOLORE	12/13	RVT	1388	L/R	F15,0	330	72	5,0	5	8,5								
PANIGALE S TRICOLORE	12/13	RVT	1693G	L/R	F15,0	330	72	5,0	5	8,5	1523	R	S	245	83,5	5,0	4	10,0
1200 c.c.											1200 c.c.							
DIAVEL ABS	11/17	C	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1555	C	S	265	83,5	6,0	4	10,0
DIAVEL CARBON ABS	11/18	C	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1555	C	S	265	83,5	6,0	4	10,0
DIAVEL TITANIUM	11/15	C	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1371	R	S	265	83,5	6,0	4	8,5
DIAVEL AMG	11/13	C	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1555	C	S	265	83,5	6,0	4	10,0
DIAVEL CROMO	11/13	C	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1555	C	S	265	83,5	6,0	4	10,0
DIAVEL DARK	13/15	C	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1371	R	S	265	83,5	6,0	4	8,5
DIAVEL DIESEL	17/18	C	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1555	C	S	265	83,5	6,0	4	10,0
DIAVEL STRADA	13/14	C	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1555	C	S	265	83,5	6,0	4	10,0
MONSTER / ABS	14/17	N	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1523	L	S	245	83,5	5,0	4	10,0
MONSTER R ABS	18	N	xxxxG	L/R	F10,0	330	72	5,0	5	8,5	1523	L	S	245	83,5	5,0	4	10,0
MONSTER R / S ABS	14/16	N	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1523	L	S	245	83,5	5,0	4	10,0
MONSTER S ABS	17/18	N	xxxxG	L/R	F10,0	330	72	5,0	5	8,5	1523	L	S	245	83,5	5,0	4	10,0
MULTISTRADA MODELS																		
ABS	10/17	UVT	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1523	L	S	245	83,5	5,0	4	10,0
ENDURO ABS	15/17	UVT	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1555	R	S	265	83,5	6,0	4	10,0
ENDURO ABS	18	UVT	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	xxxx	R	S	265	83,5	6,0	4	10,0
ENDURO PRO ABS	17	UVT	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1555	R	S	265	83,5	6,0	4	10,0
ENDURO PRO ABS	18	UVT	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	xxxx	R	S	265	83,5	6,0	4	10,0
PIKES PEAK ABS	15/17	RVT	1518	L/R	F10,0	330	72	5,0	5	8,5	1555	C	S	265	83,5	6,0	4	10,0
S / ABS	10/12	UVT	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1523	L	S	245	83,5	5,0	4	10,0
S ABS	15/16	RVT	1518	L/R	F10,0	330	72	5,0	5	8,5	1555	C	S	265	83,5	6,0	4	10,0



S D-AIR ABS	15/16	RVT	1518	L/R	F10,0	330	72	5,0	5	8,5	1555	C	S	265	83,5	6,0	4	10,0
S GT	12/13	UVT	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1523	L	S	245	83,5	5,0	4	10,0
S PIKES PEAK ABS	11/15	UVT	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1523	L	S	245	83,5	5,0	4	10,0
S SPORT ABS	10/14	UVT	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1523	L	S	245	83,5	5,0	4	10,0
S TOURING	10/14	UVT	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1523	L	S	245	83,5	5,0	4	10,0
TOURING ABS	15/17	RVT	1518	L/R	F10,0	330	72	5,0	5	8,5	1555	C	S	265	83,5	6,0	4	10,0

DUCATI 1262 c.c.

MULTISTRADA PIKES PEAK	18	UVT	xxxxG	L/R	F10,0	330	72	5,0	5	8,5	1555	C	S	265	83,5	6,0	4	10,0
XDIAVEL / ABS	15/18	CVT	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1555	C	S	265	83,5	6,0	4	10,0
XDIAVEL S / ABS	15/18	CVT	1273 / 1273X	L/R	F10,0	320	72	5,0	5	8,5	1555	L	S	265	83,5	6,0	4	10,0

1285 c.c. 1299 MODELS

PANIGALE ABS	15/17	SB	1693G	L/R	F15,0	330	72	5,0	5	8,5	1523	L	S	245	83,5	5,0	4	10,0
PANIGALE ANNIVERSARY ABS	17	SB	1693G	L/R	F15,0	330	72	5,0	5	8,5	1523	L	S	245	83,5	5,0	4	10,0
PANIGALE S ABS	15/17	SB	1693G	L/R	F15,0	330	72	5,0	5	8,5	1523	L	S	245	83,5	5,0	4	10,0
PANIGALE R ABS	15/18	SB	1693G	L/R	F15,0	330	72	5,0	5	8,5	1523	L	S	245	83,5	5,0	4	10,0
SUPERLEGGERA ABS	17/18	SB	1693G	L/R	F15,0	330	72	5,0	5	8,5	1523	L	S	245	83,5	5,0	4	10,0

EBR 1190 c.c.

RX / SX	14/15	RVT	1562	R	S	375	307	5,0	6	13,0	-	R	S	-	-	-	-	-
---------	-------	-----	------	---	---	-----	-----	-----	---	------	---	---	---	---	---	---	---	---

EM ELECTRIC

ESCAPE	15/17	UV	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
ESCAPE	15/17	UV	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
ESCAPE	15/17	UV									1530X	R	S	160	-	2,5	4	6,0
ESCAPE	15/17	UV									1530XSP	R	S	160	-	2,5	4	6,0
LITE	15/17	TV	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
LITE	15/17	TV	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
LITE	15/17	TV									1530X	R	S	160	-	2,5	4	6,0
LITE	15/17	TV									1530XSP	R	S	160	-	2,5	4	6,0
SPORT	14/17	TV	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
SPORT	14/17	TV	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SPORT	14/17	TV									1530X	R	S	160	-	2,5	4	6,0
SPORT	14/17	TV									1530XSP	R	S	160	-	2,5	4	6,0
ETREK	17	EV	1624X	L	S	259	108	3,5	6	6,5	1057X	L	S	220	108	4,0	6	6,5
ETREK	17	EV	731XK	L	S	260	108	3,5	6	6,5	1057XK	L	S	220	108	4,0	6	6,5
ETREK	17	EV	1288X	L	F00,0	260	108	3,5	6	6,5	1057SP	L	S	220	108	3,5	6	6,5
ETREK	17	EV	1690X	L	F00,0	260	108	3,0	6	6,5								

E-ROCKIT ELECTRIC

E-ROCKIT	13	HV	1394X	L	S	240	95	3,0	4	6,5	1481X	L	S	220	110	4,0	4	6,5
----------	----	----	-------	---	---	-----	----	-----	---	-----	-------	---	---	-----	-----	-----	---	-----

FACTORY BIKE 50 c.c.

CHRONO SM	02	A	295	L	S	260	108	4,0	6	6,5	1057	L	S	220	108	3,5	6	6,5
CHRONO SM	02	A									1057X	L	S	220	108	4,0	6	6,5
CHRONO SM	02	A									1057SP	L	S	220	108	3,5	6	6,5
CHRONO SM	02	A									821	L	T	220	108	4,0	6	6,5
CHRONO SM	05	A	219	L	S	290	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5
PHANTOM R12	04/05	H	702	L	S	165	45	3,0	5	6,5	426	R	S	150	45	3,0	5	6,5
PHANTOM R14 AIR	04/05	H	704	L	S	184	45	3,0	5	6,5	Drum	-	-	-	-	-	-	-
DESERT YM	05	A	238 / 238X	L	S	218	62	3,5	3	10,5	115	R	S	200	62	3,5	3	10,5
DESERT YM	05	A	843	L	T	218	62	3,5	3	10,5								
YR	00	A	295	L	S	260	108	4,0	6	6,5	1057	L	S	220	108	3,5	6	6,5
YR	00	A									1057X	L	S	220	108	4,0	6	6,5
DESERT YR	04/05	A	238 / 238X	L	S	218	62	3,5	3	10,5	1057SP	L	S	220	108	3,5	6	6,5
DESERT YR	04/05	A	843	L	T	218	62	3,5	3	10,5	115	R	S	200	62	3,5	3	10,5

125 c.c.

DESERT YR DESERT	01	E	731 / 731X	L	S	260	108	3,5	6	6,5	1057	L	S	220	108	3,5	6	6,5
DESERT YR DESERT	01	E	731XK	L	S	260	108	3,5	6	6,5	1057X	L	S	220	108	4,0	6	6,5
DESERT YR DESERT	01	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	L	S	220	108	4,0	6	6,5
DESERT YR DESERT	01	E	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	L	S	220	108	3,5	6	6,5
DESERT YR	05	E	219	L	S	290	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5



250 c.c.											250 c.c.										
YR	00	E	295	L	S	260	108	4,0	6	6,5	1057	L	S	220	108	3,5	6	6,5			
YR	00	E									1057X	L	S	220	108	4,0	6	6,5			
YR	00	E									1057SP	L	S	220	108	3,5	6	6,5			

FACTORY FACTORY BIKE

50 c.c.											50 c.c.										
DESERT YR	01	E	731 / 731X	L	S	260	108	3,5	6	6,5	1057	L	S	220	108	3,5	6	6,5			
DESERT YR	01	E	731XK	L	S	260	108	3,5	6	6,5	1057X	L	S	220	108	4,0	6	6,5			
DESERT YR	01	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	L	S	220	108	4,0	6	6,5			
DESERT YR	01	E	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	L	S	220	108	3,5	6	6,5			
DESERT YR	02/05	E	338	L	S	260	108	3,5	6	6,5	302	R	S	220	108	4,0	6	6,5			
DESERT YR	02/05	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5			
DESERT YR	02/05	E	1690X	L	F00,0	260	108	3,0	6	6,5	1057X	R	S	220	108	4,0	6	6,5			

FAMEL FAMEL

50 c.c.											50 c.c.										
SCOOTER	96	S	452	L	S	155	40,6	4,0	3	8,5	-	-	-	-	-	-	-	-	-	-	-

FANTIC FANTIC

50 c.c.											50 c.c.										
OASIS	90/95	A	-	-	-	-	-	-	-	-	1134	R	S	220	74	4,7	6	6,5			
BIG WHEELS	91/94	A	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-			
BIG WHEELS	91/94	A	727	L	SO	*180	40,6	3,5	3	10,5											
CABALLERO RS	90/95	A	-	-	-	-	-	-	-	-	1134	R	S	220	74	4,7	6	6,5			
CABALLERO XM / EXTRA	97/98	A	300	L	S	260	108	3,5	6	6,5	302	R	S	220	108	4,0	6	6,5			
CABALLERO XM / EXTRA	97/98	A									1057	R	S	220	108	3,5	6	6,5			
CABALLERO XM / EXTRA	97/98	A									1057X	R	S	220	108	4,0	6	6,5			
CLUBMAN	97	A	250	L	S	184	93	4,0	6	14,0	249	L	S	184	87	4,0	6	12,0			
FLYTING TIGER	96	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-			
FLYTING TIGER	96	S	727	L	SO	*180	40,6	3,5	3	10,5											
GARY UNO	97	A	300	L	S	260	108	3,5	6	6,5	302	R	S	220	108	4,0	6	6,5			
GARY UNO	97	A									1057	R	S	220	108	3,5	6	6,5			
GARY UNO	97	A									1057X	R	S	220	108	4,0	6	6,5			
GRINTA	95/00	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-			
GRINTA	95/00	S	727	L	SO	*180	40,6	3,5	3	10,5											
KEY ROO	96/97	A	250	L	S	184	93	4,0	6	14,0	249	L	S	184	87	4,0	6	12,0			
LEADER	95	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-			
LEADER	95	S	1022 / 1022X	L	MD	190	58	3,7	3	MH											
QUENNIE	95	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-			
QUENNIE	95	S	727	L	SO	*180	40,6	3,5	3	10,5											
PONY	93/95	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-			
PONY	93/95	S	727	L	SO	*180	40,6	3,5	3	10,5											
RACER	97	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-			
RACER	97	S	727	L	SO	*180	40,6	3,5	3	10,5											

80 c.c. 80 c.c.

CLUBMAN	97	A-T	250	L	S	184	93	4,0	6	14,0	249	L	S	184	87	4,0	6	12,0		
---------	----	-----	-----	---	---	-----	----	-----	---	------	-----	---	---	-----	----	-----	---	------	--	--

125 c.c. 125 c.c.

CABALLERO XM	95/99	E	300	L	S	260	108	3,5	6	6,5	302	R	S	220	108	4,0	6	6,5		
CABALLERO XM	95/99	E									1057	R	S	220	108	3,5	6	6,5		
CABALLERO XM	95/99	E									1057X	R	S	220	108	4,0	6	6,5		
CLUBMAN	97	T	250	L	S	184	93	4,0	6	14,0	251	L	S	160	87	4,0	6	12,0		
MOTARD 2T	12	F	022	L	F00,0	320	108	4,0	6	6,5	1057	R	S	220	108	3,5	6	6,5		
MOTARD 2T	12	F	1204X	L	F00,0	318	108	4,0	6	6,5	1057X	R	S	220	108	4,0	6	6,5		
MOTARD 2T	12	F	1613	L	F00,0	320	108	5,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5		
MOTARD 2T	12	F	1613X	L	F00,0	318	108	5,0	6	6,5										
SECTION	97	T	062	L	S	185	72	4,0	6	15,5	063	L	S	150	45	3,0	5	6,5		
TZ SM	12	F	022	L	F00,0	320	108	4,0	6	6,5	1057	R	S	220	108	3,5	6	6,5		
TZ SM	12	F	1204X	L	F00,0	318	108	4,0	6	6,5	1057X	R	S	220	108	4,0	6	6,5		
TZ SM	12	F	1613	L	F00,0	320	108	5,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5		
TZ SM	12	F	1613X	L	F00,0	318	108	5,0	6	6,5										

250 c.c. 250 c.c.

CLUBMAN	97	T	250	L	S	184	93	4,0	6	14,0	251	L	S	160	87	4,0	6	12,0		
CLUBMAN	98	T	-	-	-	-	-	-	-	-	251	L	S	160	87	4,0	6	12,0		
COACH	97	T	250	L	S	184	93	4,0	6	14,0	249	L	S	184	87	4,0	6	12,0		



COACH	98	T	250	L	S	184	93	4,0	6	14,0	-	-	-	-	-	-	-	
SECTION	97	T	062	L	S	185	72	4,0	6	15,5	063	L	S	150	45	3,0	5	6,5
FANTIC																		
260 c.c.																		
KEY ROO	92/96	T	250	L	S	184	93	4,0	6	14,0	251	L	S	160	87	4,0	6	12,0
305 / 309 c.c.																		
TRIAL	89/90	T	250	L	S	184	93	4,0	6	14,0	249	L	S	184	87	4,0	6	12,0
TRIAL	89/90	T	250	L	S	184	93	4,0	6	14,0	249	L	S	184	87	4,0	6	12,0
TRIAL	91	T	250	L	S	184	93	4,0	6	14,0	249	L	S	184	87	4,0	6	12,0
FUTURE																		
ELECTRIC																		
EM - LITE / EM - SPORT	17	TV	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
EM - LITE / EM - SPORT	17	TV									1570X	R	FIM	150	45	3,0	4	6,5
EM - ESCAPE	17	TV	731X / 731XK	L	S	260	108	3,5	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5
EM - ESCAPE	17	TV	1690X	L	F00,0	260	108	3,0	6	6,5								
EM - ETREK	17	EV	731X / 731XK	L	S	260	108	3,5	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5
EM - ETREK	17	EV	1690X	L	F00,0	260	108	3,0	6	6,5								
GARELLI																		
50 c.c.																		
BIG WHEELS	91/94	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
BIG WHEELS	91/94	S	727	L	SO	*180	40,6	3,5	3	10,5								
BIP RACING / GRINTA	91/95	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
BIP RACING / GRINTA	91/95	S	727	L	SO	*180	40,6	3,5	3	10,5								
FX / KRS	ALL	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
FX / KRS	ALL	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
FX / KRS	ALL	S	1300X	L	FO	*220	58	3,5	3	10,5								
GRINTA	95→	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
GRINTA	95→	S	727	L	SO	*180	40,6	3,5	3	10,5								
PONY SR	92/95	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
PONY SR	92/95	S	727	L	SO	*180	40,6	3,5	3	10,5								
QUEENIE	95	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
QUEENIE	95	S	727	L	SO	*180	40,6	3,5	3	10,5								
125 c.c.																		
FREELAND	ALL	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
FREELAND	ALL	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
FREELAND	ALL	S	1300X	L	FO	*220	58	3,5	3	10,5								
150 c.c.																		
FREELAND	ALL	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
FREELAND	ALL	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
FREELAND	ALL	S	1300X	L	FO	*220	58	3,5	3	10,5								
GAS GAS																		
- C.C.																		
ALL MODELS																		
W / NISSIN CALIPER	02/11	E	022K12	L	KF	*320	108	4,0	6	6,5	-	-	-	-	-	-	-	-
W / NISSIN CALIPER	02/11	E	1204XK12	L	KF	*318	108	4,0	6	6,5	-	-	-	-	-	-	-	-
W / NISSIN CALIPER	02/11	E	1613K12	L	KF	*320	108	5,0	6	6,5	-	-	-	-	-	-	-	-
W / NISSIN CALIPER	02/11	E	1613XK12	L	KF	*318	108	5,0	6	6,5	-	-	-	-	-	-	-	-
ELECTRIC																		
EKIDS E10 / EKIDS T10	18	EV	-	L	S	160	-	-	5	-	-	R	-	160	-	-	5	-
EKIDS E12 / EKIDS T12	17/18	EV	-	L	S	160	-	-	5	-	-	R	-	160	-	-	5	-
TXT E COMING SOON	12/13	TV	649	L	S	185	-	3,0	4	6,5	650 / 650X	R	S	150	45	3,0	4	6,5
TXT E COMING SOON	12/13	TV									650SP	R	S	150	45	3,0	4	6,5
TXT E COMING SOON	12/13	TV									1570X	R	FIM	150	45	3,0	4	6,5
TXT E EDD / E EGD	18	TV	715X / 715	L	S	185	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
TXT E EDD / E EGD	18	TV	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
TXT E EDD / E EGD	18	TV									1570X	R	FIM	150	45	3,0	4	6,5
50 c.c.																		
BOY 2T	10/11	A	666	L	S	180	46	3,5	5	6,5	667	-	S	150	46	3,5	5	6,5
EC BOY AIR / BOY L.C.	05	A	666	L	S	180	46	3,5	5	6,5	667	R	S	150	46	3,5	5	6,5
EC ENDUCROSS BOY	99	A	032	L	S	180	45	3,5	5	6,5	370	-	S	130	46	3,5	5	6,5
EC ENDUCROSS BOY	05	A	666	L	S	180	46	3,5	5	6,5	667	-	S	150	46	3,5	5	6,5
EC ROOKIE	00/02	A	350	L	S	240	108	3,5	6	6,5	115	-	S	200	62	3,5	3	10,5
SM ROOKIE	01/02	A	385	L	S	260	108	3,5	6	6,5	115	-	S	200	62	3,5	3	10,5



GAS GAS											GAS GAS										
50 c.c.											50 c.c.										
TXT BOY	00/02	A	032	L	S	180	45	3,5	5	6,5	370	-	S	130	46	3,5	5	6,5			
TXT BOY	03/13	A	666	L	S	180	46	3,5	5	6,5	667	-	S	150	46	3,5	5	6,5			
TXT BOY / TXT ROOKIE	03	A	666	L	S	180	46	3,5	5	6,5	667	-	S	150	46	3,5	5	6,5			
TXT BOY / CADET / ROOKIE	04/09	A	649	L	S	185	-	3,0	4	6,5	667	-	S	150	46	3,5	5	6,5			
65 c.c.											65 c.c.										
MC BOY	05	A-M	906	L	S	180	45	3,0	4	6,5	921	R	S	180	45	3,0	4	6,5			
MC	06/07	A-M	904	L	S	180	-	3,0	4	6,5	906	R	S	180	45	3,0	4	6,5			
MC	08	A-M	1125	L	S	173	-	3,0	4	6,5	906	R	S	180	45	3,0	4	6,5			
MX	10/11	A-M	904	L	S	180	-	3,0	4	6,5	906	R	S	180	45	3,0	4	6,5			
70 c.c.											70 c.c.										
TXT CADET / ROOKIE	10/13	A-T	649	L	S	185	-	3,0	4	6,5	650 / 650X	R	S	150	45	3,0	4	6,5			
TXT CADET / ROOKIE	10/13	A-T									650SP	R	S	150	45	3,0	4	6,5			
TXT CADET / ROOKIE	10/13	A-T									1570X	R	FIM	150	45	3,0	4	6,5			
80 c.c.											80 c.c.										
ENDUROCROSS TT	94/98	A-E	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5			
ENDUROCROSS TT	94/98	A-E	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5			
ENDUROCROSS TT	94/98	A-E	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5			
ENDUROCROSS TT	94/98	A-E	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5			
ENDUROCROSS TT	94/98	A-E									821	R	T	220	108	4,0	6	6,5			
TXT PRO RACING	15	A-T	1125	L	S	173	-	3,0	4	6,5	650 / 650X	R	S	150	45	3,0	4	6,5			
TXT PRO RACING	15	A-T									650SP	R	S	150	45	3,0	4	6,5			
TXT PRO RACING	15	A-T									1570X	R	FIM	150	45	3,0	4	6,5			
TXT RACING	18	A-T	1125	L	S	173	-	3,0	4	6,5	650 / 650X	R	S	150	45	3,0	4	6,5			
TXT RACING	18	A-T									650SP	R	S	150	45	3,0	4	6,5			
TXT RACING	18	A-T									1570X	R	FIM	150	45	3,0	4	6,5			
TXT ROOKIE	01	A-T	412	L	S	185	-	3,0	4	6,5	410	R	S	130	46	3,5	4	6,5			
TXT ROOKIE	03	A-T	666	L	S	180	46	3,5	5	6,5	667	R	S	150	46	3,5	5	6,5			
TXT ROOKIE	04/08	A-T	649	L	S	185	-	3,0	4	6,5	389	R	S	150	45	3,0	4	6,5			
TXT ROOKIE	04/08	A-T									650SP	R	S	150	45	3,0	4	6,5			
TXT ROOKIE	04/08	A-T									1570X	R	FIM	150	45	3,0	4	6,5			
125 c.c.											125 c.c.										
CONTACT GT / JT / JTR	93/96	T	035	L	S	185	103	3,5	-	-	030	R	S	170	103	3,5	-	-			
CONTACT GT / JT / JTR	93/96	T	332	L	S	185	103	3,5	-	-											
CONTACT JTX	97	T	062	L	S	185	72	4,0	6	15,5	063	R	S	150	45	3,0	5	6,5			
CONTACT TX	98	T	062	L	S	185	72	4,0	6	15,5	063	R	S	150	45	3,0	5	6,5			
CONTACT TXT	99/01	T	021	L	S	185	72	3,0	6	15,5	370	R	S	130	46	3,5	5	6,5			
EC	98/09	E	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5			
EC	98/09	E	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5			
EC	98/09	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5			
EC	98/09	E	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5			
EC	98/09	E	1199XK09	L	KF	*270	108	3,5	6	6,5											
EC	14/15	E	731X	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5			
EC	14/15	E	731XK	L	S	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5			
EC	14/15	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5			
EC	14/15	E	1690X	L	F00,0	260	108	3,0	6	6,5											
EC	14/15	E	1199XK09	L	KF	*270	108	3,5	6	6,5											
EC R	12/15	E	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5			
EC R	12/15	E	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5			
EC R	12/15	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5			
EC R	12/15	E	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5			
EC R	12/15	E	1199XK09	L	KF	*270	108	3,5	6	6,5											
EC SIX DAYS 2T	10/11	E	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5			
EC SIX DAYS 2T	10/11	E	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5			
EC SIX DAYS 2T	10/11	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5			
EC SIX DAYS 2T	10/11	E	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5			
EC SIX DAYS 2T	10/11	E	1199XK09	L	KF	*270	108	3,5	6	6,5											
GAS GAS											GAS GAS										
125 c.c.											125 c.c.										



ENDUCROSS HX / TT	94/97	E	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
ENDUCROSS HX / TT	94/97	E	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
ENDUCROSS HX / TT	94/97	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
ENDUCROSS HX / TT	94/97	E	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
ENDUCROSS HX / TT	94/97	E	1199XK09	L	KF	*270	108	3,5	6	6,5	821	R	T	220	108	4,0	6	6,5
HALLEY / HALLEY SM	08	E	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
MC	01/08	M	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
MC	01/08	M	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
MC	01/08	M	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
MC	01/08	M	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
MC	01/08	M	1199XK09	L	KF	*270	108	3,5	6	6,5	821	R	T	220	108	4,0	6	6,5
PAMPERA	97	U	332	L	S	185	103	3,5	-	-	030	R	S	170	103	3,5	-	-
PAMPERA	97	U	035	L	S	185	103	3,5	-	-								
PAMPERA	98	U	033	L	S	240	72	3,5	6	15,8	032	R	S	180	45	3,5	5	6,5
PAMPERA	03/05	U	385	L	S	260	108	3,5	6	6,5	115	-	S	200	62	3,5	3	10,5
PAMPERA	06	U	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
PAMPERA 4T	07	U	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
PAMPERA 4T	07	U	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
PAMPERA 4T	07	U	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
PAMPERA 4T	07	U	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
PAMPERA 4T	07	U									821	R	T	220	108	4,0	6	6,5
PAMPERA 4T	08	U	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
PAMPERA 4T	09/10	U	013 / 013X	L	S	260	108	4,0	6	7,0	014 / 014X	R	S	200	62	4,0	3	8,5
SCOOOL 2T	18	T	715X / 715	L	S	185	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
SCOOOL 2T	18	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
SCOOOL 2T	18	T									1570X	R	FIM	150	45	3,0	4	6,5
SM	01/07	F	022	L	F00,0	320	108	4,0	6	6,5	1057	R	S	220	108	3,5	6	6,5
SM	01/07	F	1204X	L	F00,0	318	108	4,0	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5
SM	01/07	F	1613	L	F00,0	320	108	5,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
SM	01/07	F	1613X	L	F00,0	318	108	5,0	6	6,5								
TX RANDONNÉ	12/16	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
TX RANDONNÉ	12/16	T									1570X	R	FIM	150	45	3,0	4	6,5
TXT GP LIMITED EDITION	17	T	715X	L	S	185	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
TXT RACING 2T	10/18	T	715X / 715	L	S	185	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
TXT RACING 2T	10/18	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
TXT RACING 2T	10/18	T									1570X	R	FIM	150	45	3,0	4	6,5
TXT REPLICA FACTORY	13	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
TXT REPLICA FACTORY	13	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
TXT REPLICA FACTORY	13	T									1570X	R	FIM	150	45	3,0	4	6,5
TXT PRO	02	T	413	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
TXT PRO	02	T									650SP	R	S	150	45	3,0	4	6,5
TXT PRO	02	T									1570X	R	FIM	150	45	3,0	4	6,5
TXT PRO	03	T	649	L	S	185	-	3,0	4	6,5	650 / 650X	R	S	150	45	3,0	4	6,5
TXT PRO	03	T									650SP	R	S	150	45	3,0	4	6,5
TXT PRO	03	T									1570X	R	FIM	150	45	3,0	4	6,5
TXT PRO 2T / RACING	04/17	T	715X / 715	L	S	185	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
TXT PRO 2T / RACING	04/17	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
TXT PRO 2T / RACING	04/17	T									1570X	R	FIM	150	45	3,0	4	6,5
160 c.c.											160 c.c.							
CONTACT GT / JT	93/95	T	332	L	S	185	103	3,5	-	-	030	R	S	170	103	3,5	-	-
CONTACT GT / JT	93/95	T	035	L	S	185	103	3,5	-	-								
CONTACT JTR	96	T	332	L	S	185	103	3,5	-	-	030	R	S	170	103	3,5	-	-
CONTACT JTR	96	T	035	L	S	185	103	3,5	-	-								
200 c.c.											200 c.c.							
CONTACT JTX	97	T	062	L	S	185	72	4,0	6	15,5	063	R	S	150	45	3,0	5	6,5
CONTACT TX	98	T	062	L	S	185	72	4,0	6	15,5	063	R	S	150	45	3,0	5	6,5
GAS GAS											GAS GAS							
200 c.c.											200 c.c.							
CONTACT TXT	99/01	T	021	L	S	185	72	3,0	6	15,5	370	R	S	130	46	3,5	5	6,5



EC 2T	18	E	731XK	L	S	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5	
EC 2T	18	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5	
EC 2T	18	E	1690X	L	F00,0	260	108	3,0	6	6,5									
EC HOBBY	08	E	731X / 731	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5	
EC HOBBY	08	E	731XK	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5	
EC HOBBY	08	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5	
EC HOBBY	08	E	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5	
EC HOBBY	08	E	1199XK09	L	KF	*270	108	3,5	6	6,5	821	R	T	220	108	4,0	6	6,5	
EC SIX DAYS 2T	10/11	E	731X / 731	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5	
EC SIX DAYS 2T	10/11	E	731XK	L	S	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5	
EC SIX DAYS 2T	10/11	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5	
EC SIX DAYS 2T	10/11	E	1690X	L	F00,0	260	108	3,0	6	6,5									
EC SIX DAYS 2T	10/11	E	1199XK09	L	KF	*270	108	3,5	6	6,5									
EC RACING 2T	12/15	E	731X / 731	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5	
EC RACING 2T	12/15	E	1199XK09	L	KF	*270	108	3,5	6	6,5									
ENDUCROSS EC	99/09	E	731X / 731	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5	
ENDUCROSS EC	99/09	E	731XK	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5	
ENDUCROSS EC	99/09	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5	
ENDUCROSS EC	99/09	E	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5	
ENDUCROSS EC	99/09	E	1199XK09	L	KF	*270	108	3,5	6	6,5	821	R	T	220	108	4,0	6	6,5	
TX RANDONNÉ	14/15	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5	
TX RANDONNÉ	14/15	T									650SP	R	S	150	45	3,0	4	6,5	
TX RANDONNÉ	14/15	T									1570X	R	FIM	150	45	3,0	4	6,5	
TXT PRO	02	T	413	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5	
TXT PRO	02	T									1570X	R	FIM	150	45	3,0	4	6,5	
TXT PRO	03	T	649	L	S	185	-	3,0	4	6,5	650 / 650X	R	S	150	45	3,0	4	6,5	
TXT PRO	03	T									650SP	R	S	150	45	3,0	4	6,5	
TXT PRO	03	T									1570X	R	FIM	150	45	3,0	4	6,5	
TXT PRO	04/07	T	413	L	S	185	-	3,0	4	15,5	389	R	S	150	45	3,0	4	6,5	
TXT PRO	04/07	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5	
TXT PRO	04/07	T									1570X	R	FIM	150	45	3,0	4	6,5	
XC 2T	18	E	731XK	L	S	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5	
XC 2T	18	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5	
XC 2T	18	E	1690X	L	F00,0	260	108	3,0	6	6,5									
250 c.c.											250 c.c.								
CONTACT 2T	15/17	T	715X / 715	L	S	185	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5	
CONTACT 2T	15/17	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5	
CONTACT 2T	15/17	T									1570X	R	FIM	150	45	3,0	4	6,5	
CONTACT ES EXCURSION	17	U	715X / 715	L	S	185	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5	
CONTACT ES EXCURSION	17	U	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5	
CONTACT ES EXCURSION	17	U									1570X	R	FIM	150	45	3,0	4	6,5	
CONTACT ESTART	18	U	715X / 715	L	S	185	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5	
CONTACT ESTART	18	U	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5	
CONTACT ESTART	18	U									1570X	R	FIM	150	45	3,0	4	6,5	
CONTACT GT	92	T	332	L	S	185	103	3,5	-	-	030	R	S	170	103	3,5	-	-	
CONTACT GT	92	T	035	L	S	185	103	3,5	-	-									
CONTACT JT / JTR	94/96	T	332	L	S	185	103	3,5	-	-	030	R	S	170	103	3,5	-	-	
CONTACT JT / JTR	94/96	T	035	L	S	185	103	3,5	-	-									
CONTACT JTX	97	T	062	L	S	185	72	4,0	6	15,5	063	R	S	150	45	3,0	5	6,5	
CONTACT T	93	T	332	L	S	185	103	3,5	-	-	030	R	S	170	103	3,5	-	-	
CONTACT T	93	T	035	L	S	185	103	3,5	-	-									
CONTACT TX	98	T	062	L	S	185	72	4,0	6	15,5	063	R	S	150	45	3,0	5	6,5	
CONTACT TXT	01	T	021	L	S	185	72	3,0	6	15,5	370	R	S	130	46	3,5	5	6,5	
CONTACT TXT	99/00	T	021	L	S	185	72	3,0	6	15,5	370	R	S	130	46	3,5	5	6,5	
GAS GAS											GAS GAS								
250 c.c.											250 c.c.								
DELTA GT	91	T	035 / 332	L	S	185	103	3,5	-	-	030	R	S	170	103	3,5	-	-	
EC 2T RACING / SIX DAYS	17/18	E	731XK	L	S	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5	



EC 2T RACING / SIX DAYS	17/18	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
EC 2T RACING / SIX DAYS	17/18	E	1690X	L	F00,0	260	108	3,0	6	6,5								
EC 2T / EC E 2T	96/15	E	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
EC 2T / EC E 2T	96/15	E	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
EC 2T / EC E 2T	96/15	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
EC 2T / EC E 2T	96/15	E	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
EC 2T / EC E 2T	96/15	E	1199XK09	L	KF	*270	108	3,5	6	6,5								
EC 4T CAMÍ	14/15	E	731X	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
EC 4T CAMÍ	14/15	E	731XK	L	S	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
EC 4T CAMÍ	14/15	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
EC 4T CAMÍ	14/15	E	1690X	L	F00,0	260	108	3,0	6	6,5								
EC 4T CAMÍ	14/15	E	1199XK09	L	KF	*270	108	3,5	6	6,5								
EC 2T CERVANTES REPLICA	11/12	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
EC 2T CERVANTES REPLICA	11/12	E	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
EC 4T / SIX DAYS 2T	10/11	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5
EC 4T / SIX DAYS 2T	10/11	E	1690X	L	F00,0	260	108	3,0	6	6,5								
EC 4T / SIX DAYS 2T	10/11	E	1199XK09	L	KF	*270	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
EC 4T R / EC R	12/15	E	731X	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
EC 4T R / EC R	12/15	E	731XK	L	S	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
EC 4T R / EC R	12/15	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
EC 4T R / EC R	12/15	E	1690X	L	F00,0	260	108	3,0	6	6,5								
EC 4T R / EC R	12/15	E	1199XK09	L	KF	*270	108	3,5	6	6,5								
EC R GUILLAUME	13	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5
EC R GUILLAUME	13	E	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
EC R FACTORY	13	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5
EC R FACTORY	13	E	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
ENDURO GP	18	E	1690X	L	F00,0	260	108	3,0	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
ENDURO GP	18	E									1057SP	R	S	220	108	3,5	6	6,5
ENDUCROSS TT	95/98	E	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
ENDUCROSS TT	95/98	E	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
ENDUCROSS TT	95/98	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
ENDUCROSS TT	95/98	E	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
ENDUCROSS TT	95/98	E	1199XK09	L	KF	*270	108	3,5	6	6,5	821	R	T	220	108	4,0	6	6,5
FSE EC 4T	99/00	E	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
FSE EC 4T	99/00	E	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
FSE EC 4T	99/00	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
FSE EC 4T	99/00	E	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
FSE EC 4T	99/00	E	1199XK09	L	KF	*270	108	3,5	6	6,5	821	R	T	220	108	4,0	6	6,5
MC	98/08	M	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
MC	98/08	M	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
MC	98/08	M	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
MC	98/08	M	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
MC	98/08	M	1199XK09	L	KF	*270	108	3,5	6	6,5	821	R	T	220	108	4,0	6	6,5
PAMPERA	95/96	U	332	L	S	185	103	3,5	-	-	030	R	S	170	103	3,5	-	-
PAMPERA	95/96	U	035	L	S	185	103	3,5	-	-								
PAMPERA	98	U	033	L	S	240	72	3,5	6	15,8	032	R	S	180	45	3,5	5	6,5
PAMPERA	02/05	U	385	L	S	260	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5
RAGA	10/11	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
RAGA	10/11	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
RAGA	10/11	T									1570X	R	FIM	150	45	3,0	4	6,5
SM	01/05	F	022	L	F00,0	320	108	4,0	6	6,5	1057	R	S	220	108	3,5	6	6,5
SM	01/05	F	1204X	L	F00,0	318	108	4,0	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5
SM	01/05	F	1613	L	F00,0	320	108	5,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
SM	01/05	F	1613X	L	F00,0	318	108	5,0	6	6,5								

GAS GAS

250 c.c.

TRIAL	89/91	T		332	L	S	185	103	3,5	-	-		030	R	S	170	103	3,5	-	-
TRIAL	89/91	T		035	L	S	185	103	3,5	-	-									
TXT CONTACT	15	T		715 / 715X	L	S	185	-	3,0	4	15,5		650 / 650X	R	S	150	45	3,0	4	6,5
TXT CONTACT	15	T		715SP	L	S	185	-	3,0	4	15,5		650SP	R	S	150	45	3,0	4	6,5

GAS GAS

250 c.c.



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø		REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø
TXT CONTACT	15	T										1570X	R	FIM	150	45	3,0	4	6,5
TXT GP LIMITED EDITION	18	T	715X	L	S	185	-	3,0	4	15,5		1570X	R	FIM	150	45	3,0	4	6,5
TXT PRO	02	T	413	L	S	185	-	3,0	4	15,5		650 / 650X	R	S	150	45	3,0	4	6,5
TXT PRO	02	T										650SP	R	S	150	45	3,0	4	6,5
TXT PRO	03	T	649	L	S	185	-	3,0	4	6,5		650 / 650X	R	S	150	45	3,0	4	6,5
TXT PRO	03	T										650SP	R	S	150	45	3,0	4	6,5
TXT PRO / REP. FACTORY	04/13	T	715 / 715X	L	S	185	-	3,0	4	15,5		650 / 650X	R	S	150	45	3,0	4	6,5
TXT PRO / REP. FACTORY	04/13	T	715SP	L	S	185	-	3,0	4	15,5		650SP	R	S	150	45	3,0	4	6,5
TXT PRO / REP. FACTORY	04/13	T										1570X	R	FIM	150	45	3,0	4	6,5
TXT PRO 2T / RACING 2T	14/18	T	715X / 715	L	S	185	-	3,0	4	15,5		650X / 650	R	S	150	45	3,0	4	6,5
TXT PRO 2T / RACING 2T	14/18	T	715SP	L	S	185	-	3,0	4	15,5		650SP	R	S	150	45	3,0	4	6,5
TXT PRO 2T / RACING 2T	14/18	T										1570X	R	FIM	150	45	3,0	4	6,5
TXT RAGA REPLICA	12/13	T	715 / 715X	L	S	185	-	3,0	4	15,5		650 / 650X	R	S	150	45	3,0	4	6,5
TXT RAGA REPLICA	12/13	T	715SP	L	S	185	-	3,0	4	15,5		650SP	R	S	150	45	3,0	4	6,5
TXT RAGA REPLICA	12/13	T										1570X	R	FIM	150	45	3,0	4	6,5
XC 2T	18	E	731XK	L	S	260	108	3,5	6	6,5		1057XK	R	S	220	108	4,0	6	6,5
XC 2T	18	E	1288X	L	F00,0	260	108	3,5	6	6,5		1057SP	R	S	220	108	3,5	6	6,5
XC 2T	18	E	1690X	L	F00,0	260	108	3,0	6	6,5									
270 c.c.											270 c.c.								
CONTACT JTR	96	T	332	L	S	185	103	3,5	-	-		030	R	S	170	103	3,5	-	-
CONTACT JTR	96	T	035	L	S	185	103	3,5	-	-									
CONTACT JTX / TXT	97/98	T	062	L	S	185	72	4,0	6	15,5		063	R	S	150	45	3,0	5	6,5
CONTACT TXT	99	T	021	L	S	185	72	3,0	6	15,5		370	R	S	130	46	3,5	5	6,5
280 c.c.											280 c.c.								
CONTACT 2T	17	T	715X / 715	L	S	185	-	3,0	4	15,5		650X / 650	R	S	150	45	3,0	4	6,5
CONTACT 2T	17	T	715SP	L	S	185	-	3,0	4	15,5		650SP	R	S	150	45	3,0	4	6,5
CONTACT 2T	17	T										1570X	R	FIM	150	45	3,0	4	6,5
CONTACT ESTART	18	U	715X / 715	L	S	185	-	3,0	4	15,5		650X / 650	R	S	150	45	3,0	4	6,5
CONTACT ESTART	18	U	715SP	L	S	185	-	3,0	4	15,5		650SP	R	S	150	45	3,0	4	6,5
CONTACT ESTART	18	U										1570X	R	FIM	150	45	3,0	4	6,5
CONTACT TXT	00/01	T	021	L	S	185	72	3,0	6	15,5		370	R	S	130	46	3,5	5	6,5
PAMPERA	03/05	U	385	L	S	260	108	3,5	6	6,5		115	R	S	200	62	3,5	3	10,5
TXT GP LIMITED EDITION	18	T	715X	L	S	185	-	3,0	4	15,5		1570X	R	FIM	150	45	3,0	4	6,5
TXT PRO 2T / RACING 2T	02/18	T	715X / 715	L	S	185	-	3,0	4	15,5		650X / 650	R	S	150	45	3,0	4	6,5
TXT PRO 2T / RACING 2T	02/18	T	715SP	L	S	185	-	3,0	4	15,5		650SP	R	S	150	45	3,0	4	6,5
TXT PRO 2T / RACING 2T	02/18	T										1570X	R	FIM	150	45	3,0	4	6,5
TXT REPLICA FACTORY	13	T	715 / 715X	L	S	185	-	3,0	4	15,5		650 / 650X	R	S	150	45	3,0	4	6,5
TXT REPLICA FACTORY	13	T	715SP	L	S	185	-	3,0	4	15,5		650SP	R	S	150	45	3,0	4	6,5
TXT REPLICA FACTORY	13	T										1570X	R	FIM	150	45	3,0	4	6,5
300 c.c.											300 c.c.								
EC 2T SIX DAYS / RACING	17/18	E	731XK	L	S	260	108	3,5	6	6,5		1057XK	R	S	220	108	4,0	6	6,5
EC 2T SIX DAYS / RACING	17/18	E	1288X	L	F00,0	260	108	3,5	6	6,5		1057SP	R	S	220	108	3,5	6	6,5
EC 2T SIX DAYS / RACING	17/18	E	1690X	L	F00,0	260	108	3,0	6	6,5									
EC / EC NANBOLIN	99/14	E	731 / 731X	L	S	260	108	3,5	6	6,5		1057	R	S	220	108	3,5	6	6,5
EC / EC NANBOLIN	99/14	E	731XK	L	S	260	108	3,5	6	6,5		1057X	R	S	220	108	4,0	6	6,5
EC / EC NANBOLIN	99/14	E	1288X	L	F00,0	260	108	3,5	6	6,5		1057XK	R	S	220	108	4,0	6	6,5
EC / EC NANBOLIN	99/14	E	1690X	L	F00,0	260	108	3,0	6	6,5		1057SP	R	S	220	108	3,5	6	6,5
EC / EC NANBOLIN	99/14	E	1199XK09	L	KF	*270	108	3,5	6	6,5									
EC 4T RACING	12/15	E	731X / 731	L	S	260	108	3,5	6	6,5		1057X	R	S	220	108	4,0	6	6,5
EC 4T RACING	12/15	E	731XK	L	S	260	108	3,5	6	6,5		1057	R	S	220	108	3,5	6	6,5
EC 4T RACING	12/15	E	1288X	L	F00,0	260	108	3,5	6	6,5		1057XK	R	S	220	108	4,0	6	6,5
EC 4T RACING	12/15	E	1690X	L	F00,0	260	108	3,0	6	6,5		1057SP	R	S	220	108	3,5	6	6,5
EC 4T RACING	12/15	E	1199XK09	L	KF	*270	108	3,5	6	6,5									
GAS GAS 300 c.c.											GAS GAS 300 c.c.								
EC E / F	14/15	E	731X / 731	L	S	260	108	3,5	6	6,5		1057X	R	S	220	108	4,0	6	6,5
EC E / F	14/15	E	731XK	L	S	260	108	3,5	6	6,5		1057	R	S	220	108	3,5	6	6,5
EC E / F	14/15	E	1288X	L	F00,0	260	108	3,5	6	6,5		1057XK	R	S	220	108	4,0	6	6,5
EC E / F	14/15	E	1690X	L	F00,0	260	108	3,0	6	6,5		1057SP	R	S	220	108	3,5	6	6,5
EC E / F	14/15	E	1199XK09	L	KF	*270	108	3,5	6	6,5									
EC 2T SIX DAYS / RACING	10/15	E	731X / 731	L	S	260	108	3,5	6	6,5		1057X	R	S	220	108	4,0	6	6,5



EC 2T SIX DAYS / RACING	10/15	E	731XK	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
EC 2T SIX DAYS / RACING	10/15	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
EC 2T SIX DAYS / RACING	10/15	E	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
EC 2T SIX DAYS / RACING	10/15	E	1199XK09	L	KF	*270	108	3,5	6	6,5								
EC REPLICA FACTORY	13	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5
EC REPLICA FACTORY	13	E	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
EC REPLICA GUILLAUME	13	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5
EC REPLICA GUILLAUME	13	E	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
ENDURO GP	18	E	1690X	L	F00,0	260	108	3,0	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
ENDURO GP	18	E									1057SP	R	S	220	108	3,5	6	6,5
TXT GP LIMITED EDITION	18	T	715X	L	S	185	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
TXT PRO 2T / RACING 2T	14/18	T	715X / 715	L	S	185	-	3,0	4	15,5	650X / 650	R	S	150	45	3,0	4	6,5
TXT PRO 2T / RACING 2T	14/18	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
TXT PRO 2T / RACING 2T	14/18	T									1570X	R	FIM	150	45	3,0	4	6,5
TXT REPLICA FACTORY	13	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
TXT REPLICA FACTORY	13	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
TXT REPLICA FACTORY	13	T									1570X	R	FIM	150	45	3,0	4	6,5
TXT GP LIMITED EDITION	18	T	715X	L	S	185	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
XC 2T	18	E	731XK	L	S	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
XC 2T	18	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
XC 2T	18	E	1690X	L	F00,0	260	108	3,0	6	6,5								
320 c.c.										320 c.c.								
CONTACT GT	91/93	T	332	L	S	185	103	3,5	-	-	030	R	S	170	103	3,5	-	-
CONTACT GT	91/93	T	035	L	S	185	103	3,5	-	-								
CONTACT JTX / TX	97/98	T	062	L	S	185	72	4,0	6	15,5	063	R	S	150	45	3,0	5	6,5
CONTACT TXT	99/01	T	021	L	S	185	72	3,0	6	15,5	370	R	S	130	46	3,5	5	6,5
DELTA GT	91/93	T	332	L	S	185	103	3,5	-	-	030	R	S	170	103	3,5	-	-
DELTA GT	91/93	T	035	L	S	185	103	3,5	-	-								
TXT PRO	02	T	413	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
TXT PRO	02	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
TXT PRO	02	T									1570X	R	FIM	150	45	3,0	4	6,5
330 c.c.										330 c.c.								
TRIAL	88/91	T	332	L	S	185	103	3,5	-	-	030	R	S	170	103	3,5	-	-
TRIAL	88/91	T	035	L	S	185	103	3,5	-	-								
350 c.c.										350 c.c.								
TXT FOUR STROKE	08	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
TXT FOUR STROKE	08	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
TXT FOUR STROKE	08	T									1570X	R	FIM	150	45	3,0	4	6,5
370 c.c.										370 c.c.								
CONTACT JTR	96	T	332	L	S	185	103	3,5	-	-	030	R	S	170	103	3,5	-	-
CONTACT JTR	96	T	035	L	S	185	103	3,5	-	-								
PAMPERA	98	U	033	L	S	240	72	3,5	6	15,8	032	R	S	180	45	3,5	5	6,5
400 c.c.										400 c.c.								
ENDUCROSS EC FSE	01/03	E	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
ENDUCROSS EC FSE	01/03	E	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
ENDUCROSS EC FSE	01/03	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
ENDUCROSS EC FSE	01/03	E	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
ENDUCROSS EC FSE	01/03	E	1199XK09	L	KF	*270	108	3,5	6	6,5	821	R	T	220	108	4,0	6	6,5
PAMPERA	06/07	U	-	-	-	-	-	-	-	-	1057	R	S	220	108	3,5	6	6,5
PAMPERA	06/07	U									1057X	R	S	220	108	4,0	6	6,5
PAMPERA	06/07	U									1057SP	R	S	220	108	3,5	6	6,5
GAS GAS										GAS GAS								
400 c.c.										400 c.c.								
SM FSE	01	F	022	L	F00,0	320	108	4,0	6	6,5	1057	R	S	220	108	3,5	6	6,5
SM FSE	01	F	1204X	L	F00,0	318	108	4,0	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5
SM FSE	01	F	1613	L	F00,0	320	108	5,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
SM FSE	01	F	1613X	L	F00,0	318	108	5,0	6	6,5								
VENTURO 400 4T	17	T	-	L	S	250	-	-	-	-	-	R	S	220	-	-	-	-
450 c.c.										450 c.c.								
ENDUCROSS EC FSE	02/05	E	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø
ENDUCROSS EC FSE	02/05	E	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
ENDUCROSS EC FSE	02/05	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
ENDUCROSS EC FSE	02/05	E	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
ENDUCROSS EC FSE	02/05	E	1199XK09	L	KF	*270	108	3,5	6	6,5	821	R	T	220	108	4,0	6	6,5
EC RAID	15	E	1204X	L	F00,0	318	108	4,0	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5
EC RAID	15	E									1057SP	R	S	220	108	3,5	6	6,5
EC F 4T RACING	06/15	E	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
EC F 4T RACING	06/15	E	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
EC F 4T RACING	06/15	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
EC F 4T RACING	06/15	E	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
EC F 4T RACING	06/15	E	1199XK09	L	KF	*270	108	3,5	6	6,5								
EC F REPLICAS CERVANTES	13	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5
EC F REPLICAS CERVANTES	13	E	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
FSE SM	01/05	F	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
FSE SM	01/05	F	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
FSE SM	01/05	F	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
FSE SM	01/05	F	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
FSE SM	01/05	F	1199XK09	L	KF	*270	108	3,5	6	6,5	821	R	T	220	108	4,0	6	6,5
HALLEY R 4T	08	E	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
SM 4T	08	F	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
SM FSR	07/08	F	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
SM FSR	07/08	F	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
SM FSR	07/08	F	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
SM FSR	07/08	F	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
SM FSR	07/08	F	1199XK09	L	KF	*270	108	3,5	6	6,5	821	R	T	220	108	4,0	6	6,5
PAMPERA 4T	07	U	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
PAMPERA 4T	07	U	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
PAMPERA 4T	07	U	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
PAMPERA 4T	07	U	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
PAMPERA 4T	07	U	1199XK09	L	KF	*270	108	3,5	6	6,5	821	R	T	220	108	4,0	6	6,5
515 c.c.											515 c.c.							
EC FSR 4T	08/09	E	731 / 731X	L	S	260	108	3,5	6	6,5	1057	R	S	220	108	3,5	6	6,5
EC FSR 4T	08/09	E	731XK	L	S	260	108	3,5	6	6,5	1057X	R	S	220	108	4,0	6	6,5
EC FSR 4T	08/09	E	1288X	L	F00,0	260	108	3,5	6	6,5	1057XK	R	S	220	108	4,0	6	6,5
EC FSR 4T	08/09	E	1690X	L	F00,0	260	108	3,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
EC FSR 4T	08/09	E	1199XK09	L	KF	*270	108	3,5	6	6,5	821	R	T	220	108	4,0	6	6,5
SM FSR	08/09	F	022	L	F00,0	320	108	4,0	6	6,5	1057	R	S	220	108	3,5	6	6,5
SM FSR	08/09	F	1204X	L	F00,0	318	108	4,0	6	6,5	1057X / 1057XK	R	S	220	108	4,0	6	6,5
SM FSR	08/09	F	1613	L	F00,0	320	108	5,0	6	6,5	1057SP	R	S	220	108	3,5	6	6,5
SM FSR	08/09	F	1613X	L	F00,0	318	108	5,0	6	6,5								
CFMOTO											CFMOTO							
650 c.c.											650 c.c.							
TK ABS / TK G ABS	16	R	-	L/R	F00,0	-	-	-	-	-	-	R	S	-	-	-	-	-
NK ABS	16	N	-	L/R	F00,0	-	-	-	-	-	-	R	S	-	-	-	-	-
GILERA											GILERA							
50 c.c.											50 c.c.							
CANNIBAL	96/98	A	003	L	S	220	108	4,0	6	6,5	227	R	S	184	60	4,0	6	8,5
CANNIBAL	96/98	A	026	L	S	220	108	4,0	6	6,5								
COGUAR	86	A	1001	L	S	260	125	5,0	5	6,5	Drum	-	-	-	-	-	-	-
DNA	00/05	H	1071	L	S	240	125	4,0	5	6,5	610	L	S	200	96,5	4,0	5	6,5
GILERA											GILERA							
50 c.c.											50 c.c.							
DNA	06/07	H	638 / xxxX	L	S	240	125	4,5	5	6,5	610	R	S	200	96,5	4,0	5	6,5
DNA GP EXPERIENCE	03/04	H	1071	L	S	240	125	4,0	5	6,5	610	R	S	200	96,5	4,0	5	6,5
EASY MOVING	95/97	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
EASY MOVING	95/97	S	727	L	SO	*180	40,6	3,5	3	10,5								
GSM / H @ K	99/01	A	003	L	S	220	108	4,0	6	6,5	227	R	S	184	60	4,0	6	8,5
GSM / H @ K	99/01	A	026	L	S	220	108	4,0	6	6,5								
ICE	01/05	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
ICE	01/05	S	610F	L	F00,0	200	96,5	4,0	5	6,5								

NG Brake Disc		YEAR	MODEL TYPE	FRONT REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REAR REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
NRG	94	S		023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-
NRG	94	S		1022 / 1022X	L	MD	190	58	3,7	3	MH								
OFF ROAD	97	A		003	L	S	220	108	4,0	6	6,5	-	-	-	-	-	-	-	-
OFF ROAD	97	A		026	L	S	220	108	4,0	6	6,5								
R	97/98	A		003	L	S	220	108	4,0	6	6,5	-	-	-	-	-	-	-	-
R	97/98	A		026	L	S	220	108	4,0	6	6,5								
RCR	05	A		193 / 193X	L	S	260	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
RCR	05	A										089X	R	S	180	62	3,8	3	10,5
RCR	11	A		193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
RCR	11	A		868	L	T	260	108	3,5	6	6,5	843	R	T	218	62	3,5	3	10,5
RK	96	A		003	L	S	220	108	4,0	6	6,5	-	-	-	-	-	-	-	-
RK	96	A		026	L	S	220	108	4,0	6	6,5								
RT FUN	90/94	A		003	L	S	220	108	4,0	6	6,5	-	-	-	-	-	-	-	-
RT FUN	90/94	A		026	L	S	220	108	4,0	6	6,5								
RUNNER	96/97	S		612	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-
RUNNER	00/03	S		365	L	S	220	58	4,0	5	6,5	366	L	S	175	73	4,0	5	6,5
RUNNER / BLACK SOUL	09/16	S		1090 / 1090X	L	S	240	105	4,5	6	6,5	113 / 113X	L	S	220	105	4,0	6	6,5
RUNNER	98	S		365	L	S	220	58	4,0	5	6,5	191	C	S	174	66	4,0	5	6,5
RUNNER	00/04	S		365	L	S	220	58	4,0	5	6,5	366	L	S	175	73	4,0	5	6,5
RUNNER JET / REPLICA	03	S		612	L	S	220	58	4,0	5	6,5	366	L	S	175	73	4,0	5	6,5
RUNNER PUREJET	02	S		113 / 113X	L	S	220	105	4,0	6	6,5	366	L	S	175	73	4,0	5	6,5
RUNNER PUREJET	05/11	S		113 / 113X	L	S	220	105	4,0	6	6,5	-	-	-	-	-	-	-	-
RUNNER 2T	14/16	S		113 / 113X	L	S	220	105	4,0	6	6,5	233	R	S	175	73	4,0	5	6,5
RUNNER 2T	17	S		1090 / 1090X	L	S	240	105	4,5	6	6,5	233	R	S	175	73	4,0	5	6,5
RUNNER SP	98/99	S		365	L	S	220	58	4,0	5	6,5	191	C	S	174	66	4,0	5	6,5
RUNNER SP	00/08	S		365	L	S	220	58	4,0	5	6,5	366	L	S	175	73	4,0	5	6,5
RUNNER SP	12	S		113 / 113X	L	S	220	105	4,0	6	6,5	366	L	S	175	73	4,0	5	6,5
RUNNER ST	98	S		612	L	S	220	58	4,0	5	6,5	-	-	-	-	-	-	-	-
SCUADRA CORSE	06	H		1103	L	F00,0	300	90	4,0	6	6,5	802	R	T	180	57	4,0	6	6,5
SCUADRA CORSE	06	H		801	L	T	300	90	4,0	6	6,5								
SCUADRA CORSE	06	H		1068	L	F00,0	300	90	4,0	6	6,5								
SMT	05	A		193 / 193X	L	S	260	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
SMT	05	A										089X	R	S	180	62	3,8	3	10,5
SMT / SMT RACING	11	A		193	L	S	260	108	3,5	6	6,5	099	R	S	220	57	4,0	6	6,5
SMT / SMT RACING	11	A		840	L	T	260	108	3,5	6	6,5	8021	R	T	218	57	3,5	6	6,5
STALKER DD	97/01	S		023	L	S	190	58	3,5	3	8,5	233	L	S	175	73	4,0	5	6,5
STALKER DD	97/01	S		1022 / 1022X	L	MD	190	58	3,7	3	MH	366	L	S	175	73	4,0	5	6,5
STALKER DT	97/05	S		023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-
STALKER DT	97/05	S		1022 / 1022X	L	MD	190	58	3,7	3	MH								
STORM	94/97	S		303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
STORM	94/97	S		1022 / 1022X	L	MD	190	58	3,7	3	MH								
SURFER TT	99/02	A		003	L	S	220	108	4,0	6	6,5	Drum	-	-	-	-	-	-	-
SURFER TT	99/02	A		026	L	S	220	108	4,0	6	6,5								
TYPHOON	94/00	S		303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
TYPHOON	94/00	S		1022 / 1022X	L	MD	190	58	3,7	3	MH								
TYPHOON	11	S		365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-
TYPHOON BENETTON	97	S		303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
TYPHOON BENETTON	97	S		1022 / 1022X	L	MD	190	58	3,7	3	MH								
GILERA 50 c.c.																			
TYPHOON MARTINI	97	S		303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
TYPHOON MARTINI	97	S		1022 / 1022X	L	MD	190	58	3,7	3	MH								
TYPHOON X	98/99	S		303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
TYPHOON X	98/99	S		1022 / 1022X	L	MD	190	58	3,7	3	MH								
TYPHOON X-R	00	S		303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
TYPHOON X-R	00	S		1022 / 1022X	L	MD	190	58	3,7	3	MH								
ZULU	01	A		003	L	S	220	108	4,0	6	6,5	227	R	S	184	60	4,0	6	8,5
ZULU	01	A		026	L	S	220	108	4,0	6	6,5								
80 c.c.																			
TYPHOON	95/99	S		303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-



MODEL	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø
TYPHOON																		
125 c.c.	95/99	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
125 c.c.																		
COGUAR	99	R	1001	L	S	260	125	5,0	5	6,5	Drum	-	-	-	-	-	-	-
DNA	00/03	R	1071	L	S	240	125	4,0	5	6,5	1071	R	S	240	125	4,0	5	6,5
GFR	93/94	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
GFR	93/94	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
KK / KZ	86	R	707	L	S	240	89,6	4,0	6	6,5	707	R	S	240	89,6	4,0	6	6,5
NEXUS / NEXUS i.e.	07/15	S	1001	L	S	260	125	5,0	5	6,5	1071	L	S	240	125	4,0	5	6,5
RUNNER	08	S	1090 / 1090X	L	S	240	105	4,5	6	6,5	-	-	-	-	-	-	-	-
RUNNER 4T	05	S	113 / 113X	L	S	220	105	4,0	6	6,5	113 / 113X	L	S	220	105	4,0	6	6,5
RUNNER FX / FX SP / SP	97/05	S	365	L	S	220	58	4,0	5	6,5	1071	L	S	240	125	4,0	5	6,5
RUNNER ST	08/13	S	1090 / 1090X	L	S	240	105	4,5	6	6,5	113 / 113X	L	S	220	105	4,0	6	6,5
RUNNER VX	00/05	S	365	L	S	220	58	4,0	5	6,5	610	R	S	200	96,5	4,0	5	6,5
RUNNER VX	06/07	S	1090 / 1090X	L	S	240	105	4,5	6	6,5	113 / 113X	L	S	220	105	4,0	6	6,5
RUNNER VXR 4T	02/05	S	113 / 113X	L	S	220	105	4,0	6	6,5	610	L	S	200	96,5	4,0	5	6,5
RUNNER VXR 4T	06/11	S	1090 / 1090X	L	S	240	105	4,5	6	6,5	113 / 113X	L	S	220	105	4,0	6	6,5
RUNNER / BLACK SOUL	09/16	S	1090 / 1090X	L	S	240	105	4,5	6	6,5	113 / 113X	L	S	220	105	4,0	6	6,5
SCUADRA CORSE	06	S	801	L	T	300	90	4,0	6	6,5	802	R	T	180	57	4,0	6	6,5
SCUADRA CORSE	06	S	1103	L	F00,0	300	90	4,0	6	6,5								
SCUADRA CORSE	06	S	1068	L	F00,0	300	90	4,0	6	6,5								
SKIPPER LX	98/99	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-
SKR ST 4T	00	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-
TYPHOON	95/00	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
TYPHOON	95/00	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
TYPHOON 4T	11	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-
TYPHOON X-R	00	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	Drum	-	-	-	-	-	-	-
150 c.c.																		
SKIPPER LX	98/99	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-
SKR ST 4T	00	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-
180 c.c.																		
DNA	00/03	S	1071	L	S	240	125	4,0	5	6,5	1071	R	S	240	125	4,0	5	6,5
RUNNER 4T	05	S	113 / 113X	L	S	220	105	4,0	6	6,5	113 / 113X	L	S	220	105	4,0	6	6,5
RUNNER FXR	98/05	S	365	L	S	220	58	4,0	5	6,5	1071	L	S	240	125	4,0	5	6,5
RUNNER FXR SP	99/00	S	365	L	S	220	58	4,0	5	6,5	638	L	S	240	125	4,5	5	6,5
RUNNER SP	99/05	S	365	L	S	220	58	4,0	5	6,5	1071	L	S	240	125	4,0	5	6,5
RUNNER VXR	00/03	S	365	L	S	220	58	4,0	5	6,5	610	L	S	200	96,5	4,0	5	6,5
200 c.c.																		
HERCULES	02	S	-	-	-	-	-	-	-	-	1071	L	S	240	125	4,0	5	6,5
RUNNER SP	01/02	S	-	-	-	-	-	-	-	-	1071	L	S	240	125	4,0	5	6,5
RUNNER VXR	02/03	S	365	L	S	220	58	4,0	5	6,5	113 / 113X	L	S	220	105	4,0	6	6,5
RUNNER VXR	04/05	S	113 / 113X	L	S	220	105	4,0	6	6,5	113 / 113X	L	S	220	105	4,0	6	6,5
RUNNER VXR	06/08	S	1090 / 1090X	L	S	240	105	4,5	6	6,5	113 / 113X	L	S	220	105	4,0	6	6,5
250 c.c.																		
NEXUS	06/08	S	1071	L	S	240	125	4,0	5	6,5	1071	L	S	240	125	4,0	5	6,5
300 c.c.																		
NEXUS HENGTONG	08/11	S	1071	L	S	240	125	4,0	5	6,5	1071	L	S	240	125	4,0	5	6,5
NEXUS i.e.	08/14	S	1001	L	S	260	125	5,0	5	6,5	1071	L	S	240	125	4,0	5	6,5
GILERA																		
500 c.c.																		
FUOCO i.e. / LT	07/17	S	1090 / 1090X	L/R	S	240	105	4,5	6	6,5	638 / xxxX	L	S	240	125	4,5	5	6,5
NEXUS / i.e. SP	04/15	S	1001	L/R	S	260	125	5,0	5	6,5	1071	L	S	240	125	4,0	5	6,5
600 c.c.																		
SUPERSPORT	02	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SUPERSPORT	02	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
XRT	91	U	136	R	S	230	-	4,5	6	10,5	-	-	-	-	-	-	-	-
800 c.c.																		
GP	08/13	S	1351	L/R	S	300	145	5,0	5	13,7	1352	L	S	280	142	5,0	5	13,7
GOES																		
50 c.c.																		
G RT	13/16	S	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-
125 c.c.																		
G GT Efi / NAKED	17	S-N	-	R	S	-	-	-	-	-	-	R	S	-	-	-	-	-



GL / GRT	13/17	S	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-
G MAX	13/17	S	-	L	S	-	-	-	-	-	-	R	S	-	-	-	-	-

GOVECS

ELECTRIC

GO! MODELS

S1.2 / 1.4 / 2.4 / 3.4	10/14	SV	1453X	L	S	160	60	4,0	3	9,5	Drum	-	-	-	-	-	-	-
S1.5 / 2.4 / 2.5 / 2.6 / 3.4 /	15/17	SV	1616X	L	S	180	60	4,0	3	9,5	1617X	L	S	165	60	4,0	3	9,5
T1.2 / 2.4 / 3.4	11/14	SV	1022X / 1022	L	MD	190	58	3,7	3	MH	Drum	-	-	-	-	-	-	-
T1.4	13/14	SV	1022X / 1022	L	MD	190	58	3,7	3	MH	Drum	-	-	-	-	-	-	-
T3.4	15/17	SV	1616X	L	S	180	60	4,0	3	9,5	Drum	-	-	-	-	-	-	-

HANWAY

50 c.c.

RAW CAFÉ	16/17	D	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-
TOURER	14/17	S	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-

125 c.c.

RAW / RAW CAFÉ	16/17	D	1654G	L	F11,7	298	121,8	4,0	4	10,5	1418 / 1418X	R	S	220	58	4,0	4	10,5
RAW CAFÉ RACER	16/17	D	1654G	L	F11,7	298	121,8	4,0	4	10,5	1418 / 1418X	R	S	220	58	4,0	4	10,5
RAW SR CHROME / SPORT	16/17	D	1654G	L	F11,7	298	121,8	4,0	4	10,5	1418 / 1418X	R	S	220	58	4,0	4	10,5
RAW SR SCRAMBLER	16/17	D	1654G	L	F11,7	298	121,8	4,0	4	10,5	1418 / 1418X	R	S	220	58	4,0	4	10,5
TOURER	14/17	S	-	L	S	-	-	-	-	-	-	-	-	-	-	-	-	-
STR	18	U	xxxxX	L	S	275	121,8	4,0	4	10,5	xxxxX	R	S	210	58	4,0	4	10,5
X-RAY	16/18	F	xxxxX	L	S	275	121,8	4,0	4	10,5	xxxxX	R	S	210	58	4,0	4	10,5

250 c.c.

RAW CAFÉ / CAFÉ RACER	17	D	1654G	L	F11,7	298	121,8	4,0	4	10,5	1418 / 1418X	R	S	220	58	4,0	4	10,5
SCRAMBLER	17	D	1654G	L	F11,7	298	121,8	4,0	4	10,5	1418 / 1418X	R	S	220	58	4,0	4	10,5

HARLEY DAVIDSON

1. STREET - 494 / 750 cc

XG STREET ROD

2. SPORTSTER - 883 / 1450 cc

IRON, SUPERLOW, CUSTOM, FORTY-EIGHT, ROADSTER

3. DYNA - 1200 / 1890 cc

DYBA STREET BOB, DYNA LOW RIDER, DYNA WIDE GLIDE, DYNA FAT BOB

4. SOFTAIL - 1340 / 1868 cc

STREET BOB, SOFTAIL SLIM, BREAKOUT, FAT BOB, FAT BOY, SOFTAIL, DE LUXE, LOW RIDER, HERITAGE CLASSIC

5. V-ROD - 1130 / 1250 cc

NIGHT ROD, V-ROD MUSCLE

6. TOURING - 1340 / 1868 cc

ROAD KING, STREET GLIDE, ROAD GLIDE, ULTRA LIMITED

7. CVO - 1745 / 1923 c.c.

PRO STREET BREAKOUT, STREET GLIDE, LIMITED

8. TRIKE - 1690 - 1745 c.c.

FREEWHEELER, TRI GLIDE ULTRA

HARLEY DAVIDSON

NOTAS / NOTES:

C.W.: Cast wheels / S.W.: Spokes wheels

494 c.c.

1. STREET MODELS

STREET ROD XG, XG A

XG STREET 500	14/15	CVT	1494E	L	S	292	56,3	5,5	5	8,5	1532	R	S	260	56,3	5,5	5	10,5
XG STREET 500	16/17	CVT	1527	L	S	300	56,3	6,0	5	8,5	1525	R	S	300	56,3	6,2	5	10,5

750 c.c.

A ROD	16/18	CVT	1527	L/R	S	300	56,3	6,0	5	8,5	1525	R	S	300	56,3	6,2	5	10,5
DEPOTENZIADA	15	CVT	1494E	L	S	292	56,3	5,5	5	8,5	1532	R	S	260	56,3	5,5	5	10,5
STREET	14/15	CVT	1494E	L	S	292	56,3	5,5	5	8,5	1532	R	S	260	56,3	5,5	5	10,5
STREET	16/18	CVT	1527	L	S	300	56,3	6,0	5	8,5	1525	R	S	300	56,3	6,2	5	10,5

2. SPORTSTER MODELS

FXE, FXLR, FXR, FXRS, FXRT, XL, XLH, XLCH, XLS, XLX, XR

883 c.c.



R-XL	00/03	CVT	1494	L/R	S	292	56,3	5,0	5	8,5	1247	L	S	292	56,3	5,0	5	10,5
R-XL	00/03	CVT	735	R	S	292	56,3	5,0	5	8,5								
R-XL	00/03	CVT	736	L	S	292	56,3	5,0	5	8,5								
R-XL	00/03	CVT	679	L/R	F00,0	292	56,3	5,0	5	8,5								
SERIES	84/98	CVT	420	L/R	F00,0	292	50,8	5,0	5	8,5	678	L	S	292	50,8	5,8	5	8,5
SERIES	84/98	CVT									742	R	S	292	50,8	5,8	5	8,5
XL	93	CVT	1004	L	S	292	50,8	5,0	5	10,5	-	-	-	-	-	-	-	-
XL	93	CVT	1376X	L	F00,0	292	50,8	5,0	5	10,5								
XL 50th ANNIVERSARY	07	CVT	1494	L	S	292	56,3	5,0	5	8,5	1246	L	S	260	56,3	6,0	5	10,5
XL 50th ANNIVERSARY	07	CVT	736	L	S	292	56,3	5,0	5	8,5								
XL 50th ANNIVERSARY	07	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
XL 53C CUSTOM	00/03	CVT	1494	L	S	292	56,3	5,0	5	8,5	1247	L	S	292	56,3	5,0	5	10,5
XL 53C CUSTOM	00/03	CVT	736	L	S	292	56,3	5,0	5	8,5								
XL 53C CUSTOM	00/03	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
XL CUSTOM	04/10	CVT	1494	L	S	292	56,3	5,0	5	8,5	1247	L	S	292	56,3	5,0	5	10,5
XL CUSTOM	04/10	CVT	735	L	S	292	56,3	5,0	5	8,5								
XL CUSTOM	04/10	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
XL HUGGER	00/03	CVT	1494	L	S	292	56,3	5,0	5	8,5	1246	L	S	260	56,3	6,0	5	10,5
XL HUGGER	00/03	CVT	736	L	S	292	56,3	5,0	5	8,5								
XL HUGGER	00/03	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
XL L	04/14	CVT	1494	L	S	292	56,3	5,0	5	8,5	1246	L	S	260	56,3	6,0	5	10,5
XL L	04/14	CVT	736	L	S	292	56,3	5,0	5	8,5								
XL L	04/14	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
XL L LOW	04/13	CVT	1494	L	S	292	56,3	5,0	5	8,5	1246	L	S	260	56,3	6,0	5	10,5
XL L LOW	04/13	CVT	736	L	S	292	56,3	5,0	5	8,5								
XL L LOW	04/13	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
XL L LOW	14/17	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1246	L	S	260	56,3	6,0	5	10,5
XL L LOW	14/17	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5								
XL L SUPERLOW	11/13	CVT	1494	L	S	292	56,3	5,0	5	8,5	1246	L	S	260	56,3	6,0	5	10,5
XL L SUPERLOW	11/13	CVT	736	L	S	292	56,3	5,0	5	8,5								
XL L SUPERLOW	11/13	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
XL L SUPERLOW	18	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1488	L	S	260	56,3	7,0	5	10,5
XL L SUPERLOW	18	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5								
XL L SUPERLOW, C. WHEEL	14	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1246	L	S	260	56,3	6,0	5	10,5
XL L SUPERLOW, C. WHEEL	14	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5								
XL N IRON	09/17	CVT	1494	L	S	292	56,3	5,0	5	8,5	1488	L	S	260	56,3	7,0	5	10,5
XL N IRON	09/17	CVT	736	L	S	292	56,3	5,0	5	8,5								
XL N IRON	09/17	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
XL N IRON	18	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1488	L	S	260	56,3	7,0	5	10,5
XL N IRON CAST WHEEL	11/13	CVT	1494	L	S	292	56,3	5,0	5	8,5	1246	L	S	260	56,3	6,0	5	10,5
XL N IRON CAST WHEEL	11/13	CVT	736	L	S	292	56,3	5,0	5	8,5								
XL N IRON CAST WHEEL	11/13	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								

HARLEY DAVIDSON

883 c.c.

2. SPORTSTER MODELS

FXE, FXLR, FXR, FXRS, FXRT,
XL, XLH, XLCH, XLS, XLX, XR

XL N IRON CAST WHEEL	14/16	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1246	L	S	260	56,3	6,0	5	10,5
XL R	00/03	CVT	1494	L	S	292	56,3	5,0	5	8,5	1246	L	S	260	56,3	6,0	5	10,5
XL ROADSTER	10/13	CVT	1494	L/R	S	292	56,3	5,0	5	8,5	1246	L	S	260	56,3	6,0	5	10,5
XL ROADSTER	10/13	CVT	735	R	S	292	56,3	5,0	5	8,5								
XL ROADSTER	10/13	CVT	736	L	S	292	56,3	5,0	5	8,5								
XL ROADSTER	10/13	CVT	679	L/R	F00,0	292	56,3	5,0	5	8,5								
XL R 100th ANNIVERSARY	03	CVT	1494	L/R	S	292	56,3	5,0	5	8,5	1246	L	S	260	56,3	6,0	5	10,5
XL R 100th ANNIVERSARY	03	CVT	735	R	S	292	56,3	5,0	5	8,5								
XL R 100th ANNIVERSARY	03	CVT	736	L	S	292	56,3	5,0	5	8,5								
XL R 100th ANNIVERSARY	03	CVT	679	L/R	F00,0	292	56,3	5,0	5	8,5								
XL R CUSTOM 53C	00/03	CVT	1494	L	S	292	56,3	5,0	5	8,5	1246	L	S	260	56,3	6,0	5	10,5
XL R CUSTOM 53C	00/03	CVT	736	L	S	292	56,3	5,0	5	8,5								

HARLEY DAVIDSON

883 c.c.



XL R CUSTOM 53C	00/03	CVT	679	L	F00,0	292	56,3	5,0	5	8,5									
XL R ROADSTER	00/03	CVT	1494	L	S	292	56,3	5,0	5	8,5	1246		L	S	260	56,3	6,0	5	10,5
XL R ROADSTER	00/03	CVT	736	L	S	292	56,3	5,0	5	8,5									
XL R ROADSTER	00/03	CVT	679	L	F00,0	292	56,3	5,0	5	8,5									
XL R ROADSTER	10/13	CVT	1494	L/R	S	292	56,3	5,0	5	8,5	1246		L	S	260	56,3	6,0	5	10,5
XL R ROADSTER	10/13	CVT	735	L	S	292	56,3	5,0	5	8,5									
XL R ROADSTER	10/13	CVT	736	R	S	292	56,3	5,0	5	8,5									
XL R ROADSTER	10/13	CVT	679	L/R	F00,0	292	56,3	5,0	5	8,5									
XL R R	05/13	CVT	1494	L/R	S	292	56,3	5,0	5	8,5	1246		L	S	260	56,3	6,0	5	10,5
XL R R	05/13	CVT	735	L	S	292	56,3	5,0	5	8,5									
XL R R	05/13	CVT	736	R	S	292	56,3	5,0	5	8,5									
XL R R	05/13	CVT	679	L/R	F00,0	292	56,3	5,0	5	8,5									
XL ROADSTER	14/15	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1246		L	S	260	56,3	6,0	5	10,5
XL ROADSTER	14/15	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5									
XL R SPORTSTER	00/03	CVT	679	L	F00,0	292	56,3	5,0	5	8,5									
XL R SPORTSTER	00/03	CVT	735	L	S	292	56,3	5,0	5	8,5									
XL STANDARD	04/08	CVT	1494	L	S	292	56,3	5,0	5	8,5	1246		L	S	260	56,3	6,0	5	10,5
XL STANDARD	04/08	CVT	735	L	S	292	56,3	5,0	5	8,5									
XL STANDARD	04/08	CVT	679	L	F00,0	292	56,3	5,0	5	8,5									
XLH	85/99	CVT	739	L	S	292	50,8	5,0	5	8,5	1004		L	S	292	50,8	5,0	5	10,5
XLH	85/99	CVT	420	L	F00,0	292	50,8	5,0	5	8,5									
XLH HUGGER	00/03	CVT	1494	L	S	292	56,3	5,0	5	8,5	1247		L	S	292	56,3	5,0	5	10,5
XLH HUGGER	00/03	CVT	736	L	S	292	56,3	5,0	5	8,5									
XLH HUGGER	00/03	CVT	679	L	F00,0	292	56,3	5,0	5	8,5									
XLH R FLAT TRACK	00/03	CVT	1494	L	S	292	56,3	5,0	5	8,5	1246		L	S	260	56,3	6,0	5	10,5
XLH R FLAT TRACK	00/03	CVT	736	L	S	292	56,3	5,0	5	8,5									
XLH R FLAT TRACK	00/03	CVT	679	L	F00,0	292	56,3	5,0	5	8,5									
1000 c.c.											1000 c.c.								
XL	78→	CVT	739	L/R	S	292	50,8	5,0	5	8,5	741		L	S	292	50,8	5,8	5	8,5
XL	78→	CVT	740	L/R	S	292	50,8	5,0	5	8,5	742		L	S	292	50,8	5,8	5	8,5
XL	78→	CVT	420	L/R	F00,0	292	50,8	5,0	5	8,5									
XL	78/83	CVT	1436	L/R	S	254	61,3	4,5	5	10,5	-	-	-	-	-	-	-	-	-
XLS ROADSTER	79/84	CVT	739	L/R	S	292	50,8	5,0	5	8,5	741		L	S	292	50,8	5,8	5	8,5
XLS ROADSTER	79/84	CVT	740	L/R	S	292	50,8	5,0	5	8,5	742		L	S	292	50,8	5,8	5	8,5
XLS ROADSTER	79/84	CVT	420	L/R	F00,0	292	50,8	5,0	5	8,5									
1200 c.c.											1200 c.c.								
SPORSTER MODELS																			
ALL MODELS	84/98	CVT	739	L/R	S	292	50,8	5,0	5	8,5	741		L	S	292	50,8	5,8	5	8,5
ALL MODELS	84/98	CVT	740	L/R	S	292	50,8	5,0	5	8,5									
ALL MODELS	84/98	CVT	420	L/R	F00,0	292	50,8	5,0	5	8,5									
CUSTOM	15/16	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1488		L	S	260	56,3	7,0	5	10,5
CUSTOM ABS	15/16	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	-	-	-	-	-	-	-	-	-
HARLEY DAVIDSON											HARLEY DAVIDSON								
1200 c.c.											1200 c.c.								
R FLAT TRACK	00/04	CVT	1494	L	S	292	56,3	5,0	5	8,5	1247		L	S	292	56,3	5,0	5	10,5
R FLAT TRACK	00/04	CVT	736	L	S	292	56,3	5,0	5	8,5									
R FLAT TRACK	00/04	CVT	679	L	F00,0	292	56,3	5,0	5	8,5									
ROADSTER	16/17	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5	1488		L	S	260	56,3	7,0	5	10,5
SUPERLOW T	14/16	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1488		L	S	260	56,3	7,0	5	10,5
SUPERLOW T	14/16	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5									
XL CUSTOM	00/03	CVT	1494	L	S	292	56,3	5,0	5	8,5	1247		L	S	292	56,3	5,0	5	10,5
XL CUSTOM	00/03	CVT	736	L	S	292	56,3	5,0	5	8,5									
XL CUSTOM	00/03	CVT	679	L	F00,0	292	56,3	5,0	5	8,5									
XL C CUSTOM	00/13	CVT	1494	L	S	292	56,3	5,0	5	8,5	1246		L	S	260	56,3	6,0	5	10,5
XL C CUSTOM	00/13	CVT	736	L	S	292	56,3	5,0	5	8,5									
XL C CUSTOM	00/13	CVT	679	L	F00,0	292	56,3	5,0	5	8,5									
XL C CUSTOM	14/16	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1246		L	S	260	56,3	6,0	5	10,5
XL C CUSTOM	14/16	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5									
XL C CUSTOM	17	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1488		L	S	260	56,3	7,0	5	10,5



YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø
XL C CUSTOM	17	CVT															
XL C CUSTOM CA	04/13	CVT															
XL C CUSTOM CA	04/13	CVT															
XL C CUSTOM CA	04/13	CVT															
XL C CUSTOM CB	04/13	CVT															
XL C CUSTOM CB	04/13	CVT															
XL C CUSTOM CB	04/13	CVT															
XL CX ROADSTER	16/18	CVT															
XL FORTY EIGHT	10/13	CVT															
XL FORTY EIGHT	10/13	CVT															
XL FORTY EIGHT	10/13	CVT															
XL FORTY EIGHT	14/17	CVT															
XL FORTY EIGHT	14/17	CVT															
XL L LOW	07/13	CVT															
XL L LOW	07/13	CVT															
XL L LOW	07/13	CVT															
XL N NIGHTSTER	07/13	CVT															
XL N NIGHTSTER	07/13	CVT															
XL N NIGHTSTER	07/13	CVT															
XL FORTY EIGHT	10/13	CVT															
XL FORTY EIGHT	10/13	CVT															
XL FORTY EIGHT	10/13	CVT															
XL SEVENTY TWO	12/13	CVT															
XL SEVENTY TWO	12/13	CVT															
XL SEVENTY TWO	12/13	CVT															
XL SEVENTY TWO	16/17	CVT															
XL R ROADSTER	04/09	CVT															
XL R ROADSTER	04/09	CVT															
XL R ROADSTER	04/09	CVT															
XL R ROADSTER	04/09	CVT															
XL S SPORT	00/03	CVT															
XL S SPORT	00/03	CVT															
XL S SPORT	00/03	CVT															
XL T SUPER LOW	14/18	CVT															
XL T SUPER LOW	14/18	CVT															
XL V SEVENTY TWO	12/13	CVT															
XL V SEVENTY TWO	12/13	CVT															
XL V SEVENTY TWO	12/13	CVT															

HARLEY DAVIDSON										HARLEY DAVIDSON							
1200 c.c.										1200 c.c.							
XL V SEVENTY TWO	14/16	CVT															
XL V SEVENTY TWO	14/16	CVT															
XL X FORTY EIGHT	10/13	CVT															
XL X FORTY EIGHT	10/13	CVT															
XL X FORTY EIGHT	10/13	CVT															
XL X FORTY EIGHT	14/16	CVT															
XL X FORTY EIGHT	14/16	CVT															
XL X FORTY EIGHT	17/18	CVT															
XLH	87/99	CVT															
XLH	87/99	CVT															
XLH	00/04	CVT															
XLH	00/04	CVT															
XLH	00/04	CVT															
XR	08/10	CVT															
XR	08/10	CVT															
XR	08/10	CVT															
XR	08/10	CVT															
XR STORZ	06/14	CVT															



XR STORZ	06/14	CVT	735	R	S	292	56,3	5,0	5	8,5											
XR STORZ	06/14	CVT	736	L	S	292	56,3	5,0	5	8,5											
XR X	10/13	CVT	1494	L/R	S	292	56,3	5,0	5	8,5	1246	L	S	260	56,3	6,0	5	10,5			
XR X	10/13	CVT	735	L	S	292	56,3	5,0	5	8,5											
XR X	10/13	CVT	736	R	S	292	56,3	5,0	5	8,5											
XR X	10/13	CVT	679	L/R	F00,0	292	56,3	5,0	5	8,5											
1450 c.c.											1450 c.c.										
FXE SUPER GLIDE	78/83	CVT	1436	L/R	S	254	61,3	4,5	5	10,5	-	-	-	-	-	-	-	-			
FXLR MODELS																					
LOW RIDER CUSTOM	87/99	CVT	420	L	F00,0	292	50,8	5,0	5	8,5	1004	R	S	292	50,8	5,0	5	10,5			
LOW RIDER CUSTOM	87/99	CVT	739	L	S	292	50,8	5,0	5	8,5											
LOW RIDER CUSTOM	87/99	CVT	740	L	S	292	50,8	5,0	5	8,5											
FXR SUPER GLIDE	82/99	CVT	420	L	F00,0	292	50,8	5,0	5	8,5	1004	R	S	292	50,8	5,0	5	10,5			
FXR SUPER GLIDE	82/99	CVT	739	L	S	292	50,8	5,0	5	8,5											
FXR SUPER GLIDE	82/99	CVT	740	L	S	292	50,8	5,0	5	8,5											
FXRS SPORT GLIDE	84/86	CVT	420	L	F00,0	292	50,8	5,0	5	8,5	1004	R	S	292	50,8	5,0	5	10,5			
FXRS SPORT GLIDE	84/86	CVT	739	L	S	292	50,8	5,0	5	8,5											
FXRS SPORT GLIDE	84/86	CVT	740	L	S	292	50,8	5,0	5	8,5											
FXRT SPORT GLIDE	87/99	CVT	420	L	F00,0	292	50,8	5,0	5	8,5	1004	R	S	292	50,8	5,0	5	10,5			
FXRT SPORT GLIDE	87/99	CVT	739	L	S	292	50,8	5,0	5	8,5											
FXRT SPORT GLIDE	87/99	CVT	740	L	S	292	50,8	5,0	5	8,5											
XL CUSTOM 53	00/03	CVT	1494	L/R	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5			
XL CUSTOM 53	00/03	CVT	735	L	S	292	56,3	5,0	5	8,5											
XL CUSTOM 53	00/03	CVT	736	R	S	292	56,3	5,0	5	8,5											
XL CUSTOM 53	00/03	CVT	679	L/R	F00,0	292	56,3	5,0	5	8,5											

3. DYNA MODELS

FX, FXD, FXDF, FXDI,
FXDL, FXDLS, FXDWG, FXE,
FXEF, FXLR, FXR, FXRT,
FXRD, FXS, FXSB, FXWG

1200 c.c.											1200 c.c.									
FXE SUPER GLIDE	78/83	CVT	1436	L/R	S	254	61,3	4,5	5	10,5	-	-	-	-	-	-	-	-	-	
1340 c.c.											1340 c.c.									
DYNA GLIDE MODELS	73	CVT	695	L/R	F00,0	254	50,8	5,0	5	8,5	-	-	-	-	-	-	-	-	-	
DYNA GLIDE MODELS	84/98	CVT	420	L/R	F00,0	292	50,8	5,0	5	8,5	678	L/R	S	292	50,8	5,8	5	8,5		
DYNA GLIDE MODELS	84/98	CVT	739	L/R	S	292	50,8	5,0	5	8,5	742	L/R	S	292	50,8	5,8	5	8,5		
DYNA GLIDE MODELS	84/98	CVT	740	L/R	S	292	50,8	5,0	5	8,5										
DYNA SOFTAIL MODELS	84/98	CVT	420	L/R	F00,0	292	50,8	5,0	5	8,5	678	L/R	S	292	50,8	5,8	5	8,5		
DYNA SOFTAIL MODELS	84/98	CVT	739	L/R	S	292	50,8	5,0	5	8,5	742	L/R	S	292	50,8	5,8	5	8,5		
DYNA SOFTAIL MODELS	84/98	CVT	740	L/R	S	292	50,8	5,0	5	8,5										

HARLEY DAVIDSON

HARLEY DAVIDSON

1340 c.c.										1340 c.c.									
TOURING MODELS	84/98	CVT	420	L/R	F00,0	292	50,8	5,0	5 8,5	678	L/R	S	292	50,8	5,8	5 8,5			
TOURING MODELS	84/98	CVT	739	L/R	S	292	50,8	5,0	5 8,5	742	L/R	S	292	50,8	5,8	5 8,5			
TOURING MODELS	84/98	CVT	740	L/R	S	292	50,8	5,0	5 8,5										

1450 c.c.										1450 c.c.									
-----------	--	--	--	--	--	--	--	--	--	-----------	--	--	--	--	--	--	--	--	--

DYNA SUPERGLIDE MODELS

FXD	00/03	CVT	1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5		
FXD	00/03	CVT	735	L	S	292	56,3	5,0	5	8,5										
FXD	00/03	CVT	679	L	F00,0	292	56,3	5,0	5	8,5										
FXD	06/07	CVT	1319	L	F00,0	300	172,5	5,0	5	12,5	1247	R	S	292	56,3	5,0	5	10,5		
FXDC / FXDCI	05	CVT	679	L	F00,0	292	56,3	5,0	5	8,5	1630	R	F00,0	292	56,3	6,0	5	10,5		
FXDC CUSTOM	05	CVT	1494	L	S	292	56,3	5,0	5	8,5	1629	R	S	292	56,3	6,0	5	10,5		
FXDC CUSTOM, S. WHEEL	08/14	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1629	R	S	292	56,3	6,0	5	10,5		
FXDC CUSTOM, S. WHEEL	08/14	CVT	1248F	L	F00,0	300	56,3	5,0	5	8,5	1630	R	F00,0	292	56,3	6,0	5	10,5		
FXDI, CAST WHEEL	06/07	CVT	1319	-	F00,0	300	172,5	5,0	5	12,5	1629	R	S	292	56,3	6,0	5	10,5		
FXDI, CAST WHEEL	06/07	CVT									1630	R	F00,0	292	56,3	6,0	5	10,5		
FXDI, SPOKE WHEEL	04/05	CVT	1494	L	S	292	56,3	5,0	5	8,5	1629	R	S	292	56,3	6,0	5	10,5		
FXDI, SPOKE WHEEL	04/05	CVT	736	L	S	292	56,3	5,0	5	8,5	1630	R	F00,0	292	56,3	6,0	5	10,5		
FXDI, SPOKE WHEEL	04/05	CVT	679	L	F00,0	292	56,3	5,0	5	8,5										
FXDCI CUSTOM, C.WHEEL	06	CVT	1319	-	F00,0	300	172,5	5,0	5	12,5	1629	R	S	292	56,3	6,0	5	10,5		
FXDCI CUSTOM, C.WHEEL	06	CVT									1630	R	F00,0	292	56,3	6,0	5	10,5		



FXDCI CUSTOM, C.WHEEL	06/07	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1629	R	S	292	56,3	6,0	5	10,5
FXDCI CUSTOM, C.WHEEL	06/07	CVT	1248F	L	F00,0	300	56,3	5,0	5	8,5	1630	R	F00,0	292	56,3	6,0	5	10,5
FXDX T-SPORT	00/05	CVT	1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
FXDX T-SPORT	00/05	CVT	735	L	S	292	56,3	5,0	5	8,5								
FXDX T-SPORT	00/05	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
FXDBI STREET BOB	06/07	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1629	R	S	292	56,3	6,0	5	10,5
FXDBI STREET BOB	06/07	CVT	1248F	L	F00,0	300	56,3	5,0	5	8,5	1630	R	F00,0	292	56,3	6,0	5	10,5
FXDL LOW RIDER	00/05	CVT	1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
FXDL LOW RIDER	00/05	CVT	735	L	S	292	56,3	5,0	5	8,5								
FXDL LOW RIDER	00/05	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
FXDLI LOW RIDER, S.WHEEL	04/05	CVT	679	L	F00,0	292	56,3	5,0	5	8,5	1629	R	S	292	56,3	6,0	5	10,5
FXDLI LOW RIDER, S.WHEEL	04/05	CVT									1630	R	F00,0	292	56,3	6,0	5	10,5
FXDWG WIDE GLIDE	93/99	CVT	420	L	F00,0	292	50,8	5,0	5	8,5	1004	R	S	292	50,8	5,0	5	10,5
FXDWG WIDE GLIDE	93/99	CVT	740	L	S	292	50,8	5,0	5	8,5								
FXDWG WIDE GLIDE	00/05	CVT	1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
FXDWG WIDE GLIDE	00/05	CVT	736	L	S	292	56,3	5,0	5	8,5								
FXDWG WIDE GLIDE	00/05	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
FXDWG WIDE GLIDE	06/07	CVT	1319	L	F00,0	300	172,5	5,0	5	12,5	1247	R	S	292	56,3	5,0	5	10,5
FXDWGI WIDE GLIDE	04/05	CVT	679	L	F00,0	292	56,3	5,0	5	8,5	1629	R	S	292	56,3	6,0	5	10,5
FXDWGI WIDE GLIDE	04/05	CVT									1630	R	F00,0	292	56,3	6,0	5	10,5
FXDWGI WIDE GLIDE	06	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1629	R	S	292	56,3	6,0	5	10,5
FXDWGI WIDE GLIDE	06	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1630	R	F00,0	292	56,3	6,0	5	10,5
1573 c.c. (96.0 cubic inches)											1573 c.c.(96.0 cubic inches)							
FXDWGI WIDE GLIDE	06/07	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1629	R	S	292	56,3	6,0	5	10,5
FXDWGI WIDE GLIDE	06/07	CVT	1248F	L	F00,0	300	56,3	5,0	5	8,5	1630	R	F00,0	292	56,3	6,0	5	10,5
1584 c.c.											1584 c.c.							
SUPER GLIDE MODELS																		
FXD	06/07	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
FXD	06/07	CVT	1248F	L	F00,0	300	56,3	5,0	5	8,5								
FXD	08/10	CVT	1319	L	F00,0	300	172,5	5,0	5	12,5	1247	R	S	292	56,3	5,0	5	10,5
FXDC CUSTOM	06/07	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1333	R	S	300	56,3	6,0	5	10,5
FXDC CUSTOM	06/07	CVT	1248F	L	F00,0	300	56,3	5,0	5	8,5								
FXDC CUSTOM	08/14	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
FXDC CUSTOM	08/14	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5								
FXDB STREET BOB	07	CVT	-	-	-	-	-	-	-	-	1247	R	S	292	56,3	5,0	5	10,5
HARLEY DAVIDSON											HARLEY DAVIDSON							
1584 c.c.											1584 c.c.							
FXDB STREET BOB	08/17	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
FXDB STREET BOB	08/17	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5								
FXDL LOW RIDER	00/05	CVT	-	-	-	-	-	-	-	-	1247	R	S	292	56,3	5,0	5	10,5
FXDL LOW RIDER	06	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
FXDL LOW RIDER	06	CVT	1248F	L	F00,0	300	56,3	5,0	5	8,5								
FXDL LOW RIDER	07/10	CVT	1319	L	F00,0	300	172,5	5,0	5	12,5	1247	R	S	292	56,3	5,0	5	10,5
FXDL SUPER GLIDE	06/07	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
FXDL SUPER GLIDE	06/07	CVT	1248F	L	F00,0	300	56,3	5,0	5	8,5								
FXDWG WIDE GLIDE	00/05	CVT	-	-	-	-	-	-	-	-	1247	R	S	292	56,3	5,0	5	10,5
FXDWG WIDE GLIDE	06/07	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
FXDWG WIDE GLIDE	06/07	CVT	1248F	L	F00,0	300	56,3	5,0	5	8,5								
FXDWG WIDE GLIDE	08/17	CVT	1319	L	F00,0	300	172,5	5,0	5	12,5	1247	R	S	292	56,3	5,0	5	10,5
1690 c.c.(103.1 cubic inches)											1690 c.c.(103.1 cubic inches)							
FLD SWITCHBACK	12/16	CVT	1319	L	F00,0	300	172,5	5,0	5	12,5	1629	R	S	292	56,3	6,0	5	10,5
FLD SWITCHBACK	12/16	CVT									1630	R	F00,0	292	56,3	6,0	5	10,5
FXDB STREET BOB, S.W.	08/17	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1629	R	S	292	56,3	6,0	5	10,5
FXDB STREET BOB, S.W.	08/17	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1630	R	F00,0	292	56,3	6,0	5	10,5
FXDBC BOB LTD, C.W.	16	CVT	1319	L	F00,0	300	172,5	5,0	5	12,5	1629	R	S	292	56,3	6,0	5	10,5
FXDBC BOB LTD, C.W.	16	CVT									1630	R	F00,0	292	56,3	6,0	5	10,5
FXDF FAT BOB	08/17	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5	1629	R	S	292	56,3	6,0	5	10,5
FXDF FAT BOB	08/17	CVT									1630	R	F00,0	292	56,3	6,0	5	10,5
FXDLI LOW RIDER, C.W.	06/17	CVT	1319	L/R	F00,0	300	172,5	5,0	5	12,5	1629	R	S	292	56,3	6,0	5	10,5
FXDLI LOW RIDER, C.W.	06/17	CVT									1630	R	F00,0	292	56,3	6,0	5	10,5



FXDLI LOW RIDER, S.W.	08/17	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5	8,5	1629	R	S	292	56,3	6,0	5	10,5
FXDLI LOW RIDER, S.W.	08/17	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5	1630	R	F00,0	292	56,3	6,0	5	10,5
FXDWG WIDE GLIDE	14/16	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1333	R	S	300	56,3	6,0	5	10,5
FXDWG WIDE GLIDE	14/16	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5								
1745 c.c.(107.0 cubic inches)											1745 c.c.(107.0 cubic inches)							
FAT BOB	18	CVT	-	L/R	F00,0	-	-	-	-	-	-	R	F00,0	-	-	-	-	-
LOW RIDER	18	CVT	-	L	S	-	-	-	-	-	-	R	S	-	-	-	-	-
1801 c.c.											1801 c.c.							
FXDLS LOW RIDER S	16/17	CVT	1319	L/R	F00,0	300	172,5	5,0	5	12,5	1525	R	S	300	56,3	6,2	5	10,5
1890 c.c.											1890 c.c.							
FXDL LOW RIDER	17	CVT	-	L/R	F00,0	-	-	-	-	-	-	R	S	260	-	-	-	-
4. SOFTAIL MODELS																		
FXST, FXSTB, FXSTS, FLST, FLSTC, FLSTF, FLSTBS, FLSTS, FLSTN, FAT BOY																		
1340 c.c.											1340 c.c.							
FLSTC FAT BOY	89/99	CVT	420	L	F00,0	292	50,8	5,0	5	8,5	1004	R	S	292	50,8	5,0	5	10,5
FLSTC FAT BOY	89/99	CVT	739	L	S	292	50,8	5,0	5	8,5								
FLSTC FAT BOY	89/99	CVT	740	L	S	292	50,8	5,0	5	8,5								
FLSTC FAT BOY	00/02	CVT	1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
FLSTC FAT BOY	00/02	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								10,5
FLSTC FAT BOY	00/02	CVT	735	L	S	292	56,3	5,0	5	8,5								10,5
FLSTF FAT BOY	89/99	CVT	420	L	F00,0	292	50,8	5,0	5	8,5	1004	R	S	292	50,8	5,0	5	10,5
FLSTF FAT BOY	89/99	CVT	739	L	S	292	50,8	5,0	5	8,5								
FLSTF FAT BOY	89/99	CVT	740	L	S	292	50,8	5,0	5	8,5								
HERITAGE SOFTAIL MODELS																		
FLSTC	89/99	CVT	420	L	F00,0	292	50,8	5,0	5	8,5	1004	R	S	292	50,8	5,0	5	10,5
FLSTC	89/99	CVT	739 / 740	L	S	292	50,8	5,0	5	8,5								
FLSTC	00/02	CVT	1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
FLSTC	00/02	CVT	735	L	S	292	56,3	5,0	5	8,5								
FLSTC	00/02	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
1450 c.c.											1450 c.c.							
HERITAGE SOFTAIL MODELS																		
FLSTC	00/06	CVT	1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
FLSTC	00/06	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
FLSTC	00/06	CVT	735	L	S	292	56,3	5,0	5	8,5								
HARLEY DAVIDSON																		
1450 c.c.											1450 c.c.							
HERITAGE SOFTAIL MODELS																		
FLSTF FAT BOY	00/06	CVT	1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
FLSTF FAT BOY	00/06	CVT	735	L	S	292	56,3	5,0	5	8,5								
FLSTF FAT BOY	00/06	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
FLSTS HERITAGE MODELS																		
SPRINGER	00/03	CVT	1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
SPRINGER	00/03	CVT	735	L	S	292	56,3	5,0	5	8,5								
SPRINGER	00/03	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
FLSTN SOFTAIL MODELS																		
DELUXE	05/07	CVT	1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
DELUXE	05/07	CVT	735	L	S	292	56,3	5,0	5	8,5								
SOFTAIL DELUXE	05/07	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
FXST SOFTAIL MODELS																		
STANDARD	00/07	CVT	735	L	S	292	56,3	5,0	5	8,5								
STANDARD	00/07	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
FXSTB	00/07	CVT	1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
FXSTB	00/07	CVT	735	L	S	292	56,3	5,0	5	8,5								
FXSTB	00/07	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
FXSTB I NIGHT TRAIN	00/07	CVT	1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
FXSTB I NIGHT TRAIN	00/07	CVT	735	L	S	292	56,3	5,0	5	8,5								
FXSTB I NIGHT TRAIN	00/07	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								
FXSTC SOFTAIL MODELS																		
CUSTOM	00/07	CVT	1494	L	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
CUSTOM	00/07	CVT	735	L	S	292	56,3	5,0	5	8,5								
CUSTOM	00/07	CVT	679	L	F00,0	292	56,3	5,0	5	8,5								

NG Brake Disc		YEAR	MODEL TYPE	FRONT REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø	REAR REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø
FXSTD / I DEUCE	00/06	CVT	1494	L	S	292	56,3	5,0	5	8,5		1247	R	S	292	56,3	5,0	5	10,5
FXSTD / I DEUCE	00/06	CVT	735	L	S	292	56,3	5,0	5	8,5									
FXSTD / I DEUCE	00/06	CVT	679	L	F00,0	292	56,3	5,0	5	8,5									
FXSTS SPRINGER	89/99	CVT	420	L	F00,0	292	50,8	5,0	5	8,5		1004	R	S	292	50,8	5,0	5	10,5
FXSTS SPRINGER	89/99	CVT	739	L	S	292	50,8	5,0	5	8,5									
FXSTS SPRINGER	89/99	CVT	740	L	S	292	50,8	5,0	5	8,5									
FXSTS / I SPRINGER	00/06	CVT	1494	L	S	292	56,3	5,0	5	8,5		1247	R	S	292	56,3	5,0	5	10,5
FXSTS / I SPRINGER	00/06	CVT	735	L	S	292	56,3	5,0	5	8,5									
FXSTS / I SPRINGER	00/06	CVT	679	L	F00,0	292	56,3	5,0	5	8,5									
1584 c.c.										1584 c.c.									
FLCW ROCKER	08/09	CVT	1494	L	S	292	56,3	5,0	5	8,5		1247	R	S	292	56,3	5,0	5	10,5
FLCW ROCKER	08/09	CVT	735	L	S	292	56,3	5,0	5	8,5									
FLCW ROCKER	08/09	CVT	679	L	F00,0	292	56,3	5,0	5	8,5									
FLSTB CROSS BONES	08/11	CVT	1494	L	S	292	56,3	5,0	5	8,5		1247	R	S	292	56,3	5,0	5	10,5
FLSTB CROSS BONES	08/11	CVT	735	L	S	292	56,3	5,0	5	8,5									
FLSTB CROSS BONES	08/11	CVT	679	L	F00,0	292	56,3	5,0	5	8,5									
FLSTB FAT BOY SPECIAL	10/13	CVT	1494	L	S	292	56,3	5,0	5	8,5		1247	R	S	292	56,3	5,0	5	10,5
FLSTB FAT BOY SPECIAL	10/13	CVT	735	L	S	292	56,3	5,0	5	8,5									
FLSTB FAT BOY SPECIAL	10/13	CVT	679	L	F00,0	292	56,3	5,0	5	8,5									
FLSTC HERITAGE CLASSIC	07/14	CVT	1494	L	S	292	56,3	5,0	5	8,5		1247	R	S	292	56,3	5,0	5	10,5
FLSTC HERITAGE CLASSIC	07/14	CVT	735	L	S	292	56,3	5,0	5	8,5									
FLSTC HERITAGE CLASSIC	07/14	CVT	679	L	F00,0	292	56,3	5,0	5	8,5									
FLSTF FAT BOY	07/14	CVT	1494	L	S	292	56,3	5,0	5	8,5		1247	R	S	292	56,3	5,0	5	10,5
FLSTF FAT BOY	07/14	CVT	735	L	S	292	56,3	5,0	5	8,5									
FLSTF FAT BOY	07/14	CVT	679	L	F00,0	292	56,3	5,0	5	8,5									
FLSTN DELUXE	05/14	CVT	1494	L	S	292	56,3	5,0	5	8,5		1247	R	S	292	56,3	5,0	5	10,5
FLSTN DELUXE	05/14	CVT	735	L	S	292	56,3	5,0	5	8,5									
FLSTN DELUXE	05/14	CVT	679	L	F00,0	292	56,3	5,0	5	8,5									
FLSTSE MODELS																			
CVO S. CONVERTIBLE	10/11	CVT	1494	L	S	292	56,3	5,0	5	8,5		1247	R	S	292	56,3	5,0	5	10,5
CVO S. CONVERTIBLE	10/11	CVT	735	L	S	292	56,3	5,0	5	8,5									
CVO S. CONVERTIBLE	10/11	CVT	679	L	F00,0	292	56,3	5,0	5	8,5									
HARLEY DAVIDSON										HARLEY DAVIDSON									
FXCW ROCKER	08/09	CVT	1494	L	S	292	56,3	5,0	5	8,5		1247	R	S	292	56,3	5,0	5	10,5
1584 c.c.										1584 c.c.									
FXCW ROCKER	08/09	CVT	735	L	S	292	56,3	5,0	5	8,5									
FXCW ROCKER	08/09	CVT	679	L	F00,0	292	56,3	5,0	5	8,5									
FXCWC ROCKER C	08/13	CVT	1494	L	S	292	56,3	5,0	5	8,5		1247	R	S	292	56,3	5,0	5	10,5
FXCWC ROCKER C	08/13	CVT	735	L	S	292	56,3	5,0	5	8,5									
FXCWC ROCKER C	08/13	CVT	679	L	F00,0	292	56,3	5,0	5	8,5									
FXDF FAT BOB	08/14	CVT	1319	L/R	F00,0	300	172,5	5,0	5	12,5		1247	R	S	292	56,3	5,0	5	10,5
FXS BLACKLINE	11/13	CVT	1494	L	S	292	56,3	5,0	5	8,5		1247	R	S	292	56,3	5,0	5	10,5
FXS BLACKLINE	11/13	CVT	735	L	S	292	56,3	5,0	5	8,5									
FXS BLACKLINE	11/13	CVT	679	L	F00,0	292	56,3	5,0	5	8,5									
FXSTB NIGHT TRAIN	08/10	CVT	1494	L	S	292	56,3	5,0	5	8,5		1247	R	S	292	56,3	5,0	5	10,5
FXSTB NIGHT TRAIN	08/10	CVT	735	L	S	292	56,3	5,0	5	8,5									
FXSTB NIGHT TRAIN	08/10	CVT	679	L	F00,0	292	56,3	5,0	5	8,5									
FXSTC CUSTOM	08/10	CVT	1494	L/R	S	292	56,3	5,0	5	8,5		1247	R	S	292	56,3	5,0	5	10,5
FXSTC CUSTOM	08/10	CVT	735	L	S	292	56,3	5,0	5	8,5									
FXSTC CUSTOM	08/10	CVT	736	R	S	292	56,3	5,0	5	8,5									
FXSTC CUSTOM	08/10	CVT	679	L/R	F00,0	292	56,3	5,0	5	8,5									
FXSTSS CVO SPRINGER	09	CVT	1494	L/R	S	292	56,3	5,0	5	8,5		1247	R	S	292	56,3	5,0	5	10,5
FXSTSS CVO SPRINGER	09	CVT	735	L	S	292	56,3	5,0	5	8,5									
FXSTSS CVO SPRINGER	09	CVT	736	R	S	292	56,3	5,0	5	8,5									
FXSTSS CVO SPRINGER	09	CVT	679	L/R	F00,0	292	56,3	5,0	5	8,5									
1690 c.c.(103.1 cubic inches)										1690 c.c.(103.1 cubic inches)									
FAT BOB	14/15	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5		1247	R	S	292	56,3	5,0	5	10,5
FAT BOB	16	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5		1525	R	S	300	56,3	6,2	5	10,5
FAT BOY SPECIAL	12/17	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5		1247	R	S	292	56,3	5,0	5	10,5
FLD SWITCHBACK	12/15	CVT	1319	L	F00,0	300	172,5	5,0	5	12,5		1247	R	S	292	56,3	5,0	5	10,5
FLS SOFTAIL SLIM	12/14	CVT	1494	L	S	292	56,3	5,0	5	8,5		1247	R	S	292	56,3	5,0	5	10,5



FLS SOFTAIL SLIM	12/14	CVT	735	L	S	292	56,3	5,0	5	8,5							
FLS SOFTAIL SLIM	12/14	CVT	679	L	F00,0	292	56,3	5,0	5	8,5							
FLS SOFTAIL SLIM	15	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5 10,5
FLS SOFTAIL SLIM	15	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5							
FLS SOFTAIL SLIM	16/17	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1629	R	S	292	56,3	6,0	5 10,5
FLS SOFTAIL SLIM	16/17	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1630	R	F00,0	292	56,3	6,0	5 10,5
FLSTC HERITAGE CLASSIC	16	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1525	R	S	300	56,3	6,2	5 10,5
FLSTN DELUXE	16/17	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1525	R	S	300	56,3	6,2	5 10,5
FLSTN DELUXE	16/17	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5							
FLTRX MODELS																	
ROAD GLIDE	15	CVT	-	-	-	-	-	-	-	-	1333	R	S	300	56,3	6,0	5 10,5
ROAD GLIDE CUSTOM	10/13	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5	8,5	1333	R	S	300	56,3	6,0	5 10,5
ROAD GLIDE CUSTOM	10/13	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5							
FXDB STREET BOB	14/15	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1333	R	S	300	56,3	6,0	5 10,5
FXDB STREET BOB	16	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1525	R	S	300	56,3	6,2	5 10,5
FXDL LOW RIDER	15/17	CVT	1319	L/R	F00,0	300	172,5	5,0	5	12,5	1525	R	S	300	56,3	6,2	5 10,5
FXSB BREAKOUT	13/16	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1526	R	F00,0	292	56,3	5,0	5 10,5
HERITAGE CLASSIC	14/15	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5 10,5
HERITAGE CLASSIC	14/15	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5							
SOFTAIL BREAKOUT	17	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1630	R	F00,0	292	56,3	6,0	5 10,5
SOFTAIL DELUXE	15	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5 10,5
SOFTAIL DELUXE	15	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5							
SOFTAIL DELUXE	16/17	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1629	R	S	292	56,3	6,0	5 10,5
SOFTAIL DELUXE	16/17	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1630	R	F00,0	292	56,3	6,0	5 10,5
ULTRA LIMITED	16	CVT	1319	L/R	F00,0	300	172,5	5,0	5	12,5	1333	R	S	300	56,3	6,0	5 10,5
ULTRA LIMITED LOW	16	CVT	1319	L/R	F00,0	300	172,5	5,0	5	12,5	1333	R	S	300	56,3	6,0	5 10,5
1745 c.c.(107 cubic inches)																	
BREAKOUT	18	CVT	-	L	F00,0	-	-	-	-	-	-	R	F00,0	-	-	-	-
FAT BOB	18	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1629	R	S	292	56,3	6,0	5 10,5
FAT BOB	18	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1630	R	F00,0	292	56,3	6,0	5 10,5
FAT BOY	18	CVT	-	L/R	F00,0	-	-	-	-	-	-	R	F00,0	-	-	-	-
HARLEY DAVIDSON																	
1745 c.c.(107 cubic inches)																	
FLSL / FLDE DELUXE	18	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1629	R	S	292	56,3	6,0	5 10,5
FLSL / FLDE DELUXE	18	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1630	R	F00,0	292	56,3	6,0	5 10,5
FLSL SOFTAIL SLIM	18	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1629	R	S	292	56,3	6,0	5 10,5
FLSL SOFTAIL SLIM	18	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1630	R	F00,0	292	56,3	6,0	5 10,5
FXLR LOW RIDER	18	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1629	R	S	292	56,3	6,0	5 10,5
FXLR LOW RIDER	18	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1630	R	F00,0	292	56,3	6,0	5 10,5
HERITATGE CLASSIC	18	CVT	-	L	S	-	-	-	-	-	-	R	-	-	-	-	-
SOFTAIL DELUXE	18	CVT	-	L	S	-	-	-	-	-	-	R	S	-	-	-	-
SOFTAIL ULTRA LIMITED	18	CVT	1656	L/R	S	300	138,8	5,0	5	13,8	1631	R	S	300	56,3	7,0	5 10,5
STREET BOB	18	CVT	-	L	S	-	-	-	-	-	-	R	S	-	-	-	-
1800 c.c.																	
FLS / FLSS SLIM S	15/17	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1526	R	F00,0	292	56,3	5,0	5 10,5
FLSTBS FAT BOY	15/16	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1526	R	F00,0	292	56,3	5,0	5 10,5
FLSTFBS FAT BOY S	16/17	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5	1526	R	F00,0	292	56,3	5,0	5 10,5
FXDLS LOW RIDER S	16/17	CVT	1319	L	F00,0	300	172,5	5,0	5	12,5	1247	R	S	292	56,3	5,0	5 10,5
1868 c.c.(114 cubic inches)																	
FAT BOB	18	CVT	-	L/R	F00,0	-	-	-	-	-	-	R	F00,0	-	-	-	-
FAT BOY	18	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5	1630	R	F00,0	292	56,3	6,0	5 10,5
FXBRS BREAKOUT	18	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5	1630	R	F00,0	292	56,3	6,0	5 10,5
SOFTAIL SLIM	18	CVT	-	L	S	-	-	-	-	-	-	R	S	-	-	-	-
HERITATGE CLASSIC	18	CVT	1248 / 1248X	L	S	300	56,3	5,0	5	8,5	1333	R	S	300	56,3	6,0	5 10,5
HERITATGE CLASSIC	18	CVT	1598	L	F00,0	300	56,3	5,0	5	8,5							
5. V-ROD MODELS																	
VRSCA, VRSCAW, VRSCB, VRSCDX, VRSCF																	
1130 c.c.																	
V-ROD MODELS																	
VRSCA	02/05	CVT	ND / NA	L/R	F00,0	292	170,2	5,0	5	12,5	ND / NA	R	F00,0	292	101,5	5,0	5 10,5
VRSCA	06/08	CVT	1319	L/R	F00,0	300	172,5	5,0	5	12,5	1332	R	S	300	56,3	5,0	5 10,5



VRSCA	08/10	CVT	1319	L/R	F00,0	300	172,5	5,0	5	12,5	-	R	S	300	-	-	5	10,5
VRSCB	04/06	CVT	ND / NA	L/R	F00,0	292	170,2	5,0	5	12,5	ND / NA	R	F00,0	292	101,5	5,0	5	10,5
1250 c.c.																		
V-ROD MODELS																		
V-ROD	06/07	CVT	1319	L/R	F00,0	300	172,5	5,0	5	12,5	1674	R	S	300	101,0	7,0	5	10,5
VRSCAW	07	CVT	1319	L/R	F00,0	300	172,5	5,0	5	12,5	1674	R	S	300	101,0	7,0	5	10,5
VRSCAW	08/09	CVT	-	L/R	-	300	-	5,0	-	-	1674	R	S	300	101,0	7,0	5	10,5
VRSCD NIGHT	05/08	CVT	1319	L/R	F00,0	300	172,5	5,0	5	12,5	-	R	S	300	-	-	-	-
VRSCDX NIGHT SPECIAL	12/17	CVT	1319	L/R	F00,0	300	172,5	5,0	5	12,5	1674	R	S	300	101,0	7,0	5	10,5
VRSCDX NIGHT SPECIAL	07/16	CVT	1319	L/R	F00,0	300	172,5	5,0	5	12,5	1515	R	S	300	100	7,0	5	10,5
VRSCF MUSCLE	08/15	CVT	1319	L/R	F00,0	300	172,5	5,0	5	12,5	1515	R	S	300	100	7,0	5	10,5
VRSCF MUSCLE	16/17	CVT	1319	L/R	F00,0	300	172,5	5,0	5	12,5	1674	R	S	300	101,0	7,0	5	10,5
VRSC 10th ANNIVERSARY	12	CVT	1319	L/R	F00,0	300	172,5	5,0	5	12,5	1674	R	S	300	101,0	7,0	5	10,5
VRSCR STREET	06/08	CVT	1319	L/R	F00,0	300	172,5	5,0	5	12,5	1674	R	S	300	101,0	7,0	5	10,5
VRSCX	07	CVT	-	L/R	-	300	-	5,0	-	-	1674	R	S	300	101,0	7,0	5	10,5
6. TOURING ELECTRA GLIDE MODELS																		
FLH, FLHT, FLHTCI, FLHR, FLHRCI, FLHXS, FLHTK, FLT, FLTRXS																		
1340 c.c.																		
FLH	82/83	CVT	420	L	F00,0	292	50,8	5,0	5	8,5	1004	R	S	292	50,8	5,0	5	10,5
FLH	82/83	CVT	739	L	S	292	50,8	5,0	5	8,5								
FLH	82/83	CVT	740	L	S	292	50,8	5,0	5	8,5								
1450 c.c.																		
ALL TOURING MODELS	72/84	CVT	695	L/R	F00,0	254	50,8	5,0	5	8,5	-	-	-	-	-	-	-	-
ELECTRA GLIDE	89	CVT	739	L/R	S	292	50,8	5,0	5	8,5	742	R	S	292	50,8	5,8	5	8,5
ELECTRA GLIDE	89	CVT	740	L/R	S	292	50,8	5,0	5	8,5								
ELECTRA GLIDE	89	CVT	420	L/R	F00,0	292	50,8	5,0	5	8,5								
FLHT / I	98/99	CVT	420	L	F00,0	292	50,8	5,0	5	8,5	1004	R	S	292	50,8	5,0	5	10,5
FLHT / I	98/99	CVT	739	L	S	292	50,8	5,0	5	8,5								
FLHT / I	98/99	CVT	740	L	S	292	50,8	5,0	5	8,5								
HARLEY DAVIDSON																		
1450 c.c.																		
FLHT / I	00/06	CVT	1494	L/R	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
FLHT / I	00/06	CVT	735	L	S	292	56,3	5,0	5	8,5								
FLHT / I	00/06	CVT	736	R	S	292	56,3	5,0	5	8,5								
FLHT / I	00/06	CVT	679	L/R	F00,0	292	56,3	5,0	5	8,5								
FLHTCUI ULTRA CLASSIC	00/06	CVT	1494	L/R	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
FLHTCUI ULTRA CLASSIC	00/06	CVT	735	L	S	292	56,3	5,0	5	8,5								
FLHTCUI ULTRA CLASSIC	00/06	CVT	736	R	S	292	56,3	5,0	5	8,5								
FLHTCUI ULTRA CLASSIC	00/06	CVT	679	L/R	F00,0	292	56,3	5,0	5	8,5								
FLHRCI MODELS																		
ROAD KING CLASSIC	00/06	CVT	1494	L/R	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
ROAD KING CLASSIC	00/06	CVT	735	L	S	292	56,3	5,0	5	8,5								
ROAD KING CLASSIC	00/06	CVT	736	R	S	292	56,3	5,0	5	8,5								
ROAD KING CLASSIC	00/06	CVT	679	L/R	F00,0	292	56,3	5,0	5	8,5								
FLHR / I ROAD KING	98/99	CVT	420	L	F00,0	292	50,8	5,0	5	8,5	1004	R	S	292	50,8	5,0	5	10,5
FLHR / I ROAD KING	98/99	CVT	739 / 740	L	S	292	50,8	5,0	5	8,5								
FLHR / I ROAD KING	00/07	CVT	1494	L/R	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
FLHR / I ROAD KING	00/07	CVT	735	L	S	292	56,3	5,0	5	8,5								
FLHR / I ROAD KING	00/07	CVT	736	R	S	292	56,3	5,0	5	8,5								
FLHR / I ROAD KING	00/07	CVT	679	L/R	F00,0	292	56,3	5,0	5	8,5								
FLTR / I ROAD GLIDE	98/99	CVT	420	L	F00,0	292	50,8	5,0	5	8,5	1004	R	S	292	50,8	5,0	5	10,5
FLTR / I ROAD GLIDE	98/99	CVT	739	L	S	292	50,8	5,0	5	8,5								
FLTR / I ROAD GLIDE	98/99	CVT	740	L	S	292	50,8	5,0	5	8,5								
FLTR / I ROAD GLIDE	00/07	CVT	1494	L/R	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
FLTR / I ROAD GLIDE	00/07	CVT	679	L/R	F00,0	292	56,3	5,0	5	8,5								
FLTR / I ROAD GLIDE	00/07	CVT	735	L	S	292	56,3	5,0	5	8,5								
FLTR / I ROAD GLIDE	00/07	CVT	736	R	S	292	56,3	5,0	5	8,5								
1584 c.c.																		
FLHT/I ELECTRA GLIDE MODELS																		
CLASSIC	07	CVT	1494	L/R	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
CLASSIC	07	CVT	735	L	S	292	56,3	5,0	5	8,5								
CLASSIC	07	CVT	736	R	S	292	56,3	5,0	5	8,5								



CLASSIC	07	CVT	679	L/R	F00,0	292	56,3	5,0	5	8,5								
STANDARD	07	CVT	1494	L/R	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
STANDARD	07	CVT	735	L	S	292	56,3	5,0	5	8,5								
STANDARD	07	CVT	736	R	S	292	56,3	5,0	5	8,5								
STANDARD	07	CVT	679	L/R	F00,0	292	56,3	5,0	5	8,5								
STANDARD	08/10	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5	8,5	1333	R	S	300	56,3	6,0	5	10,5
STANDARD	08/10	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5								
STANDARD	08/13	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5	8,5	1333	R	S	300	56,3	6,0	5	10,5
STANDARD	08/13	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5								
ULTRA CLASSIC	07/08	CVT	1494	L/R	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
ULTRA CLASSIC	07/08	CVT	735	L	S	292	56,3	5,0	5	8,5								
ULTRA CLASSIC	07/08	CVT	736	R	S	292	56,3	5,0	5	8,5								
ULTRA CLASSIC	07/08	CVT	679	L/R	F00,0	292	56,3	5,0	5	8,5								
ULTRA CLASSIC	09/13	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5	8,5	1333	R	S	300	56,3	6,0	5	10,5
ULTRA CLASSIC	09/13	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5								
FLTR / I ROAD GLIDE	08/09	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5	8,5	1333	R	S	300	56,3	6,0	5	10,5
FLTR / I ROAD GLIDE	08/09	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5								
FLHR / I ROAD KING	08/10	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5	8,5	1333	R	S	300	56,3	6,0	5	10,5
FLHR / I ROAD KING	08/10	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5								
FLHRC ROAD KING MODELS																		
CLASSIC	07	CVT	1494	L/R	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
CLASSIC	07	CVT	735	L	S	292	56,3	5,0	5	8,5								
CLASSIC	07	CVT	736	R	S	292	56,3	5,0	5	8,5								
CLASSIC	07	CVT	679	L/R	F00,0	292	56,3	5,0	5	8,5								
CLASSIC	08/13	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5	8,5	1333	R	S	300	56,3	6,0	5	10,5
CLASSIC	08/13	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5								
HARLEY DAVIDSON											HARLEY DAVIDSON							
1584 c.c.											1584 c.c.							
FLHX STREET GLIDE	06/07	CVT	1494	L/R	S	292	56,3	5,0	5	8,5	1247	R	S	292	56,3	5,0	5	10,5
FLHX STREET GLIDE	06/07	CVT	735	L	S	292	56,3	5,0	5	8,5								
FLHX STREET GLIDE	06/07	CVT	736	R	S	292	56,3	5,0	5	8,5								
FLHX STREET GLIDE	06/07	CVT	679	L/R	F00,0	292	56,3	5,0	5	8,5								
FLHX STREET GLIDE	08/13	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5	8,5	1333	R	S	300	56,3	6,0	5	10,5
FLHX STREET GLIDE	08/13	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5								
1690 c.c.(103.1 cubic inches)											1690 c.c.(103.1 cubic inches)							
FLHP ELECTRA MODELS																		
GLIDE POLICE	09/11	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5	8,5	1333	R	S	300	56,3	6,0	5	10,5
GLIDE POLICE	09/11	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5								
ROAD KING POLICE	10/11	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5	8,5	1333	R	S	300	56,3	6,0	5	10,5
ROAD KING POLICE	10/11	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5								
FLHTK ELECTRA MODELS																		
GLIDE ULTRA LIMITED	10/13	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5	8,5	1333	R	S	300	56,3	6,0	5	10,5
GLIDE ULTRA LIMITED	10/13	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5								
ULTRA LIMITED GLIDE	10/11	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5	8,5	1333	R	S	300	56,3	6,0	5	10,5
ULTRA LIMITED GLIDE	10/11	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5								
FLHR ROAD KING	16	CVT	1319	L/R	F00,0	300	172,5	5,0	5	12,5	1333	R	S	300	56,3	6,0	5	10,5
FLHRC MODELS																		
ROAD KING CLASSIC	13/16	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5	8,5	1333	R	S	300	56,3	6,0	5	10,5
ROAD KING CLASSIC	13/16	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5								
FLHX STREET GLIDE	08/13	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5	8,5	1333	R	S	300	56,3	6,0	5	10,5
FLHX STREET GLIDE	08/13	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5								
FLTRXS MODELS																		
ROAD GLIDE SPECIAL	16	CVT	1319	L/R	F00,0	300	172,5	5,0	5	12,5	1333	R	S	300	56,3	6,0	5	10,5
STREET GLIDE SP.	16	CVT	1319	L/R	F00,0	300	172,5	5,0	5	12,5	1333	R	S	300	56,3	6,0	5	10,5
FLTRU MODELS																		
ROAD GLIDE ULTRA	11	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5	8,5	1333	R	S	300	56,3	6,0	5	10,5
ROAD GLIDE ULTRA	11	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5								
ROAD GLIDE ULTRA	16	CVT	1319	L/R	F00,0	300	172,5	5,0	5	12,5	1333	R	S	300	56,3	6,0	5	10,5
FLTRUSE SCREAM MODELS																		
EAGLE ROAD GLIDE	11	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5	8,5	1333	R	S	300	56,3	6,0	5	10,5
EAGLE ROAD GLIDE	11	CVT	1598	L/R	F00,0	300	56,3	5,0	5	8,5								
FLTRX MODELS																		

  																	
YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø
ROAD GLIDE CUSTOM	10/13	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5 8,5	1333	R	S	300	56,3	6,0	5 10,5	
ROAD GLIDE CUSTOM	10/13	CVT	1598	L/R	F00,0	300	56,3	5,0	5 8,5								
1745 c.c.(107 cubic inches)										1745 c.c.(107 cubic inches)							
FLHTK ULTRA LIMITED	17	CVT	1656	L/R	S	300	138,8	5,0	5 13,8	1525	R	S	300	56,3	6,2	5 10,5	
FLHR ROAD KING	17	CVT	1656	L/R	S	300	138,8	5,0	5 13,8	1525	R	S	300	56,3	6,2	5 10,5	
FLHRC MODELS																	
ROAD KING CLASSIC	17/18	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5 8,5	1631	R	S	300	56,3	7,0	5 10,5	
ROAD KING CLASSIC	17/18	CVT	1598	L/R	F00,0	300	56,3	5,0	5 8,5								
FLHTCU MODELS																	
U.CLASSIC ELECTRA GLIDE	17	CVT	1656	L/R	S	300	138,8	5,0	5 13,8	-	R	S	300	-	-	-	-
FLHTK ULTRA ELECT. GLIDE	17	CVT	1656	L/R	S	300	138,8	5,0	5 13,8	-	R	S	-	-	-	-	-
FLHTKL MODELS																	
ULTRA ELECT. GLIDE LOW	17	CVT	1656	L/R	S	300	138,8	5,0	5 13,8	-	R	S	-	-	-	-	-
ULTRA LIMITED LOW	17	CVT	1656	L/R	S	300	138,8	5,0	5 13,8	1525	R	S	300	56,3	6,2	5 10,5	
FLHRXS KING SPECIAL	18	CVT	1598	L/R	F00,0	300	56,3	5,0	5 8,5	1631	R	S	300	56,3	7,0	5 10,5	
FLHX STREET GLIDE	17	CVT	1656	L/R	S	300	138,8	5,0	5 13,8	-	R	S	-	-	-	-	-
FLHX MODELS																	
STREET GLIDE SPECIAL	18	CVT	1598	L/R	F00,0	300	56,3	5,0	5 8,5	1631	R	S	300	56,3	7,0	5 10,5	
FLHXS MODELS																	
STREET GLIDE SPECIAL	17	CVT	1656	L/R	S	300	138,8	5,0	5 13,8	1525	R	S	300	56,3	6,2	5 10,5	
STREET GLIDE SPECIAL	18	CVT	1598	L/R	F00,0	300	56,3	5,0	5 8,5	1631	R	S	300	56,3	7,0	5 10,5	
FLTRU MODELS																	
ROAD GLIDE ULTRA	17	CVT	1656	L/R	S	300	138,8	5,0	5 13,8	1525	R	S	300	56,3	6,2	5 10,5	
ROAD GLIDE ULTRA	18	CVT	1656	L/R	S	300	138,8	5,0	5 13,8	1631	R	S	300	56,3	7,0	5 10,5	
FLTRX ROAD GLIDE	17	CVT	1656	L/R	S	300	138,8	5,0	5 13,8	1631	R	S	300	56,3	7,0	5 10,5	
HARLEY DAVIDSON										HARLEY DAVIDSON							
1745 c.c.(107 cubic inches)										1745 c.c.(107 cubic inches)							
FLTRXS MODELS																	
ROAD GLIDE SPECIAL	17	CVT	1656	L/R	S	300	138,8	5,0	5 13,8	1631	R	S	300	56,3	7,0	5 10,5	
ROAD GLIDE SPECIAL	18	CVT	1598	L/R	F00,0	300	56,3	5,0	5 8,5	1631	R	S	300	56,3	7,0	5 10,5	
FLXRC ROAD KING SPECIAL	17	CVT	1598	L/R	F00,0	300	56,3	5,0	5 8,5	1631	R	S	300	56,3	7,0	5 10,5	
1801 c.c.										1801 c.c.							
FLHTCUSE ULTRA CLASSIC MODELS																	
BLK ELECTRA GLIDE	08/13	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5 8,5	1333	R	S	300	56,3	6,0	5 10,5	
BLK ELECTRA GLIDE	08/13	CVT	1598	L/R	F00,0	300	56,3	5,0	5 8,5								
7. CVO GLIDE MODELS																	
1745 c.c.(107 cubic inches)										1745 c.c.(107 cubic inches)							
ROAD SPECIAL	18	CVT	-	L/R	S	-	-	-	-	-	R	-	-	-	-	-	-
STREET SPECIAL	18	CVT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1801 c.c.										1801 c.c.							
FLHTCUSE ULTRA CLASSIC MODELS																	
ELECTRA	09/13	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5 8,5	1333	R	S	300	56,3	6,0	5 10,5	
ELECTRA	09/13	CVT	1598	L/R	F00,0	300	56,3	5,0	5 8,5								
FLHXSE STREET	10/11	CVT	1248 / 1248X	L/R	S	300	56,3	5,0	5 8,5	1333	R	S	300	56,3	6,0	5 10,5	
FLHXSE STREET	10/11	CVT	1598	L/R	F00,0	300	56,3	5,0	5 8,5								
FLSE PRO MODELS																	
STREET BREAKOUT	16/17	CVT	-	L/R	F00,0	-	-	-	-	-	R	S	260	-	-	-	-
1923c.c.(117 cubic inches)										1923 c.c.(117 cubic inches)							
FLHTKSE LIMITED	18	CVT	-	L/R	S	300	-	5,0	-	1631	R	S	300	56,3	7,0	5 10,5	
FLTRXSE ROAD GLIDE	18	CVT	1598	L/R	F00,0	300	56,3	5,0	5 8,5	1631	R	S	300	56,3	7,0	5 10,5	
FLHXSE STREET GLIDE	18	CVT	1598	L/R	F00,0	300	56,3	5,0	5 8,5	1631	R	S	300	56,3	7,0	5 10,5	
8. TRIKE GLIDE MODELS																	
1690 c.c.(103.1 cubic inches)										1690 c.c.(103.1 cubic inches)							
FLHTCUTG H2o	14/15	GVT	1598	L/R	F00,0	300	56,3	5,0	5 8,5	-	-	-	-	-	-	-	-
1745 c.c.(107 cubic inches)										1745 c.c.(107 cubic inches)							
FLRT FREEWHEELER	17/18	GVT	1598	L/R	F00,0	300	56,3	5,0	5 8,5	-	L/R	-	-	-	6,2	-	-
TRI GLIDE ULTRA	16/17	GVT	-	L/R	F00,0	-	-	-	-	-	L/R	-	-	-	-	-	-
HERCULES										HERCULES							
50 c.c.										50 c.c.							
GIPSY	95	S	420	R	F00,0	292	50,8	5,0	5 8,5	-	-	-	-	-	-	-	-
HERO										HERO							
125 c.c.										125 c.c.							
GLAMOUR	11/12	R	194	R	S	240	114	4,0	6 10,5	Drum	-	-	-	-	-	-	-
SUPER SPLENDOR	11/12	R	194	R	S	240	114	4,0	6 10,5	Drum	-	-	-	-	-	-	-
HUNK	11/12	R	194	R	S	240	114	4,0	6 10,5	Drum	-	-	-	-	-	-	-



HM MOTORCYCLES

HM MOTORCYCLES

50 c.c.

50 c.c.

BAJA	07	A	1074	L	S	250	118	3,5	4	6,5	-	-	-	-	-	-	-	
BAJA 10 / 10 JUNIOR	98/02	A	468	L	S	184	72	3,0	4	6,5	466	R	S	160	72	3,0	4	6,5
BAJA 10 / 10 JUNIOR	03/05	A	668	L	S	184	46	3,0	5	6,5	669	R	S	160	45	3,0	5	6,5
BAJA 10 / 10 SENIOR / 12	01/02	A	468	L	S	184	72	3,0	4	6,5	466	R	S	160	72	3,0	4	6,5
BAJA 12	03/05	A	668	L	S	184	46	3,0	5	6,5	669	R	S	160	45	3,0	5	6,5
BAJA 15	01/02	A	468	L	S	184	72	3,0	4	6,5	466	R	S	160	72	3,0	4	6,5
BAJA 15	03/05	A	668	L	S	184	46	3,0	5	6,5	669	R	S	160	45	3,0	5	6,5
CRE BAJA	01/02	A	369	L	S	250	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5
CRE BAJA	06	A	398	L	S	240	108	3,5	6	6,5	213	R	S	220	62	3,5	3	10,5
CRE SIX	01/06	A	369	L	S	250	108	3,5	6	6,5	213	R	S	220	62	3,5	3	10,5
CRX 10 MODELS																		
JR / RACING / SR	01/02	A	467	L	S	169	72	3,0	4	6,5	466	R	S	160	72	3,0	4	6,5
JR / RACING / SR	03/05	A	668	L	S	184	46	3,0	5	6,5	669	R	S	160	45	3,0	5	6,5
SENIOR RACING	01/02	A	467	L	S	169	72	3,0	4	6,5	466	R	S	160	72	3,0	4	6,5
SENIOR RACING	03/05	A	668	L	S	184	46	3,0	5	6,5	669	R	S	160	45	3,0	5	6,5

CRX 12	01/02	A	469	L	S	205	72	3,0	4	6,5	466	R	S	160	72	3,0	4	6,5
CRX 12	03/05	A	668	L	S	184	46	3,0	5	6,5	669	R	S	160	45	3,0	5	6,5
CRX 12 / 15	03/05	A	710	L	S	205	46	3,0	5	6,5	-	-	-	-	-	-	-	-
CRX 15	01/02	A	469	L	S	205	72	3,0	4	6,5	466	R	S	160	72	3,0	4	6,5
CRX 15	03/05	A	668	L	S	184	46	3,0	5	6,5	669	R	S	160	45	3,0	5	6,5
DERAPAGE	01/02	A	219	L	S	290	108	3,5	6	6,5	115	L	S	200	62	3,5	3	10,5

HM MOTORCYCLES

HM MOTORCYCLES

50 c.c.

50 c.c.

DERAPAGE / COMPETITION	06	A	398	L	S	240	108	3,5	6	6,5	213	R	S	220	62	3,5	3	10,5
MINI BAJA 10	10/11	A	668	L	S	184	46	3,0	5	6,5	669	R	S	160	45	3,0	5	6,5
MINI BAJA 12 / 14	10/11	A	668	L	S	184	46	3,0	5	6,5	669	R	S	160	45	3,0	5	6,5
MINI RACING JR	10/11	A	668	L	S	184	46	3,0	5	6,5	669	R	S	160	45	3,0	5	6,5
RACING 14 MX	10/11	A	668	L	S	184	46	3,0	5	6,5	669	R	S	160	45	3,0	5	6,5

125 c.c.

125 c.c.

CR E	01	E	398	L	S	240	108	3,5	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
CR E	01	E									654SP	R	S	240	121,5	4,0	4	6,5
CR E F	08/09	E	1116	L	S	250	101	3,0	6	6,5	1117	R	S	220	121	4,0	4	6,5
CR E R	02/08	E	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
CR E R	02/08	E									654SP	R	S	240	121,5	4,0	4	6,5
CR E SUPERMOTARD	00/01	F	724	L	F00,0	320	101	5,0	6	6,5	1586 / 1586X	R	S	240	122,5	4,5	4	10,5
CR E SUPERMOTARD	00/01	F	724X	L	F00,0	318	101	5,0	6	6,5	1586 / 1586X	R	S	240	122,5	4,5	4	10,5
CR E SUPERMOTARD	00/01	F	724SP	L	F00,0	320	101	5,0	6	6,5								
CR E SUPERMOTARD	02/08	F	724	L	F00,0	320	101	5,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
CR E SUPERMOTARD	02/08	F	724X	L	F00,0	318	101	5,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
CR E SUPERMOTARD	02/08	F	724SP	L	F00,0	320	101	5,0	6	6,5								
MOTARD	02/04	F	019	L	F00,0	320	101	4,5	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
MOTARD	02/04	F	846	L	T	320	101	4,5	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
MOTARD	02/04	F	724	L	F00,0	320	101	5,0	6	6,5								
MOTARD	02/04	F	724X	L	F00,0	318	101	5,0	6	6,5								
MOTARD	02/04	F	724SP	L	F00,0	320	101	5,0	6	6,5								

230 c.c.

230 c.c.

CRF EASY MOTARD	03	F	724	L	F00,0	320	101	5,0	6	6,5	669	R	S	160	45	3,0	5	6,5
CRF EASY MOTARD	03	F	724X	L	F00,0	318	101	5,0	6	6,5	669	R	S	160	45	3,0	5	6,5
CRF EASY MOTARD	03	F	724SP	L	F00,0	320	101	5,0	6	6,5								
CRF EASY MOTARD	08	F	724	L	F00,0	320	101	5,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
CRF EASY MOTARD	08	F	724X	L	F00,0	318	101	5,0	6	6,5								
CRF EASY MOTARD	08	F	724SP	L	F00,0	320	101	5,0	6	6,5								
CRF ENDURO	04/10	E	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
CRF ENDURO	04/10	E									654SP	R	S	240	121,5	4,0	4	6,5
CRF SUPERMOTARD	04/10	F	-	-	-	-	-	-	-	-	654 / 654X	R	S	240	121,5	4,0	4	6,5
CRF SUPERMOTARD	04/10	F									654SP	R	S	240	121,5	4,0	4	6,5

250 c.c.

250 c.c.

CR E / CR F / CR X	09	E	-	-	-	-	-	-	-	-	654 / 654X	R	S	240	121,5	4,0	4	6,5
--------------------	----	---	---	---	---	---	---	---	---	---	------------	---	---	-----	-------	-----	---	-----



MOTARD	01/02	F	724SP	L	F00,0	320	101	5,0	6	6,5										
HONDA											HONDA									
50 c.c.											50 c.c.									
AX 1	-	H-C	119	L	S	240	118	3,5	4	6,5	Drum	-	-	-	-	-	-	-	-	
AX 1	-	H-C	473 / 473X	L	S	240	118	3,0	4	6,5										
AX 1	-	H-C	859	L	T	240	118	3,0	4	6,5										
BALI EX	96/02	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	
BALI EX	96/02	S	1022 / 1022X	L	MD	190	58	3,7	3	MH										
BALI EX	96/02	S	1300X	L	FO	*220	58	3,5	3	10,5										
BALI SJ	93/97	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	
BALI SJ	93/97	S	1022 / 1022X	L	MD	190	58	3,7	3	MH										
BALI SJ	93/97	S	1300X	L	FO	*220	58	3,5	3	10,5										
CRM R	95/02	A	119	L	S	240	118	3,5	4	6,5	Drum	-	-	-	-	-	-	-	-	
CRM R	95/02	A	473 / 473X	L	S	240	118	3,0	4	6,5										
CRM R	95/02	A	859	L	T	240	118	3,0	4	6,5										
DERAPAGE MOTARD	05	A	219	L	S	290	108	3,5	6	6,5	-	-	-	-	-	-	-	-	-	
DERAPAGE SIX	05	A	219	L	S	290	108	3,5	6	6,5	-	-	-	-	-	-	-	-	-	
DIO	91/93	S	108	L	S	160	58	4,0	3	10,5	-	-	-	-	-	-	-	-	-	
DIO GP	92	S	108	L	S	160	58	4,0	3	10,5	-	-	-	-	-	-	-	-	-	
DIO ZX	94	S	108	L	S	160	58	4,0	3	10,5	-	-	-	-	-	-	-	-	-	
HONDA											HONDA									
50 c.c.											50 c.c.									
HSC 01	93	S	108	L	S	160	58	4,0	3	10,5	-	-	-	-	-	-	-	-	-	
HSC 01 ZR	92/94	S	108	L	S	160	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	
NSC R / NCR R REPSOL	12/16	S	1219 / 1219X	L	S	220	58,3	3,5	4	10,5	Drum	-	-	-	-	-	-	-	-	
NS1 REPLICA	96	H-R	286 / 286X	L	S	256	144	5,0	4	10,5	-	-	-	-	-	-	-	-	-	
NSR / NSR REPSOL	96/01	H	792	R	S	256	144	5,0	6	10,5	312	R	S	220	88	4,0	3	10,5		
SC 01 SR	90/93	S	108	L	S	160	58	4,0	3	10,5	-	-	-	-	-	-	-	-	-	
SCOOPY SH	96	S	084	L	S	220	88	4,0	3	8,5	Drum	-	-	-	-	-	-	-	-	
SCOOPY SH	97/03	S	312	L	S	220	88	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	
SCOOPY SH FIFTY	96	S	084	L	S	220	88	4,0	3	8,5	Drum	-	-	-	-	-	-	-	-	
SFX	90/93	S	108	L	S	160	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	
SFS FX REPSOL	95/04	S	359	L	S	160	39	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	
SGX SKY / SKY DELUXE	97/03	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	
SGX SKY / SKY DELUXE	97/03	S	1022 / 1022X	L	MD	190	58	3,7	3	MH										
SGX SKY / SKY DELUXE	97/03	S	1300X	L	FO	*220	58	3,5	3	10,5										
SHADOW	98	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	
SHADOW	98	S	1022 / 1022X	L	MD	190	58	3,7	3	MH										
SHADOW	98	S	1300X	L	FO	*220	58	3,5	3	10,5										
SJ BALI	93/02	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	
SJ BALI	93/02	S	1022 / 1022X	L	MD	190	58	3,7	3	MH										
SJ BALI	93/02	S	1300X	L	FO	*220	58	3,5	3	10,5										
SKY / ANIVERSARIO	93/03	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	
SKY / ANIVERSARIO	93/03	S	1022 / 1022X	L	MD	190	58	3,7	3	MH										
SKY / ANIVERSARIO	93/03	S	1300X	L	FO	*220	58	3,5	3	10,5										
SKY / CLASSIC / SGX	93/03	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	
SKY / CLASSIC / SGX	93/03	S	1022 / 1022X	L	MD	190	58	3,7	3	MH										
SKY / CLASSIC / SGX	93/03	S	1300X	L	FO	*220	58	3,5	3	10,5										
SKY VETRO STD SGX	99/02	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	
SKY VETRO STD SGX	99/02	S	1022 / 1022X	L	MD	190	58	3,7	3	MH										
SKY VETRO STD SGX	99/02	S	1300X	L	FO	*220	58	3,5	3	10,5										
SR DIO	90/93	S	108	L	S	160	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	
SXR	98/00	S	359	L	S	160	39	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	
VISION / VISION CBS	11/18	S	1219 / 1219X	L	S	220	58,3	3,5	4	10,5	Drum	-	-	-	-	-	-	-	-	
WHY	99/07	S	312	L	S	220	88	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	
X8R-S S / X CROSS SPORT	98/04	S	155	L	S	220	105	4,0	3	10,5	601	L	S	190	72	4,0	4	10,5		
YUPI	90	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	
YUPI	90	S	1022 / 1022X	L	MD	190	58	3,7	3	MH										
YUPI	90	S	1300X	L	FO	*220	58	3,5	3	10,5										

NG Brake Disc		YEAR	MODEL TYPE	REFERENCE	FRONT	REAR	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø
ZX DIO	90/93	S		108	L	S	160	58	4,0	3	10,5			Drum	-	-	-	-	-	-	-
75 c.c.																					75 c.c.
CRM	91/99	A-E		119	L	S	240	118	3,5	4	6,5			Drum	-	-	-	-	-	-	-
CRM	91/99	A-E		473 / 473X	L	S	240	118	3,0	4	6,5										
CRM	91/99	A-E		859	L	T	240	118	3,0	4	6,5										
MBX / NSR	83→	H-R		1201X	R	S22,0	220	58	4,0	3	8,5			Drum	-	-	-	-	-	-	-
NS1	94/98	H-R		792	R	S	256	144	5,0	6	10,5			312	L	S	220	88	4,0	3	10,5
NS1 REPLICA	92	H-R		286 / 286X	L	S	256	144	5,0	4	10,5			-	-	-	-	-	-	-	-
80 c.c.																					80 c.c.
CRE	98	A-E		1102 / 1102X	L	S	220	88	3,0	4	6,5			-	-	-	-	-	-	-	-
CR R	86/95	A-M		748 / 748X	L	S	220	88	3,0	4	6,5			796 / 796X	R	S	190	80	4,0	4	6,5
CR R	96/02	A-M		1102 / 1102X	L	S	220	88	3,0	4	6,5			796 / 796X	R	S	190	80	4,0	4	6,5
CR R2	03/07	A-M		1102 / 1102X	L	S	220	88	3,0	4	6,5			796 / 796X	R	S	190	80	4,0	4	6,5
85 c.c.																					85 c.c.
CR R	03/07	A-M		1102 / 1102X	L	S	220	88	3,0	4	6,5			796 / 796X	R	S	190	80	4,0	4	6,5
90 c.c.																					90 c.c.
SHADOW	98	S		107 / xxxX	L	S	190	58	4,0	3	10,5			Drum	-	-	-	-	-	-	-
SHADOW	98	S		1022 / 1022X	L	MD	190	58	3,7	3	MH										
SHADOW	98	S		1300X	L	FO	*220	58	3,5	3	10,5										
HONDA														HONDA							
90 c.c.																					90 c.c.
YUPI / NH / METAL NH i	90→	S		107 / xxxX	L	S	190	58	4,0	3	10,5			Drum	-	-	-	-	-	-	-
YUPI / NH / METAL NH i	90→	S		1022 / 1022X	L	MD	190	58	3,7	3	MH										
YUPI / NH / METAL NH i	90→	S		1300X	L	FO	*220	58	3,5	3	10,5										
100 c.c.																					100 c.c.
BALI SJ	95/03	S		107 / xxxX	L	S	190	58	4,0	3	10,5			Drum	-	-	-	-	-	-	-
BALI SJ	95/03	S		1022 / 1022X	L	MD	190	58	3,7	3	MH										
BALI SJ	95/03	S		1300X	L	FO	*220	58	3,5	3	10,5										
SCOOPY SH	96/01	S		312	L	S	220	88	4,0	3	10,5			Drum	-	-	-	-	-	-	-
107 c.c.																					107 c.c.
NEW LEAD	08	S		110 / 110X	L	S	296	144	5,0	6	10,5			Drum	-	-	-	-	-	-	-
110 c.c.																					110 c.c.
LEAD / SCV	08/09	S		107 / xxxX	L	S	190	58	4,0	3	10,5			Drum	-	-	-	-	-	-	-
LEAD / SCV	08/09	S		1022 / 1022X	L	MD	190	58	3,7	3	MH										
LEAD / SCV	08/09	S		1300X	L	FO	*220	58	3,5	3	10,5										
LEAD / SCV	10/13	S		1360	L	S	190	58	3,8	4	10,5			Drum	-	-	-	-	-	-	-
SUPER CUB CONCEPT ABS	18	S		-	R	S	-	-	-	-	-			Drum	-	-	-	-	-	-	-
VISION / CBS or NCS 16" / 14"	12/18	S		1219 / 1219X	L	S	220	58,3	3,5	4	10,5			Drum	-	-	-	-	-	-	-
WAVE 125 i	11/17	S		1219 / 1219X	R	S	220	58,3	3,5	4	10,5			Drum	-	-	-	-	-	-	-
125 c.c.																					125 c.c.
@ / ES / NES	00/06	S		451	L	S	220	105	4,0	4	10,5			Drum	-	-	-	-	-	-	-
@ NES	09→	S		364	L	S	240	105	4,0	4	10,5			209	R	S	240	105	5,0	4	10,5
CB F CBS	18	N		194	R	S	240	114	4,0	6	10,5			Drum	-	-	-	-	-	-	-
CB F / GLR	09/17	N		194	R	S	240	114	4,0	6	10,5			Drum	-	-	-	-	-	-	-
CB R NEO MODEL																					
SPORTS CAFÉ ABS	18	N		-	R	S	296	-	-	-	-			-	R	S	220	-	-	-	-
CBR R	03/10	R		204	R	S	276	144	5,0	6	10,5			043 / 043X	R	S	220	105	4,0	4	10,5
CBR R	11/17	R		1092	R	S	276	144	4,0	5	10,5			043 / 043X	R	S	220	105	4,0	4	10,5
CR / CR E	84/94	M		198 / 198X	L	S	240	118	3,0	4	10,5			045 / 045X	R	S	220	121	5,0	4	10,5
CR / CR E / CR R	95/97	E-M		066 / 066X	L	S	240	101	3,0	6	6,5			045 / 045X	R	S	220	121	5,0	4	10,5
CR / CR E / CR R	95/97	E-M		724K15	L	KF	*320	101	5,0	6	6,5										
CR / CR E / CR R	95/97	E-M		724XK15	L	KF	*318	101	5,0	6	6,5										
CR / CR E / CR R	95/97	E-M		724SPK15	L	KF	*320	101	5,0	6	6,5										
CR E	98/01	E		066 / 066X	L	S	240	101	3,0	6	6,5			1586 / 1586X	R	S	240	122,5	4,5	4	10,5
CR E	98/01	E		1154XK03	L	KF	*270	101	3,0	6	6,5										
CR E	98/01	E		1154XBHK03	L	KF	*270	101	3,0	6	6,5										
CR E	98/01	E		724K15	L	KF	*320	101	5,0	6	6,5										
CR E	98/01	E		724XK15	L	KF	*318	101	5,0	6	6,5										
CR E	98/01	E		724SPK15	L	KF	*320	101	5,0	6	6,5										
CR E	02/03	E		066 / 066X	L	S	240	101	3,0	6	6,5			654 / 654X	R	S	240	121,5	4,0	4	6,5



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø
CR E	02/03	E	1154XK03	L	KF	*270	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
CR E	02/03	E	1154XBHK03	L	KF	*270	101	3,0	6	6,5								
CR E	02/03	E	724K15	L	KF	*320	101	5,0	6	6,5								
CR E	02/03	E	724XK15	L	KF	*318	101	5,0	6	6,5								
CR E	02/03	E	724SPK15	L	KF	*320	101	5,0	6	6,5								
CR E / CR R	04/08	M	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
CR E / CR R	04/08	M	1154XK03	L	KF	*270	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
CR E / CR R	04/08	M	1154XBHK03	L	KF	*270	101	3,0	6	6,5								
CR E / CR R	04/08	M	724K14	L	KF	*320	101	5,0	6	6,5								
CR E / CR R	04/08	M	724XK14	L	KF	*318	101	5,0	6	6,5								
CR E / CR R	04/08	M	724SPK14	L	KF	*320	101	5,0	6	6,5								
CR R	89/94	M	-	-	-	-	-	-	-	-	045 / 045X	R	S	220	121	5,0	4	10,5
CR R	98/01	M	066 / 066X	L	S	240	101	3,0	6	6,5	1586 / 1586X	R	S	240	122,5	4,5	4	10,5
CR R	98/99	M	724K15	L	KF	*320	101	5,0	6	6,5								
CR R	98/99	M	724XK15	L	KF	*318	101	5,0	6	6,5								
CR R	98/99	M	724SPK15	L	KF	*320	101	5,0	6	6,5								
HONDA											HONDA							
125 c.c.											125 c.c.							
CR R	00/08	M	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
CR R	00/03	M	724K15	L	KF	*320	101	5,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
CR R	00/03	M	724XK15	L	KF	*318	101	5,0	6	6,5								
CR R	00/03	M	724SPK15	L	KF	*320	101	5,0	6	6,5								
CR R SM	85/88	F	200	L	S	240	118	3,0	4	6,5	761	R	S	220	122	4,0	6	10,5
CR R SM	89	F	198 / 198X	L	S	240	118	3,0	4	10,5	045 / 045X	R	S	220	121	5,0	4	10,5
CR R SM	90	F	199	L	S	240	118	3,0	4	10,5	045 / 045X	R	S	220	121	5,0	4	10,5
CR R SM	91	F	237	L	S	240	118	3,0	4	10,5	045 / 045X	R	S	220	121	5,0	4	10,5
CR R SM	92/94	F	473 / 473X	L	S	240	118	3,0	4	6,5	045 / 045X	R	S	220	121	5,0	4	10,5
CR R SM	92/94	F	859	L	T	240	118	3,0	4	6,5								
CR R SM	95/97	F	066 / 066X	L	S	240	101	3,0	6	6,5	045 / 045X	R	S	220	121	5,0	4	10,5
CR R SM / CR RS	98/01	F	066 / 066X	L	S	240	101	3,0	6	6,5	375	R	S	240	121	4,0	4	10,5
CR RS	02/03	M	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
CR RS	02/03	M									654SP	R	S	240	121,5	4,0	4	6,5
CR RS	04	M	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
CR RT / CR RV / CR RW	95/04	M	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
CR RX / CR RY	95/04	M	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
CR R SM	02/06	F	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
CR R SM	02/06	F									654SP	R	S	240	121,5	4,0	4	6,5
CRE R	92/94	E	473 / 473X	L	S	240	118	3,0	4	6,5	-	-	-	-	-	-	-	-
CRE R	92/94	E	859	L	T	240	118	3,0	4	6,5								
CRE R	95/06	E	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
CRE R	95/06	E									654SP	R	S	240	121,5	4,0	4	6,5
CRE R	07/08	E	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
CRE R SM	90	F	199	L	S	240	118	3,0	4	10,5	-	-	-	-	-	-	-	-
CRE R SM	91	F	237	L	S	240	118	3,0	4	10,5	045 / 045X	R	S	220	121	5,0	4	10,5
CRE R SUPERMOTARD	02/03	F	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
CRF	00/01	E	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
CRM	90	E	437	R	S	240	62	4,0	6	10,5	-	-	-	-	-	-	-	-
CRM	94/98	E	437	L	S	240	62	4,0	6	10,5	1201X	R	S22,0	220	58	4,0	3	8,5
CRM R	90	E	656	L	S	220	105	4,0	4	6,5	656	R	S	220	105	4,0	4	6,5
CRM R	91	E	-	-	-	-	-	-	-	-	1201X	R	S22,0	220	58	4,0	3	8,5
CRM R	98	E	119	L	S	240	118	3,5	4	6,5	-	-	-	-	-	-	-	-
CRM R	98	E	473 / 473X	L	S	240	118	3,0	4	6,5								
CRM R	98	E	859	L	T	240	118	3,0	4	6,5								
DYLAN SES	00/07	S	451	L	S	220	105	4,0	4	10,5	Drum	-	-	-	-	-	-	-
FORZA ABS	15/18	S	1023	L	S	256	144	4,5	6	10,5	209	R	S	240	105	5,0	4	10,5
MONKEY ABS	18	N	-	R	S	-	-	-	-	-	1445 / 1445X	R	S	190	58	4,0	4	10,5
MSX ABS	18	N	-	R	S	220	-	3,5	5	10,5	1445 / 1445X	R	S	190	58	4,0	4	10,5
MSX / MSX GROM	13/17	N	1433 / 1433X	R	S	220	58	4,0	4	10,5	1445 / 1445X	R	S	190	58	4,0	4	10,5
MTX	86	E	437	R	S	240	62	4,0	6	10,5	-	-	-	-	-	-	-	-
NES CHIOCCIOLA	00/06	S	451	L	S	220	105	4,0	4	10,5	Drum	-	-	-	-	-	-	-



NSR / RAIDEN / NSR R N	93/03	R	482	L	F00,0	318	106	4,0	6	8,5	-	-	-	-	-	-	-	
NSX - X-TREME	13/17	N	1219 / 1219X	R	S	220	58,3	3,5	4	10,5	1445 / 1445X	R	S	190	58	4,0	4	10,5
PANTHEON FES 2T	98/02	S	364	L	S	240	105	4,0	4	10,5	Drum	-	-	-	-	-	-	
PANTHEON FES 4T	98/07	S	364	L	S	240	105	4,0	4	10,5	101 / 101X	R	S	220	105	5,0	4	10,5
PCX / PCX CBS	10/18	S	1219 / 1219X	L	S	220	58,3	3,5	4	10,5	Drum	-	-	-	-	-	-	
PASSION i	06/13	S	451	L	S	220	105	4,0	4	10,5	Drum	-	-	-	-	-	-	
REBEL CA	95/01	R	194	L	S	240	114	4,0	6	10,5	Drum	-	-	-	-	-	-	
RS GP / RS R	91/05	R	216 / 216G	R	F17,0	296	58	4,0	6	6,5	-	-	-	-	-	-	-	
RS GP / RS R	91/05	R	216X / 216XG	R	F17,0	296	58	4,0	6	6,5	-	-	-	-	-	-	-	
SH i / CBS SCOOPY	09/18	S	364	L	S	240	105	4,0	4	10,5	209	R	S	240	105	5,0	4	10,5
SH i SPORT SCOOPY	09/17	S	364	L	S	240	105	4,0	4	10,5	209	R	S	240	105	5,0	4	10,5
SH i / SH i EDO SCOOPY	00/10	S	451	L	S	220	105	4,0	4	10,5	Drum	-	-	-	-	-	-	
SH i SPORTY SCOOPY	00/10	S	451	L	S	220	105	4,0	4	10,5	Drum	-	-	-	-	-	-	
SH MODE SCOOPY	14/18	S	1219 / 1219X	L	S	220	58,3	3,5	4	10,5	Drum	-	-	-	-	-	-	
HONDA HONDA																		
125 c.c. 125 c.c.																		
SJ BALI	96/99	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	
SJ BALI	96/99	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	
SJ BALI	96/99	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	
SPACY / SPACY CHA	96/01	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	
SPACY / SPACY CHA	96/01	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	
SPACY / SPACY CHA	96/01	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	
S-WING / S-WING ABS	07/11	S	364	L	S	240	105	4,0	4	10,5	221	R	S	220	105	4,5	4	10,5
VT C SHADOW	99/08	C	194	R	S	240	114	4,0	6	10,5	Drum	-	-	-	-	-	-	
XL	85	U	437	R	S	240	62	4,0	6	10,5	-	-	-	-	-	-	-	
XLR R	85/86	E	237	L	S	240	118	3,0	4	10,5	Drum	-	-	-	-	-	-	
XLR R	98/00	E	119	L	S	240	118	3,5	4	6,5	Drum	-	-	-	-	-	-	
XLR R	98/00	E	473 / 473X	L	S	240	118	3,0	4	6,5	-	-	-	-	-	-	-	
XLR R	98/00	E	859	L	T	240	118	3,0	4	6,5	-	-	-	-	-	-	-	
XLV VARADERO	01/13	R	641	R	S	276	88	4,0	4	10,5	043 / 043X	R	S	220	105	4,0	4	10,5
XR L	03/07	U	1192	L	S22,0	240	58	4,0	5	6,5	Drum	-	-	-	-	-	-	
YLAN	02	S	451	L	S	220	105	4,0	4	10,5	Drum	-	-	-	-	-	-	
150 c.c. 150 c.c.																		
@ NES	00/06	S	451	L	S	220	105	4,0	4	10,5	Drum	-	-	-	-	-	-	
@ NES	09→	S	364	L	S	240	105	4,0	4	10,5	209	R	S	240	105	5,0	4	10,5
CRF F	03/06	M	050	L	S	240	118	4,0	4	6,5	Drum	-	-	-	-	-	-	
CRF R	18	M	1102 / 1102X	L	S	220	88	3,0	4	6,5	796 / 796X	R	S	190	80	4,0	4	6,5
CRF R / CRF RB	07/17	M	1102 / 1102X	L	S	220	88	3,0	4	6,5	796 / 796X	R	S	190	80	4,0	4	6,5
DYLAN / DYLAN SES	00/07	S	451	L	S	220	105	4,0	4	10,5	Drum	-	-	-	-	-	-	
GTR INDONESIA MODEL	16/17	S	792	R	S	256	144	5,0	6	10,5	043 / 043X	R	S	220	105	4,0	4	10,5
NES CHIOCCIOLA	00/03	S	451	L	S	220	105	4,0	4	10,5	Drum	-	-	-	-	-	-	
PCX	14/16	S	1219 / 1219X	L	S	220	58,3	3,5	4	10,5	Drum	-	-	-	-	-	-	
PHANTHEON FES 2T	98/02	S	364	L	S	240	105	4,0	4	10,5	Drum	-	-	-	-	-	-	
PHANTHEON FES 4T	03/07	S	364	L	S	240	105	4,0	4	10,5	101 / 101X	R	S	220	105	5,0	4	10,5
PS PASSION i	06/08	S	451	L	S	220	105	4,0	4	10,5	Drum	-	-	-	-	-	-	
RS MALAYSIA MODEL	16/17	S	792	R	S	256	144	5,0	6	10,5	043 / 043X	R	S	220	105	4,0	4	10,5
SH i SCOOPY	00/08	S	451	L	S	220	105	4,0	4	10,5	Drum	-	-	-	-	-	-	
SH i / ABS SCOOPY	09/18	S	364	L	S	240	105	4,0	4	10,5	209	R	S	240	105	5,0	4	10,5
SH i / SPORTY SCOOPY	09/11	S	364	L	S	240	105	4,0	4	10,5	209	R	S	240	105	5,0	4	10,5
S-WIN FES	07	S	364	L	S	240	105	4,0	4	10,5	101 / 101X	R	S	220	105	5,0	4	10,5
S-WING	08/09	S	364	L	S	240	105	4,0	4	10,5	221	R	S	220	105	4,5	4	10,5
200 c.c. 200 c.c.																		
MTX RWF	85	E	237	L	S	240	118	3,0	4	10,5	Drum	-	-	-	-	-	-	
XL	85	E	437	R	S	240	62	4,0	6	10,5	-	-	-	-	-	-	-	
230 c.c. 230 c.c.																		
CRF EASY MOTARD	04/09	F	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
CRF EASY MOTARD	04/09	F									654SP	R	S	240	121,5	4,0	4	6,5
CRF EASY TRAIL	04/10	U	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	
CRF F	03/12	M	050	L	S	240	118	4,0	4	6,5	Drum	-	-	-	-	-	-	
CRF L	07/12	E	119	L	S	240	118	3,5	4	6,5	043 / 043X	R	S	220	105	4,0	4	10,5



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø								
CRF L	07/12	E	473 / 473X	L	S	240	118	3,0	4	6,5								
CRF L	07/12	E	859	L	T	240	118	3,0	4	6,5								
CRF M	07/12	E	119	L	S	240	118	3,5	4	6,5	043 / 043X	R	S	220	105	4,0	4	10,5
CRF M	07/12	E	473 / 473X	L	S	240	118	3,0	4	6,5								
CRF M	07/12	E	859	L	T	240	118	3,0	4	6,5								
SL	97/01	E	119	L	S	240	118	3,5	4	6,5	043 / 043X	R	S	220	105	4,0	4	10,5
SL	97/01	E	473 / 473X	L	S	240	118	3,0	4	6,5								
SL	97/01	E	859	L	T	240	118	3,0	4	6,5								
250 c.c.											250 c.c.							
AX1	88	U	198 / 198X	L	S	240	118	3,0	4	10,5	045 / 045X	R	S	220	121	5,0	4	10,5
CB TWO FIFTY	91/06	R	364	L	S	240	105	4,0	4	10,5	Drum	-	-	-	-	-	-	-
CB F	04/08	R	1092	R	S	276	144	4,0	5	10,5	Drum	-	-	-	-	-	-	-
CB F	14/15	R	-	R	S	-	-	-	-	-	-	R	S	-	-	-	-	-
HONDA											HONDA							
250 c.c.											250 c.c.							
CB F HORNET	96/01	R	216G / 216	R	F17,0	296	58	4,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
CB F HORNET	96/01	R	216XG / 216X	R	F17,0	296	58	4,0	6	6,5								
CB NIGHTHAWK	01/14	R	-	-	-	-	-	-	-	-	1687	R	S	256	144	6,0	6	10,5
CBR MC14	87	R	286 / 286X	L	S	256	144	5,0	4	10,5	Drum	-	-	-	-	-	-	-
CBR MC17	87	R	286 / 286X	L	S	256	144	5,0	4	10,5	101 / 101X	R	S	220	105	5,0	4	10,5
CBR R	11/12	R	1348	R	F17,5	296	74	4,5	6	6,5	1349	R	S	220	102,5	5,0	4	10,5
CBR R	13/16	R	1533 / 1625G	R	F17,8	296	94	4,5	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
CBR R ABS	11/16	R	1625G	R	F17,8	296	94	4,5	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
CBR RR ABS MALAYSIA	17	R	1666XG	R	F13,2	310	94,0	4,5	6	MH	1485X	R	S	240	118	5,0	4	10,5
CBR RR MC22	94	R	782	L/R	F16,5	276	58	4,0	6	6,5	-	-	-	-	-	-	-	-
CBX	86/98	R	194	R	S	240	114	4,0	6	10,5	Drum	-	-	-	-	-	-	-
CBX TWISTER	06/09	R	1092	R	S	276	144	4,0	5	10,5	Drum	-	-	-	-	-	-	-
CH	-	S	1038	L	S	190	72	4,0	4	10,5	-	-	-	-	-	-	-	-
CMX C REBEL	96/00	R	194	R	S	240	114	4,0	6	10,5	Drum	-	-	-	-	-	-	-
CR	98	R	-	-	-	-	-	-	-	-	1687	R	S	256	144	6,0	6	10,5
CR E	87	M	-	-	-	-	-	-	-	-	1119	R	S	220	122	4,5	6	10,5
CR E	89/94	M	-	-	-	-	-	-	-	-	045 / 045X	R	S	220	121	5,0	4	10,5
CR E	95/96	M	066 / 066X	L	S	240	101	3,0	6	6,5	045 / 045X	R	S	220	121	5,0	4	10,5
CR E	95/96	M	724K15	L	KF	*320	101	5,0	6	6,5								
CR E	95/96	M	724XK15	L	KF	*318	101	5,0	6	6,5								
CR E	95/96	M	724SPK15	L	KF	*320	101	5,0	6	6,5								
CR E	97/01	M	066 / 066X	L	S	240	101	3,0	6	6,5	1586 / 1586X	R	S	240	122,5	4,5	4	10,5
CR E	97/01	M	724K15	L	KF	*320	101	5,0	6	6,5								
CR E	97/01	M	724XK15	L	KF	*318	101	5,0	6	6,5								
CR E	97/01	M	724SPK15	L	KF	*320	101	5,0	6	6,5								
CR E	02/03	M	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
CR E	02/03	M	724K15	L	KF	*320	101	5,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
CR E	02/03	M	724XK15	L	KF	*318	101	5,0	6	6,5								
CR E	02/03	M	724SPK15	L	KF	*320	101	5,0	6	6,5								
CR E / CR F	04/09	M	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
CR E / CR F	04/09	M	1154XK03	L	KF	*270	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
CR E / CR F	04/09	M	1154XBHK03	L	KF	*270	101	3,0	6	6,5								
CR E / CR F	04/09	M	724K14	L	KF	*320	101	5,0	6	6,5								
CR E / CR F	04/09	M	724XK14	L	KF	*318	101	5,0	6	6,5								
CR E / CR F	04/09	M	724SPK14	L	KF	*320	101	5,0	6	6,5								
CR R	84/88	M	237	L	S	240	118	3,0	4	10,5	761	R	S	220	122	4,0	6	10,5
CR R	89	M	198 / 198X	L	S	240	118	3,0	4	10,5	045 / 045X	R	S	220	121	5,0	4	10,5
CR R	90	M	199	L	S	240	118	3,0	4	10,5	045 / 045X	R	S	220	121	5,0	4	10,5
CR R	91	M	237	L	S	240	118	3,0	4	10,5	045 / 045X	R	S	220	121	5,0	4	10,5
CR R	92/94	M	473 / 473X	L	S	240	118	3,0	4	6,5	045 / 045X	R	S	220	121	5,0	4	10,5
CR R	92/94	M	859	L	T	240	118	3,0	4	6,5								
CR R	95/96	M	066 / 066X	L	S	240	101	3,0	6	6,5	045 / 045X	R	S	220	121	5,0	4	10,5
CR R	95/96	M	724K15	L	KF	*320	101	5,0	6	6,5								
CR R	95/96	M	724XK15	L	KF	*318	101	5,0	6	6,5								
CR R	95/96	M	724SPK15	L	KF	*320	101	5,0	6	6,5								
CR R	97/01	M	066 / 066X	L	S	240	101	3,0	6	6,5	1586 / 1586X	R	S	240	122,5	4,5	4	10,5
CR R	97/01	M	724K15	L	KF	*320	101	5,0	6	6,5								



CR R	97/01	M	724XK15	L	KF	*318	101	5,0	6	6,5								
CR R	97/01	M	724SPK15	L	KF	*320	101	5,0	6	6,5								
CR R	02/09	M	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
CR R	02/03	M	724K15	L	KF	*320	101	5,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
CR R	02/03	M	724XK15	L	KF	*318	101	5,0	6	6,5								
CR R	02/03	M	724SPK15	L	KF	*320	101	5,0	6	6,5								
CR R	04/09	M	1154XK03	L	KF	*270	101	3,0	6	6,5								
CR R	04/09	M	1154XBHK03	L	KF	*270	101	3,0	6	6,5								
CR R	04/09	M	724K14	L	KF	*320	101	5,0	6	6,5								
CR R	04/09	M	724XK14	L	KF	*318	101	5,0	6	6,5								
CR R	04/09	M	724SPK14	L	KF	*320	101	5,0	6	6,5								
HONDA										HONDA								
250 c.c.										250 c.c.								
CR E SUPERMOTARD	00/01	F	-	-	-	-	-	-	-	-	1586 / 1586X	R	S	240	122,5	4,5	4	10,5
CR R / RS / RT / RV	95/03	M	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
CR R / RS / RT / RV	95/03	M	724K15	L	KF	*320	101	5,0	6	6,5								
CR R / RS / RT / RV	95/03	M	724XK15	L	KF	*318	101	5,0	6	6,5								
CR R / RS / RT / RV	95/03	M	724SPK15	L	KF	*320	101	5,0	6	6,5								
CR R1 - R4	04/05	M	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
CR R1 - R4	04/05	M	1154XK03	L	KF	*270	101	3,0	6	6,5								
CR R1 - R4	04/05	M	1154XBHK03	L	KF	*270	101	3,0	6	6,5								
CR R1 - R4	04/05	M	724K14	L	KF	*320	101	5,0	6	6,5								
CR R1 - R4	04/05	M	724XK14	L	KF	*318	101	5,0	6	6,5								
CR R1 - R4	04/05	M	724SPK14	L	KF	*320	101	5,0	6	6,5								
CR RW / RX / RY	95/03	M	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
CR RW / RX / RY	95/03	M	724K15	L	KF	*320	101	5,0	6	6,5								
CR RW / RX / RY	95/03	M	724XK15	L	KF	*318	101	5,0	6	6,5								
CR RW / RX / RY	95/03	M	724SPK15	L	KF	*320	101	5,0	6	6,5								
CR X	04/09	M	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
CR X	04/09	M	1154XK03	L	KF	*270	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
CR X	04/09	M	1154XBHK03	L	KF	*270	101	3,0	6	6,5								
CR X	04/09	M	724K14	L	KF	*320	101	5,0	6	6,5								
CR X	04/09	M	724XK14	L	KF	*318	101	5,0	6	6,5								
CR X	04/09	M	724SPK14	L	KF	*320	101	5,0	6	6,5								
CRE R ENDURO	02/04	E	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
CRE F ENDURO / CRE X	04/09	E-M	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
CRE F ENDURO / CRE X	04/09	E-M									654SP	R	S	240	121,5	4,0	4	6,5
CRE R	84/88	M	237	L	S	240	118	3,0	4	10,5	761	L	S	220	122	4,0	6	10,5
CRE R	89	M	198 / 198X	L	S	240	118	3,0	4	10,5	045 / 045X	R	S	220	121	5,0	4	10,5
CRE R	90	M	199	L	S	240	118	3,0	4	10,5	045 / 045X	R	S	220	121	5,0	4	10,5
CRE R	91	M	237	L	S	240	118	3,0	4	10,5	045 / 045X	R	S	220	121	5,0	4	10,5
CRE R	92/94	M	119	L	S	240	118	3,5	4	6,5	045 / 045X	R	S	220	121	5,0	4	10,5
CRE R	92/94	M	473 / 473X	L	S	240	118	3,0	4	6,5								
CRE R	92/94	M	859	L	T	240	118	3,0	4	6,5								
CRE R	95/96	M	066 / 066X	L	S	240	101	3,0	6	6,5	045 / 045X	R	S	220	121	5,0	4	10,5
CRE R / CRE R SM	97/01	M	066 / 066X	L	S	240	101	3,0	6	6,5	375	R	S	240	121	4,0	4	10,5
CRE R	02/08	M	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
CRE R	02/08	M									654SP	R	S	240	121,5	4,0	4	6,5
CRE SM	89/96	F	066 / 066X	L	S	240	101	3,0	6	6,5	045 / 045X	R	S	220	121	5,0	4	10,5
CRE SUPERMOTARD	02/09	F	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
CRE SUPERMOTARD	02/09	F									654SP	R	S	240	121,5	4,0	4	6,5
CRE R SUPERMOTARD	02	F	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
CRF	00/03	E	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
CRF F	13/14	F	-	-	-	-	-	-	-	-	-	-	-	220	-	-	-	-
CRF L / CRF L ABS	12/18	U	1350X	L	S	256	101	3,5	6	6,5	xxxxX	R	S	220	105	4,5	4	10,5
CRF M	15/16	F	1489X	L	F00,0	296	101	3,5	6	6,5	045X	R	S	220	121	5,0	4	10,5
CRF R / CRF X ENDURO	04/14	M-E	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
CRF R / CRF X ENDURO	04/14	M-E	1154XK03	L	KF	*270	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
CRF R / CRF X ENDURO	04/14	M-E	1154XBHK03	L	KF	*270	101	3,0	6	6,5								
CRF R / CRF X ENDURO	04/14	M-E	724K14	L	KF	*320	101	5,0	6	6,5								



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø								
CRF R / CRF X ENDURO	04/14	M-E	724XK14	L	KF	*318	101	5,0	6	6,5								
CRF R / CRF X ENDURO	04/14	M-E	724SPK14	L	KF	*320	101	5,0	6	6,5								
CRF R / CRF R ENDURO	15/18	M-E	1486X	L	S	260	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
CRF R / CRF R ENDURO	15/18	M-E	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
CRF R / CRF R ENDURO	15/18	M-E	1154XK26	L	KF	*270	101	3,0	6	6,5								
CRF R / CRF R ENDURO	15/18	M-E	1154XBHK26	L	KF	*270	101	3,0	6	6,5								
CRF R / CRF R ENDURO	15/18	M-E	724K29	L	KF	*320	101	5,0	6	6,5								
CRF R / CRF R ENDURO	15/18	M-E	724XK29	L	KF	*318	101	5,0	6	6,5								
CRF R / CRF R ENDURO	15/18	M-E	724SPK29	L	KF	*320	101	5,0	6	6,5								
HONDA											HONDA							
250 c.c.											250 c.c.							
CRF RALLY ABS	17/18	U	1489X	L	F00,0	296	101	3,5	6	6,5	-	R	S	220	105	4,5	4	10,5
CRF X ENDURO	15	E	066X	L	S	240	101	3,0	6	6,5	654X	R	S	240	121,5	4,0	4	6,5
CRF X ENDURO	15	E									654SP	R	S	240	121,5	4,0	4	6,5
CRM R	98	E	119	L	S	240	118	3,5	4	6,5	043 / 043X	R	S	220	105	4,0	4	10,5
CRM R	98	E	473 / 473X	L	S	240	118	3,0	4	6,5								
CRM R	98	E	859	L	T	240	118	3,0	4	6,5								
FORESIGHT FES	97/98	S	364	L	S	240	105	4,0	4	10,5	Drum	-	-	-	-	-	-	-
FORESIGHT FES	99/07	S	364	L	S	240	105	4,0	4	10,5	101 / 101X	L	S	220	105	5,0	4	10,5
FORZA NSS	00/04	S	364	L	S	240	105	4,0	4	10,5	101 / 101X	L	S	220	105	5,0	4	10,5
FORZA X NSS / XE NSS	05/07	S	364	L	S	240	105	4,0	4	10,5	209	L	S	240	105	5,0	4	10,5
FORZA X NESS	08	S	792 / 792X	L	S	256	144	5,0	6	10,5	209	L	S	240	105	5,0	4	10,5
HELIX CN	95/99	S	112	L	S	190	72	5,0	4	10,5	Drum	-	-	-	-	-	-	-
HORNET	96/01	R	216G / 216	R	F17,0	296	58	4,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
HORNET	96/01	R	216XG / 216X	R	F17,0	296	58	4,0	6	6,5								
JAZZ	01/04	S	364	L	S	240	105	4,0	4	10,5	101 / 101X	L	S	220	105	5,0	4	10,5
NS F / NS R MC11	84/86	R	286 / 286X	L	S	256	144	5,0	4	10,5	041	R	S	220	88	4,5	3	10,5
NS R MC21	95	R	-	-	-	-	-	-	-	-	041	R	S	220	88	4,5	3	10,5
NX L	87/93	E	119	L	S	240	118	3,5	4	6,5	Drum	-	-	-	-	-	-	-
NX L	87/93	E	473 / 473X	L	S	240	118	3,0	4	6,5								
PANTHEON	98	S	364	L	S	240	105	4,0	4	10,5	Drum	-	-	-	-	-	-	-
REBEL CMX C	96/01	C	194	L	S	240	114	4,0	6	10,5	Drum	-	-	-	-	-	-	-
REFLEX	00	S	-	-	-	-	-	-	-	-	101 / 101X	R	S	220	105	5,0	4	10,5
RS GP	90/97	R	216G / 216	L/R	F17,0	296	58	4,0	6	6,5	-	-	-	-	-	-	-	-
RS GP	90/97	R	216XG / 216X	L/R	F17,0	296	58	4,0	6	6,5								
RS R	90/97	R	216G / 216	L/R	F17,0	296	58	4,0	6	6,5	-	-	-	-	-	-	-	-
RS R	90/97	R	216XG / 216X	L/R	F17,0	296	58	4,0	6	6,5								
SPAZIO CN	87/99	S	112	L	S	190	72	5,0	4	10,5	Drum	-	-	-	-	-	-	-
TSR	99/00	R	216G / 216	L/R	F17,0	296	58	4,0	6	6,5	-	-	-	-	-	-	-	-
TSR	99/00	R	216XG / 216X	L/R	F17,0	296	58	4,0	6	6,5								
VF V TWIN MAGNA	97/98	C	125	L	S	317	144	6,0	6	10,5	Drum	-	-	-	-	-	-	-
VF V TWIN MAGNA	97/98	C	1073	L	S	316	144	5,0	6	10,5								
VF V TWIN MAGNA	97/98	C	1429	L	F00,0	318	144	5,0	6	10,5								
VT C V TWIN MAGNA S	95/97	C	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-
VTR	98/08	R	1309 / 1309X	R	F17,0	296	58	4,0	6	8,5	101 / 101X	R	S	220	105	5,0	4	10,5
VTR	09/10	R	1309 / 1309X	R	F17,0	296	58	4,0	6	8,5	101A / 101XA	R	S	220	105	5,0	4	10,5
VTR ABS	10	R	-	-	-	-	-	-	-	-	101A / 101XA	R	S	220	105	5,0	4	10,5
VTR F	12/13	R	1309 / 1309X	R	F17,0	296	58	4,0	6	8,5	101 / 101X	R	S	220	105	5,0	4	10,5
VTZ XELVIS	97	R	-	-	-	-	-	-	-	-	101 / 101X	R	S	220	105	5,0	4	10,5
WR X	08/12	C	1455	L	F00,0	300	132	5,0	6	8,5	-	-	-	-	-	-	-	-
XELVIS V-25	97/98	R	110 / 110X	R	S	296	144	5,0	6	10,5	101 / 101X	R	S	220	105	5,0	4	10,5
XR L	91	R	-	-	-	-	-	-	-	-	043 / 043X	R	S	220	105	4,0	4	10,5
XL R	84/90	E	119	L	S	240	118	3,5	4	6,5	Drum	-	-	-	-	-	-	-
XL R	84/90	E	473 / 473X	L	S	240	118	3,0	4	6,5								
XL R	84/90	E	859	L	T	240	118	3,0	4	6,5								
XL R	91/96	E	119	L	S	240	118	3,5	4	6,5	656	R	S	220	105	4,0	4	6,5
XL R	91/96	E	473 / 473X	L	S	240	118	3,0	4	6,5								
XL R	91/96	E	859	L	T	240	118	3,0	4	6,5								
XR R	91/04	E	119	L	S	240	118	3,5	4	6,5	043 / 043X	R	S	220	105	4,0	4	10,5
XR R	91/04	E	473 / 473X	L	S	240	118	3,0	4	6,5								



YEAR	MODEL	TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø
XR R	91/04	E	859	L	T	240	118	3,0	4	6,5								
XR R	91/04	E	726K15	L	KF	*320	118	5,0	4	6,5								
XR R	91/04	E	726XK15	L	KF	*320	118	5,0	4	6,5								
XR R	91/04	E	726SPK15	L	KF	*320	118	5,0	4	6,5								
XR R	91/04	E	726GK15	L	KF	*320	118	5,0	4	6,5								
XR R	91/04	E	726XGK15	L	KF	*320	118	5,0	4	6,5								
XR R	91/04	E	726SPGK15	L	KF	*320	118	5,0	4	6,5								
HONDA											HONDA							
250 c.c.											250 c.c.							
XL R BAJA	88/91	E	119	L	S	240	118	3,5	4	6,5	656	R	S	220	105	4,0	4	6,5
XL R BAJA	88/91	E	473 / 473X	L	S	240	118	3,0	4	6,5								
XL R BAJA	88/91	E	859	L	T	240	118	3,0	4	6,5								
XR MOTARD	03	F	-	-	-	-	-	-	-	-	043 / 043X	R	S	220	105	4,0	4	10,5
260 c.c.											260 c.c.							
CRE	95/97	E	119	L	S	240	118	3,5	4	6,5	045 / 045X	R	S	220	121	5,0	4	10,5
CRE	95/97	E	473 / 473X	L	S	240	118	3,0	4	6,5								
CRE	95/97	E	859	L	T	240	118	3,0	4	6,5								
CRE	98	E	119	L	S	240	118	3,5	4	6,5	375	R	S	240	121	4,0	4	10,5
CRE	98	E	473 / 473X	L	S	240	118	3,0	4	6,5								
CRE	98	E	859	L	T	240	118	3,0	4	6,5								
300 c.c.											300 c.c.							
CB R NEO MODEL																		
SPORTS CAFÉ ABS	18	N	-	R	S	296	-	-	-	-	-	R	S	220	-	-	-	-
CBR R	14/16	R	1533	R	F17,8	296	94	4,5	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
CBR R	14/16	R	1625G	R	F17,8	296	94	4,5	6	6,5								
CBR R ABS	14/17	R	1625G	R	F17,8	296	94	4,5	6	6,5	101A	R	S	220	105	5,0	4	10,5
CRF R ENDURO	17	E	1486X	L	S	260	101	3,0	6	6,5	654X	R	S	240	121,5	4,0	4	6,5
CRF R ENDURO	17	E	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
CRF RME	15/17	E	1486X	L	S	260	101	3,0	6	6,5	654X	R	S	240	121,5	4,0	4	6,5
CRF RME	15/17	E	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
CRF RME	15/17	E	1154XK26	L	KF	*270	101	3,0	6	6,5								
CRF RME	15/17	E	1154XBHK26	L	KF	*270	101	3,0	6	6,5								
CRF X ENDURO	15/16	E	066X	L	S	240	101	3,0	6	6,5	654X	R	S	240	121,5	4,0	4	6,5
CRF X ENDURO	15/16	E									654SP	R	S	240	121,5	4,0	4	6,5
FORZA NNS / ABS	14/17	S	792 / 792X	R	S	256	144	5,0	6	10,5	209	R	S	240	105	5,0	4	10,5
SH i SCOOPY MODELS																		
SCOOPY / ABS	06/15	S	1023	L	S	256	144	4,5	6	10,5	792 / 792X	R	S	256	144	5,0	6	10,5
BLANER / ABS	06/15	S	1023	L	S	256	144	4,5	6	10,5	792 / 792X	R	S	256	144	5,0	6	10,5
SCOOPY ABS	16/18	S	1023	L	S	256	144	4,5	6	10,5	209	R	S	240	105	5,0	4	10,5
SCOOPY ABS	16/18	S									792 / 792X	R	S	256	144	5,0	6	10,5
350 c.c.											350 c.c.							
CB / CB G / CB S	86/90	R	046 / 046X	L/R	S	256	144	4,0	4	10,5	Drum	-	-	-	-	-	-	-
360 c.c.											360 c.c.							
CRF R	14	M	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
CRF R	14	M	1154XK03	L	KF	*270	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
CRF R	14	M	1154XBHK03	L	KF	*270	101	3,0	6	6,5								
CRF R	14	M	724K14	L	KF	*320	101	5,0	6	6,5								
CRF R	14	M	724XK14	L	KF	*318	101	5,0	6	6,5								
CRF R	14	M	724SPK14	L	KF	*320	101	5,0	6	6,5								
400 c.c.											400 c.c.							
CB	89/91	R	1161	R	F23,0	296	62	5,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
CB F	89/91	R	-	-	-	-	-	-	-	-	101 / 101X	L	S	220	105	5,0	4	10,5
CB F NC36	97/98	R	-	-	-	-	-	-	-	-	209	R	S	240	105	5,0	4	10,5
CB F SUPERFOUR	92/97	R	-	-	-	-	-	-	-	-	209	R	S	240	105	5,0	4	10,5
CB N	82/88	R	216G / 216	L/R	F17,0	296	58	4,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
CB N	82/88	R	216XG / 216X	L/R	F17,0	296	58	4,0	6	6,5								
CB V-TEC	11	R	216G / 216	L/R	F17,0	296	58	4,0	6	6,5	209	R	S	240	105	5,0	4	10,5
CB V-TEC	11	R	216XG / 216X	L/R	F17,0	296	58	4,0	6	6,5								
CB FOUR	97	R	1161	L/R	F23,0	296	62	5,0	6	6,5	-	-	-	-	-	-	-	-
CBR F	85/87	R	216G / 216	L/R	F17,0	296	58	4,0	6	6,5	-	-	-	-	-	-	-	-
CBR F	85/87	R	216XG / 216X	L/R	F17,0	296	58	4,0	6	6,5								
CBR F2	85/87	R	216G / 216	R	F17,0	296	58	4,0	6	6,5	041	R	S	220	88	4,5	3	10,5



MODEL	YEAR	TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø
CBR F2	85/87	R	216XG / 216X	R	F17,0	296	58	4,0	6	6,5								
CBR R NC23	86	R	204	L/R	S	276	144	5,0	6	10,5	041	R	S	220	88	4,5	3	10,5
CBR R NC23	87/89	R	-	-	-	-	-	-	-	-	041	R	S	220	88	4,5	3	10,5
CBR RR NC23	88/89	R	216G / 216	L/R	F17,0	296	58	4,0	6	6,5	041	R	S	220	88	4,5	3	10,5
CBR RR NC23	88/89	R	216XG / 216X	L/R	F17,0	296	58	4,0	6	6,5								
HONDA											HONDA							
400 c.c.											400 c.c.							
CBR RR NC29	90/94	R	216G / 216	L/R	F17,0	296	58	4,0	6	6,5	101 / 101X	L	S	220	105	5,0	4	10,5
CBR RR NC29	90/94	R	216XG / 216X	L/R	F17,0	296	58	4,0	6	6,5								
CBR RR	98	R	-	-	-	-	-	-	-	-	101 / 101X	R	S	220	105	5,0	4	10,5
CRF RX ENDURO	18	E	1486X	L	S	260	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
CRF RX ENDURO	18	E	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
CRF RX ENDURO	18	E	1154XK26	L	KF	*270	101	3,0	6	6,5								
CRF RX ENDURO	18	E	1154XBHK26	L	KF	*270	101	3,0	6	6,5								
CRF RX ENDURO	18	E	724K29	L	KF	*320	101	5,0	6	6,5								
CRF RX ENDURO	18	E	724XK29	L	KF	*318	101	5,0	6	6,5								
CRF RX ENDURO	18	E	724SPK29	L	KF	*320	101	5,0	6	6,5								
NS R	85/87	R	286 / 286X	L/R	S	256	144	5,0	4	10,5	041	R	S	220	88	4,5	3	10,5
NS R	88	R	792 / 792X	L/R	S	256	144	5,0	6	10,5	041	R	S	220	88	4,5	3	10,5
NS R	06/07	R	-	-	-	-	-	-	-	-	041	R	S	220	88	4,5	3	10,5
NX 4 DOMINATOR	99	U	046 / 046X	L	S	256	144	4,0	4	10,5	656	R	S	220	105	4,0	4	6,5
NX 4 FALCON	03	F	792 / 792X	L	S	256	144	5,0	6	10,5	656	R	S	220	105	4,0	4	6,5
RVF	94/98	R	216G / 216	R	F17,0	296	58	4,0	6	6,5	-	-	-	-	-	-	-	-
RVF	94/98	R	216XG / 216X	R	F17,0	296	58	4,0	6	6,5								
SILVER WING / FJS	06/08	S	792 / 792X	L	S	256	144	5,0	6	10,5	209	R	S	240	105	5,0	4	10,5
STEED VSE	92/97	C	109	L	S	296	144	5,0	5	10,5	Drum	-	-	-	-	-	-	-
SW T / SW T ABS	09/14	S	1335	L	S	276	144	6,0	6	10,5	1336	R	S	240	105	6,0	4	10,5
VFR	87/88	R	204	L/R	S	276	144	5,0	6	10,5	312	R	S	220	88	4,0	3	10,5
VFR R	86/88	R	792 / 792X	L/R	S	256	144	5,0	6	10,5	041	R	S	220	88	4,5	3	10,5
VFR R	89/93	R	216G / 216	L/R	F17,0	296	58	4,0	6	6,5	-	-	-	-	-	-	-	-
VFR R	89/93	R	216XG / 216X	L/R	F17,0	296	58	4,0	6	6,5								
VFR RG NC21	86	R	204	L/R	S	276	144	5,0	6	10,5	041	R	S	220	88	4,5	3	10,5
VFR R NC24	87/88	R	216G / 216	L/R	F17,0	296	58	4,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
VFR R NC24	87/88	R	216XG / 216X	L/R	F17,0	296	58	4,0	6	6,5								
VFR RR	91	R	216G / 216	L/R	F17,0	296	58	4,0	6	6,5	-	-	-	-	-	-	-	-
VFR RR	91	R	216XG / 216X	L/R	F17,0	296	58	4,0	6	6,5								
VFR Z	86/88	R	204	L/R	S	276	144	5,0	6	10,5	-	-	-	-	-	-	-	-
XR R / SUPERMOTARD	95/05	F	119	L	S	240	118	3,5	4	6,5	043 / 043X	R	S	220	105	4,0	4	10,5
XR R / SUPERMOTARD	95/05	F	473 / 473X	L	S	240	118	3,0	4	6,5								
XR R / SUPERMOTARD	95/05	F	859	L	T	240	118	3,0	4	6,5								
XR R / SUPERMOTARD	95/05	F	726K15	L	KF	*320	118	5,0	4	6,5								
XR R / SUPERMOTARD	95/05	F	726XK15	L	KF	*320	118	5,0	4	6,5								
XR R / SUPERMOTARD	95/05	F	726SPK15	L	KF	*320	118	5,0	4	6,5								
XR R / SUPERMOTARD	95/05	F	726GK15	L	KF	*320	118	5,0	4	6,5								
XR R / SUPERMOTARD	95/05	F	726XGK15	L	KF	*320	118	5,0	4	6,5								
XR R / SUPERMOTARD	95/05	F	726SPGK15	L	KF	*320	118	5,0	4	6,5								
440 c.c.											440 c.c.							
XR R	06/07	E	-	-	-	-	-	-	-	-	043 / 043X	R	S	220	105	4,0	4	10,5
450 c.c.											450 c.c.							
CB S	85/89	R	046 / 046X	L	S	256	144	4,0	4	10,5	Drum	-	-	-	-	-	-	-
CR	00/01	M	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
CRE F	02/07	M	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
CRE F	02/07	M									654SP	R	S	240	121,5	4,0	4	6,5
CRE F SUPERMOTO	02/03	F	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
CRE F SUPERMOTO	02/03	F									654SP	R	S	240	121,5	4,0	4	6,5
CRF R SUPERMOTARD	02/03	F	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
CRE F SUPERMOTARD	02/03	F									654SP	R	S	240	121,5	4,0	4	6,5
CRF R	02/14	M	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
CRF R	04/14	M	1154XK03	L	KF	*270	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
CRF R	04/14	M	1154XBHK03	L	KF	*270	101	3,0	6	6,5								
CRF R	02/03	M	724K15	L	KF	*320	101	5,0	6	6,5								
CRF R	02/03	M	724XK15	L	KF	*318	101	5,0	6	6,5								



MODEL	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø
CRF R	02/03	M	724SPK15	L	KF	*320	101	5,0	6	6,5								
CRF R	04/14	M	724K14	L	KF	*320	101	5,0	6	6,5								
CRF R	04/14	M	724XK14	L	KF	*318	101	5,0	6	6,5								
CRF R	04/14	M	724SPK14	L	KF	*320	101	5,0	6	6,5								
HONDA											HONDA							
450 c.c.											450 c.c.							
CRF R / RX / ENDURO	15/18	M-E	1486X	L	S	260	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
CRF R / RX / ENDURO	15/18	M-E	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
CRF R / RX / ENDURO	15/18	M-E	1154XK26	L	KF	*270	101	3,0	6	6,5								
CRF R / RX / ENDURO	15/18	M-E	1154XBHK26	L	KF	*270	101	3,0	6	6,5								
CRF R / RX / ENDURO	15/18	M-E	724K29	L	KF	*320	101	5,0	6	6,5								
CRF R / RX / ENDURO	15/18	M-E	724XK29	L	KF	*318	101	5,0	6	6,5								
CRF R / RX / ENDURO	15/18	M-E	724SPK29	L	KF	*320	101	5,0	6	6,5								
CRF RS ENDURO	17	E	1486X	L	S	260	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
CRF RS ENDURO	17	E	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
CRF RS SUPERMOTO	17	F	019	L	F00,0	320	101	4,5	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
CRF RS SUPERMOTO	17	F	724	L	F00,0	320	101	5,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
CRF RS SUPERMOTO	17	F	724X	L	F00,0	318	101	5,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
CRF RW ENDURO	18	E	1486X	L	S	260	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
CRF RW ENDURO	18	E	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
CRF RX COUNTRY	17	E	1486X	L	S	260	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
CRF RX COUNTRY	17	E	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
CRF RX SUPERMOTO	18	F	724X	L	F00,0	318	101	5,0	6	6,5								
CRF RX SUPERMOTO	18	F	724	L	F00,0	320	101	5,0	6	6,5								
CRF RX SUPERMOTO	18	F	019	L	F00,0	320	101	4,5	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
CRF RX SUPERMOTO	18	F	724SP	L	F00,0	320	101	5,0	6	6,5								
CRF SM	04/11	F	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
CRF SM	04/11	F	724K14	L	KF	*320	101	5,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
CRF SM	04/11	F	724XK14	L	KF	*318	101	5,0	6	6,5								
CRF SM	04/11	F	724SPK14	L	KF	*320	101	5,0	6	6,5								
CRF X ENDURO	04/16	E	066 / 066X	L	S	240	101	3,0	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
CRF X ENDURO	04/16	E	1154XK03	L	KF	*270	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
CRF X ENDURO	04/16	E	1154XBHK03	L	KF	*270	101	3,0	6	6,5								
CRF X ENDURO	04/16	E	724K14	L	KF	*320	101	5,0	6	6,5								
CRF X ENDURO	04/16	E	724XK14	L	KF	*318	101	5,0	6	6,5								
CRF X ENDURO	04/16	E	724SPK14	L	KF	*320	101	5,0	6	6,5								
CRF X ENDURO	17	E	1486X	L	S	260	101	3,0	6	6,5	654X / 654	R	S	240	121,5	4,0	4	6,5
CRF X ENDURO	17	E	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
CRF X SUPERMOTO	14/16	F	019	L	F00,0	320	101	4,5	6	6,5	654 / 654X	R	S	240	121,5	4,0	4	6,5
CRF X SUPERMOTO	14/16	F	724	L	F00,0	320	101	5,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
CRF X SUPERMOTO	14/17	F	724X	L	F00,0	318	101	5,0	6	6,5								
CRF X SUPERMOTO	14/16	F	724SP	L	F00,0	320	101	5,0	6	6,5								
471 c.c.											471 c.c.							
REBEL CMX 500 ABS	17/18	C	-	R	S	264	-	5,0	5	-	-	R	S	-	-	5,0	4	-
500 c.c.											500 c.c.							
CB	89/90	R	204	L	S	276	144	5,0	6	10,5	-	-	-	-	-	-	-	-
CB / CB S SPORT	93/03	R	110 / 110X	R	S	296	144	5,0	6	10,5	209	R	S	240	105	5,0	4	10,5
CB / ABS / CB X	13/17	U	1484X	R	S	320	211	5,0	6	10,0	1485X	R	S	240	118	5,0	4	10,5
CB F / CB F ABS	13/17	N	1484X	R	S	320	211	5,0	6	10,0	1485X	R	S	240	118	5,0	4	10,5
CB F N / S	04/07	R	110 / 110X	R	S	296	144	5,0	6	10,5	-	-	-	-	-	-	-	-
CB X ABS	13/18	U	1484X	R	S	320	211	5,0	6	10,0	1485X	R	S	240	118	5,0	4	10,5
CB X TRAVEL EDITION ABS	13/17	U	1484X	R	S	320	211	5,0	6	10,0	1485X	R	S	240	118	5,0	4	10,5
CBF / CBF ABS	04/08	R	110 / 110X	R	S	296	144	5,0	6	10,5	1095	R	S	240	116,5	5,0	4	10,5
CBR	87/90	R	204	L/R	S	276	144	5,0	6	10,5	041	R	S	220	88	4,5	3	10,5
CBR R / CBR R ABS	13/18	R	1484X	R	S	320	211	5,0	6	10,0	1485X	R	S	240	118	5,0	4	10,5
CR	95/96	M	066 / 066X	L	S	240	101	3,0	6	6,5	045 / 045X	R	S	220	121	5,0	4	10,5
CR	95/96	M	724K15	L	KF	*320	101	5,0	6	6,5								
CR	95/96	M	724XK15	L	KF	*318	101	5,0	6	6,5								
CR	95/96	M	724SPK15	L	KF	*320	101	5,0	6	6,5								
CR	97/01	M	066 / 066X	L	S	240	101	3,0	6	6,5	375	R	S	240	121	4,0	4	10,5
CR	97/01	M	724K15	L	KF	*320	101	5,0	6	6,5								



CR	97/01	M	724XK15	L	KF	*318	101	5,0	6	6,5								
CR	97/01	M	724SPK15	L	KF	*320	101	5,0	6	6,5								
HONDA											HONDA							
500 c.c.											500 c.c.							
CR E	89/94	M	-	-	-	-	-	-	-	-	045 / 045X	R	S	220	121	5,0	4	10,5
CR E	95/96	M	066 / 066X	L	S	240	101	3,0	6	6,5	045 / 045X	R	S	220	121	5,0	4	10,5
CR E	97/01	M	066 / 066X	L	S	240	101	3,0	6	6,5	375	R	S	240	121	4,0	4	10,5
CR R	87/88	M	237	L	S	240	118	3,0	4	10,5	761	L	S	220	122	4,0	6	10,5
CR R	89/90	M	-	-	-	-	-	-	-	-	045 / 045X	R	S	220	121	5,0	4	10,5
CR R	91	M	237	L	S	240	118	3,0	4	10,5	045 / 045X	R	S	220	121	5,0	4	10,5
CR R	92/94	M	119	L	S	240	118	3,5	4	6,5	045 / 045X	R	S	220	121	5,0	4	10,5
CR R	92/94	M	473 / 473X	L	S	240	118	3,0	4	6,5								
CR R	92/94	M	859	L	T	240	118	3,0	4	6,5								
CR R	95/96	M	066 / 066X	L	S	240	101	3,0	6	6,5	045 / 045X	R	S	220	121	5,0	4	10,5
CR R	97/01	M	066 / 066X	L	S	240	101	3,0	6	6,5	375	R	S	240	121	4,0	4	10,5
CR R / CR R E	87	M	-	-	-	-	-	-	-	-	761	L	S	220	122	4,0	6	10,5
CR R / CR R E	88	M	200	L	S	240	118	3,0	4	6,5	761	L	S	220	122	4,0	6	10,5
CR R1 / CR RY	95/01	M	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	
CR RT / RV / RW / RX	95/01	M	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	
CRF R ENDURO	15/16	E	1486X	L	S	260	101	3,0	6	6,5	654X	R	S	240	121,5	4,0	4	6,5
CRF R ENDURO	15/16	E	1510X	L	F00,0	260	101	3,0	6	6,5	654SP	R	S	240	121,5	4,0	4	6,5
CRF R ENDURO	15/16	E	1154XK26	L	KF	*270	101	3,0	6	6,5								
CRF R ENDURO	15/16	E	1154XBHK26	L	KF	*270	101	3,0	6	6,5								
CRF R / X SUPERMOTO	15	F	-	L	S	320	-	3,0	-	-	654X	R	S	240	121,5	4,0	4	6,5
CRF R / X SUPERMOTO	15	F									654SP	R	S	240	121,5	4,0	4	6,5
CRF X ENDURO	15	E	066X	L	S	240	101	3,0	6	6,5	654X	R	S	240	121,5	4,0	4	6,5
CRF X ENDURO	15	E									654SP	R	S	240	121,5	4,0	4	6,5
DOMINATOR NX	84/87	U	792 / 792X	L/R	S	256	144	5,0	6	10,5	792 / 792X	R	S	256	144	5,0	6	10,5
DOMINATOR NX	88/91	U	223	L/R	S	256	144	4,0	4	8,5	043 / 043X	R	S	220	105	4,0	4	10,5
DOMINATOR NX	92/01	U	223	L/R	S	256	144	4,0	4	8,5	919	R	S	220	105	5,0	4	6,5
VF F	84/87	R	792 / 792X	L/R	S	256	144	5,0	6	10,5	792 / 792X	R	S	256	144	5,0	6	10,5
VF F INTERCEPTOR	84/87	R	792 / 792X	L/R	S	256	144	5,0	6	10,5	792 / 792X	R	S	256	144	5,0	6	10,5
VT C SHADOW	83/86	C	109	L	S	296	144	5,0	5	10,5	Drum	-	-	-	-	-	-	
VT C MAGNA	83/86	C	109	L	S	296	144	5,0	5	10,5	Drum	-	-	-	-	-	-	
VT C MAGNA V30	84	C	109	L	S	296	144	5,0	5	10,5	Drum	-	-	-	-	-	-	
VT C MAGNA ASCOT	84	C	109	L	S	296	144	5,0	5	10,5	Drum	-	-	-	-	-	-	
XBR S	85/89	R	204	L	S	276	144	5,0	6	10,5	Drum	-	-	-	-	-	-	
XR	84/85	E	119	L	S	240	118	3,5	4	6,5	Drum	-	-	-	-	-	-	
XR	84/85	E	473 / 473X	L	S	240	118	3,0	4	6,5								
XR	84/85	E	859	L	T	240	118	3,0	4	6,5								
XR	91	E	-	-	-	-	-	-	-	-	043 / 043X	R	S	220	105	4,0	4	10,5
599 c.c.											599 c.c.							
599 (USA)	00	R	-	-	-	-	-	-	-	-	101 / 101X	R	S	220	105	5,0	4	10,5
600 c.c.											600 c.c.							
CB F	03/07	R	110 / 110X	L	S	296	144	5,0	6	10,5	1095	R	S	240	116,5	5,0	4	10,5
CB F N	03/07	R	110 / 110X	L/R	S	296	144	5,0	6	10,5	1095	R	S	240	116,5	5,0	4	10,5
CB F HORNET / S	00/06	R	693	L/R	F23,0	296	58	4,5	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
CB F HORNET / S	07/13	R	1289	L/R	F14,5	296	94	4,5	6	6,5	1095	R	S	240	116,5	5,0	4	10,5
CB F HORNET / S	07/13	R	1580G	L/R	F14,5	296	94	4,5	6	6,5								
CB F HORNET / S ABS	07/13	R	1580G	L/R	F14,5	296	94	4,5	6	6,5	1095	R	S	240	116,5	5,0	4	10,5
CB F / N	08/11	R	1149	L/R	F18,5	296	94	4,5	6	6,5	1095	R	S	240	116,5	5,0	4	10,5
CB F / N ABS	08/11	R	1581G	L/R	F18,5	296	94	4,5	6	6,5	1095	R	S	240	116,5	5,0	4	10,5
CB F S ABS	03/08	R	110 / 110X	L/R	S	296	144	5,0	6	10,5	1095	R	S	240	116,5	5,0	4	10,5
CB HORNET	98/99	R	1161	L/R	F23,0	296	62	5,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
CB S HORNET	00/06	R	693	L/R	F23,0	296	58	4,5	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
CBR F	87/90	R	204	L/R	S	276	144	5,0	6	10,5	041	R	S	220	88	4,5	3	10,5
CBR F	91/94	R	204	L/R	S	276	144	5,0	6	10,5	101 / 101X	R	S	220	105	5,0	4	10,5
CBR F	95/98	R	216G / 216	L/R	F17,0	296	58	4,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
CBR F	95/98	R	216XG / 216X	L/R	F17,0	296	58	4,0	6	6,5								
CBR F	99/03	R	752 / 752X	L/R	F17,0	296	62	5,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
CBR F	01/02	R	643	L/R	F12,5	296	94	4,5	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5



HONDA											HONDA							
600 c.c.											600 c.c.							
CBR F / CBR F ABS	08/10	R	-	-	-	-	-	-	-	-	-	R	S	-	-	-	-	-
CBR F	11/13	R	1289	L/R	F14,5	296	94	4,5	6	6,5	1095	R	S	240	116,5	5,0	4	10,5
CBR F	11/13	R	1580G	L/R	F14,5	296	94	4,5	6	6,5								
CBR F ABS	01/07	R	1582G	L/R	F12,5	296	94	4,5	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
CBR F ABS	11/13	R	1580G	L/R	F14,5	296	94	4,5	6	6,5	1095	R	S	240	116,5	5,0	4	10,5
CBR F SPORT / ABS	01/02	R	1582G	L/R	F12,5	296	94	4,5	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
CBR F2	91/94	R	204	L/R	S	276	144	5,0	6	10,5	101 / 101X	R	S	220	105	5,0	4	10,5
CBR F3	95/98	R	216G / 216	L/R	F17,0	296	58	4,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
CBR F3	95/98	R	216XG / 216X	L/R	F17,0	296	58	4,0	6	6,5								
CBR F3	03	R	752 / 752X	L/R	F17,0	296	62	5,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
CBR F4	99/00	R	752 / 752X	L/R	F17,0	296	62	5,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
CBR F4 i SPORT	01/10	R	643	L/R	F12,5	296	94	4,5	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
CBR RR	03/17	S6	788 / 788X	L/R	F13,0	310	94	5,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
CBR RR	03/17	S6	788G / 788XG	L/R	F13,0	310	94	5,0	6	6,5								
CBR RR ABS	03/17	S6	1679G	L/R	F12,5	310	94	5,0	6	6,5	101A	R	S	220	105	5,0	4	10,5
REVERE NTV	88/92	R	125	L	S	317	144	6,0	6	10,5	126	L	S	276	53	4,5	6	8,5
REVERE NTV	88/92	R	1073	L	S	316	144	5,0	6	10,5								
REVERE NTV	88/92	R	1429	L	F00,0	318	144	5,0	6	10,5								
SHADOW CD / VT C	88/95	C	109	L/R	S	296	144	5,0	5	10,5	Drum	-	-	-	-	-	-	-
SILVER WING FJS	01/06	S	792 / 792X	L	S	256	144	5,0	6	10,5	209	R	S	240	105	5,0	4	10,5
SILVER WING ABS	03/07	S	204	L	S	276	144	5,0	6	10,5	209	R	S	240	105	5,0	4	10,5
STEED	88/90	C	109	R	S	296	144	5,0	5	10,5	-	-	-	-	-	-	-	-
SW-T	09/15	S	1335	L	S	276	144	6,0	6	10,5	1336	R	S	240	105	6,0	4	10,5
TRANSALP XL V	87/90	U	204	R	S	276	144	5,0	6	10,5	Drum	-	-	-	-	-	-	-
TRANSALP XL V	91/96	U	204	R	S	276	144	5,0	6	10,5	209	R	S	240	105	5,0	4	10,5
TRANSALP XL V	97/01	U	046 / 046X	L/R	S	256	144	4,0	4	10,5	209	R	S	240	105	5,0	4	10,5
TRANSALP XL V	02/07	U	-	-	-	-	-	-	-	-	209	R	S	240	105	5,0	4	10,5
VT	01/03	C	110 / 110X	L	S	296	144	5,0	6	10,5	Drum	-	-	-	-	-	-	-
VT C SHADOW / VLX	88/01	C	109	L	S	296	144	5,0	5	10,5	Drum	-	-	-	-	-	-	-
XL LM / XL RM	85/88	U	203	L	S	256	144	5,5	7	10,5	Drum	-	-	-	-	-	-	-
XL R	83/87	U	200	L	S	240	118	3,0	4	6,5	Drum	-	-	-	-	-	-	-
XR R	85/90	U	050	L	S	240	118	4,0	4	6,5	Drum	-	-	-	-	-	-	-
XR R	91/99	U	119	L	S	240	118	3,5	4	6,5	043 / 043X	R	S	220	105	4,0	4	10,5
XR R	91/99	U	473 / 473X	L	S	240	118	3,0	4	6,5								
XR R	91/99	U	859	L	T	240	118	3,0	4	6,5								
XR R	94/99	U	726K15	L	KF	*320	118	5,0	4	6,5								
XR R	94/99	U	726XK15	L	KF	*320	118	5,0	4	6,5								
XR R	94/99	U	726SPK15	L	KF	*320	118	5,0	4	6,5								
XR R	94/99	U	726GK15	L	KF	*320	118	5,0	4	6,5								
XR R	94/99	U	726XGK15	L	KF	*320	118	5,0	4	6,5								
XR R	94/99	U	726SPGK15	L	KF	*320	118	5,0	4	6,5								
XR R DAKAR	97	U	-	-	-	-	-	-	-	-	221	R	S	220	105	4,5	4	10,5
XR R DAKAR	98/99	U	119	L	S	240	118	3,5	4	6,5	221	R	S	220	105	4,5	4	10,5
XR R DAKAR	98/99	U	473 / 473X	L	S	240	118	3,0	4	6,5								
XR R DAKAR	98/99	U	859	L	T	240	118	3,0	4	6,5								
650 c.c.											650 c.c.							
DOMINATOR NX	93	U	-	-	-	-	-	-	-	-	364	R	S	240	105	4,0	4	10,5
C F	14	R	1339X	R	S	320	-	5,0	5	10,0	1340X	R	S	240	-	5,0	5	10,5
CB F / CB F ABS	14/17	N	1484X	L/R	S	320	211	5,0	6	10,0	1485X	R	S	240	118	5,0	4	10,5
CB SC NIGHTHAWK	83/85	R	204	L/R	S	276	144	5,0	6	10,5	-	-	-	-	-	-	-	-
CBSix50 CONCEPT	17	U	-	L/R	Fxx,x	-	-	-	-	-	-	R	S	-	-	-	-	-
CBR F / CBR F ABS	14/15	R	1339X	L/R	S	320	-	5,0	5	10,0	1340XA	R	S	240	-	5,0	5	10,5
CBR F / FA / ABS	16/18	R	1484X	L/R	S	320	211	5,0	6	10,0	1485X	R	S	240	118	5,0	4	10,5
DOMINATOR NX	88/92	U	046 / 046X	L	S	256	144	4,0	4	10,5	101 / 101X	R	S	220	105	5,0	4	10,5
DOMINATOR NX	93/04	U	046 / 046X	R	S	256	144	4,0	4	10,5	656	R	S	220	105	4,0	4	6,5
HONDA											HONDA							



650 c.c.											650 c.c.										
FMX	05/06	U	1024	L	S	296	112	4,0	4	10,5	919	R	S	220	105	5,0	4	6,5			
FX VIGOR	98	U	208	R	S	276	144	4,5	6	10,5	224	R	S	220	105	5,0	4	8,5			
FX VIGOR	99/02	U	204	L	S	276	144	5,0	6	10,5	919	R	S	220	105	5,0	4	6,5			
NT HAWK GT	88/90	R	125	L	S	317	144	6,0	6	10,5	125	L	S	317	144	6,0	6	10,5			
NT HAWK GT	88/90	R	1073	L	S	316	144	5,0	6	10,5											
NT HAWK GT	88/90	R	1429	L	F00,0	318	144	5,0	6	10,5											
NTV DEAUVILLE	98/12	R	456	L/R	S	296	144	4,5	6	10,5	1335	R	S	276	144	6,0	6	10,5			
NTV DEAUVILLE	98/12	R	110 / 110X	L/R	S	296	144	5,0	6	10,5	204	R	S	276	144	5,0	6	10,5			
NTV REVERE	88/98	R	125	L	S	317	144	6,0	6	10,5	126	L	S	276	53	4,5	6	8,5			
NTV REVERE	88/98	R	1073	L	S	316	144	5,0	6	10,5											
NTV REVERE	88/98	R	1429	L	F00,0	318	144	5,0	6	10,5											
NX DOMINATOR	88/92	U	046	L	S	256	144	4,0	4	10,5	-	-	-	-	-	-	-	-			
NX DOMINATOR	93	U	-	L	S	-	-	-	-	-	919	R	S	220	105	5,0	4	6,5			
NX DOMINATOR	95/01	U	204	L	S	276	144	5,0	6	10,5	919	R	S	220	105	5,0	4	6,5			
SLR	96/98	U	204	L	S	276	144	5,0	6	10,5	919	R	S	220	105	5,0	4	6,5			
TRANSALP / C - ABS	12	U	1543	L/R	S	256	144	4,0	4	10,5	209	R	S	240	105	5,0	4	10,5			
XL V TRANSALP	99/07	U	1543	L/R	S	256	144	4,0	4	10,5	209	R	S	240	105	5,0	4	10,5			
XR SUPERMOTARD	07/08	F	726K15	L	KF	*320	118	5,0	4	6,5	474	R	S	240	105	4,0	4	6,5			
XR SUPERMOTARD	07/08	F	726XK15	L	KF	*320	118	5,0	4	6,5											
XR SUPERMOTARD	07/08	F	726SPK15	L	KF	*320	118	5,0	4	6,5											
XR SUPERMOTARD	07/08	F	726GK15	L	KF	*320	118	5,0	4	6,5											
XR SUPERMOTARD	07/08	F	726XGK15	L	KF	*320	118	5,0	4	6,5											
XR SUPERMOTARD	07/08	F	726SPGK15	L	KF	*320	118	5,0	4	6,5											
XR L	93/12	E	046 / 046X	L	S	256	144	4,0	4	10,5	101 / 101X	R	S	220	105	5,0	4	10,5			
XR R	93/11	E	119	L	S	240	118	3,5	4	6,5	474	R	S	240	105	4,0	4	6,5			
XR R	93/11	E	473 / 473X	L	S	240	118	3,0	4	6,5											
XR R	93/11	E	859	L	T	240	118	3,0	4	6,5											
XR R	93/11	E	726K15	L	KF	*320	118	5,0	4	6,5											
XR R	93/11	E	726XK15	L	KF	*320	118	5,0	4	6,5											
XR R	93/11	E	726SPK15	L	KF	*320	118	5,0	4	6,5											
XR R	93/11	E	726GK15	L	KF	*320	118	5,0	4	6,5											
XR R	93/11	E	726XGK15	L	KF	*320	118	5,0	4	6,5											
XR R	93/11	E	726SPGK15	L	KF	*320	118	5,0	4	6,5											
XRV AFRICA TWIN	88/90	U	048	R	S	296	144	4,0	6	10,5	209	R	S	240	105	5,0	4	10,5			
XRV AFRICA TWIN	88/90	U	110 / 110X	L/R	S	296	144	5,0	6	10,5											
680 c.c.											680 c.c.										
NT V DEAUVILLE / DCT	06/16	RVT	110 / 110X	L/R	S	296	144	5,0	6	10,5	204	R	S	276	144	5,0	6	10,5			
700 c.c.											700 c.c.										
CB SC	84/86	R	204	L/R	S	276	144	5,0	6	10,5	-	-	-	-	-	-	-	-			
CTX MODELS											CTX MODELS										
N / NA / ND / DCT / ABS	13/17	R	1339X	R	S	320	-	5,0	5	10,0	1340X	R	S	240	-	5,0	5	10,5			
D / DA / DCT / ABS	14/17	R	1386X	R	S	320	-	5,0	5	10,0	1340X	R	S	240	-	5,0	5	10,5			
INTEGRA MODELS											INTEGRA MODELS										
NC S / NC X	12/14	S	1386X	R	S	320	-	5,0	5	10,0	1340X	R	S	240	-	5,0	5	10,5			
NC S / X / ABS	12/14	S	1386X	R	S	320	-	5,0	5	10,0	1340X	R	S	240	-	5,0	5	10,5			
X DCT / ABS	12/14	S	1386X	R	S	320	-	5,0	5	10,0	1340X	R	S	240	-	5,0	5	10,5			
NT V DEAUVILLE ABS	06/16	RVT	456	L/R	S	296	144	4,5	6	10,5	1335	R	S	276	144	6,0	6	10,5			
NT V DEAUVILLE ABS	06/16	RVT	110 / 110X	L/R	S	296	144	5,0	6	10,5											
VF F / VF C / VF S	84/87	R	204	L/R	S	276	144	5,0	6	10,5	-	-	-	-	-	-	-	-			
VT C SHADOW	86/87	C	109	L	S	296	144	5,0	5	10,5	Drum	-	-	-	-	-	-	-			
XL V TRANSALP / ABS	08/13	R	1543	L/R	S	256	144	4,0	4	10,5	209	R	S	240	105	5,0	4	10,5			
750 c.c.											750 c.c.										
ADV ABS / ADV L ABS	17/18	S	1689G / 1689XG	L/R	F9,0	296	-	4,0	5	6,0	1686 / 1686X	R	S	240	116	5,0	4	10,5			
CB F2 / CB F2 K	81/03	R	110 / 110X	L/R	S	296	144	5,0	6	10,5	-	-	-	-	-	-	-	-			
CB N / CB SEVEN FIFTY	92/95	R	110 / 110X	L/R	S	296	144	5,0	6	10,5	209	R	S	240	105	5,0	4	10,5			
CBX F	83/88	R	204	L/R	S	276	144	5,0	6	10,5	1335	R	S	276	144	6,0	6	10,5			
INTEGRA MODELS											INTEGRA MODELS										
ABS	14/17	S	1386X	R	S	320	-	5,0	5	10,0	1340X	R	S	240	-	5,0	5	10,5			
HONDA											HONDA										
750 c.c.											750 c.c.										
INTEGRA MODELS											INTEGRA MODELS										

NG Brake Disc		YEAR	MODEL TYPE	REFERENCE	FRONT	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø	REAR	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø
DCT ABS	14/18	S		1386X	R S	320	-	5,0	5	10,0			1340X	R S	240	-	5,0	5	10,5		
S ABS	12/17	S		1386X	R S	320	-	5,0	5	10,0			1340X	R S	240	-	5,0	5	10,5		
SPORT DCT ABS	14/16	S		1386X	R S	320	-	5,0	5	10,0			1340X	R S	240	-	5,0	5	10,5		
NC MODELS																					
S DCT ABS	18	N		1386X	R S	320	-	5,0	5	10,0			1340X	R S	240	-	5,0	5	10,5		
X ABS	12/17	N		1386X	R S	320	-	5,0	5	10,0			1340X	R S	240	-	5,0	5	10,5		
X DCT ABS	12/18	N		1386X	R S	320	-	5,0	5	10,0			1340X	R S	240	-	5,0	5	10,5		
X SDCST ABS	12/17	N		1386X	R S	320	-	5,0	5	10,0			1340X	R S	240	-	5,0	5	10,5		
X T. EDITION ABS	18	N		1386X	R S	320	-	5,0	5	10,0			1340X	R S	240	-	5,0	5	10,5		
NM4 VULTUS DCT / ABS	14/17	CVT		1339X	R S	320	-	5,0	5	10,0			1340X	R S	240	-	5,0	5	10,5		
RC 36	-	R		110 / 110X	L/R S	296	144	5,0	6	10,5			-	-	-	-	-	-	-	-	-
VF C MODELS																					
MAGNA / SHADOW	82/86	CVT		110 / 110X	L/R S	296	144	5,0	6	10,5			Drum	-	-	-	-	-	-	-	-
MAGNA	93/07	CVT		125	L S	317	144	6,0	6	10,5			Drum	-	-	-	-	-	-	-	-
MAGNA	93/07	CVT		1073	L S	316	144	5,0	6	10,5											
MAGNA	93/07	CVT		1429	L F00,0	318	144	5,0	6	10,5											
SHADOW / CD	86/09	C		110 / 110X	L S	296	144	5,0	6	10,5			Drum	-	-	-	-	-	-	-	-
SHADOW BLACK SPIRIT	10/12	C		110 / 110X	L S	296	144	5,0	6	10,5			Drum	-	-	-	-	-	-	-	-
SHADOW MAGNA CD	94/07	CVT		125	L S	317	144	6,0	6	10,5			Drum	-	-	-	-	-	-	-	-
SHADOW MAGNA CD	94/07	CVT		1073	L S	316	144	5,0	6	10,5											
SHADOW MAGNA CD	94/07	CVT		1429	L F00,0	318	144	5,0	6	10,5											
SHADOW SPIRIT	07/09	C		110 / 110X	L S	296	144	5,0	6	10,5			Drum	-	-	-	-	-	-	-	-
VF F INTERCEPTOR / S	82/85	R		110 / 110X	L/R S	296	144	5,0	6	10,5			Drum	-	-	-	-	-	-	-	-
VFR F	86/89	R		110 / 110X	L/R S	296	144	5,0	6	10,5			792 / 792X	L S	256	144	5,0	6	10,5		
VFR F	90/93	R		110 / 110X	L/R S	296	144	5,0	6	10,5			313	L S	256	94	6,0	4	8,5		
VFR F	94/97	R		216G / 216	L/R F17,0	296	58	4,0	6	6,5			313	L S	256	94	6,0	4	8,5		
VFR F	94/97	R		216XG / 216X	L/R F17,0	296	58	4,0	6	6,5											
VFR FJ	83/85	R		204	L/R S	276	144	5,0	6	10,5			-	-	-	-	-	-	-	-	-
VFR / VFR FJ	86/87	R		204	L/R S	276	144	5,0	6	10,5			792 / 792X	R S	256	144	5,0	6	10,5		
VFR R	88/91	R		1180 / 1180X	L/R F17,5	310	58	5,0	6	6,5			-	-	-	-	-	-	-	-	-
VT C2 MODELS																					
B SHADOW SPIRIT	16	CVT		-	R S	296	-	-	-	-			-	-	-	-	-	-	-	-	-
BLACK WIDOW	01/05	C		110 / 110X	L S	296	144	5,0	6	10,5			Drum	-	-	-	-	-	-	-	-
C2	07/11	C		110 / 110X	R S	296	144	5,0	6	10,5			Drum	-	-	-	-	-	-	-	-
F SHADOW SPIRIT	07/11	C		110 / 110X	R S	296	144	5,0	6	10,5			Drum	-	-	-	-	-	-	-	-
SHADOW A.C.E.	97/08	C		110 / 110X	R S	296	144	5,0	6	10,5			Drum	-	-	-	-	-	-	-	-
SHADOW DELUXE	86/09	C		110 / 110X	L S	296	144	5,0	6	10,5			Drum	-	-	-	-	-	-	-	-
VT CDA / CDB	02/03	C		110 / 110X	L S	296	144	5,0	6	10,5			Drum	-	-	-	-	-	-	-	-
VT CDC / CDD	02/03	C		110 / 110X	L S	296	144	5,0	6	10,5			Drum	-	-	-	-	-	-	-	-
VT D BLACK SPIRIT	12/15	R		1513	R S	296	144	5,5	6	10,5			Drum	-	-	-	-	-	-	-	-
VT DC / DCA	01/07	C		110 / 110X	L S	296	144	5,0	6	10,5			Drum	-	-	-	-	-	-	-	-
VT DCB SHADOW SPIRIT	01/07	C		110 / 110X	L S	296	144	5,0	6	10,5			Drum	-	-	-	-	-	-	-	-
VT SHADOW / RS / S	97/14	CVT		110 / 110X	R S	296	144	5,0	6	10,5			Drum	-	-	-	-	-	-	-	-
VT SHADOW RC50	04/08	CVT		110 / 110X	R S	296	144	5,0	6	10,5			Drum	-	-	-	-	-	-	-	-
VT SHADOW AERO	08/12	CVT		110 / 110X	R S	296	144	5,0	6	10,5			Drum	-	-	-	-	-	-	-	-
VT SHADOW PHANTOM	08/12	CVT		110 / 110X	R S	296	144	5,0	6	10,5			Drum	-	-	-	-	-	-	-	-
X-ADV MODELS																					
750 / L / ABS	17/18	S		1689G / 1689XG	L/R F9,0	296	-	4,0	5	6,0			1686 / 1686X	R S	240	116	5,0	4	10,5		
750 X-END ABS	18	S		1689G / 1689XG	L/R F9,0	296	-	4,0	5	6,0			1686 / 1686X	R S	240	116	5,0	4	10,5		
750 HARD TRACK ABS	18	S		1689G / 1689XG	L/R F9,0	296	-	4,0	5	6,0			1686 / 1686X	R S	240	116	5,0	4	10,5		
XLV R	83/88	U		204	L S	276	144	5,0	6	10,5			Drum	-	-	-	-	-	-	-	-
XRV AFRICA TWIN	90/03	U		207	L/R S	276	144	4,0	4	10,5			286 / 286X	R S	256	144	5,0	4	10,5		
800 c.c.																					
CROSSRUNNER	11/14	U		752 / 752X	L/R F17,0	296	62	5,0	6	6,5			313	C S	256	94	6,0	4	8,5		
PC PACIFIC COAST	89/95	C		204	L/R S	276	144	5,0	6	10,5			Drum	-	-	-	-	-	-	-	-
PC PACIFIC COAST	96/97	C		110 / 110X	L/R S	296	144	5,0	6	10,5			-	-	-	-	-	-	-	-	-
RC213V-S	15/17	R			L/R									R S							
HONDA 800 c.c.																					
VFR MODELS																					
F	14/17	R		1519	L/R F8,5	310	94	5,0	5	6,5			1676	C S	256	70	6,0	5	8,5		
F ABS	14/17	R		1677G	L/R F9,0	310	94	5,0	5	6,5											



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø
Fi	98/99	R	752 / 752X	L/R	F17,0	296	62	5,0	6	6,5	313	C	S	256	94	6,0	4	8,5
INTERCEPTOR	98/08	R	752 / 752X	L/R	F17,0	296	62	5,0	6	6,5	-	-	-	-	-	-	-	-
V-TEC	02/13	R	752 / 752X	L/R	F17,0	296	62	5,0	6	6,5	1553	C	S	256	70	6,0	4	8,5
V-TEC	14→	R	1519	L/R	F8,5	310	94	5,0	5	6,5	1553	C	S	256	70	6,0	4	8,5
V-TEC	14→	R	1677G	L/R	F9,0	310	94	5,0	5	6,5								
VFR	98/01	R	752 / 752X	L/R	F17,0	296	62	5,0	6	6,5	313	C	S	256	94	6,0	4	8,5
VFR / ABS	02/16	R	752 / 752X	L/R	F17,0	296	62	5,0	6	6,5	1553	C	S	256	70	6,0	4	8,5
VFR X CROSSRUNNER MODELS																		
ABS	15/17	U	1677G	L/R	F9,0	310	94	5,0	5	6,5	-	-	-	-	-	-	-	-
X CROSSRUNNER	11/14	U	752 / 752X	L/R	F17,0	296	62	5,0	6	6,5	1553	C	S	256	70	6,0	4	8,5
X CROSSRUNNER	15/17	U	1519	L/R	F8,5	310	94	5,0	5	6,5	1676	L	S	256	70	6,0	5	8,5
TRAVEL EDITION	15/18	U	1519	L/R	F8,5	310	94	5,0	5	6,5	1676	L	S	256	70	6,0	5	8,5
TRAVEL EDITION ABS	15/18	U	1677G	L/R	F9,0	310	94	5,0	5	6,5	-	-	-	-	-	-	-	-
900 c.c.																		
919 U.S.A.	01	R	643	L/R	F12,5	296	94	4,5	6	6,5	067	R	S	240	105	4,0	4	10,5
CB F HORNET	02/07	R	643	L/R	F12,5	296	94	4,5	6	6,5	209	R	S	240	105	5,0	4	10,5
CB SF HORNET	01	R	643	L/R	F12,5	296	94	4,5	6	6,5	067	R	S	240	105	4,0	4	10,5
CBR F	03	R	752 / 752X	L/R	F17,0	296	62	5,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
CBR RR	92/93	R	752 / 752X	L/R	F17,0	296	62	5,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
CBR RR FIREBLADE	94/97	R	216G / 216	L/R	F17,0	296	58	4,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
CBR RR FIREBLADE	94/97	R	216XG / 216X	L/R	F17,0	296	58	4,0	6	6,5								
CBR RR FIREBLADE	98/99	R	751 / 751X	L/R	F21,5	310	62	5,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
CBR RR FIREBLADE	00/03	R	644 / 644X	L/R	F13,0	330	94	4,5	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
929 c.c.																		
CBR RR	00/01	R	644 / 644X	L/R	F13,0	330	94	4,5	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
CBR RR FIREBLADE	94/97	R	216G / 216	L/R	F17,0	296	58	4,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
CBR RR FIREBLADE	94/97	R	216XG / 216X	L/R	F17,0	296	58	4,0	6	6,5								
954 c.c.																		
CBR RR	02/03	R	644 / 644X	L/R	F13,0	330	94	4,5	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
1000 c.c.																		
AFRICA TWIN MODELS																		
CRF L ABS	15/17	U	1643XG	L/R	F20,3	310	62	5,0	6	6,5								
CRF L DCT ABS	15/18	U	1643XG	L/R	F20,3	310	62	5,0	6	6,5	1550X	R	S	256	116	6,0	4	10,5
CRF L TWIN ABS	15/17	U	1544X	L/R	F20,0	310	62	5,0	6	6,5	1550X	R	S	256	116	6,0	4	10,5
RALLY ABS	17/18	U	1643XG	L/R	F20,3	310	62	5,0	6	6,5	1550X	R	S	256	116	6,0	4	10,5
CB MODELS																		
ABS	08	R	-	L/R	F13,0	310	94	5,0	6	6,5	-	-	-	-	-	-	-	-
BIG ONE SUPERFOUR	94/96	R	1180 / 1180X	L/R	F17,5	310	58	5,0	6	6,5	204	R	S	276	144	5,0	6	10,5
CB	93	R	1180 / 1180X	L/R	F17,5	310	58	5,0	6	6,5	-	-	-	-	-	-	-	-
F / CB F F / CB F ST	06/16	R	1149	L/R	F18,5	296	94	4,5	6	6,5	1095	R	S	240	116,5	5,0	4	10,5
F / CB F F / CB F ST	06/16	R	1581G	L/R	F18,5	296	94	4,5	6	6,5								
F ABS / F ABS / ST ABS	06/16	R	1581G	L/R	F18,5	296	94	4,5	6	6,5	1095	R	S	240	116,5	5,0	4	10,5
F BIG ONE S. FOUR	93/97	R	110 / 110X	L/R	S	296	144	5,0	6	10,5	1335	R	S	276	144	6,0	6	10,5
R ABS	08/17	N	1610G	L/R	F14,7	310	94	4,5	6	6,5	1553	C	S	256	70	6,0	4	8,5
R NEO CAFÉ RACER	18	N	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R NEO SPORTS CAFÉ	18	N	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R NON ABS	08/16	R	788 / 788X	L/R	F13,0	310	94	5,0	6	6,5	1235	C	S	256	70	5,0	4	8,5
R NON ABS	08/16	N	788G / 788XG	L/R	F13,0	310	94	5,0	6	6,5								
CBR MODELS																		
F	87/92	R	110 / 110X	L/R	S	296	144	5,0	6	10,5	204	R	S	276	144	5,0	6	10,5
FIREBLADE	12/14	R	1283	L/R	F15,2	320	94	5,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
FIREBLADE	12/14	R	1621G	L/R	F15,2	320	94	5,0	6	6,5								
FIREBLADE ABS	12/14	R	1621G	L/R	F15,2	320	94	5,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
F HURRICANE	87/92	R	110 / 110X	L/R	S	296	144	5,0	6	10,5	1335	R	S	276	144	6,0	6	10,5
F HURRICANE	93/02	R	110 / 110X	L/R	S	296	144	5,0	6	10,5	792 / 792X	R	S	256	144	5,0	6	10,5
HONDA 1000 c.c.																		
CBR MODELS																		
FP	93/97	R	-	-	-	-	-	-	-	-	792 / 792X	R	S	256	144	5,0	6	10,5
R FIREBLADE ABS	18	R	-	L/R	Fxx,x	-	-	-	-	-	-	-	-	-	-	-	-	-
RA / RA ABS	08/12	R	1621G	L/R	F15,2	320	94	5,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
RA / RA ABS	08/12	R	1283	L/R	F15,2	320	94	5,0	6	6,5								



CBR RR MODELS

FIREBLADE	04/05	R	788 / 788X	L/R	F13,0	310	94	5,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
FIREBLADE	04/05	R	788G / 788XG	L/R	F13,0	310	94	5,0	6	6,5								
FIREBLADE	06/07	R	1015 / 1015X	L/R	F12,5	320	94	4,5	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
FIREBLADE	08	SB	1220 / 1220X	L/R	F15,2	310	94	5,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
FIREBLADE ABS	09/16	SB	1621G	L/R	F15,2	320	94	5,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
FIREBLADE ABS	17/18	SB	1672G	L/R	F15,2	320	94	5,0	5	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
FIREBLADE SP ABS	09/16	SB	1621G	L/R	F15,2	320	94	5,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
FIREBLADE SP ABS	17/18	SB	1672G	L/R	F15,2	320	94	5,0	5	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
FIREBLADE SP2 ABS	09/16	SB	1621G	L/R	F15,2	320	94	5,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
FIREBLADE SP2 ABS	17/18	SB	1691G	L/R	F15,2	320	74	5,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
CBR RRA / RRA ABS	08/12	R	1621G	L/R	F15,2	320	94	5,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
CBR RRA / RRA ABS	08/12	R	1283	L/R	F15,2	320	94	5,0	6	6,5								
RVT RC51 U.S.A.	00/06	R	-	-	-	-	-	-	-	-	101 / 101X	R	S	220	105	5,0	4	10,5
VF F / VF F2	84/88	R	204	L/R	S	276	144	5,0	6	10,5	1335	R	S	276	144	6,0	6	10,5
VF R ROTHMANS	85/86	R	1297	L/R	S	276	157	4,5	6	20,0	-	-	-	-	-	-	-	-
VF R	84/87	R	204	L/R	S	276	144	5,0	6	10,5	-	-	-	-	-	-	-	-

VTR MODELS

F FIRE STORM	97/07	R	216G / 216	L/R	F17,0	296	58	4,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
F FIRE STORM	97/07	R	216XG / 216X	L/R	F17,0	296	58	4,0	6	6,5								
F FIRE SUPER HAWK	97/07	R	216G / 216	L/R	F17,0	296	58	4,0	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
F FIRE SUPER HAWK	97/07	R	216XG / 216X	L/R	F17,0	296	58	4,0	6	6,5								
SP01 / SP02 RC 51	00/07	R	1015 / 1015X	L/R	F12,5	320	94	4,5	6	6,5	101 / 101X	R	S	220	105	5,0	4	10,5
XLV VARADERO / ABS	99/02	U	1446 / 1446X	L/R	F17,7	296	62	5,0	6	6,5	286 / 286X	R	S	256	144	5,0	4	10,5
XLV VARADERO / ABS	99/02	U	xxxxG / xxxxXG	L/R	F17,7	296	62	5,0	6	6,5								
XLV VARADERO / ABS	03/13	U	1446 / 1446X	L/R	F17,7	296	62	5,0	6	6,5	792 / 792X	R	S	256	144	5,0	6	10,5
XLV VARADERO / ABS	03/13	U	xxxxG / xxxxXG	L/R	F17,7	296	62	5,0	6	6,5								

1100 c.c.

1100 c.c.

CB MODELS

ABS	10/14	R	-	L/R	S	296	154	4,5	5	-	1551	R	S	256	116	6,0	5	10,5
CA ABS S. WHEELS	17	R	-G	L/R	Fxx,x	-	-	5,0	6	-	-	R	S	256	116	8,0	5	10,5
EX / ABS ALUM. WHEELS	14	D	-	L/R	-	296	154	4,5	5	-	1551	R	S	256	116	6,0	5	10,5
EX / ABS SPOKE WHEELS	14/18	D	xxxxG / xxxxXG	L/R	F17,7	296	62	5,0	6	6,5	1551	R	S	256	116	6,0	5	10,5
EX / ABS SPOKE WHEELS	14/18	D	1446 / 1446X	L/R	F17,7	296	62	5,0	6	6,5								
F	83	R	204	L/R	S	276	144	5,0	6	10,5	-	-	-	-	-	-	-	-
N ABS ALUMINIUM WHEELS	17	D	1688G	L/R	F10,0	310	94	4,5	5	6,5	1687	R	S	256	144	6,0	6	10,5
RS ABS ALUM. WHEELS	17	D	1688G	L/R	F10,0	310	94	4,5	5	6,5	1687	R	S	256	144	6,0	6	10,5
X11 / SF X11	99/03	R	1197 / 1197X	L/R	F18,5	310	62	5,0	6	6,5	792 / 792X	R	S	256	144	5,0	6	10,5
CB X / CBR XX BLACKBIRD	99/07	R	1197 / 1197X	L/R	F18,5	310	62	5,0	6	6,5	792 / 792X	R	S	256	144	5,0	6	10,5
CBR XX BLACKBIRD	97/98	R	1114 / 1114X	L/R	F22,0	310	58	5,0	6	6,5	792 / 792X	R	S	256	144	5,0	6	10,5
CBR XX SUPERBLACKBIRD	99/07	R	1197 / 1197X	L/R	F18,5	310	62	5,0	6	6,5	792 / 792X	R	S	256	144	5,0	6	10,5
GOLD WING GL	82/83	C	1115	L/R	S	296	184	6,2	6	10,5	1115	L	S	296	184	6,2	6	10,5
ST PANEUROPEAN	90	R	110 / 110X	L/R	S	296	144	5,0	6	10,5	1230	L	S	315,5	184,5	6,2	6	10,5
ST PANEUROPEAN	91/95	R	125	L/R	S	317	144	6,0	6	10,5	1230	L	S	315,5	184,5	6,2	6	10,5
ST PANEUROPEAN	91/95	R	1073	L/R	S	316	144	5,0	6	10,5								
ST PANEUROPEAN	91/95	R	1429	L/R	F00,0	318	144	5,0	6	10,5								
ST PANEUROPEAN ABS	96/01	R	125	L/R	S	317	144	6,0	6	10,5	1115	L	S	296	184	6,2	6	10,5
ST PANEUROPEAN ABS	96/01	R	1073	L/R	S	316	144	5,0	6	10,5								
ST PANEUROPEAN ABS	96/01	R	1429	L/R	F00,0	318	144	5,0	6	10,5								
ST PANEUROPEAN ABS	97/02	R	110 / 110X	L/R	S	296	144	5,0	6	10,5	-	-	-	-	-	-	-	-
ST PANEUROPEAN ABS, V.2	96	R	110 / 110X	L/R	S	296	144	5,0	6	10,5	1230	L	S	315,5	184,5	6,2	6	10,5

HONDA

1100 c.c.

HONDA

1100 c.c.

VT SHADOW	92/94	C	125	L/R	S	317	144	6,0	6	10,5	-	-	-	-	-	-	-	-
VT SHADOW	92/94	C	1073	L/R	S	316	144	5,0	6	10,5								
VT SHADOW	92/94	C	1429	L/R	F00,0	318	144	5,0	6	10,5								
VT SHADOW ACE-AERO C2-C3	95/00	C	125	L/R	S	317	144	6,0	6	10,5	204	R	S	276	144	5,0	6	10,5
VT SHADOW ACE-AERO C2-C3	95/00	C	1073	L/R	S	316	144	5,0	6	10,5								
VT SHADOW ACE-AERO C2-C3	95/00	C	1429	L/R	F00,0	318	144	5,0	6	10,5								



X ELEVEN	00/03	R	1197 / 1197X									792 / 792X			256 144 5,0 6 10,5								
1200 c.c.																							
VFR F / DCT NON ABS	10/16	R	1328	L/R	F12,5	320	94	5,0	5	6,5	1329	C	S	276	171	6,0	5	10,5	1200 c.c.				
VFR DCT / F ABS	10/16	R	-	L/R	F12,5	320	94	5,0	5	6,5	-	C	S	276	171	6,0	5	10,5					
VFR FA / FDA DCT ABS	10/14	R	-	L/R	F12,5	320	94	5,0	5	6,5	1329	C	S	276	171	6,0	5	10,5					
1237 c.c.																							
VFR CROSSSTOURER MODELS																							
ABS	12/16	UVT	1435	L/R	S	310	165,5	4,0	5	20,5	1329	C	S	276	171	6,0	5	10,5					
ABS	17	UVT	1637	L/R	S	310	165,5	4,5	5	20,5	1329	C	S	276	171	6,0	5	10,5					
DCT ABS	12/16	UVT	1435	L/R	S	310	165,5	4,0	5	20,5	1329	C	S	276	171	6,0	5	10,5					
DCT ABS	17	UVT	1637	L/R	S	310	165,5	4,5	5	20,5	1329	C	S	276	171	6,0	5	10,5					
DCT TRAVEL EDITION ABS	12/16	UVT	1435	L/R	S	310	165,5	4,0	5	20,5	1329	C	S	276	171	6,0	5	10,5					
DCT TRAVEL EDITION ABS	17/18	UVT	1637	L/R	S	310	165,5	4,5	5	20,5	1329	C	S	276	171	6,0	5	10,5					
1300 c.c.																							
CB	97/00	R	-	-	-	-	-	-	-	-	204	R	S	276	144	5,0	6	10,5					
CB	01/02	R	1197 / 1197X	L/R	F18,5	310	62	5,0	6	6,5	204	R	S	276	144	5,0	6	10,5					
CB	03/12	R	788 / 788X	L/R	F13,0	310	94	5,0	6	6,5	1687	R	S	256	144	6,0	6	10,5					
CB	03/12	R	788G / 788XG	L/R	F13,0	310	94	5,0	6	6,5													
CB BI COULEUR	03/05	R	-	-	-	-	-	-	-	-	1687	R	S	256	144	6,0	6	10,5					
CB F	05/10	R	788 / 788X	L/R	F13,0	310	94	5,0	6	6,5	792 / 792X	R	S	256	144	5,0	6	10,5					
CB F	05/10	R	788G / 788XG	L/R	F13,0	310	94	5,0	6	6,5													
CB FAIRING / ABS	05/13	R	-	-	-	-	-	-	-	-	1687	R	S	256	144	6,0	6	10,5					
CB R / ABS	08/17	R	1679G	L/R	F12,5	310	94	5,0	6	6,5	-	-	-	-	-	-	-	-					
CB S FAIRING	07/10	R	1679G	L/R	F12,5	310	94	5,0	6	6,5	1687	R	S	256	144	6,0	6	10,5					
CB SUPER BOL DOR	05/12	R	1679G	L/R	F12,5	310	94	5,0	6	6,5	1687	R	S	256	144	6,0	6	10,5					
CB SUPER BOL DOR	14/17	R	-	-	-	-	-	-	-	-	1687	R	S	256	144	6,0	6	10,5					
CB SUPER FOUR	01/02	R	1197 / 1197X	L/R	F18,5	310	62	5,0	6	6,5	1335	R	S	276	144	6,0	6	10,5					
CB SUPER FOUR ABS	03/05	N	788 / 788X	L/R	F13,0	310	94	5,0	6	6,5	1687	R	S	256	144	6,0	6	10,5					
CB SUPER FOUR ABS	03/05	N	788G / 788XG	L/R	F13,0	310	94	5,0	6	6,5													
CB SUPER FOUR	06/10	R	-	-	-	-	-	-	-	-	1687	R	S	256	144	6,0	6	10,5					
CB SUPER FOUR ABS	11/17	R	-	-	-	-	-	-	-	-	1687	R	S	256	144	6,0	6	10,5					
CB SUPER TOURING	10	R	-	-	-	-	-	-	-	-	1687	R	S	256	144	6,0	6	10,5					
CB X4	97/03	R	751 / 751X	L/R	F21,5	310	62	5,0	6	6,5	204	R	S	276	144	5,0	6	10,5					
CTX / CTX ABS	14/16	R	1692G	L/R	F21,5	310	94	5,0	6	6,5	1230	L	S	315,5	184,5	6,2	6	10,5					
ST PAN EUROPEAN ABS	02/17	R	1692G	L/R	F21,5	310	94	5,0	6	6,5	1230	L	S	315,5	184,5	6,2	6	10,5					
VT C	04/09	C	-	-	-	-	-	-	-	-	110 / 110X	R	S	296	144	5,0	6	10,5					
VT CX FURY	10/12	CVT	-	L	-	336	-	-	-	-	110 / 110X	R	S	296	144	5,0	6	10,5					
VT R	05/09	C	-	-	-	-	-	-	-	-	110 / 110X	R	S	296	144	5,0	6	10,5					
VT S RETRO	03/07	C	-	-	-	-	-	-	-	-	110 / 110X	R	S	296	144	5,0	6	10,5					
VT T	08/11	C	-	-	-	-	-	-	-	-	110 / 110X	R	S	296	144	5,0	6	10,5					
X4	97/99	C	-	L/R	Fxx,x	-	-	-	-	-	204	R	S	276	144	5,0	6	10,5					
1500 c.c.																							
GL F6C VALKYRIE	97/03	C	752 / 752X	L/R	F17,0	296	62	5,0	6	6,5	-	-	-	-	-	-	-	-					
GOLD WING GL SE	88/99	C	1115	L/R	S	296	184	6,2	6	10,5	1208	R	S	316	184,5	5,5	6	10,5					
GLX SE	90/98	C	1115	L/R	S	296	184	6,2	6	10,5	1230	L	S	315,5	184,5	6,2	6	10,5					
1800 c.c.																							
VTX C	01/08	C	643	L/R	F12,5	296	94	4,5	6	6,5	-	-	-	-	-	-	-	-					
VTX RETRO	03	C	643	L/R	F12,5	296	94	4,5	6	6,5	-	-	-	-	-	-	-	-					
1832 c.c.																							
GOLD WING GL	01/17	C	752 / 752X	L/R	F17,0	296	62	5,0	6	6,5	-	R	S	316	-	-	-	-					
GOLD WING GL	18	C	-	L/R	Fxx,x	320	-	-	-	-	-	R	S	316	-	-	-	-					
GOLD WING F6B	13/16	C	752 / 752X	L/R	F17,0	296	62	5,0	6	6,5	-	R	S	316	-	-	-	-					
HONDA																							
1832 c.c.																							
GOLD WING F6B	18	C	-	L/R	Fxx,x	320	-	-	-	-	-	R	S	316	-	-	-	-					
GOLD WING F6C	15	C	1435	L/R	S	310	165,5	4,0	5	20,5	-	R	S	316	-	-	-	-					
HRD																							
50 c.c.																							
GSE COMPETITION	98/00	A	307	L	S	250	112	4,0	6	6,5	231	R	S	220	-	3,5	6	15,8					
SONIC SUPERMOTARD	98/00	A	230	L	S	240	-	3,5	6	15,8	231	R	S	220	-	3,5	6	15,8					
125 c.c.																							
GS	97→	E	320 / 320X	L	S	245	118	3,0	6	6,5	372 / 372X	R	S	240	115	4,0	6	6,5					
GS / MC	94/96	E	-	-	-	-	-	-	-	-	422 / 422X	R	S	220	115	4,0	6	6,5					



250 c.c.														250 c.c.													
GS / MC	94/96	E	-	-	-	-	-	-	-	-	-	-	-	422 / 422X	R	S	220	115	4,0	6	6,5						
GS	97→	E	320 / 320X	L	S	245	118	3,0	6	6,5				372 / 372X	R	S	240	115	4,0	6	6,5						
HUDSON BOSS														HUDSON BOSS													
125 c.c.														125 c.c.													
GOODWOOD 1/8	17	D	-	R	S	300	-	-	-	-	-	-	-	-	R	S	210	-	-	-	-	-	-	-	-	-	-
HUSABERG														HUSABERG													
125 c.c.														125 c.c.													
TE	12/14	E	140X / 140	L	S	260	-	3/3,5	6	6,5				129X / 129	R	S	220	110	4,2	6	6,5						
TE	12/14	E	140XF	L	F00,0	260	-	3,0	6	6,5				129SP	R	S	220	110	4,2	6	6,5						
TE	12/14	E	1254XK17	L	KF	*270	-	3,0	6	6,5																	
TE	12/14	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5																	
250 c.c.														250 c.c.													
FE / FE 4T	11/14	E	140X / 140	L	S	260	-	3/3,5	6	6,5				129X / 129	R	S	220	110	4,2	6	6,5						
FE / FE 4T	11/14	E	140XF	L	F00,0	260	-	3,0	6	6,5				129SP	R	S	220	110	4,2	6	6,5						
FE / FE 4T	13/14	E	1254XK17	L	KF	*270	-	3,0	6	6,5																	
FE / FE 4T	13/14	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5																	
TE	11/14	E	140X / 140	L	S	260	-	3/3,5	6	6,5				129X / 129	R	S	220	110	4,2	6	6,5						
TE	11/14	E	140XF	L	F00,0	260	-	3,0	6	6,5				129SP	R	S	220	110	4,2	6	6,5						
TE	11/14	E	1254XK17	L	KF	*270	-	3,0	6	6,5																	
TE	11/14	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5																	
300 c.c.														300 c.c.													
TE	11/14	E	140X / 140	L	S	260	-	3/3,5	6	6,5				129X / 129	R	S	220	110	4,2	6	6,5						
TE	11/14	E	140XF	L	F00,0	260	-	3,0	6	6,5				129SP	R	S	220	110	4,2	6	6,5						
TE	11/14	E	1254XK17	L	KF	*270	-	3,0	6	6,5																	
TE	11/14	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5																	
350 c.c.														350 c.c.													
E	91/97	E	134	L	S	230	120	4,0	6	6,5				135	L	S	220	112	4,0	6	6,5						
FE / MC	90/99	E	755	L	S	260	120	3,0	6	6,5				135	L	S	220	112	4,0	6	6,5						
FE	12/14	E	140X / 140	L	S	260	-	3/3,5	6	6,5				129X / 129	R	S	220	110	4,2	6	6,5						
FE	12/14	E	140XF	L	F00,0	260	-	3,0	6	6,5				129SP	R	S	220	110	4,2	6	6,5						
FE	12/14	E	1254XK17	L	KF	*270	-	3,0	6	6,5																	
FE	12/14	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5																	
390 c.c.														390 c.c.													
FE	10/12	E	140X / 140	L	S	260	-	3/3,5	6	6,5				129X / 129	R	S	220	110	4,2	6	6,5						
FE	10/12	E	140XF	L	F00,0	260	-	3,0	6	6,5				129SP	R	S	220	110	4,2	6	6,5						
FE	10/12	E	1254XK17	L	KF	*270	-	3,0	6	6,5																	
FE	10/12	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5																	
400 c.c.														400 c.c.													
FE	98/99	E	755	L	S	260	120	3,0	6	6,5				135	L	S	220	112	4,0	6	6,5						
FE / FE E / FS	00/03	E	140 / 140X	L	S	260	-	3,5/3	6	6,5				141 / 141X	L	S	220	110	4,2	6	6,5						
FE / FE E / FS	00/03	E	140XF	L	F00,0	260	-	3,0	6	6,5																	
FE / FE E / FS	00/03	E	1254XK16	L	KF	*270	-	3,0	6	6,5																	
FE / FE E / FS	00/03	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5																	
FS C / FS E	01/03	E	140 / 140X	L	S	260	-	3,5/3	6	6,5				141 / 141X	L	S	220	110	4,2	6	6,5						
FS C / FS E	01/03	E	140XF	L	F00,0	260	-	3,0	6	6,5																	
FS C / FS E	01/03	E	1254XK16	L	KF	*270	-	3,0	6	6,5																	
FS C / FS E	01/03	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5																	
450 c.c.														450 c.c.													
FC	93	M	755	L	S	260	120	3,0	6	6,5				135	L	S	220	112	4,0	6	6,5						
HUSABERG														HUSABERG													
450 c.c.														450 c.c.													
FE / FX	09/14	E	140X / 140	L	S	260	-	3/3,5	6	6,5				129X / 129	R	S	220	110	4,2	6	6,5						
FE / FX	09/14	E	140XF	L	F00,0	260	-	3,0	6	6,5				129SP	R	S	220	110	4,2	6	6,5						
FE / FX	09/14	E	1254XK17	L	KF	*270	-	3,0	6	6,5																	
FE / FX	09/14	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5																	
FE E	06/08	E	140X / 140	L	S	260	-	3/3,5	6	6,5				129X / 129	R	S	220	110	4,2	6	6,5						
FE E	06/08	E	140XF	L	F00,0	260	-	3,0	6	6,5				129SP	R	S	220	110	4,2	6	6,5						
FS C / FS E	03/08	E	-	-	-	-	-	-	-	-				141 / 141X	L	S	220	110	4,2	6	6,5						
470 c.c.														470 c.c.													
FC	01/02	M	140 / 140X	L	S	260	-	3,5/3	6	6,5				-	-	-	-	-	-	-	-	-	-	-	-	-	-
FC	01/02	M	140XF	L	F00,0	260	-	3,0	6	6,5																	



FC	01/02	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
FC	01/02	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
501 c.c.											501 c.c.							
FC / FE / FE E	99/04	M-E	140 / 140X	L	S	260	-	3,5/3	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
FC / FE / FE E	99/04	M-E	140XF	L	F00,0	260	-	3,0	6	6,5								
FC / FE / FE E	99/04	M-E	1254XK16	L	KF	*270	-	3,0	6	6,5								
FC / FE / FE E	99/04	M-E	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
FE	93/98	E	755	L	S	260	120	3,0	6	6,5	135	L	S	220	112	4,0	6	6,5
FE	11/13	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
FE	11/13	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
FE	13/14	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
FE	13/14	E	140XF	L	F00,0	260	-	3,0	6	6,5								
FE	13/14	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
FE	13/14	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
FE S	99/04	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
FE S	99/04	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
MC	90/92	E	755	L	S	260	120	3,0	6	6,5	135	L	S	220	112	4,0	6	6,5
550 c.c.											550 c.c.							
FC	01/05	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
FC	01/05	M	140XF	L	F00,0	260	-	3,0	6	6,5								
FC	01/05	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
FC	01/05	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
FE E	04/08	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
FE E	04/08	E	140XF	L	F00,0	260	-	3,0	6	6,5								
FE E	04/08	E	1254XK16	L	KF	*270	-	3,0	6	6,5								
FE E	04/08	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
570 c.c.											570 c.c.							
FE	10/12	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
FE	10/12	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
FE	10/12	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
FE	10/12	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
600 c.c.											600 c.c.							
FC	93/98	M	755	L	S	260	120	3,0	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
FC / FC 4 CR	99/03	M	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
FC / FC 4 CR	99/03	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
FC / FC 4 CR	99/03	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
FC / FC 4 CR	99/03	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
FE E	99/02	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
FE E	99/02	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
FE E	99/02	E	1254XK16	L	KF	*270	-	3,0	6	6,5								
FE E	99/02	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
FE S	99/03	E	725	L	F00,0	320	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
FE S	99/03	E	725X	L	F00,0	318	127	5,0	6	6,5								
FE S	99/03	E	730	L	F00,0	320	127	4,0	6	6,5								
FE S	99/03	E	725SP	L	F00,0	320	127	5,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
HUSABERG											HUSABERG							
650 c.c.											650 c.c.							
FE E	01/08	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
FE E	01/08	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
FE E	01/08	E	1254XK16	L	KF	*270	-	3,0	6	6,5								
FE E	01/08	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
FS C	01/04	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
FS C	01/04	M	140XF	L	F00,0	260	-	3,0	6	6,5								
FS C	01/04	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
FS C	01/04	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
FS C / FS E	05/08	M-E	725	L	F00,0	320	127	5,0	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
FS C / FS E	05/08	M-E	725X	L	F00,0	318	127	5,0	6	6,5								
FS C / FS E	05/08	M-E	730	L	F00,0	320	127	4,0	6	6,5								
FS C / FS E	05/08	M-E	725SP	L	F00,0	320	127	5,0	6	6,5								



FS E / FX E	01/05	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
FS E / FX E	01/05	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
FS E / FX E	01/05	E	1254XK16	L	KF	*270	-	3,0	6	6,5								
FS E / FX E	01/05	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5								

HUSQVARNA

50 c.c.

CR PRO / CR SENIOR	05	A	-	-	-	-	-	-	-	-	705	L	S	175	45	3,0	5	6,5
HUSKYBOY R	01	A	640	L	S	260	108	3,0	6	6,5	354	L	S	185	45	3,5	5	6,5
TC 12' / 10'	17/18	A	1374X	L	S	160	72	3,0	4	6,5	1374X	L	S	160	72	3,0	4	6,5
TC 12' / 10'	17/18	A	1378XK21	L	KF	*185	72	3,0	4	6,5								
TC MINI	17/18	A	1374X	L	S	160	72	3,0	4	6,5	1374X	L	S	160	72	3,0	4	6,5
WRS	98	S	107 / xxxX	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-
WRS	98	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
WRS	98	S	1300X	L	FO	*220	58	3,5	3	10,5								

65 c.c.

CR	10/14	A-M	1025X	L	S	198	89	3,0	3	6,5	-	-	-	-	-	-	-	-
TC 14' / 12'	17/18	A	1025X	L	S	198	89	3,0	3	6,5	1026X	L	S	160	45,5	3,0	4	6,5
TC 14' / 12'	17/18	A	1379XK22	L	KF	*225	89	3,0	3	6,5								

85 c.c.

TC 17' / 14'	14/16	A-M	1394X	L	S	240	95	3,0	4	6,5	1281X	R	S	210	110	4,0	4	6,5
TC 17' / 14'	17/18	A-M	1681X	L	S	240	95	4,0	4	6,5	1281X	R	S	210	110	4,0	4	6,5
TC 19' / 16'	14/16	A-M	1394X	L	S	240	95	3,0	4	6,5	1281X	R	S	210	110	4,0	4	6,5
TC 19' / 16'	14/16	A-M									1481XK25	R	KS	*220	110	4,0	4	6,5
TC 19' / 16' Fixed disc	17/18	A-M	1681X	L	S	240	95	4,0	4	6,5	1281X	R	S	210	110	4,0	4	6,5
TC 19' / 16' Fixed disc	17/18	A-M									1481XK25	R	KS	*220	110	4,0	4	6,5
TC 19' / 16' Floating disc	18	A-M	1324X	L	F00,0	260	95	3,0	4	6,5	1493X	R	S	230	110	4,0	4	6,5

125 c.c.

CR	87/91	M	733	L	S	240	120	3,0	6	6,5	-	-	-	-	-	-	-	-
CR	92/99	M	755	L	S	260	120	3,0	6	6,5	135	L	S	220	112	4,0	6	6,5
CR	00/01	M	910 / 910X	L	S	260	120	3,0	4	6,5	263 / 263X	R	S	220	112	4,0	4	9,5
CR	00/01	M	910SP	L	S	260	120	3,0	4	6,5	263SP	R	S	220	112	4,0	4	9,5
CR	00/01	M	392	L	S	260	120	3,5	4	6,5	263XSP	R	S	220	112	4,0	4	9,5
CR	00/01	M	1164X	L	F00,0	260	120	3,0	4	6,5								
CR	00/01	M	1325XK16	L	KF	*270	120	3,0	4	6,5								
CR	00/01	M	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
CR	02/05	M	910 / 910X	L	S	260	120	3,0	4	6,5	464	R	S	220	126	4,0	4	19,0
CR	02/05	M	910SP	L	S	260	120	3,0	4	6,5	706	R	S	220	126	4,0	4	19,0
CR	02/05	M	392	L	S	260	120	3,5	4	6,5								
CR	02/05	M	1164X	L	F00,0	260	120	3,0	4	6,5								
CR	02/05	M	1325XK16	L	KF	*270	120	3,0	4	6,5								
CR	02/05	M	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
CR	06/13	M	910 / 910X	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
CR	06/13	M	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
CR	06/13	M	392	L	S	260	120	3,5	4	6,5								
CR	06/13	M	1164X	L	F00,0	260	120	3,0	4	6,5								

HUSQVARNA

125 c.c.

CR	06/13	M	1325XK16	L	KF	*270	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
CR	06/13	M	1325XBHK16	L	KF	*270	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
CR	09/13	M	722K27	L	KF	*320	120	5,0	4	6,5								
CR	09/13	M	722XK27	L	KF	*318	120	5,0	4	6,5								
CR	09/13	M	722SPK27	L	KF	*320	120	5,0	4	6,5								
SM	98/99	F	755	L	S	260	120	3,0	6	6,5	135	L	S	220	112	4,0	6	6,5
SMR	12	F	910 / 910X	L	S	260	120	3,0	4	6,5	263 / 263X	R	S	220	112	4,0	4	9,5
SMR	12	F	910SP	L	S	260	120	3,0	4	6,5	263SP	R	S	220	112	4,0	4	9,5
SMR	12	F	392	L	S	260	120	3,5	4	6,5	263XSP	R	S	220	112	4,0	4	9,5
SMR	12	F	1164X	L	F00,0	260	120	3,0	4	6,5								
SMS	00/01	F	910 / 910X	L	S	260	120	3,0	4	6,5	263 / 263X	R	S	220	112	4,0	4	9,5
SMS	00/01	F	910SP	L	S	260	120	3,0	4	6,5	263SP	R	S	220	112	4,0	4	9,5
SMS	00/01	F	392	L	S	260	120	3,5	4	6,5	263XSP	R	S	220	112	4,0	4	9,5



SMS	00/01	F	1164X	L	F00,0	260	120	3,0	4	6,5								
SMS	02/04	F	910 / 910X	L	S	260	120	3,0	4	6,5	464	R	S	220	126	4,0	4	19,0
SMS	02/04	F	910SP	L	S	260	120	3,0	4	6,5	706	R	S	220	126	4,0	4	19,0
SMS	02/04	F	392	L	S	260	120	3,5	4	6,5								
SMS	02/04	F	1164X	L	F00,0	260	120	3,0	4	6,5								
SMS	05/12	F	910 / 910X	L	S	260	120	3,0	4	6,5	263 / 263X	R	S	220	112	4,0	4	9,5
SMS	05/12	F	910SP	L	S	260	120	3,0	4	6,5	263SP	R	S	220	112	4,0	4	9,5
SMS	05/12	F	392	L	S	260	120	3,5	4	6,5	263XSP	R	S	220	112	4,0	4	9,5
SMS	05/12	F	1164X	L	F00,0	260	120	3,0	4	6,5								
TC 2T	14/18	M	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
TC 2T	14/18	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
TC 2T	14/18	M	1254XK17	L	KF	*270	-	3,0	6	6,5								
TC 2T	14/18	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
TE	12/13	E	910X	L	S	260	120	3,0	4	6,5	263X	R	S	220	112	4,0	4	9,5
TE	12/13	E	1164X	L	F00,0	260	120	3,0	4	6,5	263XSP	R	S	220	112	4,0	4	9,5
TE	12/13	E	910SP	L	S	260	120	3,0	4	6,5								
TE 2T	14/16	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
TE 2T	14/16	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
TE 2T	14/15	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
TE 2T	14/15	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
TX 2T	17/18	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
TX 2T	17/18	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
WR	87/91	E	733	L	S	240	120	3,0	6	6,5	-	-	-	-	-	-	-	
WR	92/99	E	755	L	S	260	120	3,0	6	6,5	135	L	S	220	112	4,0	6	6,5
WR / WRE	00/01	E	910 / 910X	L	S	260	120	3,0	4	6,5	263 / 263X	R	S	220	112	4,0	4	9,5
WR / WRE	00/01	E	910SP	L	S	260	120	3,0	4	6,5	263SP	R	S	220	112	4,0	4	9,5
WR / WRE	00/01	E	392	L	S	260	120	3,5	4	6,5	263XSP	R	S	220	112	4,0	4	9,5
WR / WRE	00/01	E	1164X	L	F00,0	260	120	3,0	4	6,5								
WR	02/05	E	910 / 910X	L	S	260	120	3,0	4	6,5	464	R	S	220	126	4,0	4	19,0
WR	02/05	E	910SP	L	S	260	120	3,0	4	6,5	706	R	S	220	126	4,0	4	19,0
WR	02/05	E	392	L	S	260	120	3,5	4	6,5								
WR	02/05	E	1164X	L	F00,0	260	120	3,0	4	6,5								
WR	07/14	E	910 / 910X	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
WR	07/14	E	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
WR	07/14	E	392	L	S	260	120	3,5	4	6,5								
WR	07/14	E	1164X	L	F00,0	260	120	3,0	4	6,5								
WR	07/14	E	1325XK16	L	KF	*270	120	3,0	4	6,5								
WR	07/14	E	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
WR	09/13	E	722K27	L	KF	*320	120	5,0	4	6,5								
WR	09/13	E	722XK27	L	KF	*318	120	5,0	4	6,5								
WR	09/13	E	722SPK27	L	KF	*320	120	5,0	4	6,5								

HUSQVARNA

125 c.c.

WRE	98/99	E	755	L	S	260	120	3,0	6	6,5	135	L	S	220	112	4,0	6	6,5
WRE	02/12	E	910 / 910X	L	S	260	120	3,0	4	6,5	464	R	S	220	126	4,0	4	19,0
WRE	02/12	E	910SP	L	S	260	120	3,0	4	6,5	706	R	S	220	126	4,0	4	19,0
WRE	02/12	E	392	L	S	260	120	3,5	4	6,5								
WRE	02/12	E	1164X	L	F00,0	260	120	3,0	4	6,5								

250 c.c.

CR	85/87	M	ND / NA	L	S	240	118	3,5	4	6,5	1119	R	S	220	122	4,5	6	10,5
CR	88/91	M	733	L	S	240	120	3,0	6	6,5	-	-	-	-	-	-	-	-
CR	92/94	M	755	L	S	260	120	3,0	6	6,5	-	-	-	-	-	-	-	-
CR	95/99	M	755	L	S	260	120	3,0	6	6,5	266	L	S	220	112	4,0	6	9,5
CR	00/01	M	910 / 910X	L	S	260	120	3,0	4	6,5	263 / 263X	R	S	220	112	4,0	4	9,5
CR	00/01	M	910SP	L	S	260	120	3,0	4	6,5	263SP	R	S	220	112	4,0	4	9,5
CR	00/01	M	392	L	S	260	120	3,5	4	6,5	263XSP	R	S	220	112	4,0	4	9,5
CR	00/01	M	1164X	L	F00,0	260	120	3,0	4	6,5								



CR / TC	02/04	M	910 / 910X	L	S	260	120	3,0	4	6,5	464	R	S	220	126	4,0	4	19,0
CR / TC	02/04	M	910SP	L	S	260	120	3,0	4	6,5	706	R	S	220	126	4,0	4	19,0
CR / TC	02/04	M	392	L	S	260	120	3,5	4	6,5								
CR / TC	02/04	M	1164X	L	F00,0	260	120	3,0	4	6,5								
CR	05/11	M	910 / 910X	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
CR	05/11	M	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
CR	05/11	M	392	L	S	260	120	3,5	4	6,5								
CR	05/11	M	1164X	L	F00,0	260	120	3,0	4	6,5								
CR	05/11	M	1325XK16	L	KF	*270	120	3,0	4	6,5								
CR	05/11	M	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
FC 4T / FE 4T	14/18	M	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
FC 4T / FE 4T	14/18	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
FC 4T / FE 4T	14/18	M	1254XK17	L	KF	*270	-	3,0	6	6,5								
FC 4T / FE 4T	14/18	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
SMR	05/08	F	-	-	-	-	-	-	-	-	1193X	R	S	240	126	4,0	4	19,0
TC 2T	02/13	M	910 / 910X	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
TC 2T	02/13	M	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
TC 2T	02/13	M	392	L	S	260	120	3,5	4	6,5								
TC 2T	02/13	M	1164X	L	F00,0	260	120	3,0	4	6,5								
TC 2T	07/13	M	1325XK16	L	KF	*270	120	3,0	4	6,5								
TC 2T	07/13	M	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
TC 2T	04/06	M	722K11	L	KF	*320	120	5,0	4	6,5								
TC 2T	04/06	M	722XK11	L	KF	*318	120	5,0	4	6,5								
TC 2T	04/06	M	722SPK11	L	KF	*320	120	5,0	4	6,5								
TC 2T	08/13	M	722K27	L	KF	*320	120	5,0	4	6,5								
TC 2T	08/13	M	722XK27	L	KF	*318	120	5,0	4	6,5								
TC 2T	08/13	M	722SPK27	L	KF	*320	120	5,0	4	6,5								
TC 2T	14/18	M	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
TC 2T	14/18	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
TC 2T	14/18	M	1254XK17	L	KF	*270	-	3,0	6	6,5								
TC 2T	14/18	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
TC 4T	14/18	M	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
TC 4T	14/18	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
TC 4T	14/18	M	1254XK17	L	KF	*270	-	3,0	6	6,5								
TC 4T	14/18	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
TC R	04/13	M	910 / 910X	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
TC R	04/13	M	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
TC R	04/13	M	392	L	S	260	120	3,5	4	6,5								
TC R	04/13	M	1164X	L	F00,0	260	120	3,0	4	6,5								
TC R	07/13	M	1325XK16	L	KF	*270	120	3,0	4	6,5								
TC R	07/13	M	1325XBHK16	L	KF	*270	120	3,0	4	6,5								

HUSQVARNA

250 c.c.

TCX	08/10	M	910 / 910X	L	S	260	120	3,0	4	6,5	1193X	R	S	240	126	4,0	4	19,0
TCX	08/10	M	910SP	L	S	260	120	3,0	4	6,5								
TCX	08/10	M	392	L	S	260	120	3,5	4	6,5								
TCX	08/10	M	1164X	L	F00,0	260	120	3,0	4	6,5								
TE	02/04	E	910 / 910X	L	S	260	120	3,0	4	6,5	464	R	S	220	126	4,0	4	19,0
TE	02/04	E	910SP	L	S	260	120	3,0	4	6,5	706	R	S	220	126	4,0	4	19,0
TE	02/04	E	392	L	S	260	120	3,5	4	6,5								
TE	02/04	E	1164X	L	F00,0	260	120	3,0	4	6,5								
TE	04	E	1325XK16	L	KF	*270	120	3,0	4	6,5								
TE	04	E	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
TE	02/03	E	722K11	L	KF	*320	120	5,0	4	6,5								
TE	02/03	E	722XK11	L	KF	*318	120	5,0	4	6,5								
TE	02/03	E	722SPK11	L	KF	*320	120	5,0	4	6,5								
TE	05/06	E	910 / 910X	L	S	260	120	3,0	4	6,5	1193X	R	S	240	126	4,0	4	19,0
TE	05/06	E	910SP	L	S	260	120	3,0	4	6,5								
TE	05/06	E	392	L	S	260	120	3,5	4	6,5								

																																						
			YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø																		
TE				05/06	E	1164X			L	F00,0	260	120	3,0	4	6,5																							
TE				05/06	E	1325XK16			L	KF	*270	120	3,0	4	6,5																							
TE				05/06	E	1325XBHK16			L	KF	*270	120	3,0	4	6,5																							
TE				05/06	E	722K11			L	KF	*320	120	5,0	4	6,5																							
TE				05/06	E	722XK11			L	KF	*318	120	5,0	4	6,5																							
TE				05/06	E	722SPK11			L	KF	*320	120	5,0	4	6,5																							
TE				07/13	E	910 / 910X			L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5															
TE				07/13	E	910SP			L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5															
TE				07/13	E	392			L	S	260	120	3,5	4	6,5																							
TE				07/13	E	1164X			L	F00,0	260	120	3,0	4	6,5																							
TE				07/13	E	1325XK16			L	KF	*270	120	3,0	4	6,5																							
TE				07/13	E	1325XBHK16			L	KF	*270	120	3,0	4	6,5																							
TE				08/13	E	722K27			L	KF	*320	120	5,0	4	6,5																							
TE				08/13	E	722XK27			L	KF	*318	120	5,0	4	6,5																							
TE				08/13	E	722SPK27			L	KF	*320	120	5,0	4	6,5																							
TE i 2T				11/18	E	140X / 140			L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5															
TE i 2T				11/18	E	140XF			L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5															
TE 2T				11/16	E	1254XK17			L	KF	*270	-	3,0	6	6,5																							
TE 2T				11/16	E	1254XBHK17			L	KF	*270	-	3,0	6	6,5																							
TE 4T				17	E	140X / 140			L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5															
TE 4T				17	E	140XF			L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5															
TXC				07/13	E	910 / 910X			L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5															
TXC				07/13	E	910SP			L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5															
TXC				07/13	E	392			L	S	260	120	3,5	4	6,5																							
TXC				07/13	E	1164X			L	F00,0	260	120	3,0	4	6,5																							
TXC				07/13	E	1325XK16			L	KF	*270	120	3,0	4	6,5																							
TXC				07/13	E	1325XBHK16			L	KF	*270	120	3,0	4	6,5																							
TXC				11/13	E	722K27			L	KF	*320	120	5,0	4	6,5																							
TXC				11/13	E	722XK27			L	KF	*318	120	5,0	4	6,5																							
TXC				11/13	E	722SPK27			L	KF	*320	120	5,0	4	6,5																							
WR				87/91	E	733			L	S	240	120	3,0	6	6,5	-	-	-	-	-	-	-	-															
WR				94/99	E	755			L	S	260	120	3,0	6	6,5	266	L	S	220	112	4,0	6	9,5															
WR				00/01	E	910 / 910X			L	S	260	120	3,0	4	6,5	263 / 263X	R	S	220	112	4,0	4	9,5															
WR				00/01	E	910SP			L	S	260	120	3,0	4	6,5	263SP	R	S	220	112	4,0	4	9,5															
WR				00/01	E	392			L	S	260	120	3,5	4	6,5	263XSP	R	S	220	112	4,0	4	9,5															
WR				00/01	E	1164X			L	F00,0	260	120	3,0	4	6,5																							
WR				02/07	E	910 / 910X			L	S	260	120	3,0	4	6,5	464	R	S	220	126	4,0	4	19,0															
WR				02/07	E	910SP			L	S	260	120	3,0	4	6,5	706	R	S	220	126	4,0	4	19,0															
WR				02/07	E	392			L	S	260	120	3,5	4	6,5																							
WR				02/07	E	1164X			L	F00,0	260	120	3,0	4	6,5																							
WR				05/07	E	1325XK16			L	KF	*270	120	3,0	4	6,5																							
WR				05/07	E	1325XBHK16			L	KF	*270	120	3,0	4	6,5																							

HUSQVARNA

250 c.c.

WR	08/14	E	910X / 910	L	S	260	120	3,0	4	6,5	263X / 263	R	S	220	112	4,0	4	9,5
WR	08/14	E	910SP	L	S	260	120	3,0	4	6,5	263XSP	R	S	220	112	4,0	4	9,5
WR	08/14	E	392	L	S	260	120	3,5	4	6,5	263SP	R	S	220	112	4,0	4	9,5
WR	08/14	E	1164X	L	F00,0	260	120	3,0	4	6,5								
WR	08/14	E	1325XK16	L	KF	*270	120	3,0	4	6,5								
WR	08/14	E	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
WR	08/14	E	722K27	L	KF	*320	120	5,0	4	6,5								
WR	08/14	E	722XK27	L	KF	*318	120	5,0	4	6,5								
WR	08/14	E	722SPK27	L	KF	*320	120	5,0	4	6,5								

300 c.c.

TC	14→	M	140X / 140	L	S	260	-	3/3,5	6	6,5	-	-	-	-	-	-	-	-
TC	14→	M	140XF	L	F00,0	260	-	3,0	6	6,5								
TE i 2T	17/18	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
TE i 2T	17/18	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
TE 2T	14/16	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
TE 2T	14/16	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
TE 2T	14/16	E	1254XK17	L	KF	*270	-	3,0	6	6,5								



TE 2T	14/16	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
TX	17/18	M	140X / 140	L	S	260	-	3/3,5	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
TX	17/18	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
TX	17/18	M	1254XK17	L	KF	*270	-	3,0	6	6,5								
TX	17/18	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
WR	09/10	E	910X / 910	L	S	260	120	3,0	4	6,5	263X / 263	R	S	220	112	4,0	4	9,5
WR	09/10	E	910SP	L	S	260	120	3,0	4	6,5	263XSP	R	S	220	112	4,0	4	9,5
WR	09/10	E	392	L	S	260	120	3,5	4	6,5	263SP	R	S	220	112	4,0	4	9,5
WR	09/10	E	1164X	L	F00,0	260	120	3,0	4	6,5								
WR	12/14	E	910X / 910	L	S	260	120	3,0	4	6,5	464	L	S	220	126	4,0	4	19,0
WR	12/14	E	910SP	L	S	260	120	3,0	4	6,5	706	L	S	220	126	4,0	4	19,0
WR	12/14	E	392	L	S	260	120	3,5	4	6,5								
WR	12/14	E	1164X	L	F00,0	260	120	3,0	4	6,5								
WR	12/14	E	1325XK16	L	KF	*270	120	3,0	4	6,5								
WR	12/14	E	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
WR	12	E	722K27	L	KF	*320	120	5,0	4	6,5								
WR	12	E	722XK27	L	KF	*318	120	5,0	4	6,5								
WR	12	E	722SPK27	L	KF	*320	120	5,0	4	6,5								
310 c.c.											310 c.c.							
TE / TE R	09/13	E	910X	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
TE / TE R	09/13	E	1164X	L	F00,0	260	120	3,0	4	6,5								
TE / TE R	09/13	E	910SP	L	S	260	120	3,0	4	6,5								
TE / TE R	09/13	E	1325XK17	L	KF	*270	120	3,0	4	6,5								
TE / TE R	09/13	E	1325XBHK17	L	KF	*270	120	3,0	4	6,5								
TE / TE R	09/13	E	722K27	L	KF	*320	120	5,0	4	6,5								
TE / TE R	09/13	E	722XK27	L	KF	*318	120	5,0	4	6,5								
TE / TE R	09/13	E	722SPK27	L	KF	*320	120	5,0	4	6,5								
TXC	11	E	910X	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
TXC	11	E	1164X	L	F00,0	260	120	3,0	4	6,5								
TXC	11	E	910SP	L	S	260	120	3,0	4	6,5								
350 c.c.											350 c.c.							
FC 4T	14/18	M	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
FC 4T	14/18	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
FC 4T	14/18	M	1254XK17	L	KF	*270	-	3,0	6	6,5								
FC 4T	14/18	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
FE 4T	14/18	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
FE 4T	14/18	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
FE 4T	14/16	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
FE 4T	14/16	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
HUSQVARNA											HUSQVARNA							
350 c.c.											350 c.c.							
FE / TE	16/17	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
FE / TE	16/17	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
FE 4T	17/18	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
FE 4T	17/18	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
TE	89/91	E	733	L	S	240	120	3,0	6	6,5	266	L	S	220	112	4,0	6	9,5
TE	92/95	E	755	L	S	260	120	3,0	6	6,5	266	L	S	220	112	4,0	6	9,5
TE	96/13	E	755	L	S	260	120	3,0	6	6,5	135	L	S	220	112	4,0	6	6,5
FX	17/18	M	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
FX	17/18	M	140XF	L	F00,0	260	-	3,0	6	6,5								
360 c.c.											360 c.c.							
CR	87/91	M	733	L	S	240	120	3,0	6	6,5	135	L	S	220	112	4,0	6	6,5
CR / WR	92/99	M-E	755	L	S	260	120	3,0	6	6,5	266	L	S	220	112	4,0	6	9,5
WR	87/91	E	733	L	S	240	120	3,0	6	6,5	-	-	-	-	-	-	-	-
WR	00/04	E	910 / 910X	L	S	260	120	3,0	4	6,5	464	L	S	220	126	4,0	4	19,0
WR	00/04	E	910SP	L	S	260	120	3,0	4	6,5	706	L	S	220	126	4,0	4	19,0
WR	00/04	E	392	L	S	260	120	3,5	4	6,5								
WR	00/04	E	1164X	L	F00,0	260	120	3,0	4	6,5								
375 c.c.											375 c.c.							



MODEL	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø
SVARTPILEN 401	17/18	N	-	L	S	320	-	-	-	-	1311	R	S	230	104	4,0	6	10,5
VITPILEN 401	17	N	-	L	F00,0	320	-	-	-	-	1311	R	S	230	104	4,0	6	10,5
VITPILEN 401 ABS	17	N	-	L	F00,0	320	-	-	-	-	-	R	S	240	-	-	-	-
400 c.c.											400 c.c.							
TC	02→	M	910 / 910X	L	S	260	120	3,0	4	6,5	464	L	S	220	126	4,0	4	19,0
TC	02→	M	910SP	L	S	260	120	3,0	4	6,5	706	L	S	220	126	4,0	4	19,0
TC	02→	M	392	L	S	260	120	3,5	4	6,5								
TC	02→	M	1164X	L	F00,0	260	120	3,0	4	6,5								
TE	00/01	E	910 / 910X	L	S	260	120	3,0	4	6,5	263 / 263X	R	S	220	112	4,0	4	9,5
TE	00/01	E	910SP	L	S	260	120	3,0	4	6,5	263SP	R	S	220	112	4,0	4	9,5
TE	00/01	E	392	L	S	260	120	3,5	4	6,5	263XSP	R	S	220	112	4,0	4	9,5
TE	00/01	E	1164X	L	F00,0	260	120	3,0	4	6,5								
TE	00/01	E	722K11	L	KF	*320	120	5,0	4	6,5								
TE	00/01	E	722XK11	L	KF	*318	120	5,0	4	6,5								
TE	00/01	E	722SPK11	L	KF	*320	120	5,0	4	6,5								
TE	02	E	910 / 910X	L	S	260	120	3,0	4	6,5	464	L	S	220	126	4,0	4	19,0
TE	02	E	910SP	L	S	260	120	3,0	4	6,5	706	L	S	220	126	4,0	4	19,0
TE	02	E	392	L	S	260	120	3,5	4	6,5								
TE	02	E	1164X	L	F00,0	260	120	3,0	4	6,5								
TE	02	E	722K11	L	KF	*320	120	5,0	4	6,5								
TE	02	E	722XK11	L	KF	*318	120	5,0	4	6,5								
TE	02	E	722SPK11	L	KF	*320	120	5,0	4	6,5								
410 c.c.											410 c.c.							
TE	95/99	E	755	L	S	260	120	3,0	6	6,5	266	R	S	220	112	4,0	6	9,5
TE / TE E	00/01	E	910 / 910X	L	S	260	120	3,0	4	6,5	464	L	S	220	126	4,0	4	19,0
TE / TE E	00/01	E	910SP	L	S	260	120	3,0	4	6,5	706	L	S	220	126	4,0	4	19,0
TE / TE E	00/01	E	392	L	S	260	120	3,5	4	6,5								
TE / TE E	00/01	E	1164X	L	F00,0	260	120	3,0	4	6,5								
TE / TE E	00/01	E	722K11	L	KF	*320	120	5,0	4	6,5								
TE / TE E	00/01	E	722XK11	L	KF	*318	120	5,0	4	6,5								
TE / TE E	00/01	E	722SPK11	L	KF	*320	120	5,0	4	6,5								
TE E	99	E	755	L	S	260	120	3,0	6	6,5	266	L	S	220	112	4,0	6	9,5
449 c.c.											449 c.c.							
TE / TC	11/13	E-M	910X	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
TE / TC	11/13	E-M	1164X	L	F00,0	260	120	3,0	4	6,5								
TE / TC	11/13	E-M	910SP	L	S	260	120	3,0	4	6,5								
TC	11/13	E	1325XK17	L	KF	*270	120	3,0	4	6,5								
TC	11/13	E	1325XBHK17	L	KF	*270	120	3,0	4	6,5								
HUSQVARNA											HUSQVARNA							
450 c.c.											450 c.c.							
FC 4T	14/18	M	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
FC 4T	14/18	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
FC 4T	14/18	M	1254XK17	L	KF	*270	-	3,0	6	6,5								
FC 4T	14/18	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
FE 4T	14/18	M	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
FE 4T	14/18	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
FE 4T	14/18	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
FE 4T	14/18	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
FX	17/18	M	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
FX	17/18	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
FS	15/17	F	725	L	F00,0	320	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
FS	15/17	F	725SP	L	F00,0	320	127	5,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
FS, w/o speedometer hole	18	F	xxxxXG	L	F00,0	310	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
FS, w/o speedometer hole	18	F		L	F00,0	310	127	5,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
FSE-C	05/08	F	1224X	L	F00,0	310	127	5,0	6	6,5	-	-	-	-	-	-	-	-
R	16/17	E	1043XF	L	F00,0	300	127	5,0	6	6,5	1294X	R	S	240	110	4,0	6	6,5
SMR	03/04	F	722	L	F00,0	320	120	5,0	4	8,5	464	R	S	220	126	4,0	4	19,0
SMR	03/04	F	722X	L	F00,0	318	120	5,0	4	8,5	706	R	S	220	126	4,0	4	19,0
SMR / SMR RR	03/10	F	1561X	L	F9,0	320	120	5,0	4	8,5	1264X	R	S	240	112	4,0	4	9,5

NG Brake Disc		YEAR	MODEL TYPE	FRONT REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø	REAR REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø
TC		02/04	M	910 / 910X	L	S	260	120	3,0	4	6,5	464	L	S	220	126	4,0	4	19,0
TC		02/04	M	910SP	L	S	260	120	3,0	4	6,5	706	L	S	220	126	4,0	4	19,0
TC		02/04	M	392	L	S	260	120	3,5	4	6,5								
TC		02/04	M	1164X	L	F00,0	260	120	3,0	4	6,5								
TC		02/04	M	722K11	L	KF	*320	120	5,0	4	6,5								
TC		02/04	M	722XK11	L	KF	*318	120	5,0	4	6,5								
TC		02/04	M	722SPK11	L	KF	*320	120	5,0	4	6,5								
TC		05/06	M	910 / 910X	L	S	260	120	3,0	4	6,5	1193X	R	S	240	126	4,0	4	19,0
TC		05/06	M	910SP	L	S	260	120	3,0	4	6,5								
TC		05/06	M	1164X	L	F00,0	260	120	3,0	4	6,5								
TC		05/06	M	392	L	S	260	120	3,5	4	6,5								
TC		05/06	M	722K11	L	KF	*320	120	5,0	4	6,5								
TC		05/06	M	722XK11	L	KF	*318	120	5,0	4	6,5								
TC		05/06	M	722SPK11	L	KF	*320	120	5,0	4	6,5								
TC		07/11	M	910 / 910X	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
TC		07/11	M	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
TC		07/11	M	1164X	L	F00,0	260	120	3,0	4	6,5								
TC		07/11	M	392	L	S	260	120	3,5	4	6,5								
TC		07/10	M	1325XK16	L	KF	*270	120	3,0	4	6,5								
TC		07/10	M	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
TC		11	M	1325XK17	L	KF	*270	120	3,0	4	6,5								
TC		11	M	1325XBHK17	L	KF	*270	120	3,0	4	6,5								
TC		08/10	M	722K27	L	KF	*320	120	5,0	4	6,5								
TC		08/10	M	722XK27	L	KF	*318	120	5,0	4	6,5								
TC		08/10	M	722SPK27	L	KF	*320	120	5,0	4	6,5								
TCX		08/10	M	910X / 910	L	S	260	120	3,0	4	6,5	1193X	R	S	240	126	4,0	4	19,0
TCX		08/10	M	910SP	L	S	260	120	3,0	4	6,5								
TCX		08/10	M	1164X	L	F00,0	260	120	3,0	4	6,5								
TCX		08/10	M	392	L	S	260	120	3,5	4	6,5								
TE		02/05	E	910 / 910X	L	S	260	120	3,0	4	6,5	263 / 263X	R	S	220	112	4,0	4	9,5
TE		02/05	E	910SP	L	S	260	120	3,0	4	6,5	263SP	R	S	220	112	4,0	4	9,5
TE		02/05	E	1164X	L	F00,0	260	120	3,0	4	6,5	263XSP	R	S	220	112	4,0	4	9,5
TE		02/05	E	392	L	S	260	120	3,5	4	6,5								
TE		02/05	E	722K11	L	KF	*320	120	5,0	4	6,5								
TE		02/05	E	722XK11	L	KF	*318	120	5,0	4	6,5								
TE		02/05	E	722SPK11	L	KF	*320	120	5,0	4	6,5								

HUSQVARNA

450 c.c.

TE	06/10	E	910 / 910X	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
TE	06/10	E	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
TE	06/10	E	1164X	L	F00,0	260	120	3,0	4	6,5								
TE	06/10	E	392	L	S	260	120	3,5	4	6,5								
TE	06/10	E	1325XK16	L	KF	*270	120	3,0	4	6,5								
TE	06/10	E	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
TE	08/10	E	722K27	L	KF	*320	120	5,0	4	6,5								
TE	08/10	E	722XK27	L	KF	*318	120	5,0	4	6,5								
TE	08/10	E	722SPK27	L	KF	*320	120	5,0	4	6,5								
TE	14	E	910X / 910	L	S	260	120	3,0	4	6,5	-	-	-	-	-	-	-	-
TE	14	E	910SP	L	S	260	120	3,0	4	6,5								
TE	14	E	1164X	L	F00,0	260	120	3,0	4	6,5								
TE	14	E	392	L	S	260	120	3,5	4	6,5								
TXC	11/13	E	910X / 910	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
TXC	11/13	E	910SP	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
TXC	11/13	E	1164X	L	F00,0	260	120	3,0	4	6,5								
TXC	11/13	E	392	L	S	260	120	3,5	4	6,5								
TXC	11/13	E	1325XK17	L	KF	*270	120	3,0	4	6,5								
TXC	11/13	E	1325XBHK17	L	KF	*270	120	3,0	4	6,5								
TXC	08/10	E	722K27	L	KF	*320	120	5,0	4	6,5								



TXC	08/10	E	722XK27	L	KF	*318	120	5,0	4	6,5								
TXC	08/10	E	722SPK27	L	KF	*320	120	5,0	4	6,5								
480 c.c.											480 c.c.							
TXC	13	E	910X / 910	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
TXC	13	E	910SP	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
TXC	13	E	1164X	L	F00,0	260	120	3,0	4	6,5								
TXC	13	E	392	L	S	260	120	3,5	4	6,5								
TXC	13	E	1325XK17	L	KF	*270	120	3,0	4	6,5								
TXC	13	E	1325XBHK17	L	KF	*270	120	3,0	4	6,5								
501 c.c.											501 c.c.							
FE 4T	14/18	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
FE 4T	14/18	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
FE 4T	14/16	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
FE 4T	14/16	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
510 c.c.											510 c.c.							
FE 4T	14/17	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
FE 4T	14/17	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
FE	14	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
FE	14	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
SM-R	05/10	F	1561X	L	F9,0	320	120	5,0	4	8,5	1264X	R	S	240	112	4,0	4	9,5
TC	02/04	M	910 / 910X	L	S	260	120	3,0	4	6,5	464	R	S	220	126	4,0	4	19,0
TC	02/04	M	910SP	L	S	260	120	3,0	4	6,5	706	R	S	220	126	4,0	4	19,0
TC	02/04	M	1164X	L	F00,0	260	120	3,0	4	6,5								
TC	02/04	M	392	L	S	260	120	3,5	4	6,5								
TC	02/04	M	722K11	L	KF	*320	120	5,0	4	6,5								
TC	02/04	M	722XK11	L	KF	*318	120	5,0	4	6,5								
TC	02/04	M	722SPK11	L	KF	*320	120	5,0	4	6,5								
TC	05/06	E	910 / 910X	L	S	260	120	3,0	4	6,5	1193X	R	S	240	126	4,0	4	19,0
TC	05/06	E	910SP	L	S	260	120	3,0	4	6,5								
TC	05/06	E	1164X	L	F00,0	260	120	3,0	4	6,5								
TC	05/06	E	392	L	S	260	120	3,5	4	6,5								
TC	05/06	E	722K11	L	KF	*320	120	5,0	4	6,5								
TC	05/06	E	722XK11	L	KF	*318	120	5,0	4	6,5								
TC	05/06	E	722SPK11	L	KF	*320	120	5,0	4	6,5								
HUSQVARNA											HUSQVARNA							
510 c.c.											510 c.c.							
TC	07/10	E	910X / 910	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
TC	07/10	E	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
TC	07/10	E	1164X	L	F00,0	260	120	3,0	4	6,5								
TC	07/10	E	392	L	S	260	120	3,5	4	6,5								
TC	07/10	E	1325XK16	L	KF	*270	120	3,0	4	6,5								
TC	07/10	E	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
TC	06/10	E	722K27	L	KF	*320	120	5,0	4	6,5								
TC	06/10	E	722XK27	L	KF	*318	120	5,0	4	6,5								
TC	06/10	E	722SPK27	L	KF	*320	120	5,0	4	6,5								
TCX	05/10	M	910X / 910	L	S	260	120	3,0	4	6,5	1193X	R	S	240	126	4,0	4	19,0
TCX	05/10	M	910SP	L	S	260	120	3,0	4	6,5								
TCX	05/10	M	1164X	L	F00,0	260	120	3,0	4	6,5								
TCX	05/10	M	392	L	S	260	120	3,5	4	6,5								
TE	90/91	E	733	L	S	240	120	3,0	6	6,5	464	R	S	220	126	4,0	4	19,0
TE	90/91	E									706	R	S	220	126	4,0	4	19,0
TE	02/04	E	910 / 910X	L	S	260	120	3,0	4	6,5	464	R	S	220	126	4,0	4	19,0
TE	02/04	E	910SP	L	S	260	120	3,0	4	6,5	706	R	S	220	126	4,0	4	19,0
TE	02/04	E	1164X	L	F00,0	260	120	3,0	4	6,5								
TE	02/04	E	392	L	S	260	120	3,5	4	6,5								
TE	02/04	E	722K11	L	KF	*320	120	5,0	4	6,5								
TE	02/04	E	722XK11	L	KF	*318	120	5,0	4	6,5								
TE	02/04	E	722SPK11	L	KF	*320	120	5,0	4	6,5								



TE	05	E	910 / 910X	L	S	260	120	3,0	4	6,5	1193X	R	S	240	126	4,0	4	19,0
TE	05	E	910SP	L	S	260	120	3,0	4	6,5								
TE	05	E	1164X	L	F00,0	260	120	3,0	4	6,5								
TE	05	E	392	L	S	260	120	3,5	4	6,5								
TE	05	E	722K11	L	KF	*320	120	5,0	4	6,5								
TE	05	E	722XK11	L	KF	*318	120	5,0	4	6,5								
TE	05	E	722SPK11	L	KF	*320	120	5,0	4	6,5								
TE	06/10	E	910 / 910X	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
TE	06/10	E	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
TE	06/10	E	1164X	L	F00,0	260	120	3,0	4	6,5								
TE	06/10	E	392	L	S	260	120	3,5	4	6,5								
TE	06/10	E	1325XK16	L	KF	*270	120	3,0	4	6,5								
TE	06/10	E	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
TE	06	E	722K11	L	KF	*320	120	5,0	4	6,5								
TE	06	E	722XK11	L	KF	*318	120	5,0	4	6,5								
TE	06	E	722SPK11	L	KF	*320	120	5,0	4	6,5								
TE	07/10	E	722K27	L	KF	*320	120	5,0	4	6,5								
TE	07/10	E	722XK27	L	KF	*318	120	5,0	4	6,5								
TE	07/10	E	722SPK27	L	KF	*320	120	5,0	4	6,5								
TXC	09/10	E	910X / 910	L	S	260	120	3,0	4	6,5	648	R	S	240	112	4,0	4	9,5
TXC	09/10	E	910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
TXC	09/10	E	1164X	L	F00,0	260	120	3,0	4	6,5								
TXC	09/10	E	392	L	S	260	120	3,5	4	6,5								
TXC	09/10	E	1325XK16	L	KF	*270	120	3,0	4	6,5								
TXC	09/10	E	1325XBHK16	L	KF	*270	120	3,0	4	6,5								
TXC	06/10	E	722K27	L	KF	*320	120	5,0	4	6,5								
TXC	06/10	E	722XK27	L	KF	*318	120	5,0	4	6,5								
TXC	06/10	E	722SPK27	L	KF	*320	120	5,0	4	6,5								
511 c.c.										511 c.c.								
SMR	11/12	F	722X	L	F00,0	318	120	5,0	4	8,5	648	R	S	240	112	4,0	4	9,5
SMR	11/12	F	722	L	F00,0	320	120	5,0	4	8,5	1264X	R	S	240	112	4,0	4	9,5
SMR	11/12	F	722SP	L	F00,0	320	120	5,0	4	8,5								
HUSQVARNA										HUSQVARNA								
511 c.c.										511 c.c.								
TE / TXC	11/13	E	910X / 910SP	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5
TE / TXC	11/13	E	1164X	L	F00,0	260	120	3,0	4	6,5								
TE / TXC	11/13	E	1325XK17	L	KF	*270	120	3,0	4	6,5								
TE / TXC	11/13	E	1325XBHK17	L	KF	*270	120	3,0	4	6,5								
520 c.c.										520 c.c.								
NOX	01	F	-	-	-	-	-	-	-	-	263 / 263X	R	S	220	112	4,0	4	9,5
NOX	01	F									263SP	R	S	220	112	4,0	4	9,5
NOX	01	F									263XSP	R	S	220	112	4,0	4	9,5
570 c.c.										570 c.c.								
NOX	01/03	F	1561 / 1561X	L	F9,0	320	120	5,0	4	8,5	263 / 263X	R	S	220	112	4,0	4	9,5
NOX	01/03	F									263SP	R	S	220	112	4,0	4	9,5
NOX	01/03	F									263XSP	R	S	220	112	4,0	4	9,5
SMR	00/04	F	1561 / 1561X	L	F9,0	320	120	5,0	4	8,5	464	R	S	220	126	4,0	4	19,0
SMR / SMR R	00/03	F	850	L	T	290	120	5,0	4	6,5	-	-	-	-	-	-	-	-
TE / TC	00/04	M	910 / 910X	L	S	260	120	3,0	4	6,5	464	R	S	220	126	4,0	4	19,0
TE / TC	00/04	M	910SP	L	S	260	120	3,0	4	6,5	706	R	S	220	126	4,0	4	19,0
TE / TC	00/04	M	1164X	L	F00,0	260	120	3,0	4	6,5								
TE / TC	00/04	M	392	L	S	260	120	3,5	4	6,5								
TE / TC	00/04	M	722K11	L	KF	*320	120	5,0	4	6,5								
TE / TC	00/04	M	722XK11	L	KF	*318	120	5,0	4	6,5								
TE / TC	00/04	M	722SPK11	L	KF	*320	120	5,0	4	6,5								
610 c.c.										610 c.c.								
TC	91	M	733	L	S	240	120	3,0	6	6,5	266	L	S	220	112	4,0	6	9,5
TC / TE	92/98	M	755	L	S	260	120	3,0	6	6,5	266	L	S	220	112	4,0	6	9,5
TE	00/01	E	910 / 910X	L	S	260	120	3,0	4	6,5	263 / 263X	R	S	220	112	4,0	4	9,5



YEAR	MODEL	TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø
TE	00/01	E	910SP	L	S	260	120	3,0	4	6,5	263SP	R	S	220	112	4,0	4	9,5
TE	00/01	E	1164X	L	F00,0	260	120	3,0	4	6,5	263XSP	R	S	220	112	4,0	4	9,5
TE	00/01	E	392	L	S	260	120	3,5	4	6,5								
TE	00/01	E	722K11	L	KF	*320	120	5,0	4	6,5								
TE	00/01	E	722XK11	L	KF	*318	120	5,0	4	6,5								
TE	00/01	E	722SPK11	L	KF	*320	120	5,0	4	6,5								
TE	02/08	E	910 / 910X	L	S	260	120	3,0	4	6,5	464	R	S	220	126	4,0	4	19,0
TE	02/08	E	910SP	L	S	260	120	3,0	4	6,5	706	R	S	220	126	4,0	4	19,0
TE	02/08	E	1164X	L	F00,0	260	120	3,0	4	6,5								
TE	02/08	E	392	L	S	260	120	3,5	4	6,5								
TE	02/06	E	722K11	L	KF	*320	120	5,0	4	6,5								
TE	02/06	E	722XK11	L	KF	*318	120	5,0	4	6,5								
TE	02/06	E	722SPK11	L	KF	*320	120	5,0	4	6,5								
TE E	98/99	E	755	L	S	260	120	3,0	6	6,5	266	L	S	220	112	4,0	6	9,5
TE E	00/01	E	755	L	S	260	120	3,0	6	6,5	263 / 263X	R	S	220	112	4,0	4	9,5
TE E	00/01	E									263SP / 263XSP	R	S	220	112	4,0	4	9,5
TE E	02/06	E	910 / 910X	L	S	260	120	3,0	4	6,5	464	R	S	220	126	4,0	4	19,0
TE E	02/06	E	910SP	L	S	260	120	3,0	4	6,5	706	R	S	220	126	4,0	4	19,0
TE E	02/06	E	1164X	L	F00,0	260	120	3,0	4	6,5								
TE E	02/06	E	392	L	S	260	120	3,5	4	6,5								
TE E	02/06	E	722K11	L	KF	*320	120	5,0	4	6,5								
TE E	02/06	E	722XK11	L	KF	*318	120	5,0	4	6,5								
TE E	02/06	E	722SPK11	L	KF	*320	120	5,0	4	6,5								
SM i.e.	07/09	F	1561 / 1561X	L	F9,0	320	120	5,0	4	8,5	464	R	S	220	126	4,0	4	19,0
SM i.e.	07/09	F									706	R	S	220	126	4,0	4	19,0
SMR	99/04	F	722	L	F00,0	320	120	5,0	4	8,5	464	R	S	220	126	4,0	4	19,0
SMR	99/04	F	722X	L	F00,0	318	120	5,0	4	8,5	706	R	S	220	126	4,0	4	19,0
SMR	99/04	F	722SP	L	F00,0	320	120	5,0	4	8,5								
SM - S	97/01	F	722	L	F00,0	320	120	5,0	4	8,5	464	R	S	220	126	4,0	4	19,0
SM - S	97/01	F	722X	L	F00,0	318	120	5,0	4	8,5								
SM - S	97/01	F	722SP	L	F00,0	320	120	5,0	4	8,5								
SMS	02/06	F	1561 / 1561X	L	F9,0	320	120	5,0	4	8,5	-	-	-	-	-	-	-	-

HUSQVARNA

630 c.c.

HUSQVARNA

630 c.c.

FSE - C	05/08	F	1224X	L	F00,0	310	127	5,0	6	6,5	-	-	-	-	-	-	-	-
SMR	05/12	F	1561 / 1561X	L	F9,0	320	120	5,0	4	8,5	464	R	S	220	126	4,0	4	19,0
SMS	10/12	F	1561 / 1561X	L	F9,0	320	120	5,0	4	8,5	-	-	-	-	-	-	-	-
TE	10/13	E	910X / 910	L	S	260	120	3,0	4	6,5	1497X	R	S	220	112	4,0	4	10,5
TE	10/13	E	910SP	L	S	260	120	3,0	4	6,5	1497XSP	R	S	220	112	4,0	4	10,5
TE	10/13	E	1164X	L	F00,0	260	120	3,0	4	6,5								
TE	10/13	E	392	L	S	260	120	3,5	4	6,5								

650 c.c.

650 c.c.

STR CRC	07→	F	1561 / 1561X	L	F9,0	320	120	5,0	4	8,5	-	-	S	220	-	-	-	-
TR STRADA / TR TERRA	12/14	F	1232	L	S	300	105	5,0	6	6,5	325 / 325X	L	S	240	110	5,0	6	6,5
TR STRADA / TR TERRA	12/14	F	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5								
TR STRADA / TR TERRA	12/14	F	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5								
TR TERRA	12/13	U	1232	L	S	300	105	5,0	6	6,5	325 / 325X	L	S	240	110	5,0	6	6,5
TR TERRA	12/13	U	1194 / 1194X	L	F00,0	300	105	5,0	6	6,5								
TR TERRA	12/13	U	1194G / 1194XG	L	F00,0	300	105	5,0	6	6,5								

701 c.c.

701 c.c.

ENDURO	15/18	E	1043XF	L	F00,0	300	127	5,0	6	6,5	1578X / 1578	R	F00,0	240	106,3	5,0	6	6,5
SUPERMOTO	15/17	F	725	L	F00,0	320	127	5,0	6	6,5	1578 / 1578X	R	F00,0	240	106,3	5,0	6	6,5
SUPERMOTO	15/17	F	725X	L	F00,0	318	127	5,0	6	6,5								
SUPERMOTO	15/17	F	725SP	L	F00,0	320	127	5,0	6	6,5								
SUPERMOTO	15/17	F	730	L	F00,0	320	127	4,0	6	6,5								
SUPERMOTO ABS	15/17	F	1640 / xxxxX	L	F00,0	320	127	5,0	6	6,5	1578 / 1578X	R	F00,0	240	106,3	5,0	6	6,5
SUPERMOTO ABS	18	F	xxxxX / 1640	L	F00,0	320	127	5,0	6	6,5	1578X / 1578	R	F00,0	240	106,3	5,0	6	6,5

900 c.c.

900 c.c.

NUDA / R / R ABS	12/13	F	1046	L/R	S	320	181	4,8	5	14,8	1045 / 1045X	L	S	265	136,5	4,8	5	10,0
------------------	-------	---	------	-----	---	-----	-----	-----	---	------	--------------	---	---	-----	-------	-----	---	------

HYOSUNG

50 c.c.

HYOSUNG

50 c.c.



FAST SF	00/03	S	703	L	S	162	34	4,0	3	10,5	Drum	-	-	-	-	-	-
PLUS / SUPER CAP	95	S	1011 / 1011X	R	S	180	58	4,0	3	10,5	Drum	-	-	-	-	-	-
SUPER CAP PLUS	98	S	1011X / 1011	R	S	180	58	4,0	3	10,5	Drum	-	-	-	-	-	-
SR R	06	S	703	L	S	162	34	4,0	3	10,5	Drum	-	-	-	-	-	-
125 c.c.																	
AQUILA GV	16/17	C	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-
GT	06	R	1175	L	S	276	124	4,0	6	10,5	1191	R	S	230	87	4,2	6 10,5
GT COMET	04/17	N	1231	L	F19,5	300	64	4,0	6	10,5	1191	R	S	230	87	4,2	6 10,5
GT NAKED	03/12	N	1231	L	F19,5	300	64	4,0	6	10,5	1191	R	S	230	87	4,2	6 10,5
GT i NAKED	13/15	N	1231	L	F19,5	300	64	4,0	6	10,5	1191	R	S	230	87	4,2	6 10,5
GT R / GT RC	03/16	R	1231	R	F19,5	300	64	4,0	6	10,5	1191	R	S	230	87	4,2	6 10,5
GT R PRO COMET	13/17	R	1231	L/R	F19,5	300	64	4,0	6	10,5	1191	R	S	230	87	4,2	6 10,5
KARION RT	16/17	U	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-
250 c.c.																	
COMET GT	04/05	N	1231	L	F19,5	300	64	4,0	6	10,5	1191	R	S	230	87	4,2	6 10,5
GD N EXIV	13/17	N	1231	L	F19,5	300	64	4,0	6	10,5	1191	R	S	230	87	4,2	6 10,5
GT	06/12	N	1231	L	F19,5	300	64	4,0	6	10,5	1191	R	S	230	87	4,2	6 10,5
GT R	05/07	R	1231	L/R	F19,5	300	64	4,0	6	10,5	1191	R	S	230	87	4,2	6 10,5
GT i / GT Ri	08/17	R	1231	L/R	F19,5	300	64	4,0	6	10,5	1191	R	S	230	87	4,2	6 10,5
R XPEED MS3	13	S	1409X	R	S	240	86	4,0	5	10,5	1410X	R	S	220	80	4,5	5 10,5
650 c.c.																	
AQUILA	05	C	1505 / 1505X	L/R	F00,0	298	130	4,0	6	10,5	1496	R	S	270	88	4,5	6 8,5
GT	09/15	N	1231	L/R	F19,5	300	64	4,0	6	10,5	1191	R	S	230	87	4,2	6 10,5
GT COMET	04/06	N	-	L/R	-	-	-	-	-	-	1191	R	S	230	87	4,2	6 10,5
GT COMET	07/08	N	1231	L/R	F19,5	300	64	4,0	6	10,5	1191	R	S	230	87	4,2	6 10,5
GT i COMET	10/16	N	-	L/R	F00,0	300	-	-	-	-	-	-	S	230	-	-	-
GT S	05/08	R	1231	L/R	F19,5	300	64	4,0	6	10,5	1191	R	S	230	87	4,2	6 10,5
GT R	07/08	R	1231	L/R	F19,5	300	64	4,0	6	10,5	1191	R	S	230	87	4,2	6 10,5
GT i / GT Ri	09/17	R	1231	L/R	F19,5	300	64	4,0	6	10,5	1191	R	S	230	87	4,2	6 10,5
GT X	09/15	R	-	L/R	-	-	-	-	-	-	1191	R	S	230	87	4,2	6 10,5
GV i PRO AQUILA	16	N	-	L/R	-	-	-	-	-	-	-	R	S	-	-	-	-
I-MOTO																	
125 c.c.																	
LEPUS	16/17	N	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-
STRADA	16/17	N	-	L/R	S	-	-	-	-	-	-	-	-	-	-	-	-
TIGER SM	16/17	U	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-
IMR RACING																	
110 c.c.																	
110	-	-	1308X	-	S	190	76	4,0	4	8,5	-	-	-	-	-	-	-
125 c.c.																	
125	-	F	1307X	-	S	220	76	4,0	4	11,5	1308X	-	S	190	76	4,0	4 8,5
140 c.c.																	
140	-	F	1307X	-	S	220	76	4,0	4	11,5	1308X	-	S	190	76	4,0	4 8,5
150 c.c.																	
150	-	M	1307X	-	S	220	76	4,0	4	11,5	1308X	-	S	190	76	4,0	4 8,5
160 c.c.																	
160	-	M	1307X	-	S	220	76	4,0	4	11,5	1308X	-	S	190	76	4,0	4 8,5
INDIAN																	
999 c.c.																	
MIDSIZE MODELS																	
SCOUT SIXTY	16/17	CVT	1663	L	S	298	64	5,0	5	MH	1663	R	S	298	64	5,0	5 MH
1133 c.c.																	
SCOUT	14/18	CVT	1663	L	S	298	64	5,0	5	MH	1663	R	S	298	64	5,0	5 MH
SCOUT BOBBER ABS	18	CVT	1663	L	S	298	64	5,0	5	MH	1663	R	S	298	64	5,0	5 MH
1811 c.c.																	
CHIEF CRUISER MODELS																	
CLASSIC ABS	13/17	CVT	1487	L/R	F9,7	300	64	5,0	6	8,5	1487	L	F9,7	300	64	5,0	6 8,5
CUSTOM ABS	14/16	CVT	1487	L/R	F9,7	300	64	5,0	6	8,5	1487	L	F9,7	300	64	5,0	6 8,5
DARK HORSE ABS	15/17	CVT	1487	L/R	F9,7	300	64	5,0	6	8,5	1487	L	F9,7	300	64	5,0	6 8,5
CHIEF BAGGER MODELS																	
ABS	13/17	CVT	1487	L/R	F9,7	300	64	5,0	6	8,5	1487	L	F9,7	300	64	5,0	6 8,5
DARK HORSE ABS	16/17	CVT	1487	L/R	F9,7	300	64	5,0	6	8,5	1487	L	F9,7	300	64	5,0	6 8,5
ELITE ABS	17	CVT	1487	L/R	F9,7	300	64	5,0	6	8,5	1487	L	F9,7	300	64	5,0	6 8,5
LIMITED ABS	17	CVT	1487	L/R	F9,7	300	64	5,0	6	8,5	1487	L	F9,7	300	64	5,0	6 8,5



VINTAGE ABS			14/17	CVT	1487							L/R		F9,7	300	64	5,0	6	8,5	1487							L		F9,7	300	64	5,0	6	8,5	
BAGGER SPRINGFIELD ABS			16/17	CVT	1487							L/R		F9,7	300	64	5,0	6	8,5	1487							L		F9,7	300	64	5,0	6	8,5	
ROADMASTER TOURING MODELS																																			
ABS			14	CVT	1487							L/R		F9,7	300	64	5,0	6	8,5	1487							L		F9,7	300	64	5,0	6	8,5	
ABS			15/17	CVT	752 / 752X							L/R		F17,0	296	62	5,0	6	6,5	752 / 752X							L		F17,0	296	62	5,0	6	6,5	
CLASSIC ABS			15/17	CVT	752 / 752X							L/R		F17,0	296	62	5,0	6	6,5	752 / 752X							L		F17,0	296	62	5,0	6	6,5	
ITALJET																																			
50 c.c.																																			
BAZOOKA / BAZOOKA 2			92→	S	406							L		S	155	40,6	3,8	3	10,5	Drum							-		-	-	-	-	-	-	-
BAZOOKA / BAZOOKA 2			92→	S	727							L		SO	*180	40,6	3,5	3	10,5																
BAZOOKA 2			92/97	S	406							L		S	155	40,6	3,8	3	10,5	Drum							-		-	-	-	-	-	-	-
BAZOOKA 2			92/97	S	727							L		SO	*180	40,6	3,5	3	10,5																
CRUISE			94	S	108							L		S	160	58	4,0	3	10,5	Drum							-		-	-	-	-	-	-	-
DRAGSTER L.C.			97/06	S	190							L		S	174	38	4,0	5	6,5	361							L		S	190	66	4,0	5	6,5	
FORMULA AIR			94/97	S	190							L		S	174	38	4,0	5	6,5	Drum							-		-	-	-	-	-	-	-
FORMULA GT / L.C.			97	S	190							L		S	174	38	4,0	5	6,5	191							C		S	174	66	4,0	5	6,5	
FORMULA DD / L.C.			97/03	S	190							L		S	174	38	4,0	5	6,5	191							C		S	174	66	4,0	5	6,5	
FORMULA RACE			96/97	S	190							L		S	174	38	4,0	5	6,5	191							C		S	174	66	4,0	5	6,5	
JACKPOT			01	S	281							R		S	218	42	4,0	5	6,5	-							-		-	-	-	-	-	-	-
JET-SET			02/03	S	078							L		S	220	42,2	4,0	5	6,5	Drum							-		-	-	-	-	-	-	-
OMBRA NERA			97/00	S	190							L		S	174	38	4,0	5	6,5	191							C		S	174	66	4,0	5	6,5	
PISTA 2			92	S	406							L		S	155	40,6	3,8	3	10,5	Drum							-		-	-	-	-	-	-	-
PISTA 2			92	S	727							L		SO	*180	40,6	3,5	3	10,5																
SCOOP 23			93	A	406							L		S	155	40,6	3,8	3	10,5	Drum							-		-	-	-	-	-	-	-
SCOOP 23			93	A	727							L		SO	*180	40,6	3,5	3	10,5																
TORPEDO 2T / 4T			97/03	S	192							L		S	218	42	3,5	4	8,5	Drum							-		-	-	-	-	-	-	-
TORPEDO FC BOLOGNA			98	S	192							L		S	218	42	3,5	4	8,5	Drum							-		-	-	-	-	-	-	-
WILLIAMS			97/03	S	190							L		S	174	38	4,0	5	6,5	191							C		S	174	66	4,0	5	6,5	
YANKEE / YANKEE 8			94	S	406							L		S	155	40,6	3,8	3	10,5	Drum							-		-	-	-	-	-	-	-
YANKEE / YANKEE 8			94	S	727							L		SO	*180	40,6	3,5	3	10,5																
ITALJET																																			
100 c.c.																																			
MILLENNIUM			00/02	S	281							R		S	218	42	4,0	5	6,5	Drum							-		-	-	-	-	-	-	-
125 c.c.																																			
DRAGSTER			97	S	190							L		S	174	38	4,0	5	6,5	191							C		S	174	66	4,0	5	6,5	
DRAGSTER			98	S	190							L		S	174	38	4,0	5	6,5	361							L		S	190	66	4,0	5	6,5	
DRAGSTER			99/01	S	190							L		S	174	38	4,0	5	6,5	1071							L		S	240	125	4,0	5	6,5	
DRAGSTER			99/01	S															257							L		S	240	125	4,0	5	6,5		
FORMULA			96/99	S	190							L		S	174	38	4,0	5	6,5	191							C		S	174	66	4,0	5	6,5	
FORMULA L.C.			97/03	S	190							L		S	174	38	4,0	5	6,5	191							C		S	174	66	4,0	5	6,5	
FORMULA TWIN			99/00	S	190							L		S	174	38	4,0	5	6,5	191							C		S	174	66	4,0	5	6,5	
JACKPOT 4T			01	S	281							R		S	218	42	4,0	5	6,5	-							-		-	-	-	-	-	-	-
JET-SET 4T			01/03	S	078							L		S	220	42,2	4,0	5	6,5	Drum							-		-	-	-	-	-	-	-
JUPITER			02	S	281							R		S	218	42	4,0	5	6,5	689							R		S	230	116	5,0	3	8,5	
MILLENNIUM 4T			00/02	S	281							R		S	218	42	4,0	5	6,5	Drum							-		-	-	-	-	-	-	-
TORPEDO ARIA 4T / 4T L.C.			98/02	S	192							L		S	218	42	3,5	4	8,5	Drum							-		-	-	-	-	-	-	-
150 c.c.																																			
JACKPOT 4T			01	S	281							R		S	218	42	4,0	5	6,5	-							-		-	-	-	-	-	-	-
JET-SET 4T			01/03	S	078							L		S	220	42,2	4,0	5	6,5	Drum							-		-	-	-	-	-	-	-
JUPITER			02	S	281							R		S	218	42	4,0	5	6,5	689							R		S	230	116	5,0	3	8,5	
MILLENNIUM 4T			00/02	S	281							R		S	218	42	4,0	5	6,5	Drum							-		-	-	-	-	-	-	-
TORPEDO 4T			00/02	S	192							L		S	218	42	3,5	4	8,5	Drum							-		-	-	-	-	-	-	-
180 c.c.																																			
DRAGSTER			97/98	S	190							L		S	174	38	4,0	5	6,5	-							-		-	-	-	-	-	-	-
DRAGSTER L.C.			99/01	S	190							L		S	174	38	4,0	5	6,5	1071							L		S	240	125	4,0	5	6,5	
DRAGSTER L.C.			99/01	S															257							L		S	240	125	4,0	5	6,5		
250 c.c.																																			
DRAGSTER			03/06	S	190							L		S	174	38	4,0	5	6,5	361							L		S	190	66	4,0	5	6,5	
JUPITER			00/03	S	028							R		S	245	115	4,0	6	8,5	689							R		S	230	116	5,0	3	8,5	
500 c.c.																																			
SC			01	S	418							R		S	276	141	5,0	5	8,7	-							-		-	-	-	-	-	-	-
900 c.c.																																			



GRIFON	00	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-
GRIFON	00	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-
JM STAR																	
125 c.c.																	
TOMAHAWK II	-	S	1201X	R	S22,0	220	58	4,0	3	8,5	-	-	-	-	-	-	-
JOTAGAS																	
80 c.c.																	
JT	18	T	715X	L	S	185	-	3,0	4	15,5	650X	R	S	150	45	3,0	4 6,5
125 c.c.																	
JT	11/18	T	715X	L	S	185	-	3,0	4	15,5	650X	R	S	150	45	3,0	4 6,5
JT	11/18	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4 6,5
JT	11/18	T									1570X	R	FIM	150	45	3,0	4 6,5
250 c.c.																	
JT	11/17	T	715X	L	S	185	-	3,0	4	15,5	650X	R	S	150	45	3,0	4 6,5
JT	11/17	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4 6,5
JT	11/17	T									1570X	R	FIM	150	45	3,0	4 6,5
280 c.c.																	
JT	11/17	T	715X	L	S	185	-	3,0	4	15,5	650X	R	S	150	45	3,0	4 6,5
JT	11/17	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4 6,5
JT	11/17	T									1570X	R	FIM	150	45	3,0	4 6,5
300 c.c.																	
JT	11/18	T	715X	L	S	185	-	3,0	4	15,5	650X	R	S	150	45	3,0	4 6,5
JT	11/18	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4 6,5
JT	11/18	T									1570X	R	FIM	150	45	3,0	4 6,5
MK	11/13	E	1280X	L	S	260	118	3,5	6	6,5	372X	R	S	240	115	4,0	6 6,5
MK	17/18	E	1280X	L	S	260	118	3,5	6	6,5	422X	R	S	220	115	4,0	6 6,5
KAWASAKI																	
65 c.c.																	
KX	00/16	A-M	1143 / 1143X	L	S	180	79	3,0	4	9,5	1143 / 1143X	R	S	180	79	3,0	4 9,5
KAWASAKI																	
80 c.c.																	
KX	84/99	A-M	756 / 756X	L	S	220	96	3,0	6	9,0	1108	R	S	184	84	4,0	4 6,5
KX R7	97/00	A-M	756 / 756X	L	S	220	96	3,0	6	9,0	797 / 797X	R	S	184	84	3,0	4 9,5
85 c.c.																	
KX I 17' / 14'	00/18	A-M	756X / 756	L	S	220	96	3,0	6	9,0	797X / 797	R	S	184	84	3,0	4 9,5
KX I 17' / 14'	00/18	A-M	1427XK24	L	KF	*260	96	3,0	6	9,0							
KX II 19' / 16'	00/18	A-M	756X / 756	L	S	220	96	3,0	6	9,0	797X / 797	R	S	184	84	3,0	4 9,5
KX II 19' / 16'	00/18	A-M	1427XK24	L	KF	*260	96	3,0	6	9,0							
100 c.c.																	
KX	95/16	A-M	756 / 756X	L	S	220	96	3,0	6	9,0	797 / 797X	R	S	184	84	3,0	4 9,5
125 c.c.																	
D-TRACKER	10/17	F	1576X	L	S	240	96	4,0	6	10,5	1577X	R	S	190	84	4,0	6 10,5
J SPECIAL EDITION	15/17	S	1222X	R	F00,0	260	58	4,0	5	10,5	240 / 240X	R	S	240	89	5,0	5 10,5
J ABS / J SE ABS	15/16	S	1222X	R	F00,0	260	58	4,0	5	10,5	1612X	R	S	240	88	5,0	5 10,5
J ABS / J SE ABS	17/18	S	1222X	R	F00,0	260	58	4,0	5	10,5	1636X	R	S	240	88	5,0	5 10,5
KLX	10/17	E	1576X	L	S	240	96	4,0	6	10,5	1577X	R	S	190	84	4,0	6 10,5
KDX	90/03	U	137 / 137X	L	MDF	250	100	3,0	4	MH	1353	R	S	220	100	4,5	6 10,5
KDX	90/03	U	137XS	L	MD	250	100	3,0	4	MH							
KMX	86/03	U	172	L	S	230	120	4,0	6	10,5	ND / NA	R	S	210	110	4,5	8 6,5
KX	85	M	137XS	L	MD	250	100	3,0	4	MH	-	-	-	-	-	-	-
KX	85	M	137X / 137	L	MDF	250	100	3,0	4	MH							
KX	86/88	M	137XS	L	MD	250	100	3,0	4	MH	ND / NA	R	S	210	110	4,5	8 6,5
KX	86/88	M	137X / 137	L	MDF	250	100	3,0	4	MH							
KX	89/02	M	137 / 137X	L	MDF	250	100	3,0	4	MH	138 / 138X	R	S	220	100	4,5	6 6,5
KX	89/02	M	137XS	L	MD	250	100	3,0	4	MH							
KX	95/02	M	1150XK01	L	KF	*270	100	3,0	4	MH							
KX	95/02	M	1150XBHK01	L	KF	*270	100	3,0	4	MH							
KX	03/05	M	137 / 137X	L	MDF	250	100	3,0	4	MH	799 / 799X	R	S	240	116	4,0	4 10,5
KX	03/05	M	137XS	L	MD	250	100	3,0	4	MH							
KX	06/08	M	1031 / 1031X	L	F00,0	250	109	3,0	4	9,5	799 / 799X	R	S	240	116	4,0	4 10,5
KX	06/08	M	1031XS	L	S	250	109	3,0	4	9,5							
KX	06/08	M	1151XK01	L	KF	*270	109	3,0	4	9,5							
KX	06/08	M	1151XBHK01	L	KF	*270	109	3,0	4	9,5							



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø		REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø
KX	06/08	M	732K13	L	KF	*320	109	5,0	4	9,5									
KX	06/08	M	732XK13	L	KF	*318	109	5,0	4	9,5									
KX	06/08	M	732SPK13	L	KF	*320	109	5,0	4	9,5									
KX	06/08	M	732GK13	L	KF	*320	109	5,0	4	9,5									
KX	06/08	M	732XGK13	L	KF	*318	109	5,0	4	9,5									
KX	06/08	M	732SPGK13	L	KF	*320	109	5,0	4	9,5									
SM	06	S	1013	L	F6,5	320	109	5,0	4	9,5	799 / 799X	R	S		240	116	4,0	4	10,5
Z 12' / Z PRO 12'	16/18	N	1661X	R	S	200	48,3	3,5	4	10,5	1662X	R	S		185	74,3	4,0	4	10,5
140 c.c.																			140 c.c.
KLX / KLX L	11/16	U	756 / 756X	L	S	220	96	3,0	6	9,0	797 / 797X	R	S		184	84	3,0	4	9,5
200 c.c.																			200 c.c.
KDX	86/88	U	137XS	L	MD	250	100	3,0	4	MH	Drum	-	-	-	-	-	-	-	-
KDX	86/88	U	137X / 137	L	MDF	250	100	3,0	4	MH									
KDX	89/92	U	173	L	S	240	130	3,0	9	10,5	138 / 138X	L	S		220	100	4,5	6	6,5
KDX	94/96	U	137 / 137X	L	MDF	250	100	3,0	4	MH	138 / 138X	R	S		220	100	4,5	6	6,5
KDX	94/96	U	137XS	L	MD	250	100	3,0	4	MH									
KDX	97/06	U	137 / 137X	L	MDF	250	100	3,0	4	MH	1353	R	S		220	100	4,5	6	10,5
KDX	97/06	U	137XS	L	MD	250	100	3,0	4	MH									
KDX SR	-	U	137 / 137X	L	MDF	250	100	3,0	4	MH	138 / 138X	R	S		220	100	4,5	6	6,5
KDX SR	-	U	137XS	L	MD	250	100	3,0	4	MH									
KMX	89/92	U	173	L	S	240	130	3,0	9	10,5	-	-	-	-	-	-	-	-	-
220 c.c.																			220 c.c.
KDX	94/05	U	137 / 137X	L	MDF	250	100	3,0	4	MH	1353	R	S		220	100	4,5	6	10,5
KDX	94/05	U	137XS	L	MD	250	100	3,0	4	MH									
KDX R	00/03	U	137 / 137X	L	MDF	250	100	3,0	4	MH	138 / 138X	R	S		220	100	4,5	6	6,5
KDX R	00/03	U	137XS	L	MD	250	100	3,0	4	MH									
KAWASAKI										KAWASAKI									
250 c.c.																			250 c.c.
EL	90	C	151	L	S	260	130	5,5	6	10,5	-	-	-	-	-	-	-	-	-
EX R NINJA	86/87	R	151	L/R	S	260	130	5,5	6	10,5	-	-	-	-	-	-	-	-	-
GPX R	88/90	R	180	R	S	261	150	5,0	6	10,5	-	R	S		230	110	5,0	4	-
GPZ R NINJA	90/96	R	-	-	-	-	-	-	-	-	148 / 148X	R	S		220	100	5,0	3	10,5
KDX	91/98	E	137 / 137X	L	MDF	250	100	3,0	4	MH	1353	R	S		220	100	4,5	6	10,5
KDX	91/98	E	137XS	L	MD	250	100	3,0	4	MH									
KDX R	93/96	E	137 / 137X	L	MDF	250	100	3,0	4	MH	138 / 138X	R	S		220	100	4,5	6	6,5
KDX R	93/96	E	137XS	L	MD	250	100	3,0	4	MH									
KDX SR	91	U	137 / 137X	L	MDF	250	100	3,0	4	MH	-	-	-	-	-	-	-	-	-
KDX SR	91	U	137XS	L	MD	250	100	3,0	4	MH									
KLR	84/00	U	173	L	S	240	130	3,0	9	10,5	Drum	-	-	-	-	-	-	-	-
KLX	93/98	U	137 / 137X	L	MDF	250	100	3,0	4	MH	094	R	S		230	100	4,5	6	10,5
KLX	93/98	U	137XS	L	MD	250	100	3,0	4	MH									
KLX	09/14	E	137 / 137X	L	MDF	250	100	3,0	4	MH	1650X	R	S		240	100	5,0	6	10,5
KLX	09/14	U	137XS	L	MD	250	100	3,0	4	MH									
KLX	15/17	E	1031XS	L	S	250	109	3,0	4	9,5	1650X	R	S		240	100	5,0	6	10,5
KLX	15/17	E	1031 / 1031X	L	F00,0	250	109	3,0	4	9,5									
KLX R	93/98	U	137 / 137X	L	MDF	250	100	3,0	4	MH	094	R	S		230	100	4,5	6	10,5
KLX R	93/98	U	137XS	L	MD	250	100	3,0	4	MH									
KLX R	93/96	U	1150XK01	L	KF	*270	100	3,0	4	MH									
KLX R	93/96	M	1150XBHK01	L	KF	*270	100	3,0	4	MH									
KLX R	07/14	M	1031 / 1031X	L	F00,0	250	109	3,0	4	9,5	799 / 799X	R	S		240	116	4,0	4	10,5
KLX R	07/14	M	1031XS	L	S	250	109	3,0	4	9,5									
KLX R	07/14	M	1151XK01	L	KF	*270	109	3,0	4	9,5									
KLX R	07/14	M	1151XBHK01	L	KF	*270	109	3,0	4	9,5									
KLX R	07/14	M	732K13	L	KF	*320	109	5,0	4	9,5									
KLX R	07/14	M	732XK13	L	KF	*318	109	5,0	4	9,5									
KLX R	07/14	M	732SPK13	L	KF	*320	109	5,0	4	9,5									
KLX R	07/14	M	732GK13	L	KF	*320	109	5,0	4	9,5									
KLX R	07/14	M	732XGK13	L	KF	*318	109	5,0	4	9,5									
KLX R	07/14	M	732SPGK13	L	KF	*320	109	5,0	4	9,5									
KLX S / KLX SF	09/14	E	137 / 137X	L	MDF	250	100	3,0	4	MH	1650X	R	S		240	100	5,0	6	10,5
KLX S / KLX SF	09/14	E	137XS	L	MD	250	100	3,0	4	MH									



YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø
KX	85/88	M	137 / 137X	L	MDF	250	100	3,0	4	MH	-	-	-	-	-	-	-
KX	85/88	M	137XS	L	MD	250	100	3,0	4	MH	-	-	-	-	-	-	-
KX	89/02	M	137 / 137X	L	MDF	250	100	3,0	4	MH	138 / 138X	R	S	220	100	4,5	6 6,5
KX	89/02	M	137XS	L	MD	250	100	3,0	4	MH	-	-	-	-	-	-	-
KX	95/02	M	1150XK01	L	KF	*270	100	3,0	4	MH	-	-	-	-	-	-	-
KX	95/02	M	1150XBHK01	L	KF	*270	100	3,0	4	MH	-	-	-	-	-	-	-
KX	03/08	M	1031 / 1031X	L	F00,0	250	109	3,0	4	9,5	799 / 799X	R	S	240	116	4,0	4 10,5
KX	03/08	M	1031XS	L	S	250	109	3,0	4	9,5	-	-	-	-	-	-	-
KX	03/08	M	1151XK01	L	KF	*270	109	3,0	4	9,5	-	-	-	-	-	-	-
KX	03/08	M	1151XBHK01	L	KF	*270	109	3,0	4	9,5	-	-	-	-	-	-	-
KX	06/08	M	732K13	L	KF	*320	109	5,0	4	9,5	-	-	-	-	-	-	-
KX	06/08	M	732XK13	L	KF	*318	109	5,0	4	9,5	-	-	-	-	-	-	-
KX	06/08	M	732SPK13	L	KF	*320	109	5,0	4	9,5	-	-	-	-	-	-	-
KX	06/08	M	732GK13	L	KF	*320	109	5,0	4	9,5	-	-	-	-	-	-	-
KX	06/08	M	732XGK13	L	KF	*318	109	5,0	4	9,5	-	-	-	-	-	-	-
KX	06/08	M	732SPGK13	L	KF	*320	109	5,0	4	9,5	-	-	-	-	-	-	-
KX F	04/14	M	1031 / 1031X	L	F00,0	250	109	3,0	4	9,5	799 / 799X	R	S	240	116	4,0	4 10,5
KX F	04/14	M	1031XS	L	S	250	109	3,0	4	9,5	-	-	-	-	-	-	-
KX F	04/14	M	1151XK01	L	KF	*270	109	3,0	4	9,5	-	-	-	-	-	-	-
KX F	04/14	M	1151XBHK01	L	KF	*270	109	3,0	4	9,5	-	-	-	-	-	-	-
KX F	04/14	M	732K13	L	KF	*320	109	5,0	4	9,5	-	-	-	-	-	-	-
KX F	04/14	M	732XK13	L	KF	*318	109	5,0	4	9,5	-	-	-	-	-	-	-
KX F	04/14	M	732SPK13	L	KF	*320	109	5,0	4	9,5	-	-	-	-	-	-	-

KAWASAKI 250 c.c. KAWASAKI 250 c.c.

KX F	04/14	M	732GK13	L	KF	*320	109	5,0	4	9,5	799 / 799X	R	S	240	116	4,0	4 10,5
KX F	04/14	M	732XGK13	L	KF	*318	109	5,0	4	9,5	-	-	-	-	-	-	-
KX F	04/14	M	732SPGK13	L	KF	*320	109	5,0	4	9,5	-	-	-	-	-	-	-
KX F RACING	15/18	M	1151X	L	F00,0	270	109	3,0	4	9,5	799X / 799	R	S	240	116	4,0	4 10,5
KX F RACING	15/18	M	1151XBH	L	F00,0	270	109	3,0	4	9,5	-	-	-	-	-	-	-
KXE F	06/07	E	1031 / 1031X	L	F00,0	250	109	3,0	4	9,5	799 / 799X	R	S	240	116	4,0	4 10,5
KXE F	06/07	E	1031XS	L	S	250	109	3,0	4	9,5	-	-	-	-	-	-	-
NINJA R - EX	08/12	R	1291X	R	S	290	130	5,0	6	10,5	148X / 148	R	S	220	100	5,0	3 10,5
NINJA SL	13/16	R	1419X	R	S	290	130	5,0	5	10,5	148XA	R	S	220	100	5,0	3 10,5
NINJA SL ABS	14/16	R	1419X	R	S	290	130	5,0	5	10,5	148XAT	R	S	220	100	5,0	3 10,5
SC EPSYLON	02/03	S	196	L	S	260	121	4,5	6	10,5	691	L	S	210	109	5,0	5 10,5
SM / SM F	06	F	1013	L	F6,5	320	109	5,0	4	9,5	799 / 799X	R	S	240	116	4,0	4 10,5
VERSYS X	17	U	1419X	R	S	290	130	5,0	5	10,5	1632X	R	S	220	100	5,5	3 10,5
Z ABS / Z SL ABS	15/17	N	1419X	R	S	290	130	5,0	5	10,5	148XAT	R	S	220	100	5,0	3 10,5
ZR / ZXR / ZXR R	89/02	R	-	-	-	-	-	-	-	-	256	R	S	230	100	5,0	3 10,5
ZX NINJA	13	D	1291X	L/R	S	290	130	5,0	6	10,5	-	R	S	-	-	-	-
ZZR	92/95	R	765 / 765X	R	F13,5	300	61	4,5	5	10,5	-	-	-	-	-	-	-
ZZR	96/03	R	750 / 750X	R	F13,2	300	61	5,0	5	10,5	-	-	-	-	-	-	-

300 c.c. 300 c.c.

J / RACING / SE / ABS	14/17	S	1222X	R	F00,0	260	58	4,0	5	10,5	240X	R	S	240	89	5,0	5 10,5
RACING / SE / ABS	14/16	S	1222X	R	F00,0	260	58	4,0	5	10,5	1612X	R	S	240	88	5,0	5 10,5
ABS / RACING ABS	17/18	S	1222X	R	F00,0	260	58	4,0	5	10,5	1636X	R	S	240	88	5,0	5 10,5
SE / ABS	17/18	S	1222X	R	F00,0	260	58	4,0	5	10,5	1636X	R	S	240	88	5,0	5 10,5
SOLUTION	14/17	S	1222X	R	F00,0	260	58	4,0	5	10,5	240X	R	S	240	89	5,0	5 10,5
SOLUTION ABS	14/16	S	1222X	R	F00,0	260	58	4,0	5	10,5	1612X	R	S	240	88	5,0	5 10,5
SOLUTION ABS	17	S	1222X	R	F00,0	260	58	4,0	5	10,5	1636X	R	S	240	88	5,0	5 10,5
SPECIAL EDITION ABS	14/16	S	1222X	R	F00,0	260	58	4,0	5	10,5	1612X	R	S	240	88	5,0	5 10,5
SPECIAL EDITION ABS	17	S	1222X	R	F00,0	260	58	4,0	5	10,5	1636X	R	S	240	88	5,0	5 10,5

KLX R	96/07	E	137 / 137X	L	MDF	250	100	3,0	4	MH	1383	R	S	220	100	4,5	6 10,5
KLX R	96/07	E	137XS	L	MD	250	100	3,0	4	MH	-	-	-	-	-	-	-
KLX R	96/07	E	1150XK01	L	KF	*270	100	3,0	4	MH	-	-	-	-	-	-	-
KLX R	96/07	E	1150XBHK01	L	KF	*270	100	3,0	4	MH	-	-	-	-	-	-	-
NINJA / R	13/16	S3	1419X	R	S	290	130	5,0	5	10,5	148X	R	S	220	100	5,0	3 10,5
NINJA / R ABS	13/17	S3	1419X	R	S	290	130	5,0	5	10,5	148XAT	R	S	220	100	5,0	3 10,5

NG Brake Disc		YEAR	MODEL TYPE	FRONT REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø	REAR REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø				
NINJA SPECIAL EDITION				13/14	S3		1419X	R	S	290	130	5,0	5	10,5		148X	R	S	220	100	5,0	3	10,5
NINJA SPECIAL EDITION ABS				13/14	S3		1419X	R	S	290	130	5,0	5	10,5		148XAT	R	S	220	100	5,0	3	10,5
VERSYS-X MODELS																							
ABS				17/18	U		1419X	R	S	290	130	5,0	5	10,5		1632X	R	S	220	100	5,5	3	10,5
X ADVENTURE / ABS				17	U		1419X	R	S	290	130	5,0	5	10,5		1632X	R	S	220	100	5,5	3	10,5
URBAN / ABS				17	U		1419X	R	S	290	130	5,0	5	10,5		1632X	R	S	220	100	5,5	3	10,5
Z				15/17	N		1419X	R	S	290	130	5,0	5	10,5		148XA	R	S	220	100	5,0	3	10,5
Z ABS				15/17	N		1419X	R	S	290	130	5,0	5	10,5		148XAT	R	S	220	100	5,0	3	10,5
400 c.c.																							
GPZ				86/87	R		-	-	-	-	-	-	-	-		1549	R	S	250	130	5,0	6	10,5
GPZ / GPZ F2				88→	R		170	R	S	271	130	5,0	6	10,5		151	R	S	260	130	5,5	6	10,5
GPZ R				89	R		-	-	-	-	-	-	-	-		1549	R	S	250	130	5,0	6	10,5
GPZ ZX				88→	R		170	R	S	271	130	5,0	6	10,5		151	R	S	260	130	5,5	6	10,5
GPX R				87	R		-	-	-	-	-	-	-	-		168	R	S	241	130	6,0	6	10,5
NINJA 400				18	S3		-	R	H00,0	310	-	4,5	-	-		148XAT	R	S	220	100	5,0	3	10,5
Z ELIMINATOR				88/89	R		687	L/R	S	280	130	4,5	6	10,5		-	-	-	-	-	-	-	-
ZL ELIMINATOR				86/87	R		687	L	S	280	130	4,5	6	10,5		Drum	-	-	-	-	-	-	-
ZX				88/89	R		170	L/R	S	271	130	5,0	6	10,5		-	-	-	-	-	-	-	-
ZXR				89/90	R		750 / 750X	L/R	F13,2	300	61	5,0	5	10,5		-	-	-	-	-	-	-	-
ZXR				91/02	R		776 / 776X	L/R	F13,2	310	61	5,0	5	10,5		637	R	S	240	100	5,5	4	10,5
450 c.c.																							
EN				86/89	C		188	L	S	300	170	5,0	7	10,5		Drum	-	-	-	-	-	-	-
KAWASAKI																							
450 c.c.																							
KLX F				07/09	E		1031 / 1031X	L	F00,0	250	109	3,0	4	9,5		799 / 799X	R	S	240	116	4,0	4	10,5
KLX F				07/09	E		1031XS	L	S	250	109	3,0	4	9,5									
KLX F				07/09	E		1151XK01	L	KF	*270	109	3,0	4	9,5									
KLX F				07/09	E		1151XBHK01	L	KF	*270	109	3,0	4	9,5									
KLX F				07/09	E		732K13	L	KF	*320	109	5,0	4	9,5									
KLX F				07/09	E		732XK13	L	KF	*318	109	5,0	4	9,5									
KLX F				07/09	E		732SPK13	L	KF	*320	109	5,0	4	9,5									
KLX F				07/09	E		732GK13	L	KF	*320	109	5,0	4	9,5									
KLX F				07/09	E		732XGK13	L	KF	*318	109	5,0	4	9,5									
KLX F				07/09	E		732SPGK13	L	KF	*320	109	5,0	4	9,5									
KLX R				07/16	E		1031 / 1031X	L	F00,0	250	109	3,0	4	9,5		799 / 799X	R	S	240	116	4,0	4	10,5
KLX R				07/16	E		1031XS	L	S	250	109	3,0	4	9,5									
KX F				05/14	M		1031 / 1031X	L	F00,0	250	109	3,0	4	9,5		799 / 799X	R	S	240	116	4,0	4	10,5
KX F				05/14	M		1031XS	L	S	250	109	3,0	4	9,5									
KX F				06/14	M		1151XK01	L	KF	*270	109	3,0	4	9,5									
KX F				06/14	M		1151XBHK01	L	KF	*270	109	3,0	4	9,5									
KX F				06/14	M		732K13	L	KF	*320	109	5,0	4	9,5									
KX F				06/14	M		732XK13	L	KF	*318	109	5,0	4	9,5									
KX F				06/14	M		732SPK13	L	KF	*320	109	5,0	4	9,5									
KX F				06/14	M		732GK13	L	KF	*320	109	5,0	4	9,5									
KX F				06/14	M		732XGK13	L	KF	*318	109	5,0	4	9,5									
KX F				06/14	M		732SPGK13	L	KF	*320	109	5,0	4	9,5									
KX F RACING				15/18	M		1151X	L	F00,0	270	109	3,0	4	9,5		799X / 799	R	S	240	116	4,0	4	10,5
KX F RACING				15/18	M		1151XBH	L	F00,0	270	109	3,0	4	9,5									
KX F RACING				06/16	M		732K13	L	KF	*320	109	5,0	4	9,5									
KX F RACING				06/16	M		732XK13	L	KF	*318	109	5,0	4	9,5									
KX F RACING				06/16	M		732SPK13	L	KF	*320	109	5,0	4	9,5									
KX F RACING				06/16	M		732GK13	L	KF	*320	109	5,0	4	9,5									
KX F RACING				06/16	M		732XGK13	L	KF	*318	109	5,0	4	9,5									
KX F RACING				06/16	M		732SPGK13	L	KF	*320	109	5,0	4	9,5									
KXE F				06/07	M		1031 / 1031X	L	F00,0	250	109	3,0	4	9,5		799 / 799X	R	S	240	116	4,0	4	10,5
KXE F				06/07	M		1031XS	L	S	250	109	3,0	4	9,5									
SM F				06/08	F		1013	L	F6,5	320	109	5,0	4	9,5		799 / 799X	R	S	240	116	4,0	4	10,5
500 c.c.																							
EN				93	C		1037	L	S	300	130	5,0	7	10,5		Drum	-	-	-	-	-	-	-
EN				94	C		102	L	S	300	130	5,0	7	10,5		Drum	-	-	-	-	-	-	-
EN VULCAN				-	C		746	-	S	270	130	5,0	7	10,5		Drum	-	-	-	-	-	-	-



EN VULCAN	90/93	C	103	R	S	270	130	5,0	7	10,5	Drum	-	-	-	-	-	-	-	
EN VULCAN	95/98	C	1037	L	S	300	130	5,0	7	10,5	Drum	-	-	-	-	-	-	-	
EN VULCAN CLASSIC	94/96	C	1037	L	S	300	130	5,0	7	10,5	Drum	-	-	-	-	-	-	-	
EN VULCAN CLASSIC	97/01	C	1037	L	S	300	130	5,0	7	10,5	Drum	-	-	-	-	-	-	-	
ER-5	96/04	R	687	L	S	280	130	4,5	6	10,5	Drum	-	-	-	-	-	-	-	
ER-5	05/06	R	687	L	S	280	130	4,5	6	10,5	-	-	-	-	-	-	-	-	
GPZ S	87/88	R	687	L/R	S	280	130	4,5	6	10,5	-	-	-	-	-	-	-	-	
GPZ S	89	R	170	L/R	S	271	130	5,0	6	10,5	Drum	-	-	-	-	-	-	-	
GPZ S	90/03	R	170	L/R	S	271	130	5,0	6	10,5	256	R	S	230	100	5,0	3	10,5	
KLE	91/07	U	090 / 090X	L	S	300	130	5,0	9	10,5	091 / 091X	R	S	230	120	5,0	6	10,5	
KX	86/04	M	137 / 137X	L	MDF	250	100	3,0	4	MH	138 / 138X	R	S	220	100	4,5	6	6,5	
KX	86/04	M	137XS	L	MD	250	100	3,0	4	MH									
550 c.c.												550 c.c.							
GT	83/01	R	188	L/R	S	300	170	5,0	7	10,5	Drum	-	-	-	-	-	-	-	
ZR ZEPHYR	91/93	R	-	-	-	-	-	-	-	-	637	R	S	240	100	5,5	4	10,5	
ZR ZEPHYR	93/01	R	750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	637	R	S	240	100	5,5	4	10,5	
570 c.c.												570 c.c.							
KLR	85/91	E	185	L	S	250	130	4,0	9	10,5	Drum	-	-	-	-	-	-	-	
600 c.c.												600 c.c.							
ELIMINATOR / ZL B2	86/94	C	687	L	S	280	130	4,5	6	10,5	-	-	-	-	-	-	-	-	
KAWASAKI												KAWASAKI							
600 c.c.												600 c.c.							
ELIMINATOR / ZL B2	95/99	C	750 / 750X	R	F13,2	300	61	5,0	5	10,5	-	-	-	-	-	-	-	-	
GPX R	88/96	R	167	L/R	S	261	150	5,0	6	10,5	168	L	S	241	130	6,0	6	10,5	
GPZ R NINJA	84/90	R	170	L/R	S	271	130	5,0	6	10,5	1549	R	S	250	130	5,0	6	10,5	
KLR / KLR S	84 →	E	185	L	S	250	130	4,0	9	10,5	Drum	-	-	-	-	-	-	-	
ZL	86/94	C	687	L/R	S	280	130	4,5	6	10,5	-	-	-	-	-	-	-	-	
ZX / ZX C1 - C10 NINJA R	88/90	R	170	L/R	S	271	130	5,0	6	10,5	1549	R	S	250	130	5,0	6	10,5	
ZX-6R	05/07	R	1056 / 1056X	L/R	MDF	300	80	5,0	5	MH	100 / 100X	R	S	220	100	4/4,2	4	10,5	
ZX-6R	05/07	R	1056G / 1056XG	L/R	MDF	300	80	5,0	5	MH									
ZX-6R NINJA	95/97	R	750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	175 / 175X	R	S	230	100	6,0	4	10,5	
ZX-6R NINJA	98/02	R	750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	100 / 100X	R	S	220	100	4/4,2	4	10,5	
ZX-6 / ZX-6R NINJA	07/15	S6	1056 / 1056X	L/R	MDF	300	80	5,0	5	MH	100 / 100X	R	S	220	100	4/4,2	4	10,5	
ZX-6 / ZX-6R NINJA	07/15	S6	1056G / 1056XG	L/R	MDF	300	80	5,0	5	MH									
ZX-6R NINJA ABS	13/16	S6	1056X / 1056XG	L/R	MDF	300	80	5,0	5	MH	100X	R	S	220	100	4,2	4	10,5	
ZX-6RR NINJA	03/04	R	1414X	L/R	F00,0	280	80,5	5,0	5	10,5	100X	R	S	220	100	4,2	4	10,5	
ZX-6RR NINJA	05/06	R	1056 / 1056X	L/R	MDF	300	80	5,0	5	MH	100 / 100X	R	S	220	100	4/4,2	4	10,5	
ZX-6RR NINJA	05/06	R	1056G / 1056XG	L/R	MDF	300	80	5,0	5	MH									
ZZR NINJA	90/92	R	750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	175 / 175X	R	S	230	100	6,0	4	10,5	
ZZR NINJA	93/06	R	750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	637	R	S	240	100	5,5	4	10,5	
636 c.c.												636 c.c.							
NINJA MODELS																			
ZX-6	17	R	1213 / 1213X	L/R	MDF	310	80	5,0	5	MH	100 / 100X	R	S	220	100	4/4,2	4	10,5	
ZX-6	17	R	1213G / 1213XG	L/R	MDF	310	80	5,0	5	MH									
ZX-6 ABS / KRT ABS	17	R	1559X / 1559XG	L/R	MDF	310	80	5,0	5	MH	100XA	R	S	220	100	4,2	4	10,5	
ZX-6R	02	R	750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	100 / 100X	R	S	220	100	4/4,2	4	10,5	
ZX-6R	03/04	R	1414X	L/R	F00,0	280	80,5	5,0	5	10,5	100X	R	S	220	100	4,2	4	10,5	
ZX-6R	05/12	R	1056 / 1056X	L/R	MDF	300	80	5,0	5	MH	100 / 100X	R	S	220	100	4/4,2	4	10,5	
ZX-6R	05/12	R	1056G / 1056XG	L/R	MDF	300	80	5,0	5	MH									
ZX-6R	13/16	R	1213 / 1213X	L/R	MDF	310	80	5,0	5	MH	100 / 100X	R	S	220	100	4/4,2	4	10,5	
ZX-6R	13/16	R	1213G / 1213XG	L/R	MDF	310	80	5,0	5	MH									
ZX-6R ABS	13/16	R	1559X / 1559XG	L/R	MDF	310	80	5,0	5	MH	100XA	R	S	220	100	4,2	4	10,5	
650 c.c.												650 c.c.							
ER 6F / ER 6N	06/17	N	1056 / 1056X	L/R	MDF	300	80	5,0	5	MH	100 / 100X	R	S	220	100	4/4,2	4	10,5	
ER 6F / ER 6N	06/17	N	1056G / 1056XG	L/R	MDF	300	80	5,0	5	MH									
ER 6F ABS / ER 6N ABS	13/17	N	1558X	L/R	MDF	300	80	5,0	5	MH	100XAT	R	S	220	100	4,2	4	10,5	
ER 6F ABS / ER 6N ABS	13/17	N	1558XG	L/R	MDF	300	80	5,0	5	MH									
F / F ABS	06/14	R	1056 / 1056X	L/R	MDF	300	80	5,0	5	MH	100 / 100X	R	S	220	100	4/4,2	4	10,5	
F / F ABS	06/14	R	1056G / 1056XG	L/R	MDF	300	80	5,0	5	MH									
KL TENGAI	90/91	U	-	-	-	-	-	-	-	-	091 / 091X	R	S	230	120	5,0	6	10,5	
KLR	87/89	U	1389	L	S	260	130	4,5	9	10,5	091 / 091X	R	S	230	120	5,0	6	10,5	
KLR	90/07	U	694	L	S	280	130	4,0	9	10,5	091 / 091X	R	S	230	120	5,0	6	10,5	



KLR	08/12	U	694	L	S	280	130	4,0	9	10,5	-	R	S	240	-	-	-	-
KLR TENGAI	-	U	694	L	S	280	130	4,0	9	10,5	-	-	-	-	-	-	-	-
KLR TENGAI	89/92	U	1056 / 1056X	L/R	MDF	300	80	5,0	5	MH	091 / 091X	R	S	230	120	5,0	6	10,5
KLR TENGAI	89/92	U	1056G / 1056XG	L/R	MDF	300	80	5,0	5	MH								
KLX	93/97	U	1056 / 1056X	L/R	MDF	300	80	5,0	5	MH	094	R	S	230	100	4,5	6	10,5
KLX	93/97	U	1056G / 1056XG	L/R	MDF	300	80	5,0	5	MH								
KLX R	93/95	U	137 / 137X	L	MDF	250	100	3,0	4	MH	094	R	S	230	100	4,5	6	10,5
KLX R	93/95	U	137XS	L	MD	250	100	3,0	4	MH								
KLX R	96	U	137 / 137X	L	MDF	250	100	3,0	4	MH	138 / 138X	R	S	220	100	4,5	6	6,5
KLX R	96	U	137XS	L	MD	250	100	3,0	4	MH								
KLX R	97/03	U	137 / 137X	L	MDF	250	100	3,0	4	MH	094	R	S	230	100	4,5	6	10,5
KLX R	97/03	U	137XS	L	MD	250	100	3,0	4	MH								
KLX S	93/97	U	093	L	S	290	100	4,0	4	10,5	094	R	S	230	100	4,5	6	10,5
NINJA MODELS																		
ABS	18	R	1623X	L/R	F00,0	300	142,2	5,0	5	10,5	xxxxX	R	S	220	100	5,0	4	10,5
CITY / TOURER	07/11	U	1056X / 1056XG	L/R	MDF	300	80	5,0	5	MH	100X	R	S	220	100	4,2	4	10,5
KRT EDITION	17	R	1623X	L/R	F00,0	300	142,2	5,0	5	10,5	100X	R	S	220	100	4,2	4	10,5
KAWASAKI											KAWASAKI							
650 c.c.											650 c.c.							
NINJA MODELS																		
KRT EDITION ABS	17	R	1623X	L/R	F00,0	300	142,2	5,0	5	10,5	100XAT	R	S	220	100	4,2	4	10,5
PERFORMANCE	17	R	1623X	L/R	F00,0	300	142,2	5,0	5	10,5	100X	R	S	220	100	4,2	4	10,5
PERFORMANCE ABS	17	R	1623X	L/R	F00,0	300	142,2	5,0	5	10,5	100XAT	R	S	220	100	4,2	4	10,5
R	06/08	R	1056 / 1056X	L/R	MDF	300	80	5,0	5	MH	100	R	S	220	100	4	4	10,5
R	06/08	R	1056G / 1056XG	L/R	MDF	300	80	5,0	5	MH	100X	R	S	220	100	4,2	4	10,5
TOURER	17	R	1623X	L/R	F00,0	300	142,2	5,0	5	10,5	100X	R	S	220	100	4,2	4	10,5
TOURER ABS	17	R	1623X	L/R	F00,0	300	142,2	5,0	5	10,5	100XAT	R	S	220	100	4,2	4	10,5
VERSYS MODELS																		
GRAND TOURER ABS	17	U	1558X / 1558XG	L/R	MDF	300	80	5,0	5	MH	1603XT	R	S	250	100	5,0	4	MH
VERSYS	07/14	U	1056X	L/R	MDF	300	80	5,0	5	MH	100X	R	S	220	100	4,2	4	10,5
VERSYS	07/14	U	1056XG	L/R	MDF	300	80	5,0	5	MH								
VERSYS ABS	12/14	U	1558X	L/R	MDF	300	80	5,0	5	MH	100XAT	R	S	220	100	4,2	4	10,5
VERSYS ABS	12/14	U	1558XG	L/R	MDF	300	80	5,0	5	MH								
VERSYS ABS	15/16	U	1558X	L/R	MDF	300	80	5,0	5	MH	1491XT	R	S	250	100	4,5	4	MH
VERSYS ABS	15/16	U	1558XG	L/R	MDF	300	80	5,0	5	MH								
VERSYS ABS	17/18	U	1558X / 1558XG	L/R	MDF	300	80	5,0	5	MH	1603XT	R	S	250	100	5,0	4	MH
TOURER / PLUS / ABS	17	U	1558X / 1558XG	L/R	MDF	300	80	5,0	5	MH	1603XT	R	S	250	100	5,0	4	MH
VERSYS SE MODELS																		
ABS	17	U	1558X / 1558XG	L/R	MDF	300	80	5,0	5	MH	1603XT	R	S	250	100	5,0	4	MH
GRAND TOURER ABS	17	U	1558X / 1558XG	L/R	MDF	300	80	5,0	5	MH	1603XT	R	S	250	100	5,0	4	MH
TOURER ABS	17	U	1558X / 1558XG	L/R	MDF	300	80	5,0	5	MH	1603XT	R	S	250	100	5,0	4	MH
TOURER PLUS ABS	17	U	1558X / 1558XG	L/R	MDF	300	80	5,0	5	MH	1603XT	R	S	250	100	5,0	4	MH
VULCAN MODELS																		
S	15/16	C	1056S	R	MD	300	80	5,0	5	MH	1491 / 1491X	R	S	250	100	4,5	4	MH
S	15/16	C	1056 / 1056G	R	MDF	300	80	5,0	5	MH								
S	17	C	1056S	R	MD	300	80	5,0	5	MH	1603	R	S	250	100	5,0	4	MH
S ABS	15/16	C	1056ST	R	MD	300	80	5,0	5	MH	1491T	R	S	250	100	4,5	4	MH
S ABS	15/16	C	1558 / 1558G	R	MDF	300	80	5,0	5	MH								
S ABS	17/18	C	1056ST	R	MD	300	80	5,0	5	MH	1603T	R	S	250	100	5,0	4	MH
S ABS	17/18	C	1558 / 1558G	R	MDF	300	80	5,0	5	MH								
S CAFÉ ABS	17/18	C	1056ST	R	MD	300	80	5,0	5	MH	1603T	R	S	250	100	5,0	4	MH
S CAFÉ ABS	17/18	C	1558 / 1558G	R	MDF	300	80	5,0	5	MH								
SPECIAL EDITION / ABS	17	C	1056ST	R	MD	300	80	5,0	5	MH	1603T	R	S	250	100	5,0	4	MH
SPECIAL EDITION / ABS	17	C	1558 / 1558G	R	MDF	300	80	5,0	5	MH								
70 by Mr. MARTINI	18	C	1056ST	R	MD	300	80	5,0	5	MH	1603T	R	S	250	100	5,0	4	MH
70 by Mr. MARTINI	18	C	1558 / 1558G	R	MDF	300	80	5,0	5	MH								
Z	17	N	1623X	L/R	F00,0	300	142,2	5,0	5	10,5	100X	R	S	220	100	4,2	4	10,5
Z ABS	17/18	N	1623X	L/R	F00,0	300	142,2	5,0	5	10,5	100XAT	R	S	220	100	4,2	4	10,5
Z SX	17	N	1623X	L/R	F00,0	300	142,2	5,0	5	10,5	100X	R	S	220	100	4,2	4	10,5
Z SX ABS	17	N	1623X	L/R	F00,0	300	142,2	5,0	5	10,5	100XAT	R	S	220	100	4,2	4	10,5

NG Brake Disc		YEAR	MODEL TYPE	REFERENCE	FRONT								REAR							
					SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø	
Z SX PERFORMANCE	17	N		1623X	L/R	F00,0	300	142,2	5,0	5	10,5	100X	R	S	220	100	4,2	4	10,5	
Z SX PERFORMANCE ABS	17	N		1623X	L/R	F00,0	300	142,2	5,0	5	10,5	100XAT	R	S	220	100	4,2	4	10,5	
Z SX TOURER	17	N		1623X	L/R	F00,0	300	142,2	5,0	5	10,5	100X	R	S	220	100	4,2	4	10,5	
Z SX TOURER ABS	17	N		1623X	L/R	F00,0	300	142,2	5,0	5	10,5	100XAT	R	S	220	100	4,2	4	10,5	
750 c.c.														750 c.c.						
GPZ	10/11	R		750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	1218X	R	S	250	110	5,5	4	10,5	
GPZ R	85/87	R		170	L/R	S	271	130	5,0	6	10,5	1549	R	S	250	130	5,0	6	10,5	
GPZ TURBO	83/85	R		687	L/R	S	280	130	4,5	6	10,5	151	R	S	260	130	5,5	6	10,5	
GPZ UNITRAK	83/88	R		170	L/R	S	271	130	5,0	6	10,5	151	R	S	260	130	5,5	6	10,5	
GPX R	86/90	R		-	-	-	-	-	-	-	-	637	R	S	240	100	5,5	4	10,5	
NUE	87	R		687	L/R	S	280	130	4,5	6	10,5	-	-	-	-	-	-	-	-	
VN VULCAN	98	C		1272	L/R	S	260	130	5,0	7	10,5	Drum	-	-	-	-	-	-	-	
Z	03/06	R		750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	100 / 100X	R	S	220	100	4/4,2	4	10,5	
Z	07/12	R		1056X / 1056XG	L/R	MDF	300	80	5,0	5	MH	1218X	R	S	250	110	5,5	4	10,5	
Z E1 / Z E1L / Z TURBO	84/86	R		687	L/R	S	280	130	4,5	6	10,5	170	R	S	271	130	5,0	6	10,5	
Z R / Z R ABS	11/12	R		1056X / 1056XG	L/R	MDF	300	80	5,0	5	MH	1218X	R	S	250	110	5,5	4	10,5	
KAWASAKI														KAWASAKI						
750 c.c.														750 c.c.						
Z S	05/06	R		750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	100 / 100X	R	S	220	100	4/4,2	4	10,5	
ZEPHYR	91/94	R		750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	-	-	-	-	-	-	-	-	
ZEPHYR	92/97	R		750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	175 / 175X	R	S	230	100	6,0	4	10,5	
ZR	98/03	R		750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	637	R	S	240	100	5,5	4	10,5	
ZR	04/06	R		750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	100 / 100X	R	S	220	100	4/4,2	4	10,5	
ZR S	99/03	R		750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	637	L	S	240	100	5,5	4	10,5	
ZX	89/90	R		776 / 776X	L/R	F13,2	310	61	5,0	5	10,5	-	-	-	-	-	-	-	-	
ZX NINJA	91/95	R		166 / 166X	L/R	F13,2	320	61	5,0	5	10,5	1225 / 1225X	R	S	230	82	4,0	5	10,5	
ZX 7R NINJA	91/03	R		166 / 166X	L/R	F13,2	320	61	5,0	5	10,5	1225 / 1225X	R	S	230	82	4,0	5	10,5	
ZX 7RR NINJA	96/99	R		166 / 166X	L/R	F13,2	320	61	5,0	5	10,5	1225 / 1225X	R	S	230	82	4,0	5	10,5	
800 c.c.														800 c.c.						
VN VULCAN / CLASSIC	95/99	C		1037	L	S	300	130	5,0	7	10,5	Drum	-	-	-	-	-	-	-	
VN VULCAN DRIFTER	99/03	C		1037	L	S	300	130	5,0	7	10,5	Drum	-	-	-	-	-	-	-	
W	11/17	D		750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	Drum	-	-	-	-	-	-	-	
W FINAL EDITION	16/17	D		-	R	S	300	-	-	-	-	Drum	-	-	-	-	-	-	-	
W CAFÉ STYLE	11/16	D		-	R	S	300	-	-	-	-	Drum	-	-	-	-	-	-	-	
Z / Z E	12/17	N		1213X / 1213	L/R	MDF	310	80	5,0	5	MH	1218X	R	S	250	110	5,5	4	10,5	
Z / Z E	12/17	N		1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH									
Z ABS / Z E ABS	12/17	R		1559X	L/R	MDF	310	80	5,0	5	MH	1218X	R	S	250	110	5,5	4	10,5	
Z ABS / Z E ABS	12/17	R		1559XG	L/R	MDF	310	80	5,0	5	MH									
Z SUGOMI EDITION ABS	15/16	N		1559X	L/R	MDF	310	80	5,0	5	MH	1218X	R	S	250	110	5,5	4	10,5	
Z SUGOMI EDITION ABS	15/16	N		1559XG	L/R	MDF	310	80	5,0	5	MH									
900 c.c.														900 c.c.						
ELIMINATOR	85/87	C		687	L/R	S	280	130	4,5	6	10,5	-	-	-	-	-	-	-	-	
GPZ	86	R		-	L/R	s	280	-	-	-	-	156	R	S	230	82	6,0	5	10,5	
GPZ NINJA	84→	R		687	L/R	S	280	130	4,5	6	10,5	170	R	S	271	130	5,0	6	10,5	
GPZ R	84/89	R		687	L/R	S	280	130	4,5	6	10,5	170	R	S	271	130	5,0	6	10,5	
GPZ R NINJA	90/03	R		750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	1549	R	S	250	130	5,0	6	10,5	
VN VULCAN MODELS																				
CLASSIC SPECIAL EDITION	11/17	CVT		1372	L	S	300	130	5,0	5	10,5	1478	R	S	270	130	7,0	5	10,5	
CUSTOM	06/09	CVT		1372	L	S	300	130	5,0	5	10,5	1421	R	S	270	130	5,0	5	10,5	
CUSTOM ALUM. WHEELS	07/15	CVT		1372	L	S	300	130	5,0	5	10,5	1478	R	S	270	130	7,0	5	10,5	
LIGHT TOURER	14/17	CVT		1372	L	S	300	130	5,0	5	10,5	1478	R	S	270	130	7,0	5	10,5	
VN VULCAN / CLASSIC	06/17	CVT		1372	L	S	300	130	5,0	5	10,5	1478	R	S	270	130	7,0	5	10,5	
Z ABS	16/17	N		1623X	L/R	F00,0	300	142,2	5,0	5	10,5	1218X	R	S	250	110	5,5	4	10,5	
Z ABS	18	N		1623X	L/R	F00,0	300	142,2	5,0	5	10,5	xxxxX	R	S	250	110	5,0	4	10,5	
Z PERFORMANCE ABS	16/17	N		1623X	L/R	F00,0	300	142,2	5,0	5	10,5	1218X	R	S	250	110	5,5	4	10,5	
Z RS ABS	18	D		-	L/R	F00,0	300	-	4,5	5	10,5	-	R	S	250	-	5,0	4	-	
Z RS CAFÉ ABS	18	D		-	L/R	F00,0	300	-	4,5	5	10,5	-	R	S	250	-	5,0	4	-	
ZL ELIMINATOR	85/87	R		687	L/R	S	280	130	4,5	6	10,5	170	R	S	271	130	5,0	6	10,5	
ZX 9R NINJA	94/97	R		166 / 166X	L/R	F13,2	320	61	5,0	5	10,5	1225 / 1225X	R	S	230	82	4,0	5	10,5	
ZX 9R NINJA	98/99	R		1212	L/R	F13,2	296	61	5,0	5	10,5	100 / 100X	R	S	220	100	4/4,2	4	10,5	

NG Brake Disc		YEAR	MODEL TYPE	REFERENCE	FRONT							REAR							
					SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø								
ZX 9R NINJA	00/01	R		776 / 776X	L/R	F13,2	310	61	5,0	5	10,5	100 / 100X	R	S	220	100	4/4,2	4	10,5
ZX 9R NINJA	02/03	R		166 / 166X	L/R	F13,2	320	61	5,0	5	10,5	100 / 100X	R	S	220	100	4/4,2	4	10,5
1000 c.c.																			
ELIMINATOR	86/90	C		687	L/R	S	280	130	4,5	6	10,5	170	R	S	271	130	5,0	6	10,5
GPX / GPX RX	86/89	R		687	L/R	S	280	130	4,5	6	10,5	151	R	S	260	130	5,5	6	10,5
GTR	86/93	R		170	L/R	S	271	130	5,0	6	10,5	1225 / 1225X	R	S	230	82	4,0	5	10,5
GTR	94/06	R		750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	687	R	S	280	130	4,5	6	10,5
GTR CONCOURS	86/93	R		170	L/R	S	271	130	5,0	6	10,5	156	R	S	230	82	6,0	5	10,5
KLV	04/07	U		1053	L/R	F00,0	310	69	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4	10,5
NINJA MODELS																			
H2	15/18	R		-G	L/R	F00,0	330	-	5,5	-	-	-	C	S	250	-	-	-	-
H2 CARBON	15/17	R		-G	L/R	F00,0	330	-	5,5	-	-	-	C	S	250	-	-	-	-
H2 R	15/18	R		-G	L/R	F00,0	330	-	5,5	-	-	-	C	S	250	-	-	-	-
H2 SX ABS	18	R		-G	L/R	Fxx,x	320	-	-	-	-	-	C	S	250	-	-	-	-
H2 SX SE ABS	18	R		xxxxG	L/R	Fxx,x	320	-	-	-	-	-	C	S	250	-	-	-	-
KAWASAKI																			
1000 c.c.																			
NINJA MODELS																			
ZX	88/92	R		-	-	-	-	-	-	-	-	1549	R	S	250	130	5,0	6	10,5
ZX-10R	04/07	R		1056 / 1056X	L/R	MDF	300	80	5,0	5	MH	100 / 100X	R	S	220	100	4/4,2	4	10,5
ZX-10R	04/07	R		1056G / 1056XG	L/R	MDF	300	80	5,0	5	MH								
ZX-10R	08/10	R		1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH	100X / 100	R	S	220	100	4,2/4	4	10,5
ZX-10R	08/10	R		1213X / 1213	L/R	MDF	310	80	5,0	5	MH								
ZX-10R ABS	11/15	SB		1056X / 1056XG	L/R	MDF	300	80	5,0	5	MH	100XA1 / 100A1	R	S	220	100	4,2	4	10,5
ZX-10R ABS	11/15	SB		1056 / 1056G	L/R	MDF	300	80	5,0	5	MH								
ZX-10R ABS	16/18	SB		1537G / 1537	L/R	F00,0	330	80,5	5,0	5	10,5	1655	R	S	220	100	5,0	4	10,5
ZX-10R KRT R ABS	16/17	SB		1537G / 1537	L/R	F00,0	330	80,5	5,0	5	10,5	1655	R	S	220	100	5,0	4	10,5
ZX-10R PERFORMANCE ABS	16/17	SB		1537G / 1537	L/R	F00,0	330	80,5	5,0	5	10,5	1655	R	S	220	100	5,0	4	10,5
ZX-10R SE ABS	18	SB		1641G	L/R	F11,7	330	70,0	5,0	5	10,5	1655	R	S	220	100	5,0	4	10,5
ZX-10RR ABS	17/18	SB		1641G	L/R	F11,7	330	70,0	5,0	5	10,5	1655	R	S	220	100	5,0	4	10,5
VERSYS MODELS																			
GRAND TOURER ABS	16/17	U		1213X / 1213	L/R	MDF	310	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5
GRAND TOURER ABS	16/17	U		1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH								
VERSYS	11/15	U		1056XG / 1056X	L/R	MDF	300	80	5,0	5	MH	1218X	R	S	250	110	5,5	4	10,5
VERSYS / ABS	16/18	U		1213X / 1213	L/R	MDF	310	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5
VERSYS / ABS	16/18	U		1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH								
TOURER / PLUS / ABS	16/17	U		1213X / 1213	L/R	MDF	310	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5
TOURER / PLUS / ABS	16/17	U		1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH								
Z	03/06	N		750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	100 / 100X	R	S	220	100	4/4,2	4	10,5
Z	15/17	N		1213X / 1213	L/R	MDF	310	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5
Z	15/17	N		1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH								
Z ABS	15/17	N		1559XG / 1559G	L/R	MDF	310	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5
Z ABS	15/17	N		1559	L/R	MDF	310	80	5,0	5	MH								
Z ABS	18	N		1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5
Z / Z ABS	07/14	N		1056XG / 1056X	L/R	MDF	300	80	5,0	5	MH	1218X	R	S	250	110	5,5	4	10,5
Z / Z K1 LTD	81→	N		188	L/R	S	300	170	5,0	7	10,5	188	R	S	300	170	5,0	7	10,5
Z J1 / Z J2	81/83	N		-	-	-	-	-	-	-	-	103	R	S	270	130	5,0	7	10,5
Z L	87	C		687	L/R	S	280	130	4,5	6	10,5	-	-	-	-	-	-	-	-
Z L	86/88	C		687	L/R	S	280	130	4,5	6	10,5	170	R	S	271	130	5,0	6	10,5
Z R	83	N		-	-	-	-	-	-	-	-	188	R	S	300	170	5,0	7	10,5
Z R EDITION / ABS	17/18	N		1633G	L/R	F00,0	310	80	5,5	5	10,5	1606 / 1606X	R	S	250	110	6,0	4	10,5
Z SE	12/13	N		1056XG	L/R	MDF	300	80	5,0	5	MH	1218X	R	S	250	110	5,5	4	10,5
Z SUGOMI EDITION ABS	15/16	N		1056XG	L/R	MDF	300	80	5,0	5	MH	1218X	R	S	250	110	5,5	4	10,5
Z SR	11/12	N		1056XG	L/R	MDF	300	80	5,0	5	MH	1218X	R	S	250	110	5,5	4	10,5
Z SX / Z SX ABS	12/16	N		1056XG	L/R	MDF	300	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5
Z SX / Z SX ABS	17/18	N		1647XG	L/R	F00,0	300	80	5,5	5	10,5	1606X / 1606	R	S	250	110	6,0	4	10,5
Z SX TOURER / ABS	17	N		1647XG	L/R	F00,0	300	80	5,5	5	10,5	1606X / 1606	R	S	250	110	6,0	4	10,5
Z SX PERFERMONCE / ABS	17	N		1647XG	L/R	F00,0	300	80	5,5	5	10,5	1606X / 1606	R	S	250	110	6,0	4	10,5
ZZ R	93/01	R		166 / 166X	L/R	F13,2	320	61	5,0	5	10,5	-	-	-	-	-	-	-	-
1100 c.c.																			
GPZ	82	R		1276	L/R	S	280	130	5,0	7	10,5	188	R	S	300	170	5,0	7	10,5
GPZ	83/85	R		687	L/R	S	280	130	4,5	6	10,5	188	R	S	300	170	5,0	7	10,5

FRONT										REAR									
NG Brake Disc	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø	
GPZ	95	R	750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	188	R	S	300	170	5,0	7	10,5	
GPZ S	95/01	R	750 / 750X	L/R	F13,2	300	61	5,0	5	10,5	-	-	-	-	-	-	-	-	
Z GP / Z SPECTRE	81/83	R	188	L/R	S	300	170	5,0	7	10,5	188	R	S	300	170	5,0	7	10,5	
Z R	84	R	776 / 776X	L/R	F13,2	310	61	5,0	5	10,5	188	R	S	300	170	5,0	7	10,5	
ZR ZEPHYR	92/95	C	776 / 776X	L/R	F13,2	310	61	5,0	5	10,5	ND / NA	R	S	240	130	6,4	6	10,5	
ZR ZEPHYR	96/98	C	776 / 776X	L/R	F13,2	310	61	5,0	5	10,5	1225 / 1225X	R	S	230	82	4,0	5	10,5	
ZRX	99/00	R	776 / 776X	L/R	F13,2	310	61	5,0	5	10,5	1262	R	S	250	100	5,0	5	10,5	
ZX NINJA / ZZR NINJA	89/90	R	-	-	-	-	-	-	-	-	1549	R	S	250	130	5,0	6	10,5	
ZX NINJA / ZZR NINJA	90/92	R	776	L/R	F13,2	310	61	5,0	5	10,5	1549	R	S	250	130	5,0	6	10,5	
ZX NINJA / ZZR NINJA	93/01	R	166 / 166X	L/R	F13,2	320	61	5,0	5	10,5	-	-	-	-	-	-	-	-	
1200 c.c.										1200 c.c.									
ZRX / ZRX R / ZRX S	01/06	R	776	L/R	F13,2	310	61	5,0	5	10,5	1262	R	S	250	100	5,0	5	10,5	
KAWASAKI										KAWASAKI									
1200 c.c.										1200 c.c.									
ZX 12R	04/06	R	750X	L/R	F13,2	300	61	5,0	5	10,5	1182X	R	S	230	102	5,0	4	10,5	
ZZR	02/05	C	166	L/R	F13,2	320	61	5,0	5	10,5	1262	R	S	250	100	5,0	5	10,5	
1400 c.c.										1400 c.c.									
GTR MODELS																			
ABS	07/17	R	1559X / 1559XG	L/R	MDF	310	80	5,0	5	MH	1524X	R	S	270	110	5,5	4	10,5	
GRAND TOURER ABS	07/17	R	1559X / 1559XG	L/R	MDF	310	80	5,0	5	MH	1524X	R	S	270	110	5,5	4	10,5	
GTR / GRAND TOURER	07/17	R	1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH	1524X	R	S	270	110	5,5	4	10,5	
GTR / GRAND TOURER	07/17	R	1213X / 1213	L/R	MDF	310	80	5,0	5	MH									
ZX14	07/15	R	1213X / 1213	L/R	MDF	310	80	5,0	5	MH	1218X	R	S	250	110	5,5	4	10,5	
ZX14	07/15	R	1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH									
ZX14 ABS	07/15	R	1559XG	L/R	MDF	310	80	5,0	5	MH	1218X	R	S	250	110	5,5	4	10,5	
ZZR	06/16	R	1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH	1218X	R	S	250	110	5,5	4	10,5	
ZZR	06/16	R	1213X / 1213	L/R	MDF	310	80	5,0	5	MH									
ZZR ABS	06/16	R	1559XG	L/R	MDF	310	80	5,0	5	MH	1218X	R	S	250	110	5,5	4	10,5	
ZZR ABS	17/18	R	1559XG	L/R	MDF	310	80	5,0	5	MH	1606X	R	S	250	110	6,0	4	10,5	
ZZR PERFORMANCE MODELS																			
ABS	15/17	R	1559G / 1559XG	L/R	MDF	310	80	5,0	5	MH	1606 / 1606X	R	S	250	110	6,0	4	10,5	
ABS	15/17	R	1559	L/R	MDF	310	80	5,0	5	MH									
SPORT	06/16	R	1213XG / 1213G	L/R	MDF	310	80	5,0	5	MH	1218X	R	S	250	110	5,5	4	10,5	
SPORT	06/16	R	1213X / 1213	L/R	MDF	310	80	5,0	5	MH									
SPORT	06/14	R	1559XG / 1559G	L/R	MDF	310	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5	
SPORT	06/14	R	1559	L/R	MDF	310	80	5,0	5	MH									
SPORT ABS	06/14	R	1559XG / 1559G	L/R	MDF	310	80	5,0	5	MH	1606X / 1606	R	S	250	110	6,0	4	10,5	
SPORT ABS	06/14	R	1559	L/R	MDF	310	80	5,0	5	MH									
SPORT ABS	15/17	R	1559G / 1559XG	L/R	MDF	310	80	5,0	5	MH	1606 / 1606X	R	S	250	110	6,0	4	10,5	
SPORT ABS	15/17	R	1559	L/R	MDF	310	80	5,0	5	MH									
1500 c.c.										1500 c.c.									
VN MEAN STREAK	02/04	C	166 / 166X	L/R	F13,2	320	61	5,0	5	10,5	-	-	-	-	-	-	-	-	
VN VULCAN MODELS																			
CLASSIC	96/99	C	1037	L	S	300	130	5,0	7	10,5	-	-	-	-	-	-	-	-	
CLASSIC Fi	00/03	C	102	L	S	300	130	5,0	7	10,5	-	-	-	-	-	-	-	-	
DRIFTER	99/03	C	102	L	S	300	130	5,0	7	10,5	-	-	-	-	-	-	-	-	
MEANSTREAK	02/03	C	166 / 166X	L/R	F13,2	320	61	5,0	5	10,5	-	-	-	-	-	-	-	-	
SUMO	87/96	C	1037	L	S	300	130	5,0	7	10,5	-	-	-	-	-	-	-	-	
SE	88/92	C	1037	L	S	300	130	5,0	7	10,5	188	R	S	300	170	5,0	7	10,5	
VN VULCAN	88/92	C	1037	L	S	300	130	5,0	7	10,5	188	R	S	300	170	5,0	7	10,5	
VN VULCAN	93/95	C	1037	L	S	300	130	5,0	7	10,5	188	R	S	300	170	5,0	7	10,5	
1600 c.c.										1600 c.c.									
CLASSIC	03/08	C	1372	L/R	S	300	130	5,0	5	10,5	-	-	S	-	-	7,0	7	10,5	
CLASSIC TOURER	05/08	C	1372	L/R	S	300	130	5,0	5	10,5	-	-	S	-	-	7,0	7	10,5	
MEAN STREAK	04/08	C	166 / 166X	L/R	F13,2	320	61	5,0	5	10,5	-	-	-	-	-	-	-	-	
1700 c.c.										1700 c.c.									
CLASSIC ABS	10/14	CVT	1372	L/R	S	300	130	5,0	5	10,5	-	-	-	-	-	-	-	-	
CLASSIC TOURER	09/14	CVT	1372	L/R	S	300	130	5,0	5	10,5	-	-	-	300	-	-	-	-	
CLASSIC TOURER ABS	10/14	CVT	1372	L/R	S	300	130	5,0	5	10,5	-	-	-	-	-	-	-	-	
VN VULCAN	09/16	CVT	1372	L/R	S	300	130	5,0	5	10,5	-	-	-	-	-	-	-	-	
VOYAGER CUSTOM	11/16	CVT	1372	L/R	S	300	130	5,0	5	10,5	-	-	-	300	-	-	-	-	
NOMAD	14/16	CVT	-	L/R	-	300	-	-	-	-	-	-	-	300	-	-	-	-	
2000 c.c.										2000 c.c.									



CLASSIC	08/09	CVT	1372	L/R	S	300	130	5,0	5	10,5	-	-	-	-	-	-	-
VN VULCAN	04/07	CVT	1372	L/R	S	300	130	5,0	5	10,5	-	-	-	-	-	-	-
KEEWAY																	
50 c.c.																	
F-ACT EVO 2T	15/17	S	007	L	S	190	58	3,5	3	9,5	-	R	S	-	-	4,0	3
F-ACT EVO 2T	15/17	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-
PIXEL	08/11	S	108	L	S	160	58	4,0	3	10,5	Drum	-	-	-	-	-	-
HURRICANE	07/17	S	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-
RY6	17	S	1022X / 1022	L	MD	190	58	3,7	3	MH	Drum	-	-	-	-	-	-
X-BLADE	17	S	1022X / 1022	L	MD	190	58	3,7	3	MH	-	R	S	180	-	-	-
KEEWAY																	
50 c.c.																	
ZAHARA	15/17	S	007	L	S	190	58	3,5	3	9,5	Drum	-	-	-	-	-	-
ZAHARA	15/17	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-
125 c.c.																	
BENELLI MACIS / BLADE	15/16	S	-	L	S	240	-	-	-	-	-	L	S	240	-	-	-
BLADE	16/17	S	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-
CITYBLADE Efi	15/17	S	-X	L	S	240	-	4,0	6	6,5	-X	R	S	220	-	4,0	6
Efi - RE-EVOLUTION	08/12	S	364	L	S	240	105	4,0	4	10,5	364	L	S	240	105	4,0	4
LOGIK	13/17	S	-	L	S	240	-	4,0	-	-	-	L	S	220	-	4,0	-
OUTLOOK	08/12	S	364	L	S	240	105	4,0	4	10,5	364	L	S	240	105	4,0	4
RK	15/17	C	-	-	-	-	-	-	-	-	-	R	S	190	-	-	-
RKS SPORT	15/17	C	-	R	S	230	-	4,0	6	-	-	-	-	-	-	4,0	-
RKV Efi	10/17	N	1605X	L	S	260	112,7	4,0	6	6,5	1431X	R	S	239	110	5,0	6
RKS Efi	17	N	-	R	S	-	-	-	-	-	Drum	-	-	-	-	-	-
SILVERBLADE Efi	15/17	S	-	L/R	S	256	-	-	-	-	-	R	S	256	-	-	-
SPEED	09/17	N	1664G	L	F11,2	219	50	4,0	4	8,5	1665	R	S	190	58,2	4,0	4
SUPERLIGHT / L. EDITION	10/17	C	1618	L	S	276	132	4,0	6	10,5	Drum	-	-	-	-	-	-
TX 2 / TX S	16/17	F	1430X	L	S	280	112,7	4,0	6	6,5	1431X	R	S	239	110	5,0	6
TX EN / TX SM	12/14	E-F	1430X	L	S	280	112,7	4,0	6	6,5	1431X	R	S	239	110	5,0	6
TXM	17	F	1430X	L	S	280	112,7	4,0	6	6,5	1431X	R	S	239	110	5,0	6
ZAHARA	15/17	S	007	L	S	190	58	3,5	3	9,5	Drum	-	-	-	-	-	-
ZAHARA	15/17	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-
150 c.c.																	
OUTLOOK	07/08	S	364	L	S	240	105	4,0	4	10,5	364	L	S	240	105	4,0	4
200 c.c.																	
TX EN / TX SM	11/14	E	1430X	L	S	280	112,7	4,0	6	6,5	1431X	R	S	239	110	5,0	6
KXM	12/14	E	1430X	L	S	280	112,7	4,0	6	6,5	1431X	R	S	239	110	5,0	6
RK / RKV / RKS / RKS S	11/16	N	-	R	S	260	-	-	-	-	1431X	R	S	239	110	5,0	6
250 c.c.																	
CRUISER Efi	09/15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SILVERBLADE Efi	15/17	S	-	L/R	S	256	-	-	-	-	-	R	S	256	-	-	-
BENELLI BN	16	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
302 c.c.																	
BENELLI BN	15/17	S	-	L/R	-	260	-	-	-	-	325 / 325X	R	S	240	110	5,0	6
350 c.c.																	
BENELLI ZEN ZERO	15/16	N	-	L	S	256	-	-	-	-	-	R	S	256	-	-	-
KL																	
50 c.c.																	
HELIOSR750	98	S	023	L	S	190	58	3,5	3	8,5	-	-	-	-	-	-	-
HELIOSR750	98	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-
KRYPTON	99	S	023	L	S	190	58	3,5	3	8,5	-	-	-	-	-	-	-
KRYPTON	99	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-
125 c.c.																	
NOX / PROXY / PULSAR	00/01	E	023	L	S	190	58	3,5	3	8,5	-	-	-	-	-	-	-
NOX / PROXY / PULSAR	00/01	E	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-
150 c.c.																	
NOX / PROXY / PULSAR	00/01	E	023	L	S	190	58	3,5	3	8,5	-	-	-	-	-	-	-
NOX / PROXY / PULSAR	00/01	E	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-
KREIDLER																	
50 c.c.																	
FLORETT CITY A.C.	14/15	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-



FLORETT CITY A.C.	14/15	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
FLORETT 2.1 RS A.C.	14/15	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	
FLORETT 2.1 RS A.C.	14/15	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
KSR MOTO by GENERIC											KSR MOTO by GENERIC							
ELECTRIC											ELECTRIC							
EPICO	12/13	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	
EPICO	12/13	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
EPICO	12/13	S	1300X	L	FO	*220	58	3,5	3	10,5								
KSR MOTO by GENERIC											KSR MOTO by GENERIC							
50 c.c.											50 c.c.							
CRACKER 2T / 4T	09/15	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	
CRACKER 2T / 4T	09/15	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
CRACKER 2T / 4T	09/15	S	1300X	L	FO	*220	58	3,5	3	10,5								
EPICO	12/17	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	
EPICO	12/17	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
EPICO	12/17	S	1300X	L	FO	*220	58	3,5	3	10,5								
IDEO / XOR 2T	05/13	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	
IDEO / XOR 2T	05/13	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
IDEO / XOR 2T	05/13	S	1300X	L	FO	*220	58	3,5	3	10,5								
RACE 2 2T / 4T	10/14	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	
RACE 2 2T / 4T	10/14	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
RACE 2 2T / 4T	10/14	S	1300X	L	FO	*220	58	3,5	3	10,5								
ROC / SIRION 2T / 4T	08/11	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	
ROC / SIRION 2T / 4T	08/11	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
ROC / SIRION 2T / 4T	08/11	S	1300X	L	FO	*220	58	3,5	3	10,5								
TRIGGER	02→	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	
TRIGGER	02→	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
TRIGGER	02→	S	1300X	L	FO	*220	58	3,5	3	10,5								
VERTIGO 4T	12/14	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	
VERTIGO 4T	12/14	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
VERTIGO 4T	12/14	S	1300X	L	FO	*220	58	3,5	3	10,5								
XOR	05/14	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	
XOR	05/14	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
XOR	05/14	S	1300X	L	FO	*220	58	3,5	3	10,5								
125 c.c.											125 c.c.							
SIRION 4T	02/14	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	
SIRION 4T	02/14	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
SIRION 4T	02/14	S	1300X	L	FO	*220	58	3,5	3	10,5								
SOHO	15/16	S	-	L	-	-	-	-	-	-	Drum	-	-	-	-	-	-	
XOR	05/11	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	
XOR	05/11	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
XOR	05/11	S	1300X	L	FO	*220	58	3,5	3	10,5								
RUMBLER	13/14	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	
RUMBLER	13/14	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
RUMBLER	13/14	S	1300X	L	FO	*220	58	3,5	3	10,5								
KTM											KTM							
- C.C.											- C.C.							
ALL MODELS																		
REVERSE SUSPENSION	07/08	E	725K11	L	KF	*320	127	5,0	6	6,5	-	-	-	-	-	-	-	
REVERSE SUSPENSION	07/08	E	730K11	L	KF	*320	127	4,0	6	6,5								
REVERSE SUSPENSION	07/08	E	725XK11	L	KF	*318	127	5,0	6	6,5								
REVERSE SUSPENSION	07/08	E	725SPK11	L	KF	*320	127	5,0	6	6,5								
ELECTRIC											ELECTRIC							
FREERIDE E-EXC	15/18	EV	1324XS	L	S	260	95	3,0	4	6,5	1493X	R	S	230	110	4,0	4	6,5
FREERIDE E-EXC	15/18	EV	1324X	L	F00,0	260	95	3,0	4	6,5								
FREERIDE E-SM	15/17	FV	1324XS	L	S	260	95	3,0	4	6,5	1493X	R	S	230	110	4,0	4	6,5
FREERIDE E-SM	15/17	FV	1324X	L	F00,0	260	95	3,0	4	6,5								
FREERIDE E-SX	12/14	MV	1324XS	L	S	260	95	3,0	4	6,5	1481X	R	S	220	110	4,0	4	6,5
FREERIDE E-SX	12/14	MV	1324X	L	F00,0	260	95	3,0	4	6,5								

		FRONT										REAR									
		YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø		REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	
FREERIDE E-SX	15/17	MV		1324XS	L	S	260	95	3,0	4	6,5		1493X	R	S	230	110	4,0	4	6,5	
FREERIDE E-SX	15/17	MV		1324X	L	F00,0	260	95	3,0	4	6,5										
50 c.c.													50 c.c.								
EXC	97	A		072	L	S	240	72	3,5	4	6,5		073	R	S	185	70	3,5	6	6,5	
EXC	99/00	A		114	L	S	240	72	3,5	6	6,5		127	R	S	185	45	3,5	5	6,5	
KROSS	94/99	A		023	L	S	190	58	3,5	3	8,5		-	-	-	-	-	-	-	-	
KROSS	94/99	A		1022 / 1022X	L	MD	190	58	3,7	3	MH										
KTM													KTM								
50 c.c.													50 c.c.								
SX	08/13	A-M		1374X	L	S	160	72	3,0	4	6,5		1375X	R	S	140	45	3,2	5	6,5	
SX	12/13	A-M		1378XK21	L	KF	*185	72	3,0	4	6,5										
SX / MINI 2T 4/10 years	14/18	A-M		1374X	L	S	160	72	3,0	4	6,5		1374X	R	S	160	72	3,0	4	6,5	
SX / MINI 2T 4/10 years	14/18	A-M		1378XK21	L	KF	*185	72	3,0	4	6,5										
60 c.c.													60 c.c.								
SX	99/00	A-M		178	L	S	198	-	3,0	3	6,5		-	-	-	-	-	-	-	-	
65 c.c.													65 c.c.								
SX 2T 8 / 12 years	98/18	A-M		1025X / 1025	L	S	198	89	3,0	3	6,5		1026X / 1026	R	S	160	45,5	3,0	4	6,5	
SX 2T 8 / 12 years	12/18	A-M		1379XK22	L	KF	*225	89	3,0	3	6,5										
SXS	12/13	A-M		1025X / 1025	L	S	198	89	3,0	3	6,5		1026X / 1026	R	S	160	45,5	3,0	4	6,5	
XC	08/09	A-M		1025 / 1025X	L	S	198	89	3,0	3	6,5		1026 / 1026X	R	S	160	45,5	3,0	4	6,5	
80 c.c.													80 c.c.								
MX	00/02	A-M		178	L	S	198	-	3,0	3	6,5		1026 / 1026X	R	S	160	45,5	3,0	4	6,5	
85 c.c.													85 c.c.								
XC	07/09	A-M		1029 / 1029X	L	S	220	95	3,0	4	6,5		1030 / 1030X	R	S	200	110	3,5	4	6,5	
SX	03	A-M		178	L	S	198	-	3,0	3	6,5		-	-	-	-	-	-	-	-	
SX	11/15	A-M		1029 / 1029X	L	S	220	95	3,0	4	6,5		1281X	L	S	210	110	4,0	4	6,5	
SX	11/15	A-M		1324XK20	L	KF	*260	95	3,0	4	6,5										
SX	11/15	A-M											1481XK25	L	KS	*220	110	4,0	4	6,5	
SX 17 / 14'	03/12	A-M		1029 / 1029X	L	S	220	95	3,0	4	6,5		1030 / 1030X	R	S	200	110	3,5	4	6,5	
SX 17 / 14'	13/16	A-M		1394X	L	S	240	95	3,0	4	6,5		1281X	R	S	210	110	4,0	4	6,5	
SX 17 / 14'	17/18	A-M		1681X	L	S	240	95	4,0	4	6,5		1281X	R	S	210	110	4,0	4	6,5	
SX 19 / 16'	03/10	A-M		1029 / 1029X	L	S	220	95	3,0	4	6,5		1030 / 1030X	R	S	200	110	3,5	4	6,5	
SX 19 / 16'	13/16	A-M		1394X	L	S	240	95	3,0	4	6,5		1281X	R	S	210	110	4,0	4	6,5	
SX 19 / 16'	13/16	A-M											1481XK25	R	KS	*220	110	4,0	4	6,5	
SX 19 / 16'	17/18	A-M		1681X	L	S	240	95	4,0	4	6,5		1281X	R	S	210	110	4,0	4	6,5	
SX 19 / 16'	17/18	A-M											1481XK25	R	KS	*220	110	4,0	4	6,5	
XC	11/15	M		1029 / 1029X	L	S	220	95	3,0	4	6,5		1281X	L	S	210	110	4,0	4	6,5	
105 c.c.													105 c.c.								
SX	04/15	M		1029 / 1029X	L	S	220	95	3,0	4	6,5		1030 / 1030X	R	S	200	110	3,5	4	6,5	
XC	08/09	M		1029 / 1029X	L	S	220	95	3,0	4	6,5		1030 / 1030X	R	S	200	110	3,5	4	6,5	
125 c.c.													125 c.c.								
DUKE	11/12	N		1310	L	S	280	60,5	4,0	6	8,5		1311	R	S	230	104	4,0	6	10,5	
DUKE / DUKE ABS	13/16	N		1438	L	MD	300	60,5	5,0	6	MH		1311	R	S	230	104	4,0	6	10,5	
DUKE / DUKE ABS	13/16	N		1586GK32	L	KF	*320	60,5	5,0	6	MH										
DUKE / DUKE ABS	17	N		1645 / xxxxX	L	S	300	90	5,0	6	10,5		1311 / xxxxX	R	S	230	104	4,0	6	10,5	
DUKE / DUKE ABS	18	N		xxxxX / 1645	L	S	300	90	5,0	6	10,5		xxxxX / 1311	R	S	230	104	4,0	6	10,5	
DUKE ABS	17/18	N		1705X / 1705	L	F00,0	300	90	5,0	6	10,5		xxxxX / 1311	R	S	230	104	4,0	6	10,5	
DUKE / DUKE ABS	17/18	N		1642GK32	L	KF	*320	90	5,0	6	10,5										
DUKE / DUKE ABS	17/18	N		1642XGK32	L	KF	*320	90	5,0	6	10,5										
EGS	93/97	E		139	L	S	240	-	3,7	6	6,5		129 / 129X	R	S	220	110	4,2	6	6,5	
EGS	93/97	E											129SP	R	S	220	110	4,2	6	6,5	
EXC	90/97	E		140 / 140X	L	S	260	-	3,5/3	6	6,5		-	-	-	-	-	-	-	-	
EXC	90/97	E		140XF	L	F00,0	260	-	3,0	6	6,5										
EXC	98/16	E		140 / 140X	L	S	260	-	3,5/3	6	6,5		129 / 129X	R	S	220	110	4,2	6	6,5	
EXC	98/16	E		140XF	L	F00,0	260	-	3,0	6	6,5		129SP	R	S	220	110	4,2	6	6,5	
EXC	00/08	E		1254XK16	L	KF	*270	-	3,0	6	6,5										
EXC	00/08	E		1254XBHK16	L	KF	*270	-	3,0	6	6,5										
EXC	09/17	E		1254XK17	L	KF	*270	-	3,0	6	6,5										
EXC	09/17	E		1254XBHK17	L	KF	*270	-	3,0	6	6,5										



EXC	04/09	E	725K27	L	KF	*320	127	5,0	6	6,5										
EXC	04/09	E	725XK27	L	KF	*318	127	5,0	6	6,5										
EXC	04/09	E	725SPK27	L	KF	*320	127	5,0	6	6,5										
EXC	10/17	E	725K11	L	KF	*320	127	5,0	6	6,5										
EXC	10/17	E	725XK11	L	KF	*318	127	5,0	6	6,5										
EXC	10/17	E	725SPK11	L	KF	*320	127	5,0	6	6,5										

KTM **KTM**

EXC SIX DAYS	98/17	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
EXC SIX DAYS	98/17	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
EXC SIX DAYS	09/17	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
EXC SIX DAYS	09/17	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
EXC SIX DAYS	04/08	E	725K27	L	KF	*320	127	5,0	6	6,5								
EXC SIX DAYS	04/08	E	725XK27	L	KF	*318	127	5,0	6	6,5								
EXC SIX DAYS	04/08	E	725SPK27	L	KF	*320	127	5,0	6	6,5								
EXC SIX DAYS	09/17	E	725K11	L	KF	*320	127	5,0	6	6,5								
EXC SIX DAYS	09/17	E	725XK11	L	KF	*318	127	5,0	6	6,5								
EXC SIX DAYS	09/17	E	725SPK11	L	KF	*320	127	5,0	6	6,5								
GS	90/92	E	139	L	S	240	-	3,7	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
GS	90/92	E									129SP	R	S	220	110	4,2	6	6,5
GS	93/97	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
GS	93/97	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
GS	93/97	E	1254XK16	L	KF	*270	-	3,0	6	6,5								
GS	93/97	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
MX	88/92	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
MX	88/92	M	140XF	L	F00,0	260	-	3,0	6	6,5								
MX	92	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
MX	92	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
RC / RC ABS	14/16	R	1438	L	MD	300	60,5	5,0	6	MH	1311	R	S	230	104	4,0	6	10,5
RC / RC ABS	14/16	R	1598GK32	L	KF	*320	60,5	5,0	6	MH								
RC / RC ABS	17/18	R	xxxxX / 1645	L	S	300	90	5,0	6	10,5	xxxxX / 1311	R	S	230	104	4,0	6	10,5
RC / RC ABS	17/18	R	1705X / 1705	L	F00,0	300	90	5,0	6	10,5								
RC / RC ABS	17/18	R	1642GK32	L	KF	*320	90	5,0	6	10,5								
RC / RC ABS	17/18	R	1642XGK32	L	KF	*320	90	5,0	6	10,5								
SX 2T	93/18	M	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
SX 2T	93/18	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
SX 2T	93/08	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
SX 2T	93/08	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
SX 2T	09/17	M	1254XK17	L	KF	*270	-	3,0	6	6,5								
SX 2T	09/17	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
SX 2T	00/08	M	725K27	L	KF	*320	127	5,0	6	6,5								
SX 2T	00/08	M	725XK27	L	KF	*318	127	5,0	6	6,5								
SX 2T	00/08	M	725SPK27	L	KF	*320	127	5,0	6	6,5								
SX 2T	09/17	M	725K11	L	KF	*320	127	5,0	6	6,5								
SX 2T	09/17	M	725XK11	L	KF	*318	127	5,0	6	6,5								
SX 2T	09/17	M	725SPK11	L	KF	*320	127	5,0	6	6,5								
SXS	00/12	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
SXS	00/12	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
SXS	00/08	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
SXS	00/08	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
SXS	09/10	M	1254XK17	L	KF	*270	-	3,0	6	6,5								
SXS	09/10	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
SXS	09/12	M	725K11	L	KF	*320	127	5,0	6	6,5								
SXS	09/12	M	725XK11	L	KF	*318	127	5,0	6	6,5								
SXS	09/12	M	725SPK11	L	KF	*320	127	5,0	6	6,5								
XC-W	17	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
XC-W	17	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5

144 c.c. **144 c.c.**



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø		REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø
SX	07/12	M	140X / 140	L	S	260	-	3/3,5	6	6,5		129X / 129	R	S	220	110	4,2	6	6,5
SX	07/12	M	140XF	L	F00,0	260	-	3,0	6	6,5		129SP	R	S	220	110	4,2	6	6,5
SX	07/08	M	1254XK16	L	KF	*270	-	3,0	6	6,5									
SX	07/08	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5									
SX	09/12	M	1254XK17	L	KF	*270	-	3,0	6	6,5									
SX	09/12	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5									
KTM										KTM									
144 c.c.										144 c.c.									
SX	09/12	M	725K11	L	KF	*320	127	5,0	6	6,5		129X / 129	R	S	220	110	4,2	6	6,5
SX	09/12	M	725XK11	L	KF	*318	127	5,0	6	6,5		129SP	R	S	220	110	4,2	6	6,5
SX	09/12	M	725SPK11	L	KF	*320	127	5,0	6	6,5									
150 c.c.										150 c.c.									
SX	07/18	M	140 / 140X	L	S	260	-	3,5/3	6	6,5		129 / 129X	R	S	220	110	4,2	6	6,5
SX	07/18	M	140XF	L	F00,0	260	-	3,0	6	6,5		129SP	R	S	220	110	4,2	6	6,5
SX	07	M	1254XK16	L	KF	*270	-	3,0	6	6,5									
SX	07	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5									
SX	08/17	M	1254XK17	L	KF	*270	-	3,0	6	6,5									
SX	08/17	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5									
SX	07/08	M	725K27	L	KF	*320	127	5,0	6	6,5									
SX	07/08	M	725XK27	L	KF	*318	127	5,0	6	6,5									
SX	07/08	M	725SPK27	L	KF	*320	127	5,0	6	6,5									
SX	09/17	M	725K11	L	KF	*320	127	5,0	6	6,5									
SX	09/17	M	725XK11	L	KF	*318	127	5,0	6	6,5									
SX	09/17	M	725SPK11	L	KF	*320	127	5,0	6	6,5									
XC	10/16	E	140 / 140X	L	S	260	-	3,5/3	6	6,5		129 / 129X	R	S	220	110	4,2	6	6,5
XC	10/16	E	140XF	L	F00,0	260	-	3,0	6	6,5		129SP	R	S	220	110	4,2	6	6,5
XC-W	17	E	140 / 140X	L	S	260	-	3,5/3	6	6,5		129 / 129X	R	S	220	110	4,2	6	6,5
XC-W	17	E	140XF	L	F00,0	260	-	3,0	6	6,5		129SP	R	S	220	110	4,2	6	6,5
200 c.c.										200 c.c.									
DUKE	12	N	1310	L	S	280	60,5	4,0	6	8,5		1311	R	S	230	104	4,0	6	10,5
DUKE	13/16	N	1438	L	MD	300	60,5	5,0	6	MH		1311	R	S	230	104	4,0	6	10,5
DUKE	13/16	N	1596GK32	L	KF	*320	60,5	5,0	6	MH									
EXC	98/16	E	140X / 140	L	S	260	-	3/3,5	6	6,5		129X / 129	R	S	220	110	4,2	6	6,5
EXC	98/16	E	140XF	L	F00,0	260	-	3,0	6	6,5		129SP	R	S	220	110	4,2	6	6,5
EXC	00/09	E	1254XK16	L	KF	*270	-	3,0	6	6,5									
EXC	00/09	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5									
EXC	10/16	E	1254XK17	L	KF	*270	-	3,0	6	6,5									
EXC	10/16	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5									
EXC	00/08	E	725K27	L	KF	*320	127	5,0	6	6,5									
EXC	00/08	E	725XK27	L	KF	*318	127	5,0	6	6,5									
EXC	00/08	E	725SPK27	L	KF	*320	127	5,0	6	6,5									
EXC	09/16	E	725K11	L	KF	*320	127	5,0	6	6,5									
EXC	09/16	E	725XK11	L	KF	*318	127	5,0	6	6,5									
EXC	09/16	E	725SPK11	L	KF	*320	127	5,0	6	6,5									
MXC	98/03	M	140 / 140X	L	S	260	-	3,5/3	6	6,5		129 / 129X	R	S	220	110	4,2	6	6,5
MXC	98/03	M	140XF	L	F00,0	260	-	3,0	6	6,5		129SP	R	S	220	110	4,2	6	6,5
MXC	98/03	M	1254XK16	L	KF	*270	-	3,0	6	6,5									
MXC	98/03	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5									
RC	14/16	R	1438	L	MD	300	60,5	5,0	6	MH		1311	R	S	230	104	4,0	6	10,5
RC	14/16	R	1596GK32	L	KF	*320	60,5	5,0	6	MH									
SX	03/09	M	140X / 140	L	S	260	-	3/3,5	6	6,5		129X / 129	R	S	220	110	4,2	6	6,5
SX	03/09	M	140XF	L	F00,0	260	-	3,0	6	6,5		129SP	R	S	220	110	4,2	6	6,5
SX	03/08	M	1254XK16	L	KF	*270	-	3,0	6	6,5									
SX	03/08	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5									
SX	09	M	1254XK17	L	KF	*270	-	3,0	6	6,5									
SX	09	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5									
SX	03/08	M	725K27	L	KF	*320	127	5,0	6	6,5									
SX	03/08	M	725XK27	L	KF	*318	127	5,0	6	6,5									
SX	03/08	M	725SPK27	L	KF	*320	127	5,0	6	6,5									



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø							
SX	09	M	725K11	L	KF	*320	127	5,0	6	6,5							
SX	09	M	725XK11	L	KF	*318	127	5,0	6	6,5							
SX	09	M	725SPK11	L	KF	*320	127	5,0	6	6,5							
XC	08/09	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6 6,5
XC	08/09	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6 6,5
KTM 200 c.c.																	
XC W	00/16	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6 6,5
XC W	00/16	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6 6,5
XC W	00/09	E	1254XK16	L	KF	*270	-	3,0	6	6,5							
XC W	00/09	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5							
XC W	00/09	E	725K27	L	KF	*320	127	5,0	6	6,5							
XC W	00/09	E	725XK27	L	KF	*318	127	5,0	6	6,5							
XC W	00/09	E	725SPK27	L	KF	*320	127	5,0	6	6,5							
KTM 250 c.c.																	
DUKE	13/16	N	1438	L	MD	300	60,5	5,0	6	MH	1311	R	S	230	104	4,0	6 10,5
DUKE	13/16	N	1596GK32	L	KF	*320	60,5	5,0	6	MH							
EGS	88/89	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXC	90/93	E	150	L	S	220	110	4,0	6	6,5	129 / 129X	R	S	220	110	4,2	6 6,5
EXC	90/93	E									129SP	R	S	220	110	4,2	6 6,5
EXC 2T / EXC-F 4T	94/17	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6 6,5
EXC 2T / EXC-F 4T	94/17	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6 6,5
EXC 2T TPI	18	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6 6,5
EXC 2T TPI	18	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6 6,5
EXC 2T / EXC-F 4T	03/09	E	1254XK16	L	KF	*270	-	3,0	6	6,5							
EXC 2T / EXC-F 4T	03/09	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5							
EXC 2T / EXC-F 4T	10/17	E	1254XK17	L	KF	*270	-	3,0	6	6,5							
EXC 2T / EXC-F 4T	10/17	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5							
EXC 2T / EXC-F 4T	00/09	E	725K27	L	KF	*320	127	5,0	6	6,5							
EXC 2T / EXC-F 4T	00/09	E	725XK27	L	KF	*318	127	5,0	6	6,5							
EXC 2T / EXC-F 4T	00/09	E	725SPK27	L	KF	*320	127	5,0	6	6,5							
EXC 2T / EXC-F 4T	10/17	E	725K11	L	KF	*320	127	5,0	6	6,5							
EXC 2T / EXC-F 4T	10/17	E	725XK11	L	KF	*318	127	5,0	6	6,5							
EXC 2T / EXC-F 4T	10/17	E	725SPK11	L	KF	*320	127	5,0	6	6,5							
EXC G	04/09	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6 6,5
EXC G	04/09	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6 6,5
EXC G	04/09	E	1254XK16	L	KF	*270	-	3,0	6	6,5							
EXC G	04/09	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5							
EXC RACING	03/06	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6 6,5
EXC RACING	03/06	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6 6,5
EXC / EXC-F SIX DAYS	09/17	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6 6,5
EXC / EXC-F SIX DAYS	09/17	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6 6,5
EXC / EXC-F SIX DAYS	10/17	E	1254XK17	L	KF	*270	-	3,0	6	6,5							
EXC / EXC-F SIX DAYS	10/17	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5							
EXC / EXC-F SIX DAYS	09/17	E	725K11	L	KF	*320	127	5,0	6	6,5							
EXC / EXC-F SIX DAYS	09/17	E	725XK11	L	KF	*318	127	5,0	6	6,5							
EXC / EXC-F SIX DAYS	09/17	E	725SPK11	L	KF	*320	127	5,0	6	6,5							
FREERIDE MODELS																	
2T	14	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	1281X	R	S	210	110	4,0	4 6,5
2T	14	E	140XF	L	F00,0	260	-	3,0	6	6,5							
R 2T	12/13	E	1324XS	L	S	260	95	3,0	4	6,5	1281X	R	S	210	110	4,0	4 6,5
R 2T	12/13	E	1324X	L	F00,0	260	95	3,0	4	6,5							
R 2T	14/17	E	1324XS	L	S	260	95	3,0	4	6,5	1481X	R	S	220	110	4,0	4 6,5
R 2T	14/17	E	1324X	L	F00,0	260	95	3,0	4	6,5							
F, w/o speedometer hole	18	E	xxxxX	L	S	260	95	4,2	4	6,5	1281X	R	S	210	110	4,0	4 6,5
GS	88/92	E	139	L	S	240	-	3,7	6	6,5	141 / 141X	L	S	220	110	4,2	6 6,5
GS	93/97	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6 6,5
GS	93/97	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6 6,5



GS	93/97	E	1254XK16	L	KF	*270	-	3,0	6	6,5								
GS	93/97	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
MX	88/92	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
MX	88/92	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
KTM										KTM								
250 c.c.										250 c.c.								
MXC	98/03	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
MXC	98/03	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
MXC	98/03	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
MXC	98/03	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
RC	14/16	R	1438	L	MD	300	60,5	5,0	6	MH	1311	R	S	230	104	4,0	6	10,5
RC	14/16	R	1596GK32	L	KF	*320	60,5	5,0	6	MH								
RC / RC ABS, VERSION 1	17	R	1596G	L	MDF	320	60,5	5,0	6	MH	1311	R	S	230	104	4,0	6	10,5
RC / RC ABS, VERSION 1	17	R	1593	L	MD	320	60,5	5,0	6	MH								
RC / RC ABS, VERSION 2	17	R	1642G / 1642XG	L	F00,0	320	90	5,0	6	10,5	1311 / xxxxxX	R	S	230	104	4,0	6	10,5
RC / RC ABS, VERSION 2	17	R	1644	L	S	320	90	5,0	6	10,5								
SX 2T	93/18	M	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
SX 2T	93/18	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
SX 2T	93/08	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
SX 2T	93/08	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
SX 2T	09/15	M	1254XK17	L	KF	*270	-	3,0	6	6,5								
SX 2T	09/15	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
SX 2T	00/08	M	725K27	L	KF	*320	127	5,0	6	6,5								
SX 2T	00/08	M	725XK27	L	KF	*318	127	5,0	6	6,5								
SX 2T	00/08	M	725SPK27	L	KF	*320	127	5,0	6	6,5								
SX 2T	09/17	E	725K11	L	KF	*320	127	5,0	6	6,5								
SX 2T	09/17	E	725XK11	L	KF	*318	127	5,0	6	6,5								
SX 2T	09/17	E	725SPK11	L	KF	*320	127	5,0	6	6,5								
SX-F 2T	03/18	M	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
SX-F 2T	03/18	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
SX-F 2T FACTORY EDITION	17	M	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
SX-F 2T FACTORY EDITION	17	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
SX-F 2T FACTORY EDITION	17	M	1254XK17	L	KF	*270	-	3,0	6	6,5								
SX-F 2T FACTORY EDITION	17	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
SX-F 2T	03/08	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
SX-F 2T	03/08	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
SX-F 2T	10/18	M	1254XK17	L	KF	*270	-	3,0	6	6,5								
SX-F 2T	10/18	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
SX-F 2T	06/08	M	725K27	L	KF	*320	127	5,0	6	6,5								
SX-F 2T	06/08	M	725XK27	L	KF	*318	127	5,0	6	6,5								
SX-F 2T	06/08	M	725SPK27	L	KF	*320	127	5,0	6	6,5								
SX-F 2T	09/18	M	725K11	L	KF	*320	127	5,0	6	6,5								
SX-F 2T	09/18	M	725XK11	L	KF	*318	127	5,0	6	6,5								
SX-F 2T	09/18	M	725SPK11	L	KF	*320	127	5,0	6	6,5								
SXS	03/08	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
SXS	03/08	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
SXS	03/08	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
SXS	03/08	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
SXS / SXS F	09/16	M	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
SXS / SXS F	09/16	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
SXS / SXS F	09	M	1254XK17	L	KF	*270	-	3,0	6	6,5								
SXS / SXS F	09	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
XC	08/16	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
XC	08/16	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
XC F	06/15	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
XC F	06/15	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
XC F	06/09	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
XC F	06/09	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
XC F	10/12	M	1254XK17	L	KF	*270	-	3,0	6	6,5								
XC F	10/12	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5								



XC F	06/08	M	725K27	L	KF	*320	127	5,0	6	6,5								
XC F	06/08	M	725XK27	L	KF	*318	127	5,0	6	6,5								
XC F	06/08	M	725SPK27	L	KF	*320	127	5,0	6	6,5								
KTM										KTM								
250 c.c.										250 c.c.								
XC W	06/16	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
XC W	06/16	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
XC W	06/09	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
XC W	06/09	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
XC W	10/12	M	1254XK17	L	KF	*270	-	3,0	6	6,5								
XC W	10/12	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
XC W	01/09	M	725K27	L	KF	*320	127	5,0	6	6,5								
XC W	01/09	M	725XK27	L	KF	*318	127	5,0	6	6,5								
XC W	01/09	M	725SPK27	L	KF	*320	127	5,0	6	6,5								
XCF W	12/16	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
XCF W	12/16	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
300 c.c.										300 c.c.								
EGS	96/97	E	139	L	S	240	-	3,7	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
EGS	98/00	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
EGS	98/00	E	140XF	L	F00,0	260	-	3,0	6	6,5								
EXC 2T	94/17	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
EXC 2T	94/17	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
EXC 2T TPI	18	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
EXC 2T TPI	18	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
EXC 2T	94/09	E	1254XK16	L	KF	*270	-	3,0	6	6,5								
EXC 2T	94/09	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
EXC 2T	10/17	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
EXC 2T	10/17	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
EXC 2T	00/09	E	725K27	L	KF	*320	127	5,0	6	6,5								
EXC 2T	00/09	E	725XK27	L	KF	*318	127	5,0	6	6,5								
EXC 2T	00/09	E	725SPK27	L	KF	*320	127	5,0	6	6,5								
EXC 2T	10/17	E	725K11	L	KF	*320	127	5,0	6	6,5								
EXC 2T	10/17	E	725XK11	L	KF	*318	127	5,0	6	6,5								
EXC 2T	10/17	E	725SPK11	L	KF	*320	127	5,0	6	6,5								
EXC-E	97/11	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
EXC-E	97/11	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
EXC SIX DAYS	94/17	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
EXC SIX DAYS	94/17	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
EXC SIX DAYS	94/09	E	1254XK16	L	KF	*270	-	3,0	6	6,5								
EXC SIX DAYS	94/09	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
EXC SIX DAYS	10/17	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
EXC SIX DAYS	10/17	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
EXC SIX DAYS	09/17	E	725K11	L	KF	*320	127	5,0	6	6,5								
EXC SIX DAYS	09/17	E	725XK11	L	KF	*318	127	5,0	6	6,5								
GS	91/96	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
GS	91/96	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
GS	93/96	E	1254XK16	L	KF	*270	-	3,0	6	6,5								
GS	93/96	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
MX	91/92	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
MX	91/92	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
MX	92	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
MX	92	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
MXC	94/06	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
MXC	94/06	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
MXC	94/06	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
MXC	94/06	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
SX	93/03	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
SX	93/03	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
SX	93	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
SX	93	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
SX	00/03	M	1254XK16	L	KF	*270	-	3,0	6	6,5								



SX	00/03	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5									
KTM											KTM								
300 c.c.											300 c.c.								
SX-F	10/12	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5	
SX-F	10/12	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5	
SX-F	10/12	M	1254XK16	L	KF	*270	-	3,0	6	6,5									
SX-F	10/12	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5									
XC	06/09	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5	
XC	06/09	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5	
XC	06/09	M	1254XK16	L	KF	*270	-	3,0	6	6,5									
XC	06/09	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5									
XC W	06/12	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5	
XC W	06/12	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5	
XC W	06/09	M	1254XK16	L	KF	*270	-	3,0	6	6,5									
XC W	06/09	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5									
XC W	10/12	M	1254XK17	L	KF	*270	-	3,0	6	6,5									
XC W	10/12	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5									
XC W	00/09	M	725K27	L	KF	*320	127	5,0	6	6,5									
XC W	00/09	M	725XK27	L	KF	*318	127	5,0	6	6,5									
XC W	00/09	M	725SPK27	L	KF	*320	127	5,0	6	6,5									
350 c.c.											350 c.c.								
EXC L.C.	90/94	M	139	L	S	240	-	3,7	6	6,5	-	-	-	-	-	-	-	-	
EXC-F 4T	18	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5	
EXC-F 4T	18	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5	
EXC-F 4T / SIX DAYS	09/17	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5	
EXC-F 4T / SIX DAYS	09/17	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5	
EXC-F 4T / SIX DAYS	11/17	E	1254XK17	L	KF	*270	-	3,0	6	6,5									
EXC-F 4T / SIX DAYS	11/17	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5									
EXC-F 4T / SIX DAYS	09/17	E	725K11	L	KF	*320	127	5,0	6	6,5									
EXC-F 4T / SIX DAYS	09/17	E	725XK11	L	KF	*318	127	5,0	6	6,5									
EXC-F 4T / SIX DAYS	09/17	E	725SPK11	L	KF	*320	127	5,0	6	6,5									
FREERIDE	12/17	E	1324XS	L	S	260	95	3,0	4	6,5	1481X	R	S	220	110	4,0	4	6,5	
FREERIDE	12/17	E	1324X	L	F00,0	260	95	3,0	4	6,5									
GS 4T	93/96	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5	
GS 4T	93/96	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5	
GS 4T	93/96	E	1254XK16	L	KF	*270	-	3,0	6	6,5									
GS 4T	93/96	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5									
LC4	94/97	E	-	-	-	-	-	-	-	-	141 / 141X	L	S	220	110	4,2	6	6,5	
SX-F	10/18	M	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5	
SX-F	10/18	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5	
SX-F	11/17	M	1254XK17	L	KF	*270	-	3,0	6	6,5									
SX-F	11/17	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5									
XC F / XC W	11/16	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5	
XC F / XC W	11/16	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5	
360 c.c.											360 c.c.								
EXC / SX	97/99	E-M	140 / 140X	L	S	260	-	3,5/3	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5	
EXC / SX	97/99	E-M	140XF	L	F00,0	260	-	3,0	6	6,5									
GS	94/97	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5	
GS	94/97	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5	
380 c.c.											380 c.c.								
EXC	98/02	E-M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5	
EXC	98/02	E-M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5	
EXC	00/02	E-M	1254XK16	L	KF	*270	-	3,0	6	6,5									
EXC	00/02	E-M	1254XBHK16	L	KF	*270	-	3,0	6	6,5									
MXC	98/01	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5	
MXC	98/01	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5	
SX	98/02	E-M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5	
SX	98/02	E-M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5	
SX	00/02	E-M	1254XK16	L	KF	*270	-	3,0	6	6,5									
SX	00/02	E-M	1254XBHK16	L	KF	*270	-	3,0	6	6,5									
KTM											KTM								
380 c.c.											380 c.c.								



YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø
SX	00/02	E-M															
SX	00/02	E-M															
SX	00/02	E-M															
390 c.c.										390 c.c.							
DUKE	12	N															
DUKE	13/16	S3															
DUKE	13/16	S3															
DUKE / ABS, VERSION 1	17	N															
DUKE / ABS, VERSION 2	17	N															
DUKE / ABS, VERSION 2	17	N															
DUKE / ABS, VERSION 2	17	N															
DUKE ABS	18	N															
DUKE ABS	18	N															
RC	14/16	S3															
RC	14/16	S3															
RC ABS, VERSION 1	17	S3															
RC ABS, VERSION 1	17	S3															
RC ABS, VERSION 2	17	S3															
RC ABS, VERSION 2	17	S3															
RC ABS	18	S3															
RC ABS	18	S3															
400 c.c.										400 c.c.							
EGS	96/99	E															
EGS	96/99	E															
EXC	94/15	E															
EXC	94/15	E															
EXC	94/06	E															
EXC	94/06	E															
EXC	10/11	E															
EXC	10/11	E															
EXC	00/08	E															
EXC	00/08	E															
EXC	00/08	E															
EXC	09/15	E															
EXC	09/15	E															
EXC	09/15	E															
EXC G	04/06	M															
EXC G	04/06	M															
EXC G	04/06	M															
EXC G	04/06	M															
EXC LC4	94/03	E															
EXC LC4	94/03	E															
EXC LC4	00	E															
EXC LC4	00	E															
EXC LC4	00	E															
EXC SIX DAYS	07/09	E															
EXC SIX DAYS	07/09	E															
LC4 EGS	96/02	E															
LC4 EGS	96/02	E															
RC / RC ABS	14/16	R															
SC 4T	98/00	M															
SX 4T	00/08	M															
SX 4T	00/08	M															
SX 4T	00/08	M															
SX 4T	00/08	M															
SX 4T	00/08	M															
SX 4T	00/08	M															
SX 4T	00/08	M															
KTM										KTM							
400 c.c.										400 c.c.							
XC W	07/10	M															



XC W	07/10	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
XC W	07/09	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
XC W	07/09	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
450 c.c.										450 c.c.								
EXC 2T / EXC-F 4T	03/18	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
EXC 2T / EXC-F 4T	03/18	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
EXC 2T / EXC-F 4T	03/09	E	1254XK16	L	KF	*270	-	3,0	6	6,5								
EXC 2T / EXC-F 4T	03/09	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
EXC 2T / EXC-F 4T	10/17	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
EXC 2T / EXC-F 4T	10/17	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
EXC 2T / EXC-F 4T	03/09	E	725K27	L	KF	*320	127	5,0	6	6,5								
EXC 2T / EXC-F 4T	03/09	E	725XK27	L	KF	*318	127	5,0	6	6,5								
EXC 2T / EXC-F 4T	03/09	E	725SPK27	L	KF	*320	127	5,0	6	6,5								
EXC 2T / EXC-F 4T	10/17	E	725K11	L	KF	*320	127	5,0	6	6,5								
EXC 2T / EXC-F 4T	10/17	E	725XK11	L	KF	*318	127	5,0	6	6,5								
EXC 2T / EXC-F 4T	10/17	E	725SPK11	L	KF	*320	127	5,0	6	6,5								
EXC-F 4T SIX DAYS	09/17	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
EXC-F 4T SIX DAYS	09/17	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
EXC-F 4T SIX DAYS	10/17	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
EXC-F 4T SIX DAYS	10/17	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
EXC-F 4T SIX DAYS	09/17	E	725K11	L	KF	*320	127	5,0	6	6,5								
EXC-F 4T SIX DAYS	09/17	E	725XK11	L	KF	*318	127	5,0	6	6,5								
EXC-F 4T SIX DAYS	09/17	E	725SPK11	L	KF	*320	127	5,0	6	6,5								
EXC R	08/09	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
EXC R	08/09	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
EXC R	08/09	E	1254XK16	L	KF	*270	-	3,0	6	6,5								
EXC R	08/09	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
MXC	03/06	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
MXC	03/06	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
MXC	03/06	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
MXC	03/06	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
RALLY FACTORY	11/17	E	1043XF	L	F00,0	300	127	5,0	6	6,5	1294X	R	S	240	110	4,0	6	6,5
SMR	05/08	F	1224X	L	F00,0	310	127	5,0	6	6,5	-	-	-	-	-	-	-	-
SX-F / FACTORY EDITION	03/18	M	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
SX-F / FACTORY EDITION	03/18	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
SX-F / FACTORY EDITION	03/09	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
SX-F / FACTORY EDITION	03/09	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
SX-F / FACTORY EDITION	10/17	M	1254XK17	L	KF	*270	-	3,0	6	6,5								
SX-F / FACTORY EDITION	10/17	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
SX-F / FACTORY EDITION	03/08	M	725K27	L	KF	*320	127	5,0	6	6,5								
SX-F / FACTORY EDITION	03/08	M	725XK27	L	KF	*318	127	5,0	6	6,5								
SX-F / FACTORY EDITION	03/08	M	725SPK27	L	KF	*320	127	5,0	6	6,5								
SX-F / FACTORY EDITION	09/17	M	725K11	L	KF	*320	127	5,0	6	6,5								
SX-F / FACTORY EDITION	09/17	M	725XK11	L	KF	*318	127	5,0	6	6,5								
SX-F / FACTORY EDITION	09/17	M	725SPK11	L	KF	*320	127	5,0	6	6,5								
SXS / SXS F	03/16	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
SXS / SXS F	03/16	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
SXS / SXS F	03/08	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
SXS / SXS F	03/08	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
SXS / SXS F	09/10	M	1254XK17	L	KF	*270	-	3,0	6	6,5								
SXS / SXS F	09/10	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
XC	07/09	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
XC	07/09	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
XC	07/09	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
XC	07/09	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM										KTM								
450 c.c.										450 c.c.								
XC F / XC W	07/15	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
XC F / XC W	07/15	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø								
XC F / XC W	07/09	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
XC F / XC W	07/09	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
XC F / XC W	03/09	M	725K27	L	KF	*320	127	5,0	6	6,5								
XC F / XC W	03/09	M	725XK27	L	KF	*318	127	5,0	6	6,5								
XC F / XC W	03/09	M	725SPK27	L	KF	*320	127	5,0	6	6,5								
XC G	06	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
XC G	06	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
XC G	06	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
XC G	06	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
500 / 505 c.c.											500 / 505 c.c.							
EXC F 4T / SIX DAYS	08/17	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
EXC F 4T / SIX DAYS	08/17	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
EXC F 4T / SIX DAYS	12/17	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
EXC F 4T / SIX DAYS	12/17	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
EXC F 4T / SIX DAYS	08	M	725K27	L	KF	*320	127	5,0	6	6,5								
EXC F 4T / SIX DAYS	08	M	725XK27	L	KF	*318	127	5,0	6	6,5								
EXC F 4T / SIX DAYS	08	M	725SPK27	L	KF	*320	127	5,0	6	6,5								
EXC F 4T / SIX DAYS	09/17	M	725K11	L	KF	*320	127	5,0	6	6,5								
EXC F 4T / SIX DAYS	09/17	M	725XK11	L	KF	*318	127	5,0	6	6,5								
EXC F 4T / SIX DAYS	09/17	M	725SPK11	L	KF	*320	127	5,0	6	6,5								
MX	83/11	M	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
MX	83/11	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
MX	92/11	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
MX	92/11	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
SX	93/11	M	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
SX	93/11	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
SX	93/11	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
SX	93/11	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
XC F	08/09	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
XC F	08/09	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
XC W	12/16	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
XC W	12/16	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
SX F	07/09	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
SX F	07/09	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
SX F	07/08	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
SX F	07/08	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
SX F	09	M	1254XK17	L	KF	*270	-	3,0	6	6,5								
SX F	09	M	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
XC F	07/09	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
XC F	07/09	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
XC F	07/08	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
XC F	07/08	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
XC F	09→	M	725K27	L	KF	*320	127	5,0	6	6,5								
XC F	09→	M	725XK27	L	KF	*318	127	5,0	6	6,5								
XC F	09→	M	725SPK27	L	KF	*320	127	5,0	6	6,5								
520 / 525 c.c.											520 / 525 c.c.							
SC 4T	98/00	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
SC 4T	98/00	E	140XF	L	F00,0	260	-	3,0	6	6,5								
MXC 4T	01/02	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
MXC 4T	01/02	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
MXC 4T	01/02	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
MXC 4T	01/02	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
SX 4T	00/02	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
SX 4T	00/02	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
SX 4T	00/02	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
SX 4T	00/02	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM 520 / 525 c.c.											KTM 520 / 525 c.c.							
SX 4T	01/02	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
SX 4T	01/02	M	140XF	L	F00,0	260	-	3,0	6	6,5								
EXC	03/08	E	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø
EXC	03/08	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
EXC	03/08	E	1254XK16	L	KF	*270	-	3,0	6	6,5								
EXC	03/08	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
EXC	03/08	E	725K27	L	KF	*320	127	5,0	6	6,5								
EXC	03/08	E	725XK27	L	KF	*318	127	5,0	6	6,5								
EXC	03/08	E	725SPK27	L	KF	*320	127	5,0	6	6,5								
MXC 4T	03/05	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
MXC 4T	03/05	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
MXC 4T	03/05	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
MXC 4T	03/05	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
SMR	04/05	F	1224X	L	F00,0	310	127	5,0	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
SMR	04/05	F									129SP	R	S	220	110	4,2	6	6,5
SX	03/07	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
SX	03/07	M	140XF	L	F00,0	260	-	3,0	6	6,5								
SX	03/06	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
SX	03/06	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
SX	04/07	M	725K27	L	KF	*320	127	5,0	6	6,5								
SX	04/07	M	725XK27	L	KF	*318	127	5,0	6	6,5								
SX	04/07	M	725SPK27	L	KF	*320	127	5,0	6	6,5								
XC G / XC W	06/08	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
XC G / XC W	06/08	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
XC G / XC W	06/08	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
XC G / XC W	06/08	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
530 c.c.																530 c.c.		
EXC	10/12	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
EXC	10/12	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
EXC	10/12	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
EXC	10/12	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
EXC	08/09	E	725K27	L	KF	*320	127	5,0	6	6,5								
EXC	08/09	E	725XK27	L	KF	*318	127	5,0	6	6,5								
EXC	08/09	E	725SPK27	L	KF	*320	127	5,0	6	6,5								
EXC	10/12	E	725K11	L	KF	*320	127	5,0	6	6,5								
EXC	10/12	E	725XK11	L	KF	*318	127	5,0	6	6,5								
EXC	10/12	E	725SPK11	L	KF	*320	127	5,0	6	6,5								
EXC R	08/09	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
EXC R	08/09	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
EXC R	08/09	E	1254XK16	L	KF	*270	-	3,0	6	6,5								
EXC R	08/09	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
EXC SIX DAYS	09	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
EXC SIX DAYS	09	E	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
EXC SIX DAYS	09	E	1254XK17	L	KF	*270	-	3,0	6	6,5								
EXC SIX DAYS	09	E	1254XBHK17	L	KF	*270	-	3,0	6	6,5								
XC W	09/10	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
XC W	09/10	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
540 c.c.																540 c.c.		
SX	99/00	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
SX	99/00	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
SXC	99/00	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
SXC	99/00	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
SXC	99/00	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
SXC	99/00	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
SXS	01/06	M	140 / 140X	L	S	260	-	3,5/3	6	6,5	129 / 129X	R	S	220	110	4,2	6	6,5
SXS	01/06	M	140XF	L	F00,0	260	-	3,0	6	6,5	129SP	R	S	220	110	4,2	6	6,5
SXS	01/06	M	1254XK16	L	KF	*270	-	3,0	6	6,5								
SXS	01/06	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5								
KTM																KTM		
560 c.c.																560 c.c.		
SMR	06/08	F	1224X	L	F00,0	310	127	5,0	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5
SMR	06/08	F									129SP	R	S	220	110	4,2	6	6,5
600 c.c.																600 c.c.		
GS 4T	93/11	E	140X / 140	L	S	260	-	3/3,5	6	6,5	129X / 129	R	S	220	110	4,2	6	6,5



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø		REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø
GS 4T	93/11	E	140XF	L	F00,0	260	-	3,0	6	6,5		129SP	R	S	220	110	4,2	6	6,5
GS 4T	93/11	E	1254XK16	L	KF	*270	-	3,0	6	6,5									
GS 4T	93/11	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5									
LC4 ENDURO / MX	91/92	E-M	140 / 140X	L	S	260	-	3,5/3	6	6,5		129 / 129X	R	S	220	110	4,2	6	6,5
LC4 ENDURO / MX	91/92	E-M	140XF	L	F00,0	260	-	3,0	6	6,5		129SP	R	S	220	110	4,2	6	6,5
620 c.c.										620 c.c.									
ADVENTURE	97/98	E	1043	L	S	300	127	4,0	6	6,5		129 / 129X	R	S	220	110	4,2	6	6,5
ADVENTURE	97/98	E	1043XF	L	F00,0	300	127	5,0	6	6,5		129SP	R	S	220	110	4,2	6	6,5
DUKE I	94/98	E	725	L	F00,0	320	127	5,0	6	6,5		129 / 129X	R	S	220	110	4,2	6	6,5
DUKE I	94/98	E	725X	L	F00,0	318	127	5,0	6	6,5									
DUKE I	94/98	E	725SP	L	F00,0	320	127	5,0	6	6,5									
DUKE I	94/98	E	730	L	F00,0	320	127	4,0	6	6,5									
LC4	94/96	E	139	L	S	240	-	3,7	6	6,5		129 / 129X	R	S	220	110	4,2	6	6,5
LC4	94/96	E										129SP	R	S	220	110	4,2	6	6,5
LC4 ADVENTURE	97/00	E	1043	L	S	300	127	4,0	6	6,5		-	-	-	-	-	-	-	-
LC4 ADVENTURE	97/00	E	1043XF	L	F00,0	300	127	5,0	6	6,5									
LC4 EGS	96/02	E	1043	L	S	300	127	4,0	6	6,5		-	-	-	-	-	-	-	-
LC4 EGS	96/02	E	1043XF	L	F00,0	300	127	5,0	6	6,5									
LC4 SUPER COMPETICION	98/01	E	140 / 140X	L	S	260	-	3,5/3	6	6,5		129 / 129X	R	S	220	110	4,2	6	6,5
LC4 SUPER COMPETICION	98/01	E	140XF	L	F00,0	260	-	3,0	6	6,5		129SP	R	S	220	110	4,2	6	6,5
LC4 SXC 4T SUPER MOTO	00/01	F	140 / 140X	L	S	260	-	3,5/3	6	6,5		129 / 129X	R	S	220	110	4,2	6	6,5
LC4 SXC 4T SUPER MOTO	00/01	F	140XF	L	F00,0	260	-	3,0	6	6,5		129SP	R	S	220	110	4,2	6	6,5
SC SUPER COMPETICION	96/00	F	140 / 140X	L	S	260	-	3,5/3	6	6,5		129 / 129X	R	S	220	110	4,2	6	6,5
SC SUPER COMPETICION	96/00	F	140XF	L	F00,0	260	-	3,0	6	6,5		129SP	R	S	220	110	4,2	6	6,5
SX	96/99	E	140 / 140X	L	S	260	-	3,5/3	6	6,5		129 / 129X	R	S	220	110	4,2	6	6,5
SX	96/99	E	140XF	L	F00,0	260	-	3,0	6	6,5		129SP	R	S	220	110	4,2	6	6,5
SX LC 4	90/94	M	140 / 140X	L	S	260	-	3,5/3	6	6,5		141 / 141X	L	S	220	110	4,2	6	6,5
SX LC 4	90/94	M	140XF	L	F00,0	260	-	3,0	6	6,5									
625 c.c.										625 c.c.									
LC4 SUPER COMPETICION	01/04	E	140 / 140X	L	S	260	-	3,5/3	6	6,5		129 / 129X	R	S	220	110	4,2	6	6,5
LC4 SUPER COMPETICION	01/04	E	140XF	L	F00,0	260	-	3,0	6	6,5		129SP	R	S	220	110	4,2	6	6,5
LC4 SUPER COMPETICION	01/04	E	1254XK16	L	KF	*270	-	3,0	6	6,5									
LC4 SUPER COMPETICION	01/04	E	1254XBHK16	L	KF	*270	-	3,0	6	6,5									
LC4 SUPER COMPETICION	01/04	E	725K27	L	KF	*320	127	5,0	6	6,5									
LC4 SUPER COMPETICION	01/04	E	725XK27	L	KF	*318	127	5,0	6	6,5									
LC4 SUPER COMPETICION	01/04	E	725SPK27	L	KF	*320	127	5,0	6	6,5									
SMC	04/08	M	725	L	F00,0	320	127	5,0	6	6,5		129 / 129X	R	S	220	110	4,2	6	6,5
SMC	04/08	M	725X	L	F00,0	318	127	5,0	6	6,5									
SMC	04/08	M	725SP	L	F00,0	320	127	5,0	6	6,5									
SMC	04/08	M	730	L	F00,0	320	127	4,0	6	6,5									
SXC	03/08	M	140 / 140X	L	S	260	-	3,5/3	6	6,5		141 / 141X	L	S	220	110	4,2	6	6,5
SXC	03/08	M	140XF	L	F00,0	260	-	3,0	6	6,5									
SXC	03/08	M	1254XK16	L	KF	*270	-	3,0	6	6,5									
SXC	03/08	M	1254XBHK16	L	KF	*270	-	3,0	6	6,5									
640 c.c.										640 c.c.									
DUKE 2 / DUKE E	98/02	E	725	L	F00,0	320	127	5,0	6	6,5		129 / 129X	R	S	220	110	4,2	6	6,5
DUKE 2 / DUKE E	98/02	E	725X	L	F00,0	318	127	5,0	6	6,5		129 / 129X	R	S	220	110	4,2	6	6,5
DUKE 2 / DUKE E	98/02	E	725SP	L	F00,0	320	127	5,0	6	6,5									
DUKE 2 / DUKE E	98/02	E	730	L	F00,0	320	127	4,0	6	6,5									
DUKE 2	03/08	U	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5		129 / 129X	R	S	220	110	4,2	6	6,5
DUKE 2	03/08	U	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5		129SP	R	S	220	110	4,2	6	6,5
LC4 ADVENTURE	98/00	U	1043	L	S	300	127	4,0	6	6,5		129 / 129X	R	S	220	110	4,2	6	6,5
LC4 ADVENTURE	98/00	U	1043XF	L	F00,0	300	127	5,0	6	6,5		129SP	R	S	220	110	4,2	6	6,5
KTM										KTM									
640 c.c.										640 c.c.									
LC4 ADVENTURE	04/07	E	1043	L	S	300	127	4,0	6	6,5		-	-	-	-	-	-	-	-
LC4 ADVENTURE	04/07	E	1043XF	L	F00,0	300	127	5,0	6	6,5									
LC4 ENDURO	99/07	E	1043	L	S	300	127	4,0	6	6,5		-	-	-	-	-	-	-	-
LC4 ENDURO	99/07	E	1043XF	L	F00,0	300	127	5,0	6	6,5									
LC4 EGS 4T	04/06	E	140 / 140X	L	S	260	-	3,5/3	6	6,5		129 / 129X	R	S	220	110	4,2	6	6,5
LC4 EGS 4T	04/06	E	140XF	L	F00,0	260	-	3,0	6	6,5		129SP	R	S	220	110	4,2	6	6,5



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø
LC4 EGS 4T SM	98/03	F	-	-	-	-	-	-	-	-	141 / 141X	L	S	220	110	4,2	6	6,5
LC4 SMC 4T SUPER MOTO	98/07	F	725	L	F00,0	320	127	5,0	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
LC4 SMC 4T SUPER MOTO	98/07	F	725X	L	F00,0	318	127	5,0	6	6,5								
LC4 SMC 4T SUPER MOTO	98/07	F	725SP	L	F00,0	320	127	5,0	6	6,5								
LC4 SMC 4T SUPER MOTO	98/07	F	730	L	F00,0	320	127	4,0	6	6,5								
660 c.c.																660 c.c.		
RALLY	99/03	U	1043	L	S	300	127	4,0	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
RALLY	99/03	U	1043XF	L	F00,0	300	127	5,0	6	6,5								
LC4 SMC	05/08	M	725	L	F00,0	320	127	5,0	6	6,5	141 / 141X	L	S	220	110	4,2	6	6,5
LC4 SMC	05/08	M	725X	L	F00,0	318	127	5,0	6	6,5								
LC4 SMC	05/08	M	725SP	L	F00,0	320	127	5,0	6	6,5								
LC4 SMC	05/08	M	730	L	F00,0	320	127	4,0	6	6,5								
690 c.c.																690 c.c.		
DUKE II	03/08	N	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	129 / 129X	R	S	220	110	4,2	6	6,5
DUKE II	03/08	N	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
DUKE / ABS / DUKE R	08/12	N	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	1171 / 1171X	R	S	240	107,5	5,0	5	8,5
DUKE / ABS / DUKE R	08/12	N	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
DUKE / ABS / R / ABS	13/17	N	1465G / xxxxXG	L	F00,0	320	52	5,0	5	8,5	1171 / 1171X	R	S	240	107,5	5,0	5	8,5
DUKE / ABS / R / ABS	13/17	N	1465 / 1465X	L	F00,0	320	52	5,0	5	8,5								
DUKE ABS	18	N	xxxxXG / 1465G	L	F00,0	320	52	5,0	5	8,5	1171X / 1171	R	S	240	107,5	5,0	5	8,5
DUKE EJC	12/13	U	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	1171 / 1171X	R	S	240	107,5	5,0	5	8,5
DUKE EJC	12/13	U	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
ENDURO	08/10	E	1043	L	S	300	127	4,0	6	6,5	1172X	R	S	240	111	4,0	6	6,5
ENDURO	08/10	E	1043XF	L	F00,0	300	127	5,0	6	6,5								
ENDURO R	08/13	E	1043	L	S	300	127	4,0	6	6,5	1172X	R	S	240	111	4,0	6	6,5
ENDURO R	08/13	E	1043XF	L	F00,0	300	127	5,0	6	6,5								
ENDURO R ABS	14/17	E	1043XF	L	F00,0	300	127	5,0	6	6,5	1578X / 1578	R	F00,0	240	106,3	5,0	6	6,5
SUPERDUKE	07/08	U	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1171 / 1171X	R	S	240	107,5	5,0	5	8,5
SUPERDUKE	07/08	U	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
SUPERMOTO	07/08	M	725	L	F00,0	320	127	5,0	6	6,5	1172X	R	S	240	111	4,0	6	6,5
SUPERMOTO	07/08	M	725X	L	F00,0	318	127	5,0	6	6,5								
SUPERMOTO	07/08	M	725SP	L	F00,0	320	127	5,0	6	6,5	1337	R	S	240	111	5,0	6	6,5
SUPERMOTO	07/08	M	730	L	F00,0	320	127	4,0	6	6,5								
SM / PRESTIGE	07	U	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	1171 / 1171X	R	S	240	107,5	5,0	5	8,5
SM / PRESTIGE	07	U	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
SM	07/08	F	725	L	F00,0	320	127	5,0	6	6,5	1171 / 1171X	R	S	240	107,5	5,0	5	8,5
SM	07/08	F	725X	L	F00,0	318	127	5,0	6	6,5								
SM	07/08	F	725SP	L	F00,0	320	127	5,0	6	6,5								
SM	07/08	F	730	L	F00,0	320	127	4,0	6	6,5								
SMC	07/14	F	725	L	F00,0	320	127	5,0	6	6,5	1172X	R	S	240	111	4,0	6	6,5
SMC	07/14	F	725X	L	F00,0	318	127	5,0	6	6,5								
SMC	07/14	F	725SP	L	F00,0	320	127	5,0	6	6,5								
SMC	07/14	F	730	L	F00,0	320	127	4,0	6	6,5								
SMC / SMC ABS	15/17	F	725	L	F00,0	320	127	5,0	6	6,5	1578 / 1578X	R	F00,0	240	106,3	5,0	6	6,5
SMC / SMC ABS	15/17	F	725X	L	F00,0	318	127	5,0	6	6,5								
SMC / SMC ABS	15/17	F	725SP	L	F00,0	320	127	5,0	6	6,5								
SMC / SMC ABS	15/17	F	730	L	F00,0	320	127	4,0	6	6,5								
SMC R / SMC R ABS	12/14	F	725	L	F00,0	320	127	5,0	6	6,5	1172X	R	S	240	111	4,0	6	6,5
SMC R / SMC R ABS	12/14	F	725X	L	F00,0	318	127	5,0	6	6,5								
SMC R / SMC R ABS	12/14	F	725SP	L	F00,0	320	127	5,0	6	6,5								
SMC R / SMC R ABS	12/14	F	730	L	F00,0	320	127	4,0	6	6,5								
KTM																KTM		
690 c.c.																690 c.c.		
SMC R / SMC R ABS	15/17	F	725	L	F00,0	320	127	5,0	6	6,5	1578 / 1578X	R	F00,0	240	106,3	5,0	6	6,5
SMC R / SMC R ABS	15/17	F	725X	L	F00,0	318	127	5,0	6	6,5								
SMC R / SMC R ABS	15/17	F	725SP	L	F00,0	320	127	5,0	6	6,5								
SMC R / SMC R ABS	15/17	F	730	L	F00,0	320	127	4,0	6	6,5								
SUPERMOTO	07/10	F	725	L	F00,0	320	127	5,0	6	6,5	1172X	R	S	240	111	4,0	6	6,5
SUPERMOTO	07/10	F	725X	L	F00,0	318	127	5,0	6	6,5								
SUPERMOTO	07/10	F	725SP	L	F00,0	320	127	5,0	6	6,5								



MODEL	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø
SUPERMOTO	07/10	F	730	L	F00,0	320	127	4,0	6	6,5								
SUPERMOTO PRESTIGE	07/08	F	1060X / 1060	L	F10,5	320	64	5,0	6	8,5	1172X	R	S	240	111	4,0	6	6,5
SUPERMOTO PRESTIGE	07/08	F	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5	1337	R	S	240	111	5,0	6	6,5
SUPERMOTO R	07/08	F	1060X / 1060	L	F10,5	320	64	5,0	6	8,5	1172X	R	S	240	111	4,0	6	6,5
SUPERMOTO R	07/08	F	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5	1337	R	S	240	111	5,0	6	6,5
790 c.c.											790 c.c.							
DUKE	18	N	1717G / 1717XG	L/R	FMD	300	52	5,0	5	MH	1171 / 1171X	R	S	240	107,5	5,0	5	8,5
950 c.c.											950 c.c.							
LC8 ADVENTURE	02/07	U	1043	L/R	S	300	127	4,0	6	6,5	1172X	R	S	240	111	4,0	6	6,5
LC8 ADVENTURE	02/07	U	1043XF	L/R	F00,0	300	127	5,0	6	6,5								
LC8 ADVENTURE S	04/06	U	1043	L/R	S	300	127	4,0	6	6,5	1172X	R	S	240	111	4,0	6	6,5
LC8 ADVENTURE S	04/06	U	1043XF	L/R	F00,0	300	127	5,0	6	6,5								
LC8 DUKE	03	F	1060X / 1060	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
LC8 DUKE	03	F	1060XG / 1060G	L/R	F10,5	320	64	5,0	6	8,5								
SUPER ENDURO R	06/08	E	1043	L	S	300	127	4,0	6	6,5	1172X	R	S	240	111	4,0	6	6,5
SUPER ENDURO R	06/08	E	1043XF	L	F00,0	300	127	5,0	6	6,5								
SUPERMOTO	05/07	F	1369	L/R	F10,0	305	64	5,0	6	8,5	1171	R	S	240	107,5	5,0	5	8,5
990 c.c.											990 c.c.							
LC8 ADVENTURE R	02/09	U	1043XF	L/R	F00,0	300	127	5,0	6	6,5	1172X	R	S	240	111	4,0	6	6,5
LC8 ADVENTURE R	10/12	U	1043XF	L/R	F00,0	300	127	5,0	6	6,5	1459	R	S	240	111	5,0	6	6,5
LC8 ADVENTURE S	06/08	U	1043	L/R	S	300	127	4,0	6	6,5	1172X	R	S	240	111	4,0	6	6,5
LC8 ADVENTURE S	06/08	U	1043XF	L/R	F00,0	300	127	5,0	6	6,5								
LC8 SUPERMOTO	07/08	F	-	-	-	-	-	-	-	-	1171 / 1171X	R	S	240	107,5	5,0	5	8,5
SM R	08/14	F	1369	L/R	F10,0	305	64	5,0	6	8,5	1171	R	S	240	107,5	5,0	5	8,5
SM T	09/12	F	1369	L/R	F10,0	305	64	5,0	6	8,5	1171	R	S	240	107,5	5,0	5	8,5
SUPERDUKE / R	05/13	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1171 / 1171X	R	S	240	107,5	5,0	5	8,5
SUPERDUKE / R	05/13	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
SUPERMOTO	07/11	F	1369	L/R	F10,0	305	64	5,0	6	8,5	1171	R	S	240	107,5	5,0	5	8,5
SUPERMOTO R	12/13	F	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1171 / 1171X	R	S	240	107,5	5,0	5	8,5
SUPERMOTO R	12/13	F	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
1050 c.c.											1050 c.c.							
ADVENTURE 1090 ABS	13/18	UVT	1456 / 1456X	L/R	F00,0	320	137	5,0	6	6,5	1457	R	F00,0	267	108,5	5,0	6	6,5
ADVENTURE 1090 R ABS	13/18	UVT	1456 / 1456X	L/R	F00,0	320	137	5,0	6	6,5	1457	R	F00,0	267	108,5	5,0	6	6,5
1190 c.c.											1190 c.c.							
ADVENTURE / R ABS	13/16	UVT	1456 / 1456X	L/R	F00,0	320	137	5,0	6	6,5	1457	R	F00,0	267	108,5	5,0	6	6,5
RC8 / RC8R	07/15	RVT	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	1368	R	S	220	88,9	5,0	5	9,5
RC8 / RC8R	07/15	RVT	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
1290 c.c.											1290 c.c.							
SUPER ADVENTURE	15/16	UVT	1456 / 1456X	L/R	F00,0	320	137	5,0	6	6,5	1457	R	F00,0	267	108,5	5,0	6	6,5
SUPER ADVENTURE	17	UVT	1456 / 1456X	L/R	F00,0	320	137	5,0	6	6,5	1171X	C	S	240	107,5	5,0	5	8,5
SUPER ADVENTURE R ABS	17/18	UVT	1456 / 1456X	L/R	F00,0	320	137	5,0	6	6,5	1457	R	F00,0	267	108,5	5,0	6	6,5
SUPER ADVENTURE R ABS	17/18	UVT	1456 / 1456X	L/R	F00,0	320	137	5,0	6	6,5	1457	R	F00,0	267	108,5	5,0	6	6,5
SUPER ADVENTURE R ABS	17	UVT	1456 / 1456X	L/R	F00,0	320	137	5,0	6	6,5	1457	R	F00,0	267	108,5	5,0	6	6,5
SUPER DUKE GT ABS	16/18	NVT	1565G / 1565XG	L/R	F00,0	320	64	5,0	5	8,5	1571 / 1571X	C	S	240	86	5,0	5	8,5
SUPER DUKE GT ABS	16/18	NVT	1565 / 1565X	L/R	F00,0	320	64	5,0	5	8,5								
SUPER DUKE R ABS	14/18	NVT	1565G / 1565XG	L/R	F00,0	320	64	5,0	5	8,5	1571 / 1571X	C	S	240	86	5,0	5	8,5
SUPER DUKE R ABS	14/18	NVT	1565 / 1565X	L/R	F00,0	320	64	5,0	5	8,5								
SUPER DUKE R S. E. ABS	16/17	NVT	1565XG / 1565G	L/R	F00,0	320	64	5,0	5	8,5	1571X / 1571	C	S	240	86	5,0	5	8,5
SUPER DUKE R S. E. ABS	16/17	NVT	1565X / 1565	L/R	F00,0	320	64	5,0	5	8,5								
KYMCO ELECTRIC											KYMCO ELECTRIC							
CANDY 2.0 EV / 3.0 EV	17	SV	-	R	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-
QUEEN 3.0 EV	17	SV	-	R	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-
50 c.c.											50 c.c.							
AGILITY 2T / 4T 10'	05/14	S	1011X / 1011	L	S	180	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
AGILITY 2T / 4T 12'	06/17	S	1011 / 1011X	L	S	180	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
AGILITY 2T / 4T 16 +	08/17	S	1093 / 1093X	L	S	260	87,5	4,0	5	10,5	Drum	-	-	-	-	-	-	-
AGILITY 4T 10'	06/14	S	1011 / 1011X	L	S	180	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
AGILITY 4T 12 RS NKD	06/17	S	1011 / 1011X	L	S	180	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
AGILITY CARRY 4T	11/13	S	1390 / 1390X	L	S	200	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-



AGILITY CARRY 4T	14/18	S	1011X / 1011	L	S	180	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
AGILITY CITY	08/12	S	1093 / 1093X	L	S	260	87,5	4,0	5	10,5	Drum	-	-	-	-	-	-	-	
AGILITY ONE	08/09	S	1011X / 1011	L	S	180	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
AGILITY RS 2T NAKED	10/18	S	1390X / 1390	L	S	200	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
AGILITY RS 4T	09/17	S	1390X / 1390	L	S	200	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
ACTIV SR	05/06	S	-	R	S	220	-	-	-	-	Drum	-	-	-	-	-	-	-	
BET-WIN	01/02	S	612	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-	
BET-WIN	03/06	S	086 / 086X	R	S	220	58	4,0	5	10,5	Drum	-	-	-	-	-	-	-	
COBRA CROSS / RACER	00/06	S	1011 / 1011X	L	S	180	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
CURIO CX	93	S	108	L	S	160	58	4,0	3	10,5	-	-	-	-	-	-	-	-	
CURIO CX SUPER	94	S	108	L	S	160	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
CURIO CX SUPER	95/98	S	108	L	S	160	58	4,0	3	10,5	-	-	-	-	-	-	-	-	
DINK	97/98	S	086 / 086X	L	S	220	58	4,0	5	10,5	Drum	-	-	-	-	-	-	-	
DINK	99/01	S	1011X / 1011	L	S	180	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
DINK L.C.	99/02	S	1011X / 1011	L	S	180	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
DINK CLASSIC EURO	02/06	S	086 / 086X	R	S	220	58	4,0	5	10,5	Drum	-	-	-	-	-	-	-	
DINK CLASSIC SPORT	02/06	S	086 / 086X	R	S	220	58	4,0	5	10,5	Drum	-	-	-	-	-	-	-	
DJS	12/13	S	1011X / 1011	L	S	180	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
DJW WORLD	95/97	S	108	L	S	160	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
FEVER ZX	99	S	1011X / 1011	L	S	180	58	4,0	3	10,5	-	-	-	-	-	-	-	-	
FILLY / FILLY LX	00/01	S	108	L	S	160	58	4,0	3	10,5	-	-	-	-	-	-	-	-	
G-DINK 2T	04/15	S	086 / 086X	R	S	220	58	4,0	5	10,5	Drum	-	-	-	-	-	-	-	
HEROISM	95/99	S	108	L	S	160	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
JETIX	17	S	-	R	S	260	-	-	-	-	-	-	S	220	-	-	-	-	
K12 SPORT	95/00	S	108	L	S	160	58	4,0	3	10,5	-	-	-	-	-	-	-	-	
KB	95/00	S	108	L	S	160	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
LIKE 2T / LIKE 4T	09/18	S	1345 / xxxxxX	L	S	220	89,5	4,0	5	10,5	Drum	-	-	-	-	-	-	-	
NEXXON	08/09	S	-	R	S	220	-	-	-	-	Drum	-	-	-	-	-	-	-	
PEOPLE	99	S	285	L	S	226	60	3,5	3	9,5	Drum	-	-	-	-	-	-	-	
PEOPLE	00/03	S	158	L	S	226	60	3,5	3	10,5	Drum	-	-	-	-	-	-	-	
PEOPLE S 2T	05/17	S	1093 / 1093X	L	S	260	87,5	4,0	5	10,5	Drum	-	-	-	-	-	-	-	
PEOPLE S 4T	06/15	S	1093 / 1093X	L	S	260	87,5	4,0	5	10,5	Drum	-	-	-	-	-	-	-	
SCOUT	98	S	108	L	S	160	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
SENTO i 4T	08/15	S	-	-	S	160	-	-	-	-	Drum	-	-	-	-	-	-	-	
SNIPER	93	S	108	L	S	160	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
SNIPER	94/98	S	108	L	S	160	58	4,0	3	10,5	183	L	S	160	60	3,5	4	6,5	
SUPER 8 2T / 4T	14/18	S	1432X	L	S	240	126,5	3,5	6	8,5	Drum	-	-	-	-	-	-	-	
SUPER 9	00/07	S	1072	R	S	210	58	4,0	3	10,5	1011 / 1011X	R	S	180	58	4,0	3	10,5	
SUPER 9	00/07	S									1507 / 1507X	R	MD	180	58	4,0	3	MH	
SUPER 9 AC SPORTS	08/09	S	1072	R	S	210	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
TOP BOY	97/06	S	108	L	S	160	58	4,0	3	10,5	-	-	-	-	-	-	-	-	
VISA R	11/15	S	-	-	S	220	-	-	-	-	Drum	-	-	-	-	-	-	-	
VITALITY 2T / 4T	04/17	S	1011X / 1011	L	S	180	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
YAGER	07	S	1011 / 1011X	R	S	180	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
YUP	00/09	S	1011X / 1011	L	S	180	58	4,0	3	10,5	-	-	-	-	-	-	-	-	
ZX SUPER FEVER	99/06	S	1011X / 1011	L	S	180	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
ZX SCOUT	99/06	S	1011X / 1011	L	S	180	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
KYMCO												KYMCO							
90 c.c.												90 c.c.							
YUP	00	S	1011X / 1011	L	S	180	58	4,0	3	10,5	-	-	-	-	-	-	-	-	
100 c.c.												100 c.c.							
KB MANBOY	97/00	S	108	L	S	160	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
110 c.c.												110 c.c.							
VISA R	11/15	S	-	R	S	220	-	-	-	-	Drum	-	-	-	-	-	-	-	
125 c.c.												125 c.c.							
AGILITY MODELS																			
4T 12'	06/17	S	1011X / 1011	L	S	180	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
4T 12'	18	S	-X	L	S	220	89,5	4,0	5	10,5	Drum	-	-	-	-	-	-	-	
16+ 2T	08/17	S	1093 / 1093X	L	S	260	87,5	4,0	5	10,5	240 / 240X	R	S	240	89	5,0	5	10,5	
16+ CBS	17/18	S	1093 / 1093X	L	S	260	87,5	4,0	5	10,5	1238 / 1238X	R	S	240	87,5	3,8	5	10,5	



CARRY	12/17	S	-	L	S	260	-	-	-	-	Drum	-	-	-	-	-	-	
CITY / CITY E4	09/17	S	1093 / 1093X	L	S	260	87,5	4,0	5	10,5	1238 / 1238X	R	S	240	87,5	3,8	5	10,5
RS NAKED	13/15	S	1439	L	S	220	88	3,5	5	8,5	Drum	-	-	-	-	-	-	
RS / NAKED PLUS	09/17	S	1390X / 1390	L	S	200	58	4,0	3	10,5	Drum	-	-	-	-	-	-	
ACTIV SR	17	S	-	R	S	220	-	-	-	-	Drum	-	-	-	-	-	-	
BET-WIN	00/06	S	086 / 086X	R	S	220	58	4,0	5	10,5	095 / 095X	R	S	200	58	4,0	5	10,5
CK1	14/17	N	-	R	S	260	-	-	-	-	Drum	-	-	-	-	-	-	
DINK CLASSIC	02	S	086 / 086X	R	S	220	58	4,0	5	10,5	1011 / 1011X	L	S	180	58	4,0	3	10,5
DINK LX	98/00	S	1011X / 1011	R	S	180	58	4,0	3	10,5	1011X / 1011	L	S	180	58	4,0	3	10,5
DINK / SPACER	97/04	S	1011 / 1011X	L	S	180	58	4,0	3	10,5	1011 / 1011X	L	S	180	58	4,0	3	10,5
DOWNTOWN i / ABS	09/16	S	1222X	R	F00,0	260	58	4,0	5	10,5	1612X	R	S	240	88	5,0	5	10,5
DOWNTOWN i ABS	17/18	S	1222X	R	F00,0	260	58	4,0	5	10,5	1636X	R	S	240	88	5,0	5	10,5
GRAND DINK	01/11	S	086 / 086X	R	S	220	58	4,0	5	10,5	095 / 095X	R	S	200	58	4,0	5	10,5
GRAND DINK i	12/15	S	240X / 240	R	S	240	89	5,0	5	10,5	1346X / 1346	R	S	200	89,5	4,0	5	10,5
GRAND DINK / ABS	16/17	S	1611X	R	S	260	150,5	4,0	6	10,5	1612X	R	S	240	88	5,0	5	10,5
GT i	16	S	1440	R	S	260	125	5,5	5	8,5	1440	R	S	260	125	5,5	5	8,5
GT i	17	S	1602	R	S	260	125	4,5	5	8,5	1602	R	S	260	125	4,5	5	8,5
HEROISM	95	S	108	L	S	160	58	4,0	3	10,5	-	-	-	-	-	-	-	
JETIX	10/17	S	-	R	S	260	-	-	-	-	-	S	220	-	-	-	-	
K-PIPE	12/15	N	-	R	S	276	-	-	-	-	Drum	-	-	-	-	-	-	
K-XCT i	12/17	S	1222X	R	F00,0	260	58	4,0	5	10,5	240X / 240	R	S	240	89	5,0	5	10,5
K-XCT i ABS	12/16	S	1222X	R	F00,0	260	58	4,0	5	10,5	1612X	R	S	240	88	5,0	5	10,5
K-XCT i ABS	17	S	1222X	R	F00,0	260	58	4,0	5	10,5	1636X	R	S	240	88	5,0	5	10,5
KTR	14/15	R	1221	R	F21,7	276	58	4,0	5	6,5	-	-	-	-	-	-	-	
LIKE 2T / 4T CBS	09/17	S	1345 / xxxxX	L	S	220	89,5	4,0	5	10,5	1346	R	S	200	89,5	4,0	5	10,5
MILER	17	S	1651	L	S	226	88	4,0	5	10,5	1545	R	S	200	88	4,0	5	10,5
MOVIE	99/00	S	086 / 086X	L	S	220	58	4,0	5	10,5	Drum	-	-	-	-	-	-	
MOVIE E3	06/07	S	086 / 086X	L	S	220	58	4,0	5	10,5	Drum	-	-	-	-	-	-	
MOVIE S	17	S	-	R	S	-	-	-	-	-	-	S	200	-	-	-	-	
MOVIE XL	01/04	S	086 / 086X	R	S	220	58	4,0	5	10,5	Drum	-	-	-	-	-	-	
NEXXON	17	S	-	R	S	220	-	-	-	-	Drum	-	-	-	-	-	-	
NSR	-	R	1221	R	F21,7	276	58	4,0	5	6,5	-	-	-	-	-	-	-	
PEOPLE	99/00	S	158	L	S	226	60	3,5	3	10,5	Drum	-	-	-	-	-	-	
PEOPLE GTi	10/11	S	1093 / 1093X	R	S	260	87,5	4,0	5	10,5	-	-	-	-	-	-	-	
PEOPLE GTi	12/13	S	1317 / 1317X	R	S	260	125	5,0	5	10,5	1317 / 1317X	R	S	260	125	5,0	5	10,5
PEOPLE GTi / ABS	14/15	S	1440	R	S	260	125	5,5	5	8,5	1440	R	S	260	125	5,5	5	8,5
PEOPLE GTi ABS	16/17	S	1602	R	S	260	125	4,5	5	8,5	1602	R	S	260	125	4,5	5	8,5
PEOPLE ONE i	13/14	S	1651	L	S	226	88	4,0	5	10,5	Drum	-	-	-	-	-	-	
PEOPLE ONE i / CBS	15/18	S	1651	L	S	226	88	4,0	5	10,5	1346 / 1346X	R	S	200	89,5	4,0	5	10,5
PEOPLE S	05/06	S	1093 / 1093X	L	S	260	87,5	4,0	5	10,5	Drum	-	-	-	-	-	-	
PEOPLE S	07/15	S	1093 / 1093X	L	S	260	87,5	4,0	5	10,5	1093 / 1093X	R	S	260	87,5	4,0	5	10,5
PEOPLE S i ABS	17/18	S	1093 / 1093X	L	S	260	87,5	4,0	5	10,5	1238 / 1238X	R	S	240	87,5	3,8	5	10,5
PULSE 4T	17	R	-	L	S	220	-	-	-	-	Drum	-	-	-	-	-	-	
QUANNON	06/11	R	1221	R	F21,7	276	58	4,0	5	6,5	-	-	-	-	-	-	-	
QUANNON NAKED	17	N	-	R	-	276	-	-	-	-	-	R	S	220	-	-	-	-
RS NAKED	13/14	S	1439	L	S	220	88	3,5	5	8,5	Drum	-	-	-	-	-	-	
KYMCO 125 c.c.																		
SENTO i 4T	17	S	-	-	S	160	-	-	-	-	Drum	-	-	-	-	-	-	
SUPER 8 4T	14/17	S	1432X	L	S	240	126,5	3,5	6	8,5	Drum	-	-	-	-	-	-	
SUPER DINK i	09/16	S	1222X	R	F00,0	260	58	4,0	5	10,5	240X / 240	R	S	240	89	5,0	5	10,5
SUPER DINK i ABS	09/16	S	1222X	R	F00,0	260	58	4,0	5	10,5	1612X	R	S	240	88	5,0	5	10,5
SUPER DINK i ABS	17	S	1222X	R	F00,0	260	58	4,0	5	10,5	1636X	R	S	240	88	5,0	5	10,5
VISA R	11/15	S	-	R	S	220	-	-	-	-	Drum	-	-	-	-	-	-	
VIVIO	00/03	S	086 / 086X	L	S	220	58	4,0	5	10,5	Drum	-	-	-	-	-	-	
X-TOWN i ABS / CBS	15/17	S	1611X	R	S	260	150,5	4,0	6	10,5	1612X	R	S	240	88	5,0	5	10,5
YAGER	00	S	1011 / 1011X	R	S	180	58	4,0	3	10,5	1011 / 1011X	L	S	180	58	4,0	3	10,5
YAGER GTi	15/16	S	1238 / 1238X	R	S	240	87,5	3,8	5	10,5	1545	R	S	200	88	4,0	5	10,5
ZING II	15/16	C	-	R	S	276	-	-	-	-	Drum	-	-	-	-	-	-	
150 c.c.																		
AGILITY i 16' / ABS	08/17	S	1093 / 1093X	R	S	260	87,5	4,0	5	10,5	240 / 240X	R	S	240	89	5,0	5	10,5



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø		REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø
AGILITY i + 16'	14/16	S	1093 / 1093X	R	S	260	87,5	4,0	5	10,5		240 / 240X	R	S	240	89	5,0	5	10,5
AGILITY i + 16' / ABS	18	S	1093 / 1093X	R	S	260	87,5	4,0	5	10,5		1238 / 1238X	R	S	240	87,5	3,8	5	10,5
BET-WIN	00/06	S	086 / 086X	R	S	220	58	4,0	5	10,5		095 / 095X	R	S	200	58	4,0	5	10,5
DINK CLASSIC	00/03	S	086 / 086X	R	S	220	58	4,0	5	10,5		095 / 095X	R	S	200	58	4,0	5	10,5
DINK LX	98/00	S	1011X / 1011	R	S	180	58	4,0	3	10,5		1011X / 1011	L	S	180	58	4,0	3	10,5
DINK / SPACER	97/04	S	1011 / 1011X	L	S	180	58	4,0	3	10,5		1011 / 1011X	L	S	180	58	4,0	3	10,5
GRAND DINK	01/04	S	086 / 086X	R	S	220	58	4,0	5	10,5		095 / 095X	R	S	200	58	4,0	5	10,5
HEROISM	94/97	S	108	L	S	160	58	4,0	3	10,5		183	L	S	160	60	3,5	4	6,5
KTR / NSR	-	R	1221	R	F21,7	276	58	4,0	5	6,5		-	-	-	-	-	-	-	-
LIKE 4T	11/17	S	1345 / xxxxX	L	S	220	89,5	4,0	5	10,5		1346	R	S	200	89,5	4,0	5	10,5
MOVIE S	17	S	-	R	S	-	-	-	-	-		-	-	S	200	-	-	-	-
MOVIE XL	01/02	S	086 / 086X	R	S	220	58	4,0	5	10,5		Drum	-	-	-	-	-	-	-
PEOPLE	99/00	S	158	L	S	226	60	3,5	3	10,5		Drum	-	-	-	-	-	-	-
PEOPLE S i ABS	17/18	S	1093 / 1093X	L	S	260	87,5	4,0	5	10,5		1238 / 1238X	R	S	240	87,5	3,8	5	10,5
QUANNON	10/11	R	1221	R	F21,7	276	58	4,0	5	6,5		-	-	-	-	-	-	-	-
VIVIO	00/03	S	086 / 086X	L	S	220	58	4,0	5	10,5		Drum	-	-	-	-	-	-	-
200 c.c.											200 c.c.								
AGILITY CITY i	12	S	1093 / 1093X	L	S	260	87,5	4,0	5	10,5		1238 / 1238X	R	S	240	87,5	3,8	5	10,5
AGILITY 16'	09/16	S	1093 / 1093X	L	S	260	87,5	4,0	5	10,5		240 / 240X	R	S	240	89	5,0	5	10,5
AGILITY 16'+	09/17	S	1093 / 1093X	L	S	260	87,5	4,0	5	10,5		240 / 240X	R	S	240	89	5,0	5	10,5
DINK CLASSIC	03/08	S	086 / 086X	R	S	220	58	4,0	5	10,5		1011X / 1011	R	S	180	58	4,0	3	10,5
DINK i	06/15	S	-	-	-	-	-	-	-	-		095 / 095X	R	S	200	58	4,0	5	10,5
DOWNTOWN i	10/17	S	1222X	R	F00,0	260	58	4,0	5	10,5		240X / 240	R	S	240	89	5,0	5	10,5
LIKE / LIKE i	09/16	S	1345 / xxxxX	L	S	220	89,5	4,0	5	10,5		1346 / 1346X	R	S	200	89,5	4,0	5	10,5
PEOPLE S	05/06	S	1093 / 1093X	R	S	260	87,5	4,0	5	10,5		Drum	-	-	-	-	-	-	-
PEOPLE GT i / S / S i	07/17	S	1093 / 1093X	R	S	260	87,5	4,0	5	10,5		1093 / 1093X	R	S	260	87,5	4,0	5	10,5
PEOPLE S i	07/14	S	1093 / 1093X	R	S	260	87,5	4,0	5	10,5		1093 / 1093X	R	S	260	87,5	4,0	5	10,5
PEOPLE GTi	10/11	S	1093 / 1093X	R	S	260	87,5	4,0	5	10,5		-	-	-	-	-	-	-	-
YAGER i	07/13	S	-	-	-	-	-	-	-	-		095 / 095X	R	S	200	58	4,0	5	10,5
250 c.c.											250 c.c.								
PEOPLE L.C.	03/04	S	1093 / 1093X	L	S	260	87,5	4,0	5	10,5		1093 / 1093X	R	S	260	87,5	4,0	5	10,5
BET-WIN	00/06	S	086 / 086X	R	S	220	58	4,0	5	10,5		095 / 095X	R	S	200	58	4,0	5	10,5
GRAND DINK	01/06	S	086 / 086X	R	S	220	58	4,0	5	10,5		095 / 095X	R	S	200	58	4,0	5	10,5
PEOPLE S i	06/10	S	1093 / 1093X	L/R	S	260	87,5	4,0	5	10,5		1093 / 1093X	R	S	260	87,5	4,0	5	10,5
XCITING / XCITING i	04/08	S	1066 / 1066X	L/R	S	260	105	5,0	5	10,5		1067 / 1067X	R	S	240	125,5	5,0	5	10,5
VENOX	03/08	S	125	L	S	317	144	6,0	6	10,5		Drum	-	-	-	-	-	-	-
VENOX	03/08	S	1073	L	S	316	144	5,0	6	10,5									
VENOX	03/08	S	1429	L	F00,0	318	144	5,0	6	10,5									
YUP	03	S	086 / 086X	R	S	220	58	4,0	5	10,5		095 / 095X	R	S	200	58	4,0	5	10,5
300 c.c.											300 c.c.								
AGILITY MAXI i ABS	14/15	S	1222X	R	F00,0	260	58	4,0	5	10,5		240X / 240	R	S	240	89	5,0	5	10,5
DOWNTOWN i	09/15	S	1222X	R	F00,0	260	58	4,0	5	10,5		240X / 240	R	S	240	89	5,0	5	10,5
DOWNTOWN i ABS	16/18	S	1222X	R	F00,0	260	58	4,0	5	10,5		1612X	R	S	240	88	5,0	5	10,5
GRAND DINK ABS	12/16	S	240X / 240	R	S	240	89	5,0	5	10,5		1346X / 1346	R	S	200	89,5	4,0	5	10,5
KYMCO											KYMCO								
300 c.c.											300 c.c.								
GRAND DINK ABS	17	S	1611X	R	S	260	150,5	4,0	6	10,5		1612X	R	S	240	88	5,0	5	10,5
PEOPLE GTi ABS	14/15	S	1440	R	S	260	125	5,5	5	8,5		1602	R	S	260	125	4,5	5	8,5
PEOPLE GTi ABS	16/17	S	1602	R	S	260	125	4,5	5	8,5		1602	R	S	260	125	4,5	5	8,5
PEOPLE S i	08/10	S	1093 / 1093X	L/R	S	260	87,5	4,0	5	10,5		1093 / 1093X	R	S	260	87,5	4,0	5	10,5
PEOPLE S i	17	S	1317	L	S	260	125	5,0	5	10,5		1317	L	S	260	125	5,0	5	10,5
K-XCT i	13	S	1066X / 1066	R	S	260	105	5,0	5	10,5		1067X / 1067	R	S	240	125,5	5,0	5	10,5
K-XCT i	14/17	S	1222X	R	F00,0	260	58	4,0	5	10,5		240X / 240	R	S	240	89	5,0	5	10,5
K-XCT i ABS	14/15	S	1222X	R	F00,0	260	58	4,0	5	10,5		1612X	R	S	240	88	5,0	5	10,5
SUPER DINK i	09/16	S	1222X	R	F00,0	260	58	4,0	5	10,5		240X / 240	R	S	240	89	5,0	5	10,5
SUPER DINK i ABS	09/16	S	1222X	R	F00,0	260	58	4,0	5	10,5		1612X	R	S	240	88	5,0	5	10,5
SUPER DINK i ABS	17	S	1222X	R	F00,0	260	58	4,0	5	10,5		1636X	R	S	240	88	5,0	5	10,5
XCITING i R	08/11	S	1066X / 1066	L/R	S	260	105	5,0	5	10,5		1067X / 1067	R	S	240	125,5	5,0	5	10,5
X-TOWN i ABS	16/17	S	1222X	R	F00,0	260	58	4,0	5	10,5		1612X	R	S	240	88	5,0	5	10,5
X-TOWN i ABS	18	S	1611X	R	S	260	150,5	4,0	6	10,5		1612X	R	S	240	88	5,0	5	10,5
YAGER GTi	15/17	S	1238 / 1238X	R	S	240	87,5	3,8	5	10,5		1545	R	S	200	88	4,0	5	10,5



350 c.c.															350 c.c.														
DOWNTOWN i ABS	09/16	S	1222X	R	F00,0	260	58	4,0	5	10,5	1612X	R	S	240	88	5,0	5	10,5											
DOWNTOWN i ABS	17	S	1222X	R	F00,0	260	58	4,0	5	10,5	1636X	R	S	240	88	5,0	5	10,5											
SUPER DINK i ABS	17	S	1222X	R	F00,0	260	58	4,0	5	10,5	1636X	R	S	240	88	5,0	5	10,5											
400 c.c.															400 c.c.														
XCITING i / ABS	12/18	S	1547X	L/R	F00,0	280	88	4,0	5	10,5	1067X / 1067	R	S	240	125,5	5,0	5	10,5											
XCITING i S ABS	18	S	1547X	L/R	F00,0	280	88	4,0	5	10,5	1067X / 1067	R	S	240	125,5	5,0	5	10,5											
500 c.c.															500 c.c.														
XCITING	04/09	S	1066 / 1066X	L/R	S	260	105	5,0	5	10,5	1067 / 1067X	R	S	240	125,5	5,0	5	10,5											
XCITING i R ABS	07/13	S	1066X / 1066	L/R	S	260	105	5,0	5	10,5	1067X / 1067	R	S	240	125,5	5,0	5	10,5											
550 c.c.															550 c.c.														
AK ABS	17/18	S	1685X	L/R	F00,0	270	88	4,5	5	10,5	1317X	R	S	260	125	5,0	5	10,5											
C SERIES ABS	17/18	S	-	L/R	F00,0	-	-	-	-	-	-	R	S	-	-	-	-	-											
LAMBRETTA															LAMBRETTA														
125 c.c.															125 c.c.														
LN 4T	11/17	S	-	-	-	190	-	-	-	-	Drum	-	-	-	-	-	-	-											
LAVERDA															LAVERDA														
650 c.c.															650 c.c.														
FORMULA	95/96	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-											
FORMULA	95/96	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-											
FORMULA / SPORT	97/01	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	416	R	S	245	115	6,0	6	8,5											
FORMULA / SPORT	97/01	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-											
GHOST / LEGEND	96/99	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	028	R	S	245	115	4,0	6	8,5											
GHOST / LEGEND	96/99	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-											
SPORT	95/96	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5											
SPORT	95/96	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-											
STRIKE	96/99	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	028	R	S	245	115	4,0	6	8,5											
STRIKE	96/99	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-											
668 c.c.															668 c.c.														
DIAMANTE	96/98	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	028	R	S	245	115	4,0	6	8,5											
DIAMANTE	96/98	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-											
GHOST / LEGEND / STRIKE	96/99	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	028	R	S	245	115	4,0	6	8,5											
GHOST / LEGEND / STRIKE	96/99	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-											
750 c.c.															750 c.c.														
BLACK STRIKE	98/00	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	028	R	S	245	115	4,0	6	8,5											
BLACK STRIKE	98/00	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-											
CARENATA S	98/00	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	028	R	S	245	115	4,0	6	8,5											
CARENATA S	98/00	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-											
DIAMANTE	98/99	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	028	R	S	245	115	4,0	6	8,5											
DIAMANTE	98/99	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-											
FORMULA	98/01	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5											
FORMULA	98/01	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-											
MONO LEGEND	98/00	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	028	R	S	245	115	4,0	6	8,5											
MONO LEGEND	98/00	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-											
LAVERDA															LAVERDA														
750 c.c.															750 c.c.														
S FORMULA / STRIKE	98/01	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5											
S FORMULA / STRIKE	98/01	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-											
SPORT	97/98	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	028	R	S	245	115	4,0	6	8,5											
SPORT	97/98	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-											
STRIKE BIFARO	98/00	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	028	R	S	245	115	4,0	6	8,5											
STRIKE BIFARO	98/00	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-											
SUPER SPORT	99/00	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5											
SUPER SPORT	99/00	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-											
800 c.c.															800 c.c.														
T-8	98	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	028	R	S	245	115	4,0	6	8,5											
T-8	98	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-											
TSS	99	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	028	R	S	245	115	4,0	6	8,5											
TSS	99	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-											
1000 c.c.															1000 c.c.														
SFC	03→	R	-	-	-	-	-	-	-	-	1341	R	S	220	102	5,0	5	8,5											
LEMEV															LEMEV														
ELECTRIC															ELECTRIC														



EV STREAM	16/17	SV	-	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LIFAN										LIFAN									
125 c.c.																			125 c.c.
JD STAR	-	S	1201X	R	S22,0	220	58	4,0	3	8,5	1312X	-	S17,0	190	58	4,0	3	8,5	
150 c.c.																			150 c.c.
LF T-6	-	S	1201X	R	S22,0	220	58	4,0	3	8,5	1312X	-	S17,0	190	58	4,0	3	8,5	
LINHAI										LINHAI									
260 c.c.																			260 c.c.
VOG	-	S	1266X	R	S	243	115	4,0	6	8,5	1393X	R	S	230	116	5,0	3	8,5	
300 c.c.																			300 c.c.
MAINSTREET	-	S	1266X	R	S	243	115	4,0	6	8,5	1393X	R	S	230	116	5,0	3	8,5	
AG ELEGANCE / AG DD	-	S	1266X	R	S	243	115	4,0	6	8,5	-	-	-	-	-	-	-	-	
LML										LML									
125 c.c.																			125 c.c.
STAR 2T	10/15	S	130	R	S	200	97,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-	
STAR 4T LITE	14/17	S	130	R	S	200	97,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-	
STAR AUTOMATIC DELUXE 4T	15/17	S	130	R	S	200	97,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-	
STAR DELUXE 4T	01/17	S	130	R	S	200	97,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-	
STAR STREET POWER	15/17	S	130	R	S	200	97,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-	
STAR VINTAGE POWER	15/17	S	130	R	S	200	97,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-	
150 c.c.																			150 c.c.
STAR 2T / STAR 4T	10/12	S	130	R	S	200	97,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-	
STAR DELUXE	01/03	S	130	R	S	200	97,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-	
STAR 4T	10/12	S	130	R	S	200	97,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-	
200 c.c.																			200 c.c.
STAR 4T / DELUXE 4T	10/17	S	130	R	S	200	97,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-	
MACAL										MACAL									
50 c.c.																			50 c.c.
BIG WARRIOR / THUNDER	95/96	S	007	L	S	190	58	3,5	3	9,5	-	-	-	-	-	-	-	-	
BIG WARRIOR / THUNDER	95/96	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	
FLASH	95/97	S	007	L	S	190	58	3,5	3	9,5	-	-	-	-	-	-	-	-	
FLASH	95/97	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	
TROFEU RVE	96	H	-	-	-	-	-	-	-	-	376	R	S	185	45	4,0	4	8,5	
MACBOR										MACBOR									
50 c.c.																			50 c.c.
XC 510 RACING	06/11	A-M	668	L	S	184	46	3,0	5	6,5	426	R	S	150	45	3,0	5	6,5	
XC 512 PRO	06/11	A-M	668	L	S	184	46	3,0	5	6,5	Drum	-	-	-	-	-	-	-	
XC 515 R6V	06/11	A-M	700	L	S	184	-	3,0	4	6,5	650 / 650X	R	S	150	45	3,0	4	6,5	
XC 515 R6V	06/11	A-M									650SP	R	S	150	45	3,0	4	6,5	
125 c.c.																			125 c.c.
MC1 i	17	N	-	R	S	-	-	-	-	-	-	R	S	-	-	-	-	-	
ROCKSTER i	17	C	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-	
ROCKSTER FLAT	17	C	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-	
MACBOR										MACBOR									
125 c.c.																			125 c.c.
MONTANA XR1 / XR3	17	U	-	L	S	-	-	-	-	-	-	R	S	-	-	-	-	-	
STORMER -R	17	N	-	L	S	-	-	-	-	-	-	R	S	-	-	-	-	-	
SHIFTER-MC1	17	N	-	L	S	-	-	-	-	-	-	R	S	-	-	-	-	-	
MALAGUTI										MALAGUTI									
ELECTRIC										ELECTRIC									
CIAK ELECTRIC POWER	00	S	339	L	S	200	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-	
50 c.c.																			50 c.c.
CENTRO BASE	93/94	S	130	R	S	200	97,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-	
CENTRO SL / CAT	93/00	S	130	R	S	200	97,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-	
CIAK MASTER 2T / 4T	04/08	S	1100	L	S	230	105	4,0	6	6,5	Drum	-	-	-	-	-	-	-	
CIAK MONO E2 / 3	07/08	S	1100	L	S	230	105	4,0	6	6,5	Drum	-	-	-	-	-	-	-	
CIAK TWIN DISC	99/02	S	1100	L	S	230	105	4,0	6	6,5	665	R	S	190	58	4,0	3	12,0	
CROSSER CR1	97/98	S	665	L	S	190	58	4,0	3	12,0	Drum	-	-	-	-	-	-	-	
CROSSER EL	99/00	S	665	L	S	190	58	4,0	3	12,0	Drum	-	-	-	-	-	-	-	
CRW ENDURO	03→	A	193 / 193X	L	S	260	108	3,5	6	6,5	-	-	-	-	-	-	-	-	
DRAKON	05/06	S	024	R	F00,0	280	108	4,0	7	6,5	610	R	S	200	96,5	4,0	5	6,5	
DRAKON	07	S	-	-	-	-	-	-	-	-	042	R	S	220	57	4,0	5	6,5	
F10	92/98	S	ND / NA	L	S	155	30	4,0	5	6,5	Drum	-	-	-	-	-	-	-	
F10 RESTYLING	01/06	S	ND / NA	L	S	155	30	4,0	5	6,5	Drum	-	-	-	-	-	-	-	



F10 AC	08→	S	ND / NA	L	S	155	30	4,0	5	6,5	Drum	-	-	-	-	-	-
F12 DIGIT	00	S	339	L	S	200	58	4,0	3	8,5	665	R	S	190	58	4,0	3 12,0
F12 FOGGY REPLICA	00	S	339	L	S	200	58	4,0	3	8,5	665	R	S	190	58	4,0	3 12,0
F12 PHANTOM	94/97	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-
F12 PHANTOM	94/97	S	1022 / 1022X	L	MD	190	58	3,7	3	MH							
F12 PHANTOM	98→	S	610	L	S	200	96,5	4,0	5	6,5	303	-	S	190	58	4,0	3 8,5
F12 PHANTOM	98→	S									1022 / 1022X	L	MD	190	58	3,7	3 MH
F12 PHANTOM	00	S	339	L	S	200	58	4,0	3	8,5	Drum	-	-	-	-	-	-
F12 PHANTOM L.C.	94/98	S	665	L	S	190	58	4,0	3	12,0	Drum	-	-	-	-	-	-
F12 PHANTOM L.C.	99/00	S	339	L	S	200	58	4,0	3	8,5							
F12 SPECTRUM	00	S	339	L	S	200	58	4,0	3	8,5	665	R	S	190	58	4,0	3 12,0
F12 FIRE FOX TDS	99	S	339	L	S	200	58	4,0	3	8,5	665	R	S	190	58	4,0	3 12,0
F15 FIEREFox	96/97	S	339	L	S	200	58	4,0	3	8,5	303	-	S	190	58	4,0	3 8,5
F15 FIEREFox	96/97	S									1022 / 1022X	L	MD	190	58	3,7	3 MH
F15 FIEREFox	98/05	S	665	L	S	190	58	4,0	3	12,0	665	R	S	190	58	4,0	3 12,0
FIFTY ELLY STAR	89	S	310	R	S	220	105	3,5	6	6,5	Drum	-	-	-	-	-	-
FIFTY EVOLUTION	91	S	310	R	S	220	105	3,5	6	6,5	Drum	-	-	-	-	-	-
FIFTY FULL CX	87	S	310	R	S	220	105	3,5	6	6,5	Drum	-	-	-	-	-	-
FIFTY MISTRAL / TOP	87	S	310	R	S	220	105	3,5	6	6,5	Drum	-	-	-	-	-	-
FIREFOX F15 DT	96/03	S	665	L	S	190	58	4,0	3	12,0	665	R	S	190	58	4,0	3 12,0
PHANTOM F12 KAT L.C.	94/03	S	665	L	S	190	58	4,0	3	12,0	665	R	S	190	58	4,0	3 12,0
PHANTOM F12 R	08/09	S	665	L	S	190	58	4,0	3	12,0	665	R	S	190	58	4,0	3 12,0
PHANTOM LC / KAT	94/03	S	665	L	S	190	58	4,0	3	12,0	665	R	S	190	58	4,0	3 12,0
PHANTOM TD	94/03	S	665	L	S	190	58	4,0	3	12,0	665	R	S	190	58	4,0	3 12,0
RST SPORT	88	H	310	R	S	220	105	3,5	6	6,5	-	-	-	-	-	-	-
X3M ENDURO	07/08	A	837	L	T	240	108	3,5	6	6,5	-	-	-	-	-	-	-
X3 MOTARD EXTREME	07/08	A	614	L	S	259	108	3,5	6	6,5	-	-	-	-	-	-	-
X3 MOTARD EXTREME	07/08	A	828	L	T	260	108	4,0	6	6,5							
XSM SUPERMOTARD	04	A	119	L	S	240	118	3,5	4	6,5	836	R	T	218	62	3,5	3 8,5
XSM SUPERMOTARD	03/06	A	614	L	S	259	108	3,5	6	6,5	836	R	T	218	62	3,5	3 8,5
XSM SUPERMOTARD	07/10	A	1531	L	S	259	108	3,5	6	6,5	836	R	T	218	62	3,5	3 8,5
XTM ENDURO	07/10	A	1539	L	S	240	108	3,5	6	6,5	836	R	T	218	62	3,5	3 8,5
YESTERDAY	98→	S	ND / NA	L	S	155	30	4,0	5	6,5	Drum	-	-	-	-	-	-
100 c.c.																	
CIAM TD	99/01	S	1100	L	S	230	105	4,0	6	6,5	665	R	S	190	58	4,0	3 12,0
PHANTOM F12 TDS	99/03	S	339	L	S	200	58	4,0	3	8,5	665	R	S	190	58	4,0	3 12,0
PHANTOM MAX	99→	S	339	L	S	200	58	4,0	3	8,5	303	R	S	190	58	4,0	3 8,5
PHANTOM MAX	99→	S									1022 / 1022X	L	MD	190	58	3,7	3 MH
MALAGUTI																	
125 c.c.																	
CENTRO i.e	07/10	S	686	L	S	270	90	4,0	6	6,5	043 / 043X	L	S	220	105	4,0	4 10,5
CIAM / CIAM RESTYLING	00/04	S	1100	L	S	230	105	4,0	6	6,5	Drum	-	-	-	-	-	-
CIAM MASTER / E3	04/06	S	1100	L	S	230	105	4,0	6	6,5	Drum	-	-	-	-	-	-
F18 WARRIOR	00/02	S	1098	L	S	220	60	4,0	3	8,5	339	R	S	200	58	4,0	3 8,5
MADISON / MADISON R	99/03	S	717	L	S	220	89,6	4,0	6	6,5	717	R	S	220	89,6	4,0	6 6,5
MADISON 3	06/09	S	1008	L	S	240	105	4,5	5	6,5	1008	R	S	240	105	4,5	5 6,5
PHANTOM MAX	99/06	S	717	L	S	220	89,6	4,0	6	6,5	717	R	S	220	89,6	4,0	6 6,5
150 c.c.																	
CIAM	00/02	S	1100	L	S	230	105	4,0	6	6,5	Drum	-	-	-	-	-	-
CIAM MASTER	03→	S	1100	L	S	230	105	4,0	6	6,5	Drum	-	-	-	-	-	-
CIAM RESTYLING E2	04→	S	1100	L	S	230	105	4,0	6	6,5	Drum	-	-	-	-	-	-
F18 WARRIOR	00/02	S	1098	L	S	220	60	4,0	3	8,5	339	R	S	200	58	4,0	3 8,5
MADISON T	99/03	S	717	L/R	S	220	89,6	4,0	6	6,5	717	R	S	220	89,6	4,0	6 6,5
160 c.c.																	
CENTRO i.e	07/08	S	686	L	S	270	90	4,0	6	6,5	043 / 043X	L	S	220	105	4,0	4 10,5
180 c.c.																	
MADISON R	01/02	S	717	L/R	S	220	89,6	4,0	6	6,5	717	R	S	220	89,6	4,0	6 6,5
200 c.c.																	
CIAMMASTER E2	06→	S	1100	L	S	230	105	4,0	6	6,5	-	-	-	-	-	-	-
MADISON S	03	S	717	L/R	S	220	89,6	4,0	6	6,5	717	R	S	220	89,6	4,0	6 6,5
PHANTOM MAX	04/05	S	717	L	S	220	89,6	4,0	6	6,5	717	R	S	220	89,6	4,0	6 6,5



250 c.c.												250 c.c.											
MADISON 3	06/09	S	707	L	S	240	89,6	4,0	6	6,5		707	L	S	240	89,6	4,0	6	6,5				
MADISON S	99/02	S	707	L	S	240	89,6	4,0	6	6,5		717	R	S	220	89,6	4,0	6	6,5				
MADISON RS	04/05	S	717	L	S	220	89,6	4,0	6	6,5		717	R	S	220	89,6	4,0	6	6,5				
PASSWORD / CK / E3	05/09	S	686	L	S	270	90	4,0	6	6,5		717	R	S	220	89,6	4,0	6	6,5				
350 c.c.												350 c.c.											
PHANTOM MAX	06	S	717	L	S	220	89,6	4,0	6	6,5		717	R	S	220	89,6	4,0	6	6,5				
400 c.c.												400 c.c.											
MADISON	01	S	707	R	S	240	89,6	4,0	6	6,5		707	R	S	240	89,6	4,0	6	6,5				
MADISON K	02/04	S	686	L	S	270	90	4,0	6	6,5		707	R	S	240	89,6	4,0	6	6,5				
MADISON K RESTYLING	02/04	S	686	L	S	270	90	4,0	6	6,5		707	R	S	240	89,6	4,0	6	6,5				
MADISON BLACK RIDER	02	S	686	L	S	270	90	4,0	6	6,5		707	R	S	240	89,6	4,0	6	6,5				
500 c.c.												500 c.c.											
SPIDERMAX GT / RS	05/08	S	686	L/R	S	270	90	4,0	6	6,5		1087	L	S	260	120	4,0	6	6,5				
MASH												MASH											
50 c.c.												50 c.c.											
BIBOP / BIBOP RACING	14/15	S	107 / xxxX	L	S	190	58	4,0	3	10,5		Drum	-	-	-	-	-	-	-	-	-	-	
BIBOP / BIBOP RACING	14/15	S	1022 / 1022X	L	MD	190	58	3,7	3	MH													
BIBOP / BIBOP RACING	14/15	S	1300X	L	FO	*220	58	3,5	3	10,5													
125 c.c.												125 c.c.											
BLACK SEVEN	16/17	D	-	R	S	300	-	-	-	-		-	R	-	220	-	-	-	-	-	-	-	
BLACK SEVENTY FIVE	16/17	D	-	L	S	300	-	-	-	-		-	R	-	220	-	-	-	-	-	-	-	
CAFÉ RACER	16/17	C	-	L	S	300	-	-	-	-		-	-	-	220	-	-	-	-	-	-	-	
SIXTY FIVE	13/15	S	107 / xxxX	L	S	190	58	4,0	3	10,5		Drum	-	-	-	-	-	-	-	-	-	-	
SIXTY FIVE	13/15	S	1022 / 1022X	L	MD	190	58	3,7	3	MH													
SIXTY FIVE	13/15	S	1300X	L	FO	*220	58	3,5	3	10,5													
MBK												MBK											
50 c.c.												50 c.c.											
BOOSTER MODELS																							
BOOSTER	97	S	393	L	S	180	48	3,5	4	10,5		Drum	-	-	-	-	-	-	-	-	-	-	
NAKED	95/03	S	1022 / 1022X	L	MD	190	58	3,7	3	MH		-	-	-	-	-	-	-	-	-	-	-	
NAKED 10´	04/16	S	393	L	S	180	48	3,5	4	10,5		Drum	-	-	-	-	-	-	-	-	-	-	
NAKED 12´	08/12	S	1187	L	S	190	48	3,5	4	10,5		Drum	-	-	-	-	-	-	-	-	-	-	
NAKED 13´	13/17	S	107 / xxxX	L	S	190	58	4,0	3	10,5		Drum	-	-	-	-	-	-	-	-	-	-	
NAKED 13´	13/17	S	1022 / 1022X	L	MD	190	58	3,7	3	MH													
NAKED 13´	13/17	S	1300X	L	FO	*220	58	3,5	3	10,5													
NEXT GENERATION	96/97	S	1187	L	S	190	48	3,5	4	10,5		Drum	-	-	-	-	-	-	-	-	-	-	
MBK												MBK											
50 c.c.												50 c.c.											
BOOSTER MODELS																							
NEXT GENERATION	01/04	S	107 / xxxX	L	S	190	58	4,0	3	10,5		Drum	-	-	-	-	-	-	-	-	-	-	
NEXT GENERATION	01/04	S	1022 / 1022X	L	MD	190	58	3,7	3	MH													
NEXT GENERATION	01/04	S	1300X	L	FO	*220	58	3,5	3	10,5													
ROAD / SPIRIT	93/99	S	406	L	S	155	40,6	3,8	3	10,5		Drum	-	-	-	-	-	-	-	-	-	-	
ROAD / SPIRIT	93/99	S	727	L	SO	*180	40,6	3,5	3	10,5													
ROCKET	96	S	393	L	S	180	48	3,5	4	10,5		Drum	-	-	-	-	-	-	-	-	-	-	
ROCKET	96/99	S	1187	L	S	190	48	3,5	4	10,5		Drum	-	-	-	-	-	-	-	-	-	-	
ROCKET / TRACK	99/02	S	1022 / 1022X	L	MD	190	58	3,7	3	MH		Drum	-	-	-	-	-	-	-	-	-	-	
TRACK	96	S	393	L	S	180	48	3,5	4	10,5		Drum	-	-	-	-	-	-	-	-	-	-	
TRACK	97/98	S	1187	L	S	190	48	3,5	4	10,5		Drum	-	-	-	-	-	-	-	-	-	-	
CR Z TARGET	91/95	S	406	L	S	155	40,6	3,8	3	10,5		Drum	-	-	-	-	-	-	-	-	-	-	
CR Z TARGET	91/95	S	727	L	SO	*180	40,6	3,5	3	10,5													
CS MACH G A.C.	02/10	S	1022 / 1022X	L	MD	190	58	3,7	3	MH		Drum	-	-	-	-	-	-	-	-	-	-	
CS MACH G L.C.	99/10	S	1022 / 1022X	L	MD	190	58	3,7	3	MH		Drum	-	-	-	-	-	-	-	-	-	-	
CW MODELS																							
BOOSTER	01→	S	406	L	S	155	40,6	3,8	3	10,5		Drum	-	-	-	-	-	-	-	-	-	-	
BOOSTER	01→	S	727	L	SO	*180	40,6	3,5	3	10,5													
BOOSTER 10´	09/10	S	393	L	S	180	48	3,5	4	10,5		Drum	-	-	-	-	-	-	-	-	-	-	
BOOSTER 12´	01/10	S	393	L	S	180	48	3,5	4	10,5		Drum	-	-	-	-	-	-	-	-	-	-	
BOOSTER NG	95/98	S	107 / xxxX	L	S	190	58	4,0	3	10,5		Drum	-	-	-	-	-	-	-	-	-	-	
BOOSTER NG	95/98	S	1022 / 1022X	L	MD	190	58	3,7	3	MH													

NG Brake Disc										FRONT										REAR									
YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø												
BOOSTER NG	95/98	S			1300X	L	FO	*220	58	3,5	3	10,5																	
BOOSTER NG	99	S			303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-												
BOOSTER NG	99	S			1022 / 1022X	L	MD	190	58	3,7	3	MH																	
BOOSTER SPIRIT	96/98	S			406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-												
BOOSTER SPIRIT	96/98	S			727	L	SO	*180	40,6	3,5	3	10,5																	
BOOSTER SPIRIT	99/16	S			393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-												
BOOSTER L	01	S			393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-												
POWER ROCKET	06	S			393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-												
BOOSTER R ROAD	94/95	S			406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-												
BOOSTER R ROAD	94/95	S			727	L	SO	*180	40,6	3,5	3	10,5																	
BOOSTER RS NAKED	05/06	S			393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-												
BOOSTER RS N. G.	95/98	S			393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-												
BOOSTER RS N. G.	01/06	S			107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-												
BOOSTER RS N. G.	01/06	S			1022 / 1022X	L	MD	190	58	3,7	3	MH																	
BOOSTER RS N. G.	01/06	S			1300X	L	FO	*220	58	3,5	3	10,5																	
BOOSTER RS ROCKET	96/98	S			393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-												
BOOSTER RSX TRACK	96/98	S			393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-												
EVOLIS YE	92/95	S			406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-												
EVOLIS YE	92/95	S			727	L	SO	*180	40,6	3,5	3	10,5																	
F1 ASSISTANCE	01	S			107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-												
F1 ASSISTANCE	01	S			1022 / 1022X	L	MD	190	58	3,7	3	MH																	
F1 ASSISTANCE	01	S			1300X	L	FO	*220	58	3,5	3	10,5																	
FIZZ YM	94/95	S			406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-												
FIZZ YM	94/95	S			727	L	SO	*180	40,6	3,5	3	10,5																	
FLIPPER KAT	98/03	S			084	L	S	220	88	4,0	3	8,5	Drum	-	-	-	-												
MATCH G	02/03	S			023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-												
MATCH G	02/03	S			1022 / 1022X	L	MD	190	58	3,7	3	MH																	
NEW GENERATION	95	S			1187	L	S	190	48	3,5	4	10,5	Drum	-	-	-	-												
NITRO / NITRO NKD YQ	97/10	S			107 / xxxX	L	S	190	58	4,0	3	10,5	107 / xxxX	L	S	190	58												
NITRO / NITRO NKD YQ	97/10	S			1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58												
NITRO / NITRO NKD YQ	97/10	S			1300X	L	FO	*220	58	3,5	3	10,5																	
NITRO E2	03	S			107 / xxxX	L	S	190	58	4,0	3	10,5	107 / xxxX	L	S	190	58												
NITRO E2	03	S			1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58												
NITRO E2	03	S			1300X	L	FO	*220	58	3,5	3	10,5																	
MBK 50 c.c.										MBK 50 c.c.																			
NITRO F1 ASSISTANCE	01	S			107 / xxxX	L	S	190	58	4,0	3	10,5	107 / xxxX	L	S	190	58												
NITRO F1 ASSISTANCE	01	S			1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58												
NITRO F1 ASSISTANCE	01	S			1300X	L	FO	*220	58	3,5	3	10,5																	
NITRO JAGUAR RACING	04	S			107 / xxxX	L	S	190	58	4,0	3	10,5	107 / xxxX	L	S	190	58												
NITRO JAGUAR RACING	04	S			1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58												
NITRO JAGUAR RACING	04	S			1300X	L	FO	*220	58	3,5	3	10,5																	
OVETTO	97/10	S			023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-												
OVETTO	97/10	S			1022 / 1022X	L	MD	190	58	3,7	3	MH																	
SLIDER	-	S			107 / xxxX	L	S	190	58	4,0	3	10,5	-	-	-	-	-												
SLIDER	-	S			1022 / 1022X	L	MD	190	58	3,7	3	MH																	
SLIDER	-	S			1300X	L	FO	*220	58	3,5	3	10,5																	
STUNT / STUNT NAKED EW	00/10	S			107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-												
STUNT / STUNT NAKED EW	00/10	S			1022 / 1022X	L	MD	190	58	3,7	3	MH																	
STUNT / STUNT NAKED EW	00/10	S			1300X	L	FO	*220	58	3,5	3	10,5																	
TARGET	92/94	S			406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-												
TARGET	92/94	S			727	L	SO	*180	40,6	3,5	3	10,5																	
TRACK	95	S			1187	L	S	190	48	3,5	4	10,5	Drum	-	-	-	-												
X LIMIT	00/02	A			274	L	S	230	112	4,5	6	6,5	Drum	-	-	-	-												
X LIMIT LIMIT ENDURO	03/05	A			837	L	T	240	108	3,5	6	6,5	836	R	T	218	62												
X LIMIT SM	03	A			614	L	S	259	108	3,5	6	6,5	836	R	T	218	62												
X LIMIT SM	03	A			828	L	T	260	108	4,0	6	6,5																	
X POWER	00/01	S			401	R	S	282	132	4,0	6	8,5	388	R	S	203	84												
X POWER	03/05	S			289	L	S	280	155	4,0	5	6,5	609	R	S	220	102												



YA R FORTE	94/97	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	
YA R FORTE	94/97	S	727	L	SO	*180	40,6	3,5	3	10,5								
80 c.c.										80 c.c.								
EVOLIS	94/97	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	
EVOLIS	94/97	S	727	L	SO	*180	40,6	3,5	3	10,5								
100 c.c.										100 c.c.								
NITRO YQ	99/03	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	
NITRO YQ	99/03	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
NITRO YQ	99/03	S	1300X	L	FO	*220	58	3,5	3	10,5								
OVETTO	99/02	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	
OVETTO	99/02	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
BOOSTER	99/02	S	393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-	-	-	
YW BOOSTER	99/01	S	1148	L	S10,0	180	48	4,0	3	8,5	Drum	-	-	-	-	-	-	
114 c.c.										114 c.c.								
FLIPPER	15/16	s	1548	R	S	180	48	4,0	3	8,5	Drum	-	-	-	-	-	-	
125 c.c.										125 c.c.								
DOODO	00/02	S	716	L	S	220	54	4,5	4	8,5	Drum	-	-	-	-	-	-	
SKYCRUISER	06/10	S	1634	R	S	267	132	5,0	5	8,5	1124	R	S	240	92	5,0	4	8,5
SKYCRUISER ABS	11	S	1634	R	S	267	132	5,0	5	8,5	1124	R	S	240	92	5,0	4	8,5
SKYLINER DT	98/00	S	716	L	S	220	54	4,5	4	8,5	Drum	-	-	-	-	-	-	
SKYLINER DD	99/03	S	716	L	S	220	54	4,5	4	8,5	658	R	S	190	63	5,0	3	8,5
THUNDER	01	S	1099	L	S	245	80	4,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
WAAP	08/11	S	406	R	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	
WAAP	08/11	S	727	R	SO	*180	40,6	3,5	3	10,5								
WAAP	12/13	S	1548	R	S	180	48	4,0	3	8,5	Drum	-	-	-	-	-	-	
XC FLAME R	96/99	S	1148	L	S10,0	180	48	4,0	3	8,5	Drum	-	-	-	-	-	-	
150 c.c.										150 c.c.								
DOODO	00/02	S	716	L	S	220	54	4,5	4	8,5	Drum	-	-	-	-	-	-	
SKYLINER	98/10	S	716	L	S	220	54	4,5	4	8,5	Drum	-	-	-	-	-	-	
SKYLINER R	01	S	716	L	S	220	54	4,5	4	8,5	658	R	S	190	63	5,0	3	8,5
THUNDER	01	S	1099	L	S	245	80	4,0	6	8,5	1341	R	S	220	102	5,0	5	8,5
YP SKYLINER	00/01	S	716	L	S	220	54	4,5	4	8,5	Drum	-	-	-	-	-	-	
YP SKYLINER	01/02	S	716	L	S	220	54	4,5	4	8,5	658	R	S	190	63	5,0	3	8,5
180 c.c.										180 c.c.								
YP E SKYLINER	03	S	716	L	S	220	54	4,5	4	8,5	658	R	S	190	63	5,0	3	8,5
MBK										MBK								
250 c.c.										250 c.c.								
YP SKYLINER	00/03	S	028	R	S	245	115	4,0	6	8,5	689	R	S	230	116	5,0	3	8,5
300 c.c.										300 c.c.								
KILIBRE	03/06	S	1359	R	S	270	129	5,0	5	8,5	1124	R	S	240	92	5,0	4	8,5
400 c.c.										400 c.c.								
SKYLINER	04	S	1634	L	S	267	132	5,0	5	8,5	1054	R	S	267	132	5,0	3	8,5
MECATECNO										MECATECNO								
ELECTRIC										ELECTRIC								
T8	17/18	TV	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	
T12 / X12	17/18	TV	-	L	S	-	-	-	-	-	-	L	S	-	-	-	-	
T14 / R14	17/18	TV	-	L	S	180	-	-	-	-	-	R	S	150	-	-	-	
50 c.c.										50 c.c.								
SCHOOL BOY	-	A-U	035	L	S	185	103	3,5	-	-	-	-	-	-	-	-	-	
SCHOOL BOY	-	A-U	332	L	S	185	103	3,5	-	-								
MEGELLI										MEGELLI								
125 c.c.										125 c.c.								
R	05/09	R	801	L	T	300	90	4,0	6	6,5	802	R	T	180	57	4,0	6	6,5
R	05/09	R	1103	L	F00,0	300	90	4,0	6	6,5								
R	05/09	R	1068	L	F00,0	300	90	4,0	6	6,5								
MH MOTOR HISPANIA										MH MOTOR HISPANIA								
50 c.c.										50 c.c.								
CITY	03	H	728	L	S	260	90	3,5	6	6,5	729	R	S	200	57	3,5	6	6,5
FURIA	96	A	336	L	S	220	108	3,5	6	6,5	020	R	S	180	60	3,5	6	6,5
FURIA	97/01	A	336	L	S	220	108	3,5	6	6,5	077	R	S	180	103	3,5	-	-
FURIA	02	A	080	L	S	220	108	3,5	6	6,5	098	R	S	180	62	3,5	3	10,5
FURIA / FURIA E1	02/05	A	152	L	S	240	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5
FURIA / FURIA E1	02/05	A									089X	R	S	180	62	3,8	3	10,5

NG Brake Disc		YEAR	MODEL TYPE	FRONT REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø	REAR REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø
FURIA MAX	05	A	-	-	-	-	-	-	-	-	-	079	R	S	180	62	3,5	3	10,5
FURIA MAX	06	A	-	-	-	-	-	-	-	-	-	8025	R	T	180	58	3,5	6	6,5
FURIA MAX / SUPERMOTARD	07/08	A	152	L	S	240	108	3,5	6	6,5		351	R	S	180	62	3,5	3	10,5
FURIA MAX / SUPERMOTARD	07/08	A										089X	R	S	180	62	3,8	3	10,5
FURIA MAX	09/11	A	8024	L	T	240	90	3,5	6	6,5		-	-	-	-	-	-	-	-
FURIA SUPERMOTARD	97/01	A	336	L	S	220	108	3,5	6	6,5		077	R	S	180	103	3,5	-	-
FURIA SUPERMOTARD	02	A	080	L	S	220	108	3,5	6	6,5		098	R	S	180	62	3,5	3	10,5
FURIA SM INTEGRAL WHEEL	05	A	728	L	S	260	90	3,5	6	6,5		729	R	S	200	57	3,5	6	6,5
FURIA SM SPOKE WHEEL	03/05	A	152	L	S	240	108	3,5	6	6,5		351	R	S	180	62	3,5	3	10,5
FURIA SM SPOKE WHEEL	03/05	A										089X	R	S	180	62	3,8	3	10,5
KN2 L.C.	12/13	H	8023	L	T	300	90	4,0	6	6,5		8022	R	T	220	57	4,0	6	6,5
KN2 L.C.	12/13	H										343	R	S	220	57	3,5	6	6,5
KR CROSS	95	A	336	L	S	220	108	3,5	6	6,5		020	R	S	180	60	3,5	6	6,5
MH10 L.C.	12/13	A	8019	L	T	280	108	4,0	6	6,5		213	R	S	220	62	3,5	3	10,5
MH10 L.C.	12/13	A	1327	L	S	280	108	4,0	6	7,0									
MH10 L.C. SUPER MOTARD	12/13	A	8019	L	T	280	108	4,0	6	6,5		8022	R	T	220	57	4,0	6	6,5
MH10 L.C. SUPER MOTARD	12/13	A	1327	L	S	280	108	4,0	6	7,0		343	R	S	220	57	3,5	6	6,5
ROLLING BULL	97	A	116	L	S	220	-	3,5	6	15,5		117	R	S	185	-	3,5	6	15,5
RX R	07/13	H	8023	L	T	300	90	4,0	6	6,5		8022	R	T	220	57	4,0	6	6,5
RX R	07/13	H										343	R	S	220	57	3,5	6	6,5
RX SUPER RACING	00/06	H	342 / xxxX	L	S	260	90	3,5	6	6,5		343	R	S	220	57	3,5	6	6,5
RX SUPER RACING	00/06	H										8022	R	T	220	57	4,0	6	6,5
RYZ ENDURO	05/13	A	152	L	S	240	108	3,5	6	6,5		115	R	S	200	62	3,5	3	10,5
RYZ PRO ENDURO	12/13	A	8019	L	T	280	108	4,0	6	6,5		916	R	T	200	58	4,0	6	6,5
RYZ PRO ENDURO	12/13	A	1327	L	S	280	108	4,0	6	7,0									
RYZ PRO RACING	06	A	342 / xxxX	L	S	260	90	3,5	6	6,5		343	R	S	220	57	3,5	6	6,5
RYZ PRO RACING	06	A										8022	R	T	220	57	4,0	6	6,5
RYZ SUPERMOTARD	05/13	A	275	L	S	260	108	3,5	6	6,5		115	R	S	200	62	3,5	3	10,5
RYZ URBAN BIKE	06	A	342 / xxxX	L	S	260	90	3,5	6	6,5		729	R	S	200	57	3,5	6	6,5
RYZ URBAN BIKE	07/08	A	8019	L	T	280	108	4,0	6	6,5		8022	R	T	220	57	4,0	6	6,5
RYZ URBAN BIKE	07/08	A	1327	L	S	280	108	4,0	6	7,0		343	R	S	220	57	3,5	6	6,5
MH MOTOR HISPANIA																			
50 c.c.										50 c.c.									
RYZ PRO RACING	07/08	A	8019	L	T	280	108	4,0	6	6,5		8022	R	T	220	57	4,0	6	6,5
RYZ PRO RACING	07/08	A	1327	L	S	280	108	4,0	6	7,0		343	R	S	220	57	3,5	6	6,5
RYZ PRO SUPER MOTARD	12/13	A	8019	L	T	280	108	4,0	6	6,5		916	R	T	200	58	4,0	6	6,5
RYZ PRO SUPER MOTARD	12/13	A	1327	L	S	280	108	4,0	6	7,0									
SPORT 6	99	H	342 / xxxX	L	S	260	90	3,5	6	6,5		343	R	S	220	57	3,5	6	6,5
SPORT 6	99	H										8022	R	T	220	57	4,0	6	6,5
XP6	06	A	-	-	-	-	-	-	-	-	-	8025	R	T	180	58	3,5	6	6,5
XP6 P UP	10/11	A	8024	L	T	240	90	3,5	6	6,5		-	-	-	-	-	-	-	-
XP7 / YR11	11	A	8024	L	T	240	90	3,5	6	6,5		916	R	T	200	58	4,0	6	6,5
XPS TRACK	06/07	A	152	L	S	240	108	3,5	6	6,5		115	R	S	200	62	3,5	3	10,5
125 c.c.										125 c.c.									
ARENA ENDURO	05	E	152	L	S	240	108	3,5	6	6,5		115	R	S	200	62	3,5	3	10,5
ARENA SUPERMOTO	05	F	275	L	S	260	108	3,5	6	6,5		115	R	S	200	62	3,5	3	10,5
DUNA	12/13	E	152	L	S	240	108	3,5	6	6,5		115	R	S	200	62	3,5	3	10,5
DUNA HARD ROAD ECO	10	E	152	L	S	240	108	3,5	6	6,5		115	R	S	200	62	3,5	3	10,5
DUNA REVOLUTION	07/09	E	728	L	S	260	90	3,5	6	6,5		8022	R	T	220	57	4,0	6	6,5
DUNA REVOLUTION	07/09	E										343	R	S	220	57	3,5	6	6,5
DUNA REVOLUTION	12/13	E	275	L	S	260	108	3,5	6	6,5		115	R	S	200	62	3,5	3	10,5
DUNA REVOL. DUAL PLUS	08	E	275	L	S	260	108	3,5	6	6,5		115	R	S	200	62	3,5	3	10,5
DUNA REVOL. SUPER CITY	08	E	275	L	S	260	108	3,5	6	6,5		115	R	S	200	62	3,5	3	10,5
KN2 LC / MH7 L.C.	12/13	R	8023	L	T	300	90	4,0	6	6,5		8022	R	T	220	57	4,0	6	6,5
KN2 LC / MH7 L.C.	12/13	R										343	R	S	220	57	3,5	6	6,5
MH7 NAKED	07/13	R	8023	L	T	300	90	4,0	6	6,5		8022	R	T	220	57	4,0	6	6,5
MH7 NAKED	07/13	R										343	R	S	220	57	3,5	6	6,5
MH10 PRO L.C. ENDURO	12/13	E	8019	L	T	280	108	4,0	6	6,5		213	R	S	220	62	3,5	3	10,5
MH10 PRO L.C. ENDURO	12/13	E	1327	L	S	280	108	4,0	6	7,0									

																																			
YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø																		
MH10 PRO L.C. SM	12/13	F	8023	L	T	300	90	4,0	6	6,5	8022	R	T	220	57	4,0	6	6,5																	
MH10 PRO L.C. SM	12/13	F									343	R	S	220	57	3,5	6	6,5																	
NK3	16/17	N	-	L	S	-	-	-	-	-	-	-	S	-	-	-	-	-																	
NKZ	17	N	-	L	S	-	-	-	-	-	-	R	S	-	-	-	-	-																	
RANGER L.C.	16/17	U	-	L	S	280	-	-	-	-	-	R	S	210	-	-	-	-																	
RX R	07/13	R	8023	L	T	300	90	4,0	6	6,5	8022	R	T	220	57	4,0	6	6,5																	
RX R	07/13	R									343	R	S	220	57	3,5	6	6,5																	
RYZ	02	R	275	L	S	260	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5																	
RYZ PRO RACING	07/08	R	729	L	S	200	57	3,5	6	6,5	213	R	S	220	62	3,5	3	10,5																	
STREET / EVOLUTION	15/17	C	-	L	S	240	-	-	-	-	Drum	-	-	-	-	-	-	-																	
250 c.c.												250 c.c.																							
MH7 L.C.	12/13	R	8023	L	T	300	90	4,0	6	6,5	8022	R	T	220	57	4,0	6	6,5																	
MH7 L.C.	12/13	R									343	R	S	220	57	3,5	6	6,5																	
MONDIAL												MONDIAL																							
50 c.c.												50 c.c.																							
XR7	99	H	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-																	
XR7	99	H	1022 / 1022X	L	MD	190	58	3,7	3	MH																									
125 c.c.												125 c.c.																							
HPS	17	N	-	L	S	300	-	-	-	-	-	R	S	218	-	-	-	-																	
SMH ENDURO / MOTARD	17	E	-	L	S	-	-	-	-	-	-	R	S	-	-	-	-	-																	
999 c.c.												999 c.c.																							
PIEGA / EVO / NUDA	03→	R	-	-	-	-	-	-	-	-	1341	R	S	220	102	5,0	5	8,5																	
PIEGA NUDA	04→	R	-	-	-	-	-	-	-	-	1341	R	S	220	102	5,0	5	8,5																	
PIEGA RZ NUDA	02→	R	-	-	-	-	-	-	-	-	1341	R	S	220	102	5,0	5	8,5																	
RZ STARFIGHTER	02→	R	-	-	-	-	-	-	-	-	1341	R	S	220	102	5,0	5	8,5																	
1000 c.c.												1000 c.c.																							
EVO / NUDA / PIEGA	03→	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-																	
EVO / NUDA / PIEGA	03→	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5																									
MONSTER PRO												MONSTER PRO																							
150 / 160 c.c.												150 / 160 c.c.																							
150	-	C	1307X	-	S	220	76	4,0	4	11,5	1308X	-	S	190	76	4,0	4	8,5																	
160	-	C	1307X	-	S	220	76	4,0	4	11,5	1308X	-	S	190	76	4,0	4	8,5																	
MONTESA												MONTESA																							
- C.C.												- C.C.																							
COTA	87	T	-	L	S	-	-	-	-	-	248	L	S	175	60	4,0	6	6,5																	
250 c.c.												250 c.c.																							
COTA 4RT	05/15	T	627 / 627X	L	S	184	-	3,5	4	18,5	607	R	S	150	46	2,5	4	6,5																	
COTA EVASIÓN	95/96	T	062	L	S	185	72	4,0	6	15,5	061	R	S	185	45	3,5	5	6,5																	
260 c.c.												260 c.c.																							
4 RIDE	16/18	U	627X	L	S	184	-	3,5	4	18,5	ND / NA	R	S	183	45	3,5	4	6,5																	
COTA 4RT	07/18	T	627 / 627X	L	S	184	-	3,5	4	18,5	905	R	S	150	45	2,5	4	6,5																	
COTA 4RT	07/18	T									1570X	R	FIM	150	45	3,0	4	6,5																	
COTA 4RT RACE REPLICA	07/18	T	627 / 627X	L	S	184	-	3,5	4	18,5	905	R	S	150	45	2,5	4	6,5																	
COTA 4RT RACE REPLICA	07/18	T									1570X	R	FIM	150	45	3,0	4	6,5																	
288 c.c.												288 c.c.																							
COTA 300 RR	15/18	T	627 / 627X	L	S	184	-	3,5	4	18,5	905	R	S	150	45	2,5	4	6,5																	
COTA 300 RR	15/18	T									1570X	R	FIM	150	45	3,0	4	6,5																	
COTA 300 RR SP2	18	T	627X	L	S	184	-	3,5	4	18,5	1570X	R	FIM	150	45	3,0	4	6,5																	
307 / 310 / 311 / 315 c.c.												307 / 310 / 311 / 315 c.c.																							
COTA	87	T	247	L	S	185	60	4,0	6	14,5	242	R	S	175	45	4,0	6	6,5																	
COTA	88	T	-	-	-	-	-	-	-	-	245	-	S	150	45	4,0	6	6,5																	
COTA	89	T	-	-	-	-	-	-	-	-	244	-	S	150	45	4,0	5	6,5																	
COTA	90	T	246	L	S	185	45	4,0	5	6,5	252	-	S	150	45	3,5	5	6,5																	
COTA	90/91	T	062	L	S	185	72	4,0	6	15,5	062	R	S	185	72	4,0	6	15,5																	
COTA	95/96	T	062	L	S	185	72	4,0	6	15,5	063	R	S	150	45	3,0	5	6,5																	
COTA	92	T	-	-	-	-	-	-	-	-	252	R	S	150	45	3,5	5	6,5																	
COTA	95/96	T	062	L	S	185	72	4,0	6	15,5	063	R	S	150	45	3,0	5	6,5																	
COTA	95/96	T	062	L	S	185	72	4,0	6	15,5	063	R	S	150	45	3,0	5	6,5																	
COTA	97/00	T	260	L	S	185	72	4,0	6	15,8	261	R	S	150	46	3,0	5	10,5																	
COTA	00/03	T	355	L	S	184	72	4,0	6	15,5	356	R	S	150	46	3,0	5	10,5																	
COTA	04	T	627 / 627X	L	S	184	-	3,5	4	18,5	607	R	S	150	46	2,5	4	6,5																	
335 c.c.												335 c.c.																							
COTA	86/87	T	-	-	-	-	-	-	-	-	242	R	S	175	45	4,0	6	6,5																	



360 c.c.											360 c.c.									
ENDURO H7	83/84	E	099	L	S	220	57	4,0	6	6,5	Drum	-	-	-	-	-	-	-	-	
MOTO GUZZI											MOTO GUZZI									
750 c.c.											750 c.c.									
BREVA i.e. / CLASSIC	03/07	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	
BREVA i.e. / CLASSIC	03/07	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	
NEVADA	03/13	CVT	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	
NEVADA	03/13	CVT	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	
STR V i.e.	03	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	
STR V i.e.	03	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	
V7 / STONE / SPECIAL	10/14	DVT	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	L	S	260	-	-	-	-	-	
V7 / STONE / SPECIAL	10/14	DVT	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	L	S	260	-	-	-	-	-	
V7 CLASSIC	07/17	DVT	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	L	S	260	-	-	-	-	-	
V7 CLASSIC	07/17	DVT	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	L	S	260	-	-	-	-	-	
V7 CLASSIC CAFÉ	09	DVT	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	L	S	260	-	-	-	-	-	
V7 CLASSIC CAFÉ	09	DVT	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	L	S	260	-	-	-	-	-	
V7 RACER	11/17	DVT	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	L	S	260	-	-	-	-	-	
V7 RACER	11/17	DVT	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	L	S	260	-	-	-	-	-	
V7 SCRAMBLER	12	DVT	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	
V7 SCRAMBLER	12	DVT	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	
V7 STORNELLO	15/17	DVT	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	L	S	260	-	-	-	-	-	
V7 STORNELLO	15/17	DVT	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	L	S	260	-	-	-	-	-	
V7 II MODELS																				
CUSTOM DARK RIDER	14/15	NVT	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	
CUSTOM DARK RIDER	14/15	NVT	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	
CUSTOM SCRAMBLER	14/15	NVT	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	
CUSTOM SCRAMBLER	14/15	NVT	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	
STONE	16/17	DVT	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	L	S	260	-	-	-	-	-	
STONE	16/17	DVT	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	L	S	260	-	-	-	-	-	
MOTO GUZZI											MOTO GUZZI									
750 c.c.											750 c.c.									
V7 III RACER ABS	17	DVT	1597G / 1597XG	L	F10,5	320	64	4,5	6	8,5	-	L	S	-	-	-	-	-	-	
V7 III SPECIAL / STONE / ABS	17	DVT	1597G / 1597XG	L	F10,5	320	64	4,5	6	8,5	-	L	S	-	-	-	-	-	-	
850 c.c.											850 c.c.									
BREVA / GRISO 8V	06/08	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	
BREVA / GRISO 8V	06/08	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	
GRISO 8V ESPECIAL EDITION	09	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	
GRISO 8V ESPECIAL EDITION	09	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	
NORGE T GTL	07/08	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	
NORGE T GTL	07/08	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	
STR BREVA	06	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	
STR BREVA	06	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	
V9 ROAMER ABS	16/17	CVT	1597G / 1597XG	L	F10,5	320	64	4,5	6	8,5	-	L	S	260	-	-	-	-	-	
V9 BOBBER ABS	16/17	CVT	1597G / 1597XG	L	F10,5	320	64	4,5	6	8,5	-	L	S	260	-	-	-	-	-	
936 c.c.											936 c.c.									
BELLAGIO / DELUXE	07/13	NVT	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	
BELLAGIO / DELUXE	07/13	NVT	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	
940 c.c.											940 c.c.									
BELLAGIO MODELS																				
AQUILA NERA	10	CVT	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	
AQUILA NERA	10	CVT	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	
CUSTOM	07	CVT	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	
CUSTOM	07	CVT	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	
1000 c.c.											1000 c.c.									
CALIFORNIA MODELS																				
AQUILA NERA	10	CVT	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	
AQUILA NERA	10	CVT	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	
ESPECIAL	99	CVT	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	
ESPECIAL	99	CVT	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	
ESPECIAL SPORT	03	CVT	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	
ESPECIAL SPORT	03	CVT	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	
EV	97	CVT	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	
EV	97	CVT	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-	-	



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø
JACKAL	99	CVT	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
JACKAL	99	CVT	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
STONE	03	CVT	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
STONE	03	CVT	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
CENTAURO V10	96	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
CENTAURO V10	96	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
CENTAURO GT V10	99/00	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
CENTAURO GT V10	99/00	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
CENTAURO GT SV10	99/00	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
CENTAURO GT SV10	99/00	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
DAYTONA i.e	91/94	R	404 / 404X	L/R	F9,5	298	64	4,0	6	8,5	-	-	-	-	-	-	-	-
DAYTONA i.e	95/00	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
DAYTONA i.e	95/00	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
DAYTONA RS	94/00	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
DAYTONA RS	94/00	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
EV STONE	02	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
EV STONE	02	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MGS / 01	03	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MGS / 01	03	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
1100 c.c.											1100 c.c.							
BREVA i.e	05/07	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
BREVA i.e	05/07	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
CALIFORNIA EV	96/00	C	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
CALIFORNIA EV	96/00	C	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
CALIFORNIA EV S	97/03	C	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
CALIFORNIA EV S	97/03	C	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MOTO GUZZI											MOTO GUZZI							
1100 c.c.											1100 c.c.							
CALIFORNIA JACKAL	01/06	C	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
CALIFORNIA JACKAL	01/06	C	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
GRISO	05/08	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
GRISO	05/08	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SPORT i.e	95/97	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SPORT i.e	95/97	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SPORT CORSA	98/99	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SPORT CORSA	98/99	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
STR	04	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
STR	04	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
V10 CENTAURO SPORT	96/00	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
V10 CENTAURO SPORT	96/00	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
V11 GT / LE MANS / SPORT	97/05	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
V11 GT / LE MANS / SPORT	97/05	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
V11 SCURA	03	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
V11 SCURA	03	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
V11 SPORT BALLABIO	03	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
V11 SPORT BALLABIO	03	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
1151 c.c.											1151 c.c.							
NORGE GT 8V	12/15	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
NORGE GT 8V	12/15	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
STELVIO 8V / NTX	08/15	UVT	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
STELVIO 8V / NTX	08/15	UVT	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
1200 c.c.											1200 c.c.							
BREVA ABS	08/09	R	1290 / 1290X	L/R	F10,2	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
GRISO 8V SE	07/15	NVT	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
GRISO 8V SE	07/15	NVT	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
NORGE T-GTL	06/09	RVT	1290 / 1290X	L/R	F10,2	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
NORGE GT 8V ABS	10/15	RVT	1290 / 1290X	L/R	F10,2	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SPORT	06/08	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SPORT	06/08	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SPORT 8V	08/13	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SPORT 8V	08/13	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-



SPORT ABS	06/07	R	1290 / 1290X	L	F10,2	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SPORT V4	09	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SPORT V4	09	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
STELVIO / NTX	11/12	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
STELVIO / NTX	11/12	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
V 12 LE MANS / V12 STRADA	10	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
V 12 LE MANS / V12 STRADA	10	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
V 12 X	10	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
V 12 X	10	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
1400 c.c.											1400 c.c.							
CALIFORNIA MODELS																		
AUDACE ABS	15/17	CVT	1387 / 1387X	L/R	F00,0	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
AUDACE ABS	15/17	CVT	1387G / 1387XG	L/R	F00,0	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
AUDACE CARBONO ABS	17	CVT	1387 / 1387X	L/R	F00,0	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
AUDACE CARBONO ABS	17	CVT	1387G / 1387XG	L/R	F00,0	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
CUSTOM ABS	13/15	RVT	1387 / 1387X	L	F00,0	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
CUSTOM ABS	13/15	RVT	1387G / 1387XG	L/R	F00,0	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
ELDORADO	15/17	C	1387 / 1387X	L/R	F00,0	320	64	5,0	6	8,5	-	-	-	282	-	6,0	6	-
ELDORADO	15/17	C	1387G / 1387XG	L/R	F00,0	320	64	5,0	6	8,5	-	-	-	282	-	6,0	6	-
TOURING ABS	13/17	RVT	1387 / 1387X	L/R	F00,0	320	64	5,0	6	8,5	-	-	-	282	-	6,0	6	-
TOURING ABS	13/17	RVT	1387G / 1387XG	L/R	F00,0	320	64	5,0	6	8,5	-	-	-	282	-	6,0	6	-
TOURING SE ABS	15/16	RVT	1387 / 1387X	L	F00,0	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
TOURING SE ABS	15/16	RVT	1387G / 1387XG	L/R	F00,0	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MGX-21 CONCEPT	15/17	CVT	1387X / 1387	L/R	F00,0	320	64	5,0	6	8,5	-	L	-	282	-	6,0	6	-
MGX-21 CONCEPT	15/17	CVT	1387XG / 1387G	L/R	F00,0	320	64	5,0	6	8,5	-	L	-	282	-	6,0	6	-
MOTO MARTIN											MOTO MARTIN							
50 c.c.											50 c.c.							
TIR	07/08	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-
TIR	07/08	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-
MOTO MORINI											MOTO MORINI							
950 c.c.											950 c.c.							
9 1/2	05	NVT	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
9 1/2	05	NVT	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
1060 c.c.											1060 c.c.							
CORSARO / 9 1/2	06/10	NVT	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	1007	R	S	220	87	5,0	4	8,5
CORSARO / 9 1/2	06/10	NVT	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
1200 c.c.											1200 c.c.							
CORSARO	05	NVT	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
CORSARO	05	NVT	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
CORSARO AVIO	08	NVT	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
CORSARO AVIO	08	NVT	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
CORSARO VELOCE	05/13	NVT	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	1007	R	S	220	87	5,0	4	8,5
CORSARO VELOCE	05/13	NVT	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
CORSARO ZZ ABS	17	NVT	1597G / 1597XG	L/R	F10,5	320	64	4,5	6	8,5	-	R	S	220	-	5,0	5	-
GRANPASSO	08	UVT	ND / NA	L/R	-	298	223	5,0	6	8,5	1106	R	S	255	87	5,0	4	8,5
MM3	08	NVT	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
MM3	08	NVT	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
SCRAMBLER	09/10	UVT	-	L/R	-	298	-	-	-	-	1173	R	S	255	87	5,0	5	8,5
MOTO ROMA											MOTO ROMA							
50 c.c.											50 c.c.							
GRAND PRIX	99/03	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
GRAND PRIX	99/03	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-
GRAND PRIX	99/03	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-
100 c.c.											100 c.c.							
GRAND PRIX	99/03	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
GRAND PRIX	99/03	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-
GRAND PRIX	99/03	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-
125 c.c.											125 c.c.							
GRAND PRIX 125	02	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
GRAND PRIX 125	02	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-
GRAND PRIX 125	02	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-
MOTOR UNION											MOTOR UNION							
125 c.c.											125 c.c.							



MAXI	99	S	1011 / 1011X	-	S	180	58	4,0	3	10,5	-	-	-	-	-	-	-	
150 c.c.										150 c.c.								
MAXI / MIDI	99	S	1011 / 1011X	-	S	180	58	4,0	3	10,5	-	-	-	-	-	-	-	
MOTRON										MOTRON								
50 c.c.										50 c.c.								
COMPACT RACING ES	88/92	S	ND / NA	L	S	155	30	4,0	5	6,5	Drum	-	-	-	-	-	-	
GL 4 FLASH ID	89/93	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	
GL 4 FLASH ID	89/93	S	1022 / 1022X	L	MD	190	58	3,7	3	MH		-	-	-	-	-	-	
RZ1 ES	89/94	H	303	L	S	190	58	4,0	3	8,5		-	-	-	-	-	-	
RZ1 ES	89/94	H	1022 / 1022X	L	MD	190	58	3,7	3	MH		-	-	-	-	-	-	
SPIKE S	98	S	665	L	S	190	58	4,0	3	12,0	Drum	-	-	-	-	-	-	
SYNCRO	99	S	665	L	S	190	58	4,0	3	12,0	Drum	-	-	-	-	-	-	
ZR THUNDER	95	S	665	L	S	190	58	4,0	3	12,0	Drum	-	-	-	-	-	-	
MOTUS										MOTUS								
1650 c.c.										1650 c.c.								
MST	15	R	ND / NA	L/R	F15,0	320	72	5,0	5	8,5	ND / NA	-	S	240	77	5,0	5	8,5
MST R	15	R	ND / NA	L/R	F15,0	320	72	5,0	5	8,5	ND / NA	-	S	240	77	5,0	5	8,5
MTR										MTR								
125 c.c.										125 c.c.								
ZB T-7	05/07	S	1201X	R	S22,0	220	58	4,0	3	8,5	Drum	-	-	-	-	-	-	
MV AUGUSTA										MV AUGUSTA								
675 c.c.										675 c.c.								
BRUTALE / EAS / ABS	12/16	S6	1450	L/R	F00,0	320	80	5,0	5	8,5	-	L	S	220	108	5,0	4	8,5
BRUTALE RR ABS	12/16	S6	1450	L/R	F00,0	320	80	5,0	5	8,5	-	L	S	220	108	5,0	4	8,5
MV AUGUSTA										MV AUGUSTA								
675 c.c.										675 c.c.								
F3 ABS / EAS ABS	11/17	S6	1450	L/R	F00,0	320	80	5,0	5	8,5	-	L	S	220	108	5,0	4	8,5
F3 RC ABS	11/17	S6	1450	L/R	F00,0	320	80	5,0	5	8,5	-	L	S	220	108	5,0	4	8,5
F3 WSS	15/16	S6	1450	L/R	F00,0	320	80	5,0	5	8,5	-	-	-	220	-	-	-	-
750 c.c.										750 c.c.								
BRUTALE / BRUTALE S	01/06	R	-	L/R	-	-	-	-	-	-	ND / NA	R	S	210	108	5,0	4	7,5
BRUTALE SERIE ORO	02/06	R	-	L/R	-	-	-	-	-	-	ND / NA	R	S	210	108	5,0	4	7,5
F4 / F4 S / F4 SENNA	00/06	R	-	L/R	-	-	-	-	-	-	ND / NA	R	S	210	108	5,0	4	7,5
800 c.c.										800 c.c.								
BRUTALE MODELS																		
ABS / RC / ABS	13/17	R	1450	L/R	F00,0	320	80	5,0	5	8,5	-	L	S	220	108	5,0	4	8,5
B3 RR	17	R	1450	L/R	F00,0	320	80	5,0	5	8,5	-	C	S	-	-	-	-	-
DRAGSTER ABS	14/16	R	1450	L/R	F00,0	320	80	5,0	5	8,5	-	L	S	220	108	5,0	4	8,5
DRAGSTER RC ABS	17	R	1450	L/R	F00,0	320	80	5,0	5	8,5	-	L	S	220	108	5,0	4	8,5
DRAGSTER RR ABS	14/17	R	1450	L/R	F00,0	320	80	5,0	5	8,5	-	L	S	220	108	5,0	4	8,5
EAS / RR / ABS	12→	R	1450	L/R	F00,0	320	80	5,0	5	8,5	-	L	S	220	108	5,0	4	8,5
ITALIA / ABS	12→	R	1450	L/R	F00,0	320	80	5,0	5	8,5	-	L	S	220	108	5,0	4	8,5
RR EAS ABS	13/17	R	1450	L/R	F00,0	320	80	5,0	5	8,5	-	L	S	220	108	5,0	4	8,5
F3 ABS / ABS AMG	14/17	R	1450	L/R	F00,0	320	80	5,0	5	8,5	ND / NA	L	S	220	108	5,0	4	8,5
F3 RC ABS	14/17	R	1450	L/R	F00,0	320	80	5,0	5	8,5	ND / NA	L	S	220	108	5,0	4	8,5
DRAGSTER RC	17	R	-	L/R	-	-	-	-	-	-	-	C	S	-	-	-	-	-
RIVALE / ABS	12/17	F	1450	L/R	F00,0	320	80	5,0	5	8,5	ND / NA	L	S	220	108	5,0	4	8,5
RIVALE EAS / ABS	12/17	F	1450	L/R	F00,0	320	80	5,0	5	8,5	ND / NA	L	S	220	108	5,0	4	8,5
RVS#1	17	R	-	L/R	-	320	-	-	-	-	-	L	S	-	-	-	-	-
STRADALE ABS	14/17	U	1450	L/R	F00,0	320	80	5,0	5	8,5	-	L	S	220	108	5,0	4	8,5
STRADALE EAS ABS	14/17	U	1450	L/R	F00,0	320	80	5,0	5	8,5	-	L	S	220	108	5,0	4	8,5
TURISMO MODELS																		
VELOCE / ABS	14/17	R	1450	L/R	F00,0	320	80	5,0	5	8,5	-	L	S	220	108	5,0	4	8,5
VELOCE LUSO ABS	14/17	R	1450	L/R	F00,0	320	80	5,0	5	8,5	-	L	S	220	108	5,0	4	8,5
VELOCE RC / ABS	17	R	1450	L/R	F00,0	320	80	5,0	5	8,5	-	L	S	220	108	5,0	4	8,5
910 c.c.										910 c.c.								
BRUTALE R	06/08	R	1506 / 1506X	L/R	F10,0	320	80	5,0	5	8,5	ND / NA	L	S	210	108	5,0	4	7,5
BRUTALE S	06/08	R	-	L/R	-	-	-	-	-	-	ND / NA	L	S	210	108	5,0	4	7,5
1000 c.c.										1000 c.c.								
F4 / F4 RC / F4 RR	15/17	R	1506 / 1506X	L/R	F10,0	320	80	5,0	5	8,5	-	C	-	210	-	-	-	-
F4 312 RR	07/08	R	1506 / 1506X	L/R	F10,0	320	80	5,0	5	8,5	ND / NA	R	S	210	108	5,0	4	7,5
F4 FRECCE TRICOLOR	10/12	R	1450	L/R	F00,0	320	80	5,0	5	8,5	-	-	-	-	-	-	-	-
F4 MAMBA	04/07	R	-	L/R	-	-	-	-	-	-	ND / NA	L	S	210	108	5,0	4	7,5



MODEL	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
F4 R	06/07	R	1506 / 1506X	L/R	F10,0	320	80	5,0	5	8,5	ND / NA	L	S	210	108	5,0	4	7,5
F4 R	10/13	R	1450	L/R	F00,0	320	80	5,0	5	8,5	-	-	-	-	-	-	-	-
F4 RR CORSA CORTA	11/12	R	1506 / 1506X	L/R	F10,0	320	80	5,0	5	8,5	ND / NA	L	S	210	108	5,0	4	7,5
F4 S	04/07	R	-	L/R	-	-	-	-	-	-	ND / NA	L	S	210	108	5,0	4	7,5
F4 SENNA	06	R	-	L/R	-	-	-	-	-	-	ND / NA	L	S	210	108	5,0	4	7,5
F4 TAMBURINI	06/08	R	1506 / 1506X	L/R	F10,0	320	80	5,0	5	8,5	ND / NA	L	S	210	108	5,0	4	7,5
F4 ZAGATO ABS	17	R	1528	L/R	F10,0	310	80	5,0	5	8,5		C		210				
1078 c.c.																		1078 c.c.
BRUTALE RR	08/09	R	1506 / 1506X	L/R	F10,0	320	80	5,0	5	8,5	ND / NA	L	S	210	108	5,0	4	7,5
1090 c.c.																		1090 c.c.
B4	15/16	N	1528	L/R	F10,0	310	80	5,0	5	8,5	-	-	-	-	-	-	-	-
B4 RR	15/16	N	1506 / 1506X	L/R	F10,0	320	80	5,0	5	8,5	-	-	-	-	-	-	-	-
BRUTALE	17	R	1528	L/R	F10,0	310	80	5,0	5	8,5		C		210				
MZ / MuZ											MZ / MuZ							
50 c.c.																		50 c.c.
MOSKITO FB	97/03	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
MOSKITO FB	97/03	S	727	L	SO	*180	40,6	3,5	3	10,5								
MOSKITO SX	00/03	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
MOSKITO SX	00/03	S	727	L	SO	*180	40,6	3,5	3	10,5								
125 c.c.																		125 c.c.
RT	99/02	R	149	R	S	280	105	4,0	6	6,5	150	R	S	220	110	4,0	6	6,5
MZ / MuZ											MZ / MuZ							
1000 c.c.																		1000 c.c.
S	01/03	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	-	-	-	-	-	-	-
S	01/03	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
Mx-MOTOR											Mx-MOTOR							
125 c.c.																		125 c.c.
C5	15/17	S	-	L	S	-	-	-	-	-	-	L	S	-	-	-	-	-
CANYON	15/17	S	-	L	R	-	-	-	-	-	Drum	-	-	-	-	-	-	-
NIMOTO											NIMOTO							
ELECTRIC											ELECTRIC							
TRENDY R	16/17	SV	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-
NORTON											NORTON							
850 c.c.																		850 c.c.
COMANDO MK3	17/18	D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
961 c.c.																		961 c.c.
COMMANDO MODELS																		
SE	10	D	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	L	S	220	-	-	-	-
SE	10	D	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
SF	13	D	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	L	S	220	-	-	-	-
SF	13	D	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
SPORT	10/18	D	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	L	S	220	-	-	-	-
SPORT	10/18	D	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
CAFÉ RACER MK II	10/18	D	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	-	L	S	220	-	-	-	-
CAFÉ RACER MK II	10/18	D	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
DOMINATOR	17/18	N	-	L/R	Fxx,x	320	-	-	-	-	-	L	S	220	-	-	-	-
1200 c.c.																		1200 c.c.
V4 RR / V4 SS	17/18	R	-	L/R	Fxx,x	330	-	-	-	-	-	C	S	245	-	-	-	-
OSSA											OSSA							
125 c.c.																		125 c.c.
TR i	14/17	T	1244	L	S	185	-	2,5	4	8,0	1245	R	S	150	45	2,5	4	8,0
250 c.c.																		250 c.c.
TR i	14/17	T	1244	L	S	185	-	2,5	4	8,0	1245	R	S	150	45	2,5	4	8,0
280 c.c.																		280 c.c.
EXPLORER i	12/14	U	649	L	S	185	-	3,0	4	6,5	1314	-	S	180	45	2,5	4	6,5
TR i	09/10	T	649	L	S	185	-	3,0	4	6,5	650 / 650X	R	S	150	45	3,0	4	6,5
TR i	09/10	T									650SP	R	S	150	45	3,0	4	6,5
TR i	09/10	T									1570X	R	FIM	150	45	3,0	4	6,5
TR i	11/17	T	1244	L	S	185	-	2,5	4	8,0	1245	R	S	150	45	2,5	4	8,0
290 c.c.																		290 c.c.
TR i Factory R	11/15	T	1244	L	S	185	-	2,5	4	8,0	1245	R	S	150	45	2,5	4	8,0
300 c.c.																		300 c.c.
TR i	14/17	T	1244	L	S	185	-	2,5	4	8,0	1245	R	S	150	45	2,5	4	8,0
PEUGEOT											PEUGEOT							
ELECTRIC											ELECTRIC							



YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø
2,0 E-POWERED by GenZe	18 SV	-	L	S	240	-	-	-	-	-	R	S	220	-	-	-	-
E-VIVACITY	14 SV	1392	L	S	200	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-
GENZE	17 SV	-	L	S	-	-	-	-	-	-	-	-	-	-	-	-	-
50 c.c.										50 c.c.							
BUXY / BUXY RS	94/97 S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
BUXY / BUXY RS	94/97 S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-
CITYSTAR / RS	14/17 S	1542	L	S	240	70	4,0	5	8,5	-	C	S	190	-	-	-	-
DJANGO / ADVENTURE	14/17 S	1390 / 1390X	L	S	200	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
DJANGO ALLURE	14/17 S	1390 / 1390X	L	S	200	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
DJANGO EVASION / S	14/17 S	1390 / 1390X	L	S	200	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
DJANGO HERITAGE / S	14/17 S	1390 / 1390X	L	S	200	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
ELYSEO	98/02 S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
ELYSEO	98/02 S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-
ELYSEO	03 S	303	L	S	190	58	4,0	3	8,5	176	C	S	180	58	3,5	3	8,5
ELYSEO	03 S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-
ELYSEO TSDi	02/07 S	1234	L	S	226	70	4,0	5	8,5	-	-	-	-	-	-	-	-
ELYSTAR	- S	367	L	S	180	58	3,5	3	11,7	176	C	S	180	58	3,5	3	8,5
ELYSTAR	01 S	1234	L	S	226	70	4,0	5	8,5	-	-	-	-	-	-	-	-
PEUGEOT										PEUGEOT							
50 c.c.										50 c.c.							
ELYSTAR / i / TSDi	02/07 S	306	L	S	226	58	4,0	3	11,5	1145	C	S	210	58	4,0	3	8,5
ELYSTAR ADVANTAGE	02/07 S	1234	L	S	226	70	4,0	5	8,5	176	C	S	180	58	3,5	3	8,5
JET C - TECH	06 S	306	L	S	226	58	4,0	3	11,5	665	L	S	190	58	4,0	3	12,0
JET C - TECH	- S	-	-	-	-	-	-	-	-	1234	L	S	226	70	4,0	5	8,5
JET C - TECH	12/13 S	1234	L	S	226	70	4,0	5	8,5	665	L	S	190	58	4,0	3	12,0
JET FORCE	02 S	1234	L	S	226	70	4,0	5	8,5	-	-	-	-	-	-	-	-
KISBEE / RS ZONE	07/11 S	1140X	L	S	170	42	3,5	3	8,5	Drum	-	-	-	-	-	-	-
KISBEE ACTIVE	18 S	1363 / 1363X	L	S	170	46	4,0	3	8,5	Drum	-	-	-	-	-	-	-
KISBEE BLACK EDITION	17/18 S	1363X / 1363	L	S	170	46	4,0	3	8,5	Drum	-	-	-	-	-	-	-
KISBEE RS	14/18 S	1363 / 1363X	L	S	170	46	4,0	3	8,5	Drum	-	-	-	-	-	-	-
KISBEE RS ZONE	12/16 S	1363 / 1363X	L	S	170	46	4,0	3	8,5	Drum	-	-	-	-	-	-	-
KISBEE SPORTLINE	14/17 S	1363X / 1363	L	S	170	46	4,0	3	8,5	Drum	-	-	-	-	-	-	-
LOOXOR 2T / TSDi 2T	01/06 S	1078	L	S	226	105	4,0	5	6,5	107 / xxxX	L	S	190	58	4,0	3	10,5
LOOXOR 2T / TSDi 2T	01/06 S	-	-	-	-	-	-	-	-	1022 / 1022X	L	MD	190	58	3,7	3	MH
LOOXOR 2T	03/07 S	1078	L	S	226	105	4,0	5	6,5	-	-	-	-	-	-	-	-
LUDIX	05/07 S	1120X	L	S	155	42	3,0	3	8,5	Drum	-	-	-	-	-	-	-
LUDIX BLASTER / R-CUP	08/09 S	1140X	L	S	170	42	3,5	3	8,5	Drum	-	-	-	-	-	-	-
LUDIX CLASSIC	17 S	-	-	-	-	-	-	-	-	Drum	-	-	-	-	-	-	-
LUDIX ELEGANCE	08/09 S	665	L	S	190	58	4,0	3	12,0	Drum	-	-	-	-	-	-	-
LUDIX ONE 2 SITZER	08/09 S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
LUDIX ONE 2 SITZER	08/09 S	727	L	SO	*180	40,6	3,5	3	10,5	-	-	-	-	-	-	-	-
LUDIX PRO / LUDIX EP	12/13 S	1140X	L	S	170	42	3,5	3	8,5	Drum	-	-	-	-	-	-	-
LUDIX SNAKE / TREND	03 S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
LUDIX SNAKE / TREND	03 S	727	L	SO	*180	40,6	3,5	3	10,5	-	-	-	-	-	-	-	-
LUDIX SNAKE	08/09 S	1188X	L	S	155	42	3,0	3	8,5	Drum	-	-	-	-	-	-	-
LUDIX TREND	08/09 S	1140X	L	S	170	42	3,5	3	8,5	Drum	-	-	-	-	-	-	-
METAL X	02/03 S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
METAL X	02/03 S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-
SPEEDAKE	95/01 S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
SPEEDAKE	95/01 S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-
SPEEDFIGHT MODELS																	
20 EDITION	15/17 S	1356X	L	S	215	74	3,5	3	8,5	1615X	L	S	196	58,3	3,5	5	8,5
AIR KAT / H2o	97/08 S	176	L	S	180	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-
AC	09/13 S	1356X	L	S	215	74	3,5	3	8,5	Drum	-	-	-	-	-	-	-
A.C. / L.C.	15/17 S	1356X	L	S	215	74	3,5	3	8,5	1615X	L	S	196	58,3	3,5	5	8,5
DARKSIDE	09/13 S	1356X	L	S	215	74	3,5	3	8,5	1615X	L	S	196	58,3	3,5	5	8,5
DARKSIDE	18 S	1356X	L	S	215	74	3,5	3	8,5	1615X	L	S	196	58,3	3,5	5	8,5
ICEBLADE	14/17 S	1356X	L	S	215	74	3,5	3	8,5	1615X	L	S	196	58,3	3,5	5	8,5
L	01/07 S	176	L	S	180	58	3,5	3	8,5	176	C	S	180	58	3,5	3	8,5
L / N	01/02 S	176	L	S	180	58	3,5	3	8,5	176	C	S	180	58	3,5	3	8,5

NG Brake Disc										FRONT										REAR									
YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø												
L.C. N / X	14/17	S	1356X	L	S	215	74	3,5	3	8,5	1615X	L	S	196	58,3	3,5	5	8,5											
LE MANS	14/17	S	1356X	L	S	215	74	3,5	3	8,5	1615X	L	S	196	58,3	3,5	5	8,5											
N / ND	01/02	S	176	L	S	180	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-											
PROST	99/00	S	176	L	S	180	58	3,5	3	8,5	-	-	-	-	-	-	-	-											
PURE	15/17	S	1356X	L	S	215	74	3,5	3	8,5	1615X	L	S	196	58,3	3,5	5	8,5											
R-CUP	08	S	1122X	L	S	180	58	3,7	3	9,0	-	-	-	-	-	-	-	-											
SPEEDFIGHT	08	S	1122X	L	S	180	58	3,7	3	9,0	-	-	-	-	-	-	-	-											
SPEEDFIGHT	18	S	1356X	L	S	215	74	3,5	3	8,5	1615X	L	S	196	58,3	3,5	5	8,5											
ULTIMATE EDITION	08	S	1122X	L	S	180	58	3,7	3	9,0	-	-	-	-	-	-	-	-											
X PRO	99/00	S	176	L	S	180	58	3,5	3	8,5	176	C	S	180	58	3,5	3	8,5											
X RACE L/N/ND	01/02	S	176	L	S	180	58	3,5	3	8,5	176	C	S	180	58	3,5	3	8,5											
SQUAB / JUNIOR	95/01	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-											
SQUAB / JUNIOR	95/01	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-											
STREETZONE 10´	14/17	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-											
STREETZONE 10´	14/17	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-											
STREETZONE 10´	14/17	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-											
PEUGEOT										PEUGEOT																			
50 c.c.										50 c.c.																			
STREETZONE 12´	17	S	1022X / 1022	L	MD	190	58	3,7	3	MH	Drum	-	-	-	-	-	-	-											
STREETZONE 12´	17	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-											
SV GEO / EXECUTIVE	91/99	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-											
SV GEO / EXECUTIVE	91/99	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-											
SV T	92	S	ND / NA	L	S	155	39	4,0	5	6,5	Drum	-	-	-	-	-	-	-											
SVM	97	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-											
SVM	97	S	727	L	SO	*180	40,6	3,5	3	10,5	-	-	-	-	-	-	-	-											
TREKKER MODELS																													
OFF ROAD	98/02	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-											
OFF ROAD	98/02	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-											
STREET BOARD	98/02	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-											
STREET BOARD	98/02	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-											
URBAN BLACK	00	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-											
URBAN BLACK	00	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-											
TKR / TKR 10	08/12	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-											
TKR / TKR 10	08/12	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-											
TWEET	17	S	1313 / 1313X	L	S	226	59	4,0	5	10,5	Drum	-	-	-	-	-	-	-											
TWEET EVO	14/15	S	1313X / 1313	L	S	226	59	4,0	5	10,5	Drum	-	-	-	-	-	-	-											
TWEET EVO S	16/17	S	1313X / 1313	L	S	226	59	4,0	5	10,5	1313X / 1313	R	S	226	59	4,0	5	10,5											
TWEET RS	17	S	1313X / 1313	L	S	226	59	4,0	5	10,5	1313X / 1313	R	S	226	59	4,0	5	10,5											
VIVACITY	99/02	S	1464	L	S	190	58	4,0	3	12,0	Drum	-	-	-	-	-	-	-											
VIVACITY 2T	05/13	S	1392	L	S	200	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-											
VIVACITY / SIXTIES	10/13	S	1392	L	S	200	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-											
VIVACITY NEW 2T / 4T	14/17	S	1392	L	S	200	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-											
V-CLIC	08/13	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-											
V-CLIC	08/13	S	727	L	SO	*180	40,6	3,5	3	10,5	-	-	-	-	-	-	-	-											
X-FIGHT AIR / H2o / L.C.	00	S	176	L	S	180	58	3,5	3	8,5	176	C	S	180	58	3,5	3	8,5											
XP-6 ALUMINIUM HUB	02	A	152	L	S	240	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5											
XP-6 ALUMINIUM HUB	02	A	-	-	-	-	-	-	-	-	089X	R	S	180	62	3,8	3	10,5											
XP-6 SUPERMOTARD	97/01	A	336	L	S	220	108	3,5	6	6,5	-	-	-	-	-	-	-	-											
XP-6 SUPERMOTARD	05	A	080	L	S	220	108	3,5	6	6,5	098	R	S	180	62	3,5	3	10,5											
XP-6 SM - STEEL HUB	02	A	336	L	S	220	108	3,5	6	6,5	098	R	S	180	62	3,5	3	10,5											
XP-6 SM - ALUMINIUM HUB	02	A	336	L	S	220	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5											
XP-6 SM - ALUMINIUM HUB	02	A	-	-	-	-	-	-	-	-	089X	R	S	180	62	3,8	3	10,5											
XP-6 TOP ROAD	08/09	A	152	L	S	240	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5											
XP-6 TOP ROAD	08/09	A	-	-	-	-	-	-	-	-	089X	R	S	180	62	3,8	3	10,5											
XPS ENDURO	05/09	A	152	L	S	240	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5											
XPS STREET	05	A	342 / xxxX	L	S	260	90	3,5	6	6,5	343	R	S	220	57	3,5	6	6,5											
XPS STREET	05	A	-	-	-	-	-	-	-	-	8022	R	T	220	57	4,0	6	6,5											
XPS SUPERMOTARD	05	A	275	L	S	260	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5											
XPS TOP ROAD POWER	05	A	275	L	S	260	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5											
XPS TRACK	08/09	A	152	L	S	240	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5											
XR-6	00	H	342 / xxxX	L	S	260	90	3,5	6	6,5	343	R	S	220	57	3,5	6	6,5											



MODEL	YEAR	TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø
XR-6	00	H									8022	R	T	220	57	4,0	6	6,5
X-FIGHT	00/01	S	176	L	S	180	58	3,5	3	8,5	176	C	S	180	58	3,5	3	8,5
XR-7	08/12	A	8023	L	T	300	90	4,0	6	6,5	8022	R	T	220	57	4,0	6	6,5
XR-7	08/12	A									343	R	S	220	57	3,5	6	6,5
X-RACE	02/05	S	-	-	-	-	-	-	-	-	1011X / 1011	C	S	180	58	4,0	3	10,5
ZENITH	92	S	ND / NA	L	-	155	30	4,0	5	6,5	Drum	-	-	-	-	-	-	-
ZENITH LM / LUXE	94→	S	ND / NA	L	-	155	30	4,0	5	6,5	Drum	-	-	-	-	-	-	-
80 c.c.																		
SV L	95/98	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
SV L	95/98	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
100 c.c.																		
ELYSEO	98/02	S	306	L	S	226	58	4,0	3	11,5	Drum	-	-	-	-	-	-	-
ELYSEO	03	S	306	L	S	226	58	4,0	3	11,5	176	C	S	180	58	3,5	3	8,5
KISBEE 4T	14/15	S	1363 / 1363X	L	S	170	46	4,0	3	8,5	Drum	-	-	-	-	-	-	-
PEUGEOT 100 c.c.																		
LOOXOR SBC 2T	01/02	S	1078	L	S	226	105	4,0	5	6,5	107 / xxxX	L	S	190	58	4,0	3	10,5
LOOXOR SBC 2T	01/02	S									1022 / 1022X	L	MD	190	58	3,7	3	MH
LOOXOR SBC 2T	03/07	S	1078	L	S	226	105	4,0	5	6,5	-	-	-	-	-	-	-	-
SPEEDFIGHT / 2 NT / PROST	97/02	S	176	L	S	180	58	3,5	3	8,5	176	C	S	180	58	3,5	3	8,5
STREETZONE	14	S	1363 / 1363X	L	S	170	46	4,0	3	8,5	Drum	-	-	-	-	-	-	-
SV EXECUTIVE / SV L	97/98	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
SV EXECUTIVE / SV L	97/98	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
SV GEO	98	S	007	L	S	190	58	3,5	3	9,5	-	-	-	-	-	-	-	-
SV GEO	98	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
TREKKER ON ROAD	98	S	007	L	S	190	58	3,5	3	9,5	Drum	-	-	-	-	-	-	-
TREKKER ON ROAD	98	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
VIVACITY	99/00	S	665	L	S	190	58	4,0	3	12,0	007	L	S	190	58	3,5	3	9,5
VIVACITY	99/00	S									1022 / 1022X	L	MD	190	58	3,7	3	MH
125 c.c.																		
BELVILLE MODELS																		
ALLURE / RS / ABS	17/18	S	-X	L	Sxx,x	260	-	-	-	-	-	L	S	220	-	-	-	-
CITYSTAR MODELS																		
A.C. - L.C. / A.C. - L.C. RS	14/18	S	1542	L	S	240	70	4,0	5	8,5	1145	C	S	210	58	4,0	3	8,5
ACTIVE	14/18	S	1542	L	S	240	70	4,0	5	8,5	1145	C	S	210	58	4,0	3	8,5
BLACK EDITION	17/18	S	1542	L	S	240	70	4,0	5	8,5	1145	C	S	210	58	4,0	3	8,5
POWER MOTION / ABS	15/17	S	1542	L	S	240	70	4,0	5	8,5	1145	C	S	210	58	4,0	3	8,5
SMARTMOTION	15/17	S	1542	L	S	240	70	4,0	5	8,5	1145	C	S	210	58	4,0	3	8,5
AVENUE	04/13	S	1121	L	S	263	101	5,0	5	8,5	1145	C	S	210	58	4,0	3	8,5
DJANGO ACTIVE	18	S	1390 / 1390X	L	S	200	58	4,0	3	10,5	-	C	S	190	-	-	-	-
DJANGO ADVENTURE	17/18	S	1390 / 1390X	L	S	200	58	4,0	3	10,5	-	C	S	200	-	-	-	-
DJANGO ALLURE	18	S	1390 / 1390X	L	S	200	58	4,0	3	10,5	-	C	S	190	-	-	-	-
DJANGO EVASION / ID	15/17	S	1390 / 1390X	L	S	200	58	4,0	3	10,5	-	C	S	190	-	-	-	-
DJANGO HERITAGE	15/17	S	1390 / 1390X	L	S	200	58	4,0	3	10,5	-	C	S	190	-	-	-	-
DJANGO ID	18	S	1390 / 1390X	L	S	200	58	4,0	3	10,5	-	C	S	190	-	-	-	-
DJANGO SPORT	15/17	S	1390 / 1390X	L	S	200	58	4,0	3	10,5	-	C	S	190	-	-	-	-
ELYSEO / T / RGT	98/04	S	306	L	S	226	58	4,0	3	11,5	Drum	-	-	-	-	-	-	-
ELYSTAR / ABS	01/03	S	1234	L	S	226	70	4,0	5	8,5	-	-	-	-	-	-	-	-
ELYSTAR ADVANTAGE	01/03	S	1234	L	S	226	70	4,0	5	8,5	-	-	-	-	-	-	-	-
GEOPOLIS / RS	07/13	S	1121	L	S	263	101	5,0	5	8,5	1275	L	S	226	113	4,5	5	6,5
GEOPOLIS CITY / EXECUTIVE	06/07	S	1121	L	S	263	101	5,0	5	8,5	1177	L	S	226	126	4,5	5	6,5
GEOPOLIS CITY / EXECUTIVE	08/12	S	1121	L	S	263	101	5,0	5	8,5	1275	L	S	226	113	4,5	5	6,5
GEOPOLIS PREMIUM	06/07	S	1121	L	S	263	101	5,0	5	8,5	1177	L	S	226	126	4,5	5	6,5
GEOPOLIS PREMIUM	08/12	S	1121	L	S	263	101	5,0	5	8,5	1275	L	S	226	113	4,5	5	6,5
JET COMPRESSOR / FORCE	03	S	1234	L	S	226	70	4,0	5	8,5	-	-	-	-	-	-	-	-
JET FORCE	07	S	-	-	-	-	-	-	-	-	1145	L	S	210	58	4,0	3	8,5
LOOXOR SBC 4T	03/07	S	1078	L	S	226	105	4,0	5	6,5	-	-	-	-	-	-	-	-
SATELIS	06/17	S	1121	L	S	263	101	5,0	5	8,5	1145	C	S	210	58	4,0	3	8,5
SATELIS 4V EXECUTIVE	06/09	S	1121	L	S	263	101	5,0	5	8,5	-	-	-	-	-	-	-	-
SATELIS 4V PREMIUM	06/09	S	1121	L	S	263	101	5,0	5	8,5	-	-	-	-	-	-	-	-
SATELIS BLACK ABS	04/13	S	1121	L	S	263	101	5,0	5	8,5	1145	C	S	210	58	4,0	3	8,5
SATELIS COMPRESSOR	06/13	S	1121	L	S	263	101	5,0	5	8,5	1145	R	S	210	58	4,0	3	8,5



SATELIS K BLACKSAT	08/11	S	1121	L	S	263	101	5,0	5	8,5	1145	R	S	210	58	4,0	3	8,5
SATELIS K WHITESAT	08/11	S	1121	L	S	263	101	5,0	5	8,5	1145	R	S	210	58	4,0	3	8,5
SATELIS PREMIUM / RS	14/17	S	1121	L	S	263	101	5,0	5	8,5	1145	C	S	210	58	4,0	3	8,5
SATELIS RS	04/17	S	1121	L	S	263	101	5,0	5	8,5	1145	C	S	210	58	4,0	3	8,5
SATELIS URBAN / RS	14/17	S	1121	L	S	263	101	5,0	5	8,5	1145	C	S	210	58	4,0	3	8,5
SPEEDFIGHT / 4	14/16	S	1356X	L	S	215	74	3,5	3	8,5	-	L	S	190	-	-	-	-
SPEEDFIGHT / 4 i	17	S	1356X	L	S	215	74	3,5	3	8,5	1615X	C	S	196	58,3	3,5	5	8,5
SPEEDFIGHT 4 i / R-CUP	18	S	1356X	L	S	215	74	3,5	3	8,5	-	L	S	190	-	-	-	-
SUM UP	09/12	S	1201X	R	S22,0	220	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
SV EXECUTIVE	95/98	S	665	L	S	190	58	4,0	3	12,0	Drum	-	-	-	-	-	-	-
TWEET	18	S	1313 / 1313X	L	S	226	59	4,0	5	10,5	-	-	-	-	-	-	-	-

PEUGEOT

125 c.c.

TWEET / TWEET RS	10/17	S	1313X / 1313	L	S	226	59	4,0	5	10,5	1313X / 1313	L	S	226	59	4,0	5	10,5
TWEET ALLURE	16	S	1313X / 1313	L	S	226	59	4,0	5	10,5	1313X / 1313	L	S	226	59	4,0	5	10,5
TWEET ABS	18	S	-X	L	Sxx,x	260	-	-	-	-	1313X / 1313	L	S	226	59	4,0	5	10,5
TWEET DOUBLE BLACK	15/17	S	1313X / 1313	L	S	226	59	4,0	5	10,5	1313X / 1313	L	S	226	59	4,0	5	10,5
TWEET PARIS	15/17	S	1313X / 1313	L	S	226	59	4,0	5	10,5	1313X / 1313	L	S	226	59	4,0	5	10,5
TWEET EVO / RS / S	10/16	S	1313X / 1313	L	S	226	59	4,0	5	10,5	1313X / 1313	L	S	226	59	4,0	5	10,5
TWEET i SBC	17	S	1313 / 1313X	L	S	226	59	4,0	5	10,5	1313 / 1313X	L	S	226	59	4,0	5	10,5
VIVACITY NEW 4T	14/17	S	1392	L	S	200	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-

150 c.c.

DJANGO MODELS

ACTIVE	14/18	S	1390 / 1390X	L	S	200	58	4,0	3	10,5	-	C	S	190	-	-	-	-
ALLURE	14/18	S	1390 / 1390X	L	S	200	58	4,0	3	10,5	-	C	S	190	-	-	-	-
EVASION	14/17	S	1390 / 1390X	L	S	200	58	4,0	3	10,5	-	C	S	190	-	-	-	-
EVASION	18	S	1390 / 1390X	L	S	200	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
HERITAGE	14/17	S	1390 / 1390X	L	S	200	58	4,0	3	10,5	-	C	S	190	-	-	-	-
HERITAGE SPORT	14/17	S	1390 / 1390X	L	S	200	58	4,0	3	10,5	-	C	S	190	-	-	-	-
ID	18	S	1390 / 1390X	L	S	200	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-

ELYSTAR / ABS	01/03	S	1234	L	S	226	70	4,0	5	8,5	-	-	-	-	-	-	-	-
ELYSTAR ADVANTAGE ABS	01/03	S	1234	L	S	226	70	4,0	5	8,5	-	-	-	-	-	-	-	-
LOOXOR SBC 4T	03/07	S	1078	L	S	226	105	4,0	5	6,5	-	-	-	-	-	-	-	-
TWEET	14/18	S	1313X / 1313	L	S	226	59	4,0	5	10,5	1313X / 1313	L	S	226	59	4,0	5	10,5
TWEET / TWEET RS	10/13	S	1313X / 1313	L	S	226	59	4,0	5	10,5	1313X / 1313	L	S	226	59	4,0	5	10,5

200 c.c.

BELVILLE ALLURE	18	S	xxxxX	L	Sxx,x	260	-	-	-	-	-	C	-	240	-	-	-	-
BELVILLE ALLURE / RS	17	S	-	L	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CITYSTAR / RS	14/17	S	1542	L	S	240	70	4,0	5	8,5	1145	C	S	210	58	4,0	3	8,5
GEOPOLIS CITY / EXECUTIVE	06/09	S	1121	L	S	263	101	5,0	5	8,5	1200	L	S	240	126	6,0	5	6,5

250 c.c.

GEOPOLIS / EXECUTIVE	07/11	S	1121	L	S	263	101	5,0	5	8,5	-	-	-	-	-	-	-	-
GEOPOLIS PREMIUM	06/11	S	1121	L	S	263	101	5,0	5	8,5	1200	L	S	240	126	6,0	5	6,5
GEOPOLIS URBAN	07/11	S	1121	L	S	263	101	5,0	5	8,5	-	-	-	-	-	-	-	-
GEOPOLIS RS	06/11	S	1121	L	S	263	101	5,0	5	8,5	1200	L	S	240	126	6,0	5	6,5
SATELIS	06/13	S	1121	L	S	263	101	5,0	5	8,5	1177	L	S	226	126	4,5	5	6,5
SATELIS PREMIUM	08/09	S	1121	L	S	263	101	5,0	5	8,5	-	-	-	-	-	-	-	-
SATELIS RS	06/09	S	1121	L	S	263	101	5,0	5	8,5	-	-	-	-	-	-	-	-
SV	01/07	S	364	L	S	240	105	4,0	4	10,5	101 / 101X	R	S	220	105	5,0	4	10,5

300 c.c.

GEOPOLIS / RS	10/13	S	1121	L	S	263	101	5,0	5	8,5	1275	L	S	226	113	4,5	5	6,5
GEOPOLIS / SATELIS	14	S	1121	L	S	263	101	5,0	5	8,5	1275	L	S	226	113	4,5	5	6,5
GEOPOLIS GT	14	S	1121	L	S	263	101	5,0	5	8,5	1275	L	S	226	113	4,5	5	6,5
GEOPOLIS PREMIUM	10/14	S	1121	L	S	263	101	5,0	5	8,5	1275	L	S	226	113	4,5	5	6,5
GEOSTYLE	10/15	S	1121	L	S	263	101	5,0	5	8,5	1275	L	S	226	113	4,5	5	6,5
SATELIS i / PREMIUM	13/17	S	1121	L	S	263	101	5,0	5	8,5	-	C	S	210	-	-	-	-

400 c.c.

GEOPOLIS MODELS

URBAN	07/13	S	1121	L	S	263	101	5,0	5	8,5	1275	L	S	226	113	4,5	5	6,5
PREMIUM / RS	07/12	S	1121	L	S	263	101	5,0	5	8,5	1200	L	S	240	126	6,0	5	6,5

METROPOLIS MODELS

ACTIVE 12'	15/17	TS	-	L/R	S	-	-	-	-	-	-	R	S	-	-	-	-	-
------------	-------	----	---	-----	---	---	---	---	---	---	---	---	---	---	---	---	---	---

NG Brake Disc										FRONT										REAR									
YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø												
ALLURE 13'	18	TS	-	L/R	S	230	-	-	-	-	-	R	S	240	-	-	-	-											
ALLURE 13'	15/17	TS	-	L/R	S	200	-	-	-	-	-	R	S	240	-	-	-	-											
ALLURE RS 13'	15/17	TS	-	L/R	S	200	-	-	-	-	-	R	S	240	-	-	-	-											
RD F:13 - R:14'	17	TS	-	L/R	S	230	-	5,0	3	-	-	C	S	240	-	6,0	5	-											
RS / RX-R 13' - 14'	17/18	TS	-	L/R	S	230	-	5,0	3	-	-	C	S	240	-	6,0	5	-											
SATELIS / RS / 2 RS	07/17	S	1121	L/R	S	263	101	5,0	5	8,5	1200	L	S	240	126	6,0	5	6,5											
500 c.c.										500 c.c.																			
GEOPOLIS	08/11	S	1121	L/R	S	263	101	5,0	5	8,5	-	-	-	-	-	-	-	-											
SATELIS	07/13	S	1121	L/R	S	263	101	5,0	5	8,5	1200	L	S	240	126	6,0	5	6,5											
SATELIS PREMIUM RS	06/12	S	1121	L/R	S	263	101	5,0	5	8,5	1200	L	S	240	126	6,0	5	6,5											
PGO										PGO																			
ELECTRIC										ELECTRIC																			
IDEP	16/17	SV	-	L	S	-	-	-	-	-	-	-	-	-	-	-	-	-											
50 c.c.										50 c.c.																			
BIG MAX	94/02	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-											
BIG MAX	94/02	S	727	L	SO	*180	40,6	3,5	3	10,5	-	-	-	-	-	-	-	-											
CLASSIC SPORT	97	S	612	L	S	220	58	4,0	5	6,5	-	-	-	-	-	-	-	-											
DIESIS	02/04	S	087	L	S	190	62	3,5	3	10,5	Drum	-	-	-	-	-	-	-											
ENERGY EXTREME	99	S	612	L	S	220	58	4,0	5	6,5	-	-	-	-	-	-	-	-											
FLY 4T	06	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-											
FLY 4T	06	S	610F	L	F00,0	200	96,5	4,0	5	6,5	-	-	-	-	-	-	-	-											
FREE	95/02	S	610	R	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-											
FREE	95/02	S	610F	R	F00,0	200	96,5	4,0	5	6,5	-	-	-	-	-	-	-	-											
GMAX	15/16	S	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-											
I-CHARGE	01/02	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-											
I-CHARGE	01/02	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-											
I-CHARGE	01/02	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-											
LIBRA	15/17	S	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-											
LIGERO NEW 2T	06/17	S	340	L	S	190	40,6	4,0	3	8,5	Drum	-	-	-	-	-	-	-											
MEGA FIFTY	99	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-											
MEGA FIFTY	99	S	727	L	SO	*180	40,6	3,5	3	10,5	-	-	-	-	-	-	-	-											
PMS	99/03	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-											
PMS	99/03	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-											
PMS	99/03	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-											
PMX	97/98	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-											
PMX	97/98	S	727	L	SO	*180	40,6	3,5	3	10,5	-	-	-	-	-	-	-	-											
PMX	99/03	S	107 / xxxX	L	S	190	58	4,0	3	10,5	107 / xxxX	L	S	190	58	4,0	3	10,5											
PMX	99/03	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH											
PMX	99/03	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-											
TR3	03/04	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-											
TR3	03/04	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-											
TR3	03/04	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-											
T-REX 2T	99/17	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-											
T-REX 2T	99/17	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-											
T-REX 2T	99/17	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-											
TORNADO	97/02	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-											
TORNADO	97/02	S	727	L	SO	*180	40,6	3,5	3	10,5	-	-	-	-	-	-	-	-											
X-HOT	15/16	S	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-											
80 c.c.										80 c.c.																			
BIG MAX	95/00	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-											
BIG MAX	95/00	S	727	L	SO	*180	40,6	3,5	3	10,5	-	-	-	-	-	-	-	-											
110 c.c.										110 c.c.																			
PMS / PMX	99/01	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-											
PMS / PMX	99/01	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-											
PMS / PMX	99/01	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-											
T-REX	99/06	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-											
T-REX	99/06	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-											
T-REX	99/06	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-											
125 c.c.										125 c.c.																			
CHARGE	00/02	S	340	L	S	190	40,6	4,0	3	8,5	Drum	-	-	-	-	-	-	-											
GMAX / LIBRA	15/16	S	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-											
LIBRA	15/17	S	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-											

		FRONT											REAR										
	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø			REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø			
LIGERO NEW 4T	06/17	S	340	L	S	190	40,6	4,0	3	8,5			Drum	-	-	-	-	-	-	-	-	-	-
TIGRA Efi 4V	15/17	S	-	L	S	-	-	-	-	-			-	-	-	-	-	-	-	-	-	-	-
T-REX	99/16	S	107 / xxxX	L	S	190	58	4,0	3	10,5			Drum	-	-	-	-	-	-	-	-	-	-
T-REX	99/16	S	1022 / 1022X	L	MD	190	58	3,7	3	MH													
T-REX	99/16	S	1300X	L	FO	*220	58	3,5	3	10,5													
X-HOT	15/17	S	-X	L	S	-	-	-	-	-			Drum	-	-	-	-	-	-	-	-	-	-
150 c.c.																							150 c.c.
T-REX	99/02	S	340	L	S	190	40,6	4,0	3	8,5			Drum	-	-	-	-	-	-	-	-	-	-
PIAGGIO												PIAGGIO											
ELECTRIC												ELECTRIC											
LIBERTY / E-MAIL	11/12	SV	113 / 113X	L	S	220	105	4,0	6	6,5			Drum	-	-	-	-	-	-	-	-	-	-
50 c.c.																							50 c.c.
DIESIS	01/05	S	665	L	S	190	58	4,0	3	12,0			Drum	-	-	-	-	-	-	-	-	-	-
FLY 2T	05/15	S	610	L	S	200	96,5	4,0	5	6,5			Drum	-	-	-	-	-	-	-	-	-	-
FLY 2T	05/15	S	610F	L	F00,0	200	96,5	4,0	5	6,5													
FLY 4T	10/17	S	610	L	S	200	96,5	4,0	5	6,5			Drum	-	-	-	-	-	-	-	-	-	-
FLY 4T	10/17	S	610F	L	F00,0	200	96,5	4,0	5	6,5													
FLY 4T 4V i.e.	12/17	S	1694	L	S	220	96	4,0	5	6,5			113 / 113X	R	S	220	105	4,0	6	6,5			
FLY 4T, CHINA ENGINE	06/07	S	610	L	S	200	96,5	4,0	5	6,5			Drum	-	-	-	-	-	-	-	-	-	-
FLY 4T, CHINA ENGINE	06/07	S	610F	L	F00,0	200	96,5	4,0	5	6,5													
FREE FL	95/02	S	610	L	S	200	96,5	4,0	5	6,5			Drum	-	-	-	-	-	-	-	-	-	-
FREE FL	95/02	S	610F	L	F00,0	200	96,5	4,0	5	6,5													
FREE DELIVERY	99/01	S	610	R	S	200	96,5	4,0	5	6,5			Drum	-	-	-	-	-	-	-	-	-	-
FREE DELIVERY	99/01	S	610F	R	F00,0	200	96,5	4,0	5	6,5													
LIBERTY 2T	97/11	S	113 / 113X	L	S	220	105	4,0	6	6,5			Drum	-	-	-	-	-	-	-	-	-	-
LIBERTY 2T SPORT	07/08	S	113 / 113X	L	S	220	105	4,0	6	6,5			Drum	-	-	-	-	-	-	-	-	-	-
LIBERTY 4T	00/09	S	113 / 113X	L	S	220	105	4,0	6	6,5			Drum	-	-	-	-	-	-	-	-	-	-
LIBERTY 2T / 4T	12/17	S	1090 / 1090X	L	S	240	105	4,5	6	6,5			Drum	-	-	-	-	-	-	-	-	-	-
LIBERTY 4T SPORT	07/08	S	113 / 113X	L	S	220	105	4,0	6	6,5			Drum	-	-	-	-	-	-	-	-	-	-
LIBERTY DELIVERY TNT	09	S	113 / 113X	L	S	220	105	4,0	6	6,5			Drum	-	-	-	-	-	-	-	-	-	-
LIBERTY E-MAIL	12	S	113 / 113X	L	S	220	105	4,0	6	6,5			Drum	-	-	-	-	-	-	-	-	-	-
LIBERTY LE	97/02	S	113 / 113X	L	S	220	105	4,0	6	6,5			Drum	-	-	-	-	-	-	-	-	-	-
LIBERTY S 2T / 4T	07/08	S	113 / 113X	L	S	220	105	4,0	6	6,5			Drum	-	-	-	-	-	-	-	-	-	-
NEW FLY 4T / 4V	12/13	S	113 / 113X	L	S	220	105	4,0	6	6,5			Drum	-	-	-	-	-	-	-	-	-	-
NEW LIBERTY i-GET	16/17	S	1090 / 1090X	L	S	240	105	4,5	6	6,5			Drum	-	-	-	-	-	-	-	-	-	-
NEW LIBERTY S i-GET	16	S	1090 / 1090X	L	S	240	105	4,5	6	6,5			Drum	-	-	-	-	-	-	-	-	-	-
NTT	94/96	S	023	L	S	190	58	3,5	3	8,5			-	-	-	-	-	-	-	-	-	-	-
NTT	94/96	S	1022 / 1022X	L	MD	190	58	3,7	3	MH													
NRG	93/01	S	023	L	S	190	58	3,5	3	8,5			-	-	-	-	-	-	-	-	-	-	-
NRG	93/01	S	1022 / 1022X	L	MD	190	58	3,7	3	MH													
NRG DD 2T	18	S	-	L	S	240	-	-	-	-			-	-	S	175	-	-	-	-	-	-	-
NRG DT	94/96	S	303	L	S	190	58	4,0	3	8,5			Drum	-	-	-	-	-	-	-	-	-	-
NRG DT	94/96	S	1022 / 1022X	L	MD	190	58	3,7	3	MH													
NRG EXTREME A.C.	99/01	S	365	L	S	220	58	4,0	5	6,5			Drum	-	-	-	-	-	-	-	-	-	-
NRG EXTREME L.C.	99/01	S	365	L	S	220	58	4,0	5	6,5			233	L	S	175	73	4,0	5	6,5			
NRG EXTREME MC 2	96/98	S	303	L	S	190	58	4,0	3	8,5			233	L	S	175	73	4,0	5	6,5			
NRG EXTREME MC 2	96/98	S	1022 / 1022X	L	MD	190	58	3,7	3	MH													
NRG EXTREME MC 2	96/98	S	303	L	S	190	58	4,0	3	8,5			Drum	-	-	-	-	-	-	-	-	-	-
NRG EXTREME MC 2	96/98	S	1022 / 1022X	L	MD	190	58	3,7	3	MH													
NRG FERRARI	97	S	303	L	S	190	58	4,0	3	8,5			Drum	-	-	-	-	-	-	-	-	-	-
NRG FERRARI	97	S	1022 / 1022X	L	MD	190	58	3,7	3	MH													
NRG JET	03	S	-	-	-	-	-	-	-	-			233	L	S	175	73	4,0	5	6,5			
NRG MC 3	94/99	S	303	L	S	190	58	4,0	3	8,5			Drum	-	-	-	-	-	-	-	-	-	-
NRG MC 3	94/99	S	1022 / 1022X	L	MD	190	58	3,7	3	MH													
NRG MC 3 DD	01/05	S	365	L	S	220	58	4,0	5	6,5			233	L	S	175	73	4,0	5	6,5			
NRG MC 3 DT AIR	01/05	S	365	L	S	220	58	4,0	5	6,5			Drum	-	-	-	-	-	-	-	-	-	-
NRG POWER DD	05/14	S	113 / 113X	L	S	220	105	4,0	6	6,5			233	L	S	175	73	4,0	5	6,5			
NRG POWER DT	05/13	S	113 / 113X	L	S	220	105	4,0	6	6,5			-	-	-	-	-	-	-	-	-	-	-
NRG POWER PURE JET	02/03	S	365	L	S	220	58	4,0	5	6,5			233	L	S	175	73	4,0	5	6,5			
NRG POWER PURE JET	04/11	S	113 / 113X	L	S	220	105	4,0	6	6,5			233	L	S	175	73	4,0	5	6,5			



NRG PUREJET	04/10	S	113 / 113X	L	S	220	105	4,0	6	6,5	-	-	-	-	-	-	-
NGR RST MC2 DD	96/98	S	665	L	S	190	58	4,0	3	12,0	233	L	S	175	73	4,0	5 6,5
NGR RST MC2 DT	96/98	S	665	L	S	190	58	4,0	3	12,0	Drum	-	-	-	-	-	-
NRG SILVER BULLET	10	S	113 / 113X	L	S	220	105	4,0	6	6,5	233	L	S	175	73	4,0	5 6,5
NTT	95/98	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-
NTT	95/98	S	1022 / 1022X	L	MD	190	58	3,7	3	MH							
PIAGGIO 50 c.c.																	
QUARTZ	91/96	S	130	L	S	200	97,5	4,0	5	6,5	Drum	-	-	-	-	-	-
SFERA FL RST / ET2	95/97	S	130	L	S	200	97,5	4,0	5	6,5	Drum	-	-	-	-	-	-
SFERA FL RST	98/99	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-
SFERA FL RST	98/99	S	610F	L	F00,0	200	96,5	4,0	5	6,5							
STORM	94/97	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-
STORM	94/97	S	1022 / 1022X	L	MD	190	58	3,7	3	MH							
TYPHOON 2T 10'	93/09	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-
TYPHOON 2T 10'	93/09	S	1022 / 1022X	L	MD	190	58	3,7	3	MH							
TYPHOON 2T 12'	10/17	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-
TYPHOON 2T 12'	18	S	-	L	S	220	-	4,0	5	6,5	Drum	-	-	-	-	-	-
TYPHOON BENETTON	97	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-
TYPHOON BENETTON	97	S	1022 / 1022X	L	MD	190	58	3,7	3	MH							
TYPHOON MARTINI	97	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-
TYPHOON MARTINI	97	S	1022 / 1022X	L	MD	190	58	3,7	3	MH							
TYPHOON X	98/99	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-
TYPHOON X	98/99	S	1022 / 1022X	L	MD	190	58	3,7	3	MH							
TYPHOON XR	00	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-
TYPHOON XR	00	S	1022 / 1022X	L	MD	190	58	3,7	3	MH							
ZIP	95/99	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-
ZIP	95/99	S	727	L	SO	*180	40,6	3,5	3	10,5							
ZIP 2T / ZIP 4T	00/17	S	233	L	S	175	73	4,0	5	6,5	Drum	-	-	-	-	-	-
ZIP 4T	18	S	233	L	S	175	73	4,0	5	6,5	Drum	-	-	-	-	-	-
ZIP BASE FD / TT	95	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-
ZIP BASE FD / TT	95	S	727	L	SO	*180	40,6	3,5	3	10,5							
ZIP CATALYZED	00/02	S	233	L	S	175	73	4,0	5	6,5	Drum	-	-	-	-	-	-
ZIP DISCO	96/99	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-
ZIP DISCO	96/99	S	727	L	SO	*180	40,6	3,5	3	10,5							
ZIP ELECTRICO	00	SV	233	L	S	175	73	4,0	5	6,5	Drum	-	-	-	-	-	-
ZIP FAST RIDER	93/00	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-
ZIP FAST RIDER	93/00	S	727	L	SO	*180	40,6	3,5	3	10,5							
ZIP SPORT FAST RIDER	93	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-
ZIP SPORT FAST RIDER	93	S	727	L	SO	*180	40,6	3,5	3	10,5							
ZIP RST	96/99	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-
ZIP RST	96/99	S	727	L	SO	*180	40,6	3,5	3	10,5							
ZIP SP L.C.	96/16	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-
ZIP SP L.C.	96/16	S	610F	L	F00,0	200	96,5	4,0	5	6,5							
75 c.c.																	
SFERA	96/99	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-
SFERA	96/99	S	610F	L	F00,0	200	96,5	4,0	5	6,5							
80 c.c.																	
SKIPPER	94/96	S	130	L	S	200	97,5	4,0	5	6,5	Drum	-	-	-	-	-	-
TYPHOON	97/98	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-
TYPHOON	97/98	S	1022 / 1022X	L	MD	190	58	3,7	3	MH							
100 c.c.																	
DIESIS	03	S	087	L	S	190	62	3,5	3	10,5	Drum	-	-	-	-	-	-
FLY	06/08	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-
FLY	06/08	S	610F	L	F00,0	200	96,5	4,0	5	6,5							
FREE 4T	01/02	S	113 / 113X	L	S	220	105	4,0	6	6,5	Drum	-	-	-	-	-	-
ZIP	06/07	S	366	L	S	175	73	4,0	5	6,5	Drum	-	-	-	-	-	-
125 c.c.																	
BEVERLY	01/02	S	071	L	S	260	125	4,0	5	6,5	071	L	S	260	125	4,0	5 6,5
BEVERLY	12/13	S	1444	L	S	300	100,5	5,0	6	15,3	-	-	-	240	-	-	-
BEVERLY	03/08	S	1001	L	S	260	125	5,0	5	6,5	1001	L	S	260	125	5,0	5 6,5

FRONT										REAR									
NG Brake Disc										NG Brake Disc									
YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø		
BEVERLY E3	03/08	S	1001	L	S	260	125	5,0	5	6,5	1001	L	S	260	125	5,0	5	6,5	
BEVERLY E3 MIC	07	S	1001	L	S	260	125	5,0	5	6,5	1001	L	S	260	125	5,0	5	6,5	
BEVERLY E3 SPORT	07/08	S	1001	L	S	260	125	5,0	5	6,5	1001	L	S	260	125	5,0	5	6,5	
BEVERLY E3 SPORT	08/10	S	1001	L	S	260	125	5,0	5	6,5	1001	L	S	260	125	5,0	5	6,5	
PIAGGIO 125 c.c.										PIAGGIO 125 c.c.									
BEVERLY NEW i.e.	16	S	1071	L	S	240	125	4,0	5	6,5	Drum	-	-	-	-	-	-	-	
BEVERLY RST	04/07	S	1001	L	S	260	125	5,0	5	6,5	1001	L	S	260	125	5,0	5	6,5	
BEVERLY RST 4T	12/16	S	1444	L	S	300	100,5	5,0	6	15,3	-	R	S	240	-	-	-	-	
BEVERLY RST 4T 4V i.e.	10/11	S	1001	L	S	260	125	5,0	5	6,5	1001	L	S	260	125	5,0	5	6,5	
BEVERLY S	07/10	S	1071	L	S	240	125	4,0	5	6,5	1071	L	S	240	125	4,0	5	6,5	
BEVERLY S	07/10	S	257	L/R	S	240	125	4,0	5	6,5	257	L	S	240	125	4,0	5	6,5	
BEVERLY S	15/16	S	1444	L	S	300	100,5	5,0	6	15,3	1342	R	S	240	102	5,0	5	8,5	
BEVERLY TOURER	07/10	S	1071	L	S	240	125	4,0	5	6,5	1071	L	S	240	125	4,0	5	6,5	
BEVERLY TOURER	07/10	S	257	L/R	S	240	125	4,0	5	6,5	257	L	S	240	125	4,0	5	6,5	
CARNABY / ES	07→	S	1071	L	S	240	125	4,0	5	6,5	1071	L	S	240	125	4,0	5	6,5	
CARNABY / ES	07→	S	257	L/R	S	240	125	4,0	5	6,5	257	L	S	240	125	4,0	5	6,5	
FLY 4T 2V	04/11	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-	
FLY 4T 2V	04/11	S	610F	L	F00,0	200	96,5	4,0	5	6,5									
FLY NEW 3V i.e.	12/17	S	1694	L	S	220	96	4,0	5	6,5	113 / 113X	R	S	220	105	4,0	6	6,5	
HEXAGON	94/97	S	1237	L	S6,0	175	73	4,0	5	6,5	Drum	-	-	-	-	-	-	-	
HEXAGON GTX	00	S	610	L	S	200	96,5	4,0	5	6,5	610	L	S	200	96,5	4,0	5	6,5	
HEXAGON GTX	00	S	610F	L	F00,0	200	96,5	4,0	5	6,5									
HEXAGON LX / LX4	98/01	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-	
HEXAGON LX / LX4	98/01	S	610F	L	F00,0	200	96,5	4,0	5	6,5									
LIBERTY 2T	97/02	S	113 / 113X	L	S	220	105	4,0	6	6,5	Drum	-	-	-	-	-	-	-	
LIBERTY 4T	07/08	S	113 / 113X	L	S	220	105	4,0	6	6,5	Drum	-	-	-	-	-	-	-	
LIBERTY 4T ABS	16/18	S	1609	L	S	240	102	4,0	5	8,5	Drum	-	-	-	-	-	-	-	
LIBERTY 4T DELIVERY	06/09	S	113 / 113X	L	S	220	105	4,0	6	6,5	Drum	-	-	-	-	-	-	-	
LIBERTY 4T SPORT	06/09	S	113 / 113X	L	S	220	105	4,0	6	6,5	Drum	-	-	-	-	-	-	-	
LIBERTY 4T / RST 4T	09/13	S	1090 / 1090X	L	S	240	105	4,5	6	6,5	Drum	-	-	-	-	-	-	-	
LIBERTY 4T / RST 4T	14/15	S	1071A	L	S	240	125	4,0	5	6,5	Drum	-	-	-	-	-	-	-	
LIBERTY 4T / RST 4T	16/17	S	1609	L	S	240	102	4,0	5	8,5	Drum	-	-	-	-	-	-	-	
LIBERTY 4T i-GET	16/17	S	1609	L	S	240	102	4,0	5	8,5	Drum	-	-	-	-	-	-	-	
LIBERTY i.e 3v 4T	14/15	S	1071A	L	S	240	125	4,0	5	6,5	Drum	-	-	-	-	-	-	-	
LIBERTY i.e 3v 4T	16/17	S	1609	L	S	240	102	4,0	5	8,5	Drum	-	-	-	-	-	-	-	
LIBERTY S 4T i-GET	17	S	1609	L	S	240	102	4,0	5	8,5	Drum	-	-	-	-	-	-	-	
MEDLEY / ABS	16/18	S	1592	L	S	260	60	4,0	5	8,5	1342	R	S	240	102	5,0	5	8,5	
MEDLEY S / ABS	16/17	S	1592	L	S	260	60	4,0	5	8,5	1342	R	S	240	102	5,0	5	8,5	
MP3 / i.e. / HYBRID	06/18	TS	1090 / 1090X	L/R	S	240	105	4,5	6	6,5	638 / xxxX	R	S	240	125	4,5	5	6,5	
MP3 RL	06/07	TS	1090 / 1090X	L/R	S	240	105	4,5	6	6,5	638 / xxxX	R	S	240	125	4,5	5	6,5	
SFERA 4T	95/97	S	130	L	S	200	97,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-	
SKIPPER	93/97	S	130	L	S	200	97,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-	
SKIPPER LX	98/02	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-	
SKIPPER ST4T	00	S	130	L	S	200	97,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-	
SKR	96	S	612	L	S	220	58	4,0	5	6,5	-	-	-	-	-	-	-	-	
SKR ST 4T	01/02	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-	
STEALTH	96	S	612	L	S	220	58	4,0	5	6,5	-	-	-	-	-	-	-	-	
SUPER HEXAGON GTX	01	S	638 / xxxX	L	S	240	125	4,5	5	6,5	113 / 113X	L	S	220	105	4,0	6	6,5	
SUPER HEXAGON GTX 11/12'	00	S	130	L	S	200	97,5	4,0	5	6,5	130	L	S	200	97,5	4,0	5	6,5	
TYPHOON	95/09	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-	
TYPHOON	95/09	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
TYPHOON 4T 12'	10/17	S	365	L	S	220	58	4,0	5	6,5	Drum	-	-	-	-	-	-	-	
TYPHOON X-R	00	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-	
TYPHOON X-R	00	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
X7 / X7 EVO i.e.	08/14	S	1001	L	S	260	125	5,0	5	6,5	638	R	S	240	125	4,5	5	6,5	
X8	04/16	S	1001	L	S	260	125	5,0	5	6,5	638	R	S	240	125	4,5	5	6,5	
X8 STREET	06	S	1001	L	S	260	125	5,0	5	6,5	Drum	-	-	-	-	-	-	-	
X9 / X9 EVOLUTION	00/07	S	1071	L/R	S	240	125	4,0	5	6,5	1071	L	S	240	125	4,0	5	6,5	
X9 / X9 EVOLUTION	00/07	S	257	L/R	S	240	125	4,0	5	6,5	257	L	S	240	125	4,0	5	6,5	



X10 i.e. / EXECUTIVE	12/17	S	1344	L/R	S	278	60,5	5,0	5	14,1	1367	R	S	240	128	5,0	5	6,5
X EVO	04/17	S	1001	L	S	260	125	5,0	5	6,5	638	R	S	240	125	4,5	5	6,5
PIAGGIO										PIAGGIO								
125 c.c.										125 c.c.								
X EVO SPORT	15/17	S	1001	L	S	260	125	5,0	5	6,5	638	R	S	240	125	4,5	5	6,5
ZIP 4T	00/01	S	130	L	S	200	97,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
150 c.c.										150 c.c.								
FLY	04/10	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
FLY	04/10	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
HEXAGON	94/97	S	1237	L	S6,0	175	73	4,0	5	6,5	Drum	-	-	-	-	-	-	-
HEXAGON LX	98	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
HEXAGON LX	98	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
HEXAGON GTX	00	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
HEXAGON GTX	00	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
LIBERTY / LIBERTY 4T	00/03	S	113 / 113X	L	S	220	105	4,0	6	6,5	113 / 113X	L	S	220	105	4,0	6	6,5
LIBERTY / RST / SPORT	08	S	113 / 113X	L	S	220	105	4,0	6	6,5	-	-	-	-	-	-	-	-
LIBERTY S 16"/14' ABS	17/18	S	1609	L	S	240	102	4,0	5	8,5	Drum	-	-	-	-	-	-	-
MEDLEY SPEC. EDITION	18	S	1592	L	S	260	60	4,0	5	8,5	1342	R	S	240	102	5,0	5	8,5
S	18	S	1592	L	S	260	60	4,0	5	8,5	1342	R	S	240	102	5,0	5	8,5
SKIPPER / LXT / ST 4T	93→	S	130	L	S	200	97,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
SKR	01/02	S	612	L	S	220	58	4,0	5	6,5	-	-	-	-	-	-	-	-
STEAKTH	96	S	612	L	S	220	58	4,0	5	6,5	-	-	-	-	-	-	-	-
X8 STREET	06	S	1001	L	S	260	125	5,0	5	6,5	Drum	-	-	-	-	-	-	-
180 c.c.										180 c.c.								
HEXAGON	94/96	S	1237	L	S6,0	175	73	4,0	5	6,5	Drum	-	-	-	-	-	-	-
HEXAGON LX / LXT	98/01	S	610	L	S	200	96,5	4,0	5	6,5	-	-	-	-	-	-	-	-
HEXAGON LX / LXT	98/01	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
SUPER HEXAGON GTX-11'	00	S	610	L	S	200	96,5	4,0	5	6,5	610	L	S	200	96,5	4,0	5	6,5
SUPER HEXAGON GTX-11'	00	S	610F	L	F00,0	200	96,5	4,0	5	6,5	610F	L	F00,0	200	96,5	4,0	5	6,5
SUPER HEXAGON GTX-11'	01/03	S	638 / xxxX	L	S	240	125	4,5	5	6,5	113 / 113X	L	S	220	105	4,0	6	6,5
X9 AMALFI 4T	00/03	S	1071	L/R	S	240	125	4,0	5	6,5	1071	L	S	240	125	4,0	5	6,5
X9 AMALFI 4T	00/03	S	257	L/R	S	240	125	4,0	5	6,5	257	L	S	240	125	4,0	5	6,5
200 c.c.										200 c.c.								
BEVERLY	01	S	071	L	S	260	125	4,0	5	6,5	071	L	S	260	125	4,0	5	6,5
BEVERLY	02/06	S	1001	L	S	260	125	5,0	5	6,5	1001	L	S	260	125	5,0	5	6,5
CARNABY ES	07/09	S	1001	L	S	260	125	5,0	5	6,5	1001	R	S	260	125	5,0	5	6,5
LIBERTY 4T / SPORT	05/08	S	113 / 113X	L	S	220	105	4,0	6	6,5	Drum	-	-	-	-	-	-	-
X8	04/05	S	1001	L	S	260	125	5,0	5	6,5	638	L	S	240	125	4,5	5	6,5
X9	02/03	S	1071	L/R	S	240	125	4,0	5	6,5	1071	L	S	240	125	4,0	5	6,5
X9	02/03	S	257	L/R	S	240	125	4,0	5	6,5	257	L	S	240	125	4,0	5	6,5
X9 AMALFI	01/02	S	1071	L/R	S	240	125	4,0	5	6,5	1071	L	S	240	125	4,0	5	6,5
X9 AMALFI	01/02	S	257	L/R	S	240	125	4,0	5	6,5	257	L	S	240	125	4,0	5	6,5
X9 EVOLUTION	03/04	S	1071	L/R	S	240	125	4,0	5	6,5	1071	L	S	240	125	4,0	5	6,5
X9 EVOLUTION	03/04	S	257	L/R	S	240	125	4,0	5	6,5	257	L	S	240	125	4,0	5	6,5
250 c.c.										250 c.c.								
BEVERLY	04/07	S	1001	L	S	260	125	5,0	5	6,5	1001	L	S	260	125	5,0	5	6,5
BEVERLY TOURER i.e.	07/08	S	1001	L	S	260	125	5,0	5	6,5	1001	L	S	260	125	5,0	5	6,5
CARNABY i.e.	08/09	S	1001	L	S	260	125	5,0	5	6,5	1001	L	S	260	125	5,0	5	6,5
HEXAGON GT 4T	98/99	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
HEXAGON GT 4T	98/99	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
HEXAGON GT 4T	00/02	S	610	L	S	200	96,5	4,0	5	6,5	610	R	S	200	96,5	4,0	5	6,5
HEXAGON GT 4T	00/02	S	610F	L	F00,0	200	96,5	4,0	5	6,5	610F	R	F00,0	200	96,5	4,0	5	6,5
MP3 / MIC / RL	06/09	TS	1090 / 1090X	L/R	S	240	105	4,5	6	6,5	638 / xxxX	R	S	240	125	4,5	5	6,5
SUPER HEXAGON GTX	98/99	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
SUPER HEXAGON GTX	98/99	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
SUPER HEXAGON GT	00	S	610	L	S	200	96,5	4,0	5	6,5	610	R	S	200	96,5	4,0	5	6,5
SUPER HEXAGON GT	00	S	610F	L	F00,0	200	96,5	4,0	5	6,5	610F	R	F00,0	200	96,5	4,0	5	6,5
SUPER HEXAGON GTX	00	S	610	L	S	200	96,5	4,0	5	6,5	610	R	S	200	96,5	4,0	5	6,5
SUPER HEXAGON GTX	00	S	610F	L	F00,0	200	96,5	4,0	5	6,5	610F	R	F00,0	200	96,5	4,0	5	6,5
X7	08/09	S	1001	L	S	260	125	5,0	5	6,5	638	R	S	240	125	4,5	5	6,5
X-EVO i.e.	07/10	S	1001	R	S	260	125	5,0	5	6,5	638	L	S	240	125	4,5	5	6,5

PIAGGIO

LAS DIMENSIONES INDICADAS PUEDEN ESTAR SUJETAS A CAMBIOS SIN PREVIO AVISO
PARA MÁS INFORMACIÓN VER LA PÁGINA DE INFORMACIÓN TÉCNICA

DIMENSIONS SUBJECTED TO CHANGE WITHOUT FURTHER NOTICE
FOR MORE INFORMATION, SEE THE TECHNICAL INFORMATION PAGE





250 c.c.											250 c.c.										
X8 PREMIUM i.e.	06/09	S	1001	L	S	260	125	5,0	5	6,5	638	R	S	240	125	4,5	5	6,5			
X9 / X9 EVOLUTION	00/06	S	1071	L/R	S	240	125	4,0	5	6,5	1071	L	S	240	125	4,0	5	6,5			
X9 / X9 EVOLUTION	00/06	S	257	L/R	S	240	125	4,0	5	6,5	257	L	S	240	125	4,0	5	6,5			
X EVO SPORT	15/17	S	1001	L	S	260	125	5,0	5	6,5	638	R	S	240	125	4,5	5	6,5			
300 c.c.											300 c.c.										
BERBELY MODELS																					
i.e. / ABS	11/18	S	1444	L	S	300	100,5	5,0	6	15,3	1342	R	S	240	102	5,0	5	8,5			
S i.e.	16/17	S	1444	L	S	300	100,5	5,0	6	15,3	1342	R	S	240	102	5,0	5	8,5			
S i.e. POLICE	16/17	S	1444	L	S	300	100,5	5,0	6	15,3	1342	R	S	240	102	5,0	5	8,5			
SPORT TOURING i.e.	11/17	S	1444	L	S	300	100,5	5,0	6	15,3	1342	R	S	240	102	5,0	5	8,5			
TOURER i.e.	09/10	S	1001	L	S	260	125	5,0	5	6,5	1001	L	S	260	125	5,0	5	6,5			
CARNABY	13	S	1001	L	S	260	125	5,0	5	6,5	1001	C	S	260	125	5,0	5	6,5			
MP3 LT i.e. BUSSINESS	17	TS	1595	L/R	S	258	105	4,0	6	6,5	638	L	S	240	125	4,5	5	6,5			
MP3 LT i.e. SPORT	17	TS	1595	L/R	S	258	105	4,0	6	6,5	638	L	S	240	125	4,5	5	6,5			
MP3 MIC / MP3 i.e. MIC	10/13	TS	1090 / 1090X	L/R	S	240	105	4,5	6	6,5	638 / xxxX	R	S	240	125	4,5	5	6,5			
MP3 HYBRID i.e	12/17	TS	1090 / 1090X	L/R	S	240	105	4,5	6	6,5	638 / xxxX	R	S	240	125	4,5	5	6,5			
YOURBAN MODELS																					
MP3 i.e. / MP3 i.e. LT	10/17	TS	1090 / 1090X	L/R	S	240	105	4,5	6	6,5	638 / xxxX	R	S	240	125	4,5	5	6,5			
MP3 i.e. LT SPORT	10/17	TS	1090 / 1090X	L/R	S	240	105	4,5	6	6,5	638 / xxxX	R	S	240	125	4,5	5	6,5			
MP3 i.e. S	18	TS	1595 / xxxX	L/R	S	258	105	4,0	6	6,5	638 / xxxX	L	S	240	125	4,5	5	6,5			
MP3 i.e. SPORT	10/17	TS	1090 / 1090X	L/R	S	240	105	4,5	6	6,5	638 / xxxX	R	S	240	125	4,5	5	6,5			
X7 EVO i.e.	09/13	S	1001	L/R	S	260	125	5,0	5	6,5	638	R	S	240	125	4,5	5	6,5			
350 c.c.											350 c.c.										
BEVERLY MODELS																					
S TOURING ABS	11/18	S	1444	L	S	300	100,5	5,0	6	15,3	1342	R	S	240	102	5,0	5	8,5			
MP3	18	TS	xxxxX / 1595	L/R	S	258	105	4,0	6	6,5	xxxxX / 638	L	S	240	125	4,5	5	6,5			
X10 i.e. / EXECUTIVE	12/17	S	1344	L/R	S	278	60,5	5,0	5	14,1	1367	R	S	240	128	5,0	5	6,5			
400 c.c.											400 c.c.										
BEVERLY i.e.	06/08	S	1001	L	S	260	125	5,0	5	6,5	638	C	S	240	125	4,5	5	6,5			
MP3 LT / LT SPORT	08/11	TS	1090 / 1090X	L/R	S	240	105	4,5	6	6,5	638 / xxxX	R	S	240	125	4,5	5	6,5			
MP3 LT MIC	08/11	TS	1090 / 1090X	L/R	S	240	105	4,5	6	6,5	638 / xxxX	R	S	240	125	4,5	5	6,5			
TOURER i.e.	06/08	S	1001	L	S	260	125	5,0	5	6,5	638	C	S	240	125	4,5	5	6,5			
X8 i.e.	06/08	S	1071	L/R	S	240	125	4,0	5	6,5	638	L	S	240	125	4,5	5	6,5			
X-EVO i.e.	07/11	S	1071	L/R	S	240	125	4,0	5	6,5	1071	L	S	240	125	4,0	5	6,5			
X-EVO i.e.	07/11	S	257	L/R	S	240	125	4,0	5	6,5	257	L	S	240	125	4,0	5	6,5			
500 c.c.											500 c.c.										
BEVERLY	02/07	S	1001	L/R	S	260	125	5,0	5	6,5	638	L	S	240	125	4,5	5	6,5			
BEVERLY CRUISER i.e.	07/08	S	1001	L/R	S	260	125	5,0	5	6,5	638	L	S	240	125	4,5	5	6,5			
MP3 MODELS																					
BUSINESS hpe ABS	18	TS	1595 / xxxX	L/R	S	258	105	4,0	6	6,5	638 / xxxX	L	S	240	125	4,5	5	6,5			
LT BUSINESS ABS-ASR	16/17	TS	1595	L/R	S	258	105	4,0	6	6,5	638	L	S	240	125	4,5	5	6,5			
LT SPORT ABS-ASR	16/17	TS	1595	L/R	S	258	105	4,0	6	6,5	638	R	S	240	125	4,5	5	6,5			
TOURING SPORT	12/15	TS	1090 / 1090X	L/R	S	240	105	4,5	6	6,5	638 / xxxX	R	S	240	125	4,5	5	6,5			
TOURING BUSINESS	12/15	TS	1090 / 1090X	L/R	S	240	105	4,5	6	6,5	638 / xxxX	L	S	240	125	4,5	5	6,5			
SPORT hpe ABS	18	TS	xxxxX / 1595	L/R	S	258	105	4,0	6	6,5	xxxxX / 638	L	S	240	125	4,5	5	6,5			
X9 4T	01/02	S	1001	L/R	S	260	125	5,0	5	6,5	638	R	S	240	125	4,5	5	6,5			
X9 EVOLUTION	03/07	S	1001	L/R	S	260	125	5,0	5	6,5	638	L	S	240	125	4,5	5	6,5			
X9 EVOLUTION ABS	06/07	S	1001	L/R	S	260	125	5,0	5	6,5	638	L	S	240	125	4,5	5	6,5			
X10 i.e. / EXECUTIVE	12/17	S	1344	L/R	S	278	60,5	5,0	5	14,1	1367	R	S	240	128	5,0	5	6,5			
PITSTER PRO											PITSTER PRO										
125 c.c.											125 c.c.										
125	-	M	1307X	-	S	220	76	4,0	4	11,5	1308X	-	S	190	76	4,0	4	8,5			
POLINI											POLINI										
39.69 c.c.											39.69 c.c.										
910 CARENA S	14/17	A-R	1638X/31	L	S5,6	122	26	3,0	3	5,5	1638X	R	S	122	26	3,0	3	5,5			
50 c.c.											50 c.c.										
X1 MODELS																					
P MINICROSS AIR	15/17	A-F	913	L	S	180	45	3,0	5	6,5	427	R	S	130	45	3,0	5	6,5			
MINIMOTARD RACING H2o	07/12	A-F	912	L	S	200	45	3,0	5	6,5	914	R	S	150	45	3,0	5	6,5			
YOUNG / X1 XIP AIR	99/00	A	426	R	S	150	45	3,0	5	6,5	427	R	S	130	45	3,0	5	6,5			
POLINI											POLINI										
50 c.c.											50 c.c.										

NG Brake Disc		YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
FRONT										REAR									
X3 AIR MINICROSS	14/15	A-M	426	L	S	150	45	3,0	5	6,5	427	R	S	130	45	3,0	5	6,5	
X3 SENIOR / X5 SENIOR	99/00	A	426	R	S	150	45	3,0	5	6,5	427	R	S	130	45	3,0	5	6,5	
X5 AIR WHEELS 14 / 12'	12	A-M	914	L	S	150	45	3,0	5	6,5	914	R	S	150	45	3,0	5	6,5	
XP4 STREET	07/15	A	912	L	S	200	45	3,0	5	6,5	914	R	S	150	45	3,0	5	6,5	
65 c.c.																			
XP R	06/09	A-M	913	L	S	180	45	3,0	5	6,5	914	R	S	150	45	3,0	5	6,5	
70 c.c.																			
MINI MOTARD AIR	14/17	A-F	912	L	S	200	45	3,0	5	6,5	914	R	S	150	45	3,0	5	6,5	
MINI MOTARD RACING	14/17	A-F	912	L	S	200	45	3,0	5	6,5	914	R	S	150	45	3,0	5	6,5	
110 c.c.																			
XP MODELS																			
4 CROSS RACING	06/09	M	913	L	S	180	45	3,0	5	6,5	914	R	S	150	45	3,0	5	6,5	
4S STREET MOTARD	06/07	F	912	L	S	200	45	3,0	5	6,5	914	R	S	150	45	3,0	5	6,5	
4T STREET OFF ROAD	07/15	E	912	L	S	200	45	3,0	5	6,5	914	R	S	150	45	3,0	5	6,5	
125 c.c.																			
XP4 OFFROAD	16/17	E	912	L	S	200	45	3,0	5	6,5	914	R	S	150	45	3,0	5	6,5	
XP4 STREET E3	12/17	F	912	L	S	200	45	3,0	5	6,5	914	R	S	150	45	3,0	5	6,5	
XP4T AIR MINICROSS	15/17	M	912	L	S	200	45	3,0	5	6,5	914	R	S	150	45	3,0	5	6,5	
XP4T MINIMOTARD AIR	14/17	F	912	L	S	200	45	3,0	5	6,5	914	R	S	150	45	3,0	5	6,5	
PUCH																			
50 c.c.																			
CONDOR	93/96	A	003	L	S	220	108	4,0	6	6,5	Drum	-	-	-	-	-	-	-	
CONDOR	93/96	A	026	L	S	220	108	4,0	6	6,5									
TZX	95/98	A	003	L	S	220	108	4,0	6	6,5	Drum	-	-	-	-	-	-	-	
TZX	95/98	A	026	L	S	220	108	4,0	6	6,5									
PULSAR																			
135 c.c.																			
PULSAR R	12/13	R	1381X	R	S	240	112	4,0	5	10,5	Drum	-	-	-	-	-	-	-	
180 c.c.																			
PULSAR UG R	12/13	R	1380X	R	S	260	130	4,5	6	10,5	Drum	-	-	-	-	-	-	-	
220 c.c.																			
PULSAR F R	12/13	R	1380X	R	S	260	130	4,5	6	10,5	1382X	R	S	230	110	4,0	6	6,5	
PULSAR S R	12/13	R	1380X	R	S	260	130	4,5	6	10,5	1382X	R	S	230	110	4,0	6	6,5	
OINGOI																			
125 c.c.																			
QM T-10H SUM-UP	06/12	S	1201X	R	S22,0	220	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-	
QM T-10R VARIANT	10/12	S	1201X	R	S22,0	220	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-	
YY T / YY T-12A	10	S	1201X	R	S22,0	220	58	4,0	3	8,5	1312X	-	S17,0	190	58	4,0	3	8,5	
QUADRO																			
350 c.c.																			
QUADRO 3	16/17	TS	-	L/R	S	240	-	-	-	-	-	L/R	S	256	-	-	-	-	
QUADRO 4	16/17	CS	-	L/R	S	240	-	-	-	-	-	L/R	S	240	-	-	-	-	
QUANTYA																			
ELECTRIC																			
STRADA / TRACK EVO 1	08/10	RV	640	L	S	260	108	3,0	6	6,5	781	R	S	200	45	3,0	5	6,5	
VRONE	11	EV	1239	R	S	218	62	3,5	3	10,5	1239	L	S	218	62	3,5	3	10,5	
RAV																			
150 / 160 c.c.																			
150	-	M	1307X	-	S	220	76	4,0	4	11,5	1308X	-	S	190	76	4,0	4	8,5	
160	-	M	1307X	-	S	220	76	4,0	4	11,5	1308X	-	S	190	76	4,0	4	8,5	
RENAULT																			
50 c.c.																			
CAMPUS	03	S	665	L	S	190	58	4,0	3	12,0	Drum	-	-	-	-	-	-	-	
125 c.c.																			
FULLTIME / KOURANOS	03	S	291	L	S	220	60	4,0	5	6,5	-	-	-	-	-	-	-	-	
150 c.c.																			
FULLTIME	03	S	291	L	S	220	60	4,0	5	6,5	-	-	-	-	-	-	-	-	
250 c.c.																			
KOURANOS	03	S	290	L	S	220	102	4,0	5	8,5	717	-	S	220	89,6	4,0	6	6,5	
REBEL MASTER																			
125 c.c.																			
RV	-	M	1307X	-	S	220	76	4,0	4	11,5	1308X	-	S	190	76	4,0	4	8,5	
REBEL MASTER																			
140 c.c.																			
RM	-	M	1307X	-	S	220	76	4,0	4	11,5	1308X	-	S	190	76	4,0	4	8,5	
160 c.c.																			



POLE	-	R	1307X	-	S	220	76	4,0	4	11,5	1308X	-	S	190	76	4,0	4	8,5
RM / RX	-	M	1307X	-	S	220	76	4,0	4	11,5	1308X	-	S	190	76	4,0	4	8,5
RIDE 50 c.c.																		
JUMP	15/17	S	-	-	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-
RIEJU ELECTRIC 50 c.c.																		
MIUS 3.0	17	SV	-	R	S	220	-	-	3	-	-	L	S	220	-	-	-	-
50 c.c.																		
BLAST URBAN	16/17	S	1022X / 1022	L	MD	190	58	3,7	3	MH	Drum	-	-	-	-	-	-	-
CROSSER CR 1	95/98	S	007	L	S	190	58	3,5	3	9,5	Drum	-	-	-	-	-	-	-
CROSSER CR 1	95/98	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-
DRAC	92/96	A	336	L	S	220	108	3,5	6	6,5	Drum	-	-	-	-	-	-	-
DRAC AM / DRAC RR	94/99	A	336	L	S	220	108	3,5	6	6,5	010	R	S	185	80	3,5	3	8,5
DRAC DL / DRAC TRAIL	93/94	A	336	L	S	220	108	3,5	6	6,5	-	-	-	-	-	-	-	-
FIRST	96	S	074	L	S	180	34	4,0	3	10,5	Drum	-	-	-	-	-	-	-
FIRST H20	97/99	S	007	L	S	190	58	3,5	3	9,5	Drum	-	-	-	-	-	-	-
FIRST H20	97/99	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-
MRT MODELS																		
MRT	09/11	A	1242	L	S	220	108	3,5	6	7,5	351	R	S	180	62	3,5	3	10,5
MRT	09/11	A	-	-	-	-	-	-	-	-	089X	R	S	180	62	3,8	3	10,5
MRT	12/14	A	013 / 013X	L	S	260	108	4,0	6	7,0	014 / 014X	R	S	200	62	4,0	3	8,5
MRT	12/14	A	828	L	T	260	108	4,0	6	6,5	844	R	T	200	62	4,0	3	8,5
MRT	15/17	A	013 / 013X	L	S	260	108	4,0	6	7,0	1286 / 1286X	R	S	200	62	4,0	3	10,5
PRO	12/14	A	866 / 866X	L	T/S	300	108	4,0	6	7,0	014 / 014X	R	S	200	62	4,0	3	8,5
PRO	12/14	A	867	L	T	300	108	3,5	6	6,5	844	R	T	200	62	4,0	3	8,5
PRO	15/17	A	866X	L	S	300	108	4,0	6	7,0	1286X	R	S	200	62	4,0	3	10,5
PRO COMPETITION	12	A	866 / 866X	L	T/S	300	108	4,0	6	7,0	-	-	-	220	-	-	3	-
PRO COMPETITION	12	A	867	L	T	300	108	3,5	6	6,5	-	-	-	-	-	-	-	-
PRO SUPERMOTARD	12/14	A	866 / 866X	L	T/S	300	108	4,0	6	7,0	014 / 014X	R	S	200	62	4,0	3	8,5
PRO SUPERMOTARD	12/14	A	867	L	T	300	108	3,5	6	6,5	844	R	T	200	62	4,0	3	8,5
PRO SUPERMOTARD	15/16	A	866 / 866X	L	T/S	300	108	4,0	6	7,0	1286 / 1286X	R	S	200	62	4,0	3	10,5
PRO SUPERMOTARD	17	A	866X	L	S	300	108	4,0	6	7,0	014X	R	S	200	62	4,0	3	8,5
SM RACING	12/13	A	013 / 013X	L	S	260	108	4,0	6	7,0	014 / 014X	R	S	200	62	4,0	3	8,5
SM RACING	12/13	A	828	L	T	260	108	4,0	6	6,5	844	R	T	200	62	4,0	3	8,5
SUPERMOTARD	09/11	A	1242	L	S	220	108	3,5	6	7,5	-	R	S	180	62	3,5/8	3	10,5
SUPERMOTARD	12/14	A	013 / 013X	L	S	260	108	4,0	6	7,0	014 / 014X	R	S	200	62	4,0	3	8,5
SUPERMOTARD	12/14	A	828	L	T	260	108	4,0	6	6,5	844	R	T	200	62	4,0	3	8,5
SUPERMOTARD	15/17	A	013 / 013X	L	S	260	108	4,0	6	7,0	1286 / 1286X	R	S	200	62	4,0	3	10,5
SUPERMOTO	12/13	A	866 / 866X	L	T/S	300	108	4,0	6	7,0	303	R	S	190	58	4,0	3	8,5
SUPERMOTO	12/13	A	867	L	T	300	108	3,5	6	6,5	1022 / 1022X	R	MD	190	58	3,7	3	MH
TROPHY SM	15/16	A	866X	L	S	300	108	4,0	6	7,0	1286X	R	S	200	62	4,0	3	10,5
TROPHY SM	17	A	866X	L	S	300	108	4,0	6	7,0	014X	R	S	200	62	4,0	3	8,5
MRX	03/06	A	013 / 013X	L	S	260	108	4,0	6	7,0	014 / 014X	R	S	200	62	4,0	3	8,5
MRX	03/06	A	828	L	T	260	108	4,0	6	6,5	844	R	T	200	62	4,0	3	8,5
MRX PRO	05/06	A	013 / 013X	L	S	260	108	4,0	6	7,0	014 / 014X	R	S	200	62	4,0	3	8,5
MRX PRO	05/06	A	828	L	T	260	108	4,0	6	6,5	844	R	T	200	62	4,0	3	8,5
MRX PRO	07/08	A	866 / 866X	L	T/S	300	108	4,0	6	7,0	844	R	T	200	62	4,0	3	8,5
NKD	04/05	H	837	L	T	240	108	3,5	6	6,5	-	-	-	-	-	-	-	-
NKD	07/08	H	865	R	T	280	90	4,0	6	6,5	829	R	T	220	57	4,0	5	6,5
PRO	06	A	-	-	-	-	-	-	-	-	916	R	T	200	58	4,0	6	6,5
RJ SUPERMOTARD	99/01	F	336	L	S	220	108	3,5	6	6,5	010	R	S	185	80	3,5	3	8,5
RJ SPIKE SUPERMOTARD	01	F	341	L	S	260	108	3,5	6	6,5	010	R	S	185	80	3,5	3	8,5
RJ SPIKE RACING PRO	02/03	A	341	L	S	260	108	3,5	6	6,5	010	R	S	185	80	3,5	3	8,5
RR AM 5	97	A	336	L	S	220	108	3,5	6	6,5	010	R	S	185	80	3,5	3	8,5
RR AM 6 AUTOMIX	97/01	A	336	L	S	220	108	3,5	6	6,5	010	R	S	185	80	3,5	3	8,5
RIEJU 50 c.c.																		
RR AM 6 SUPERMOTARD	97/98	F	336	L	S	220	108	3,5	6	6,5	010	R	S	185	80	3,5	3	8,5
RR CASTROL SERIES	99/01	A	341	L	S	260	108	3,5	6	6,5	010	R	S	185	80	3,5	3	8,5
RR SPORT EDITION	04	A	336	L	S	220	108	3,5	6	6,5	010	R	S	185	80	3,5	3	8,5
RR SPORT EDITION	05/08	A	336	L	S	220	108	3,5	6	6,5	368	R	S	200	80	3,5	3	8,5



RR THUNDERFIRE	99/00	A	336	L	S	220	108	3,5	6	6,5	010	R	S	185	80	3,5	3	8,5	
RRX	07/08	A	013 / 013X	L	S	260	108	4,0	6	7,0	014 / 014X	R	S	200	62	4,0	3	8,5	
RRX	07/08	A	828	L	T	260	108	4,0	6	6,5	844	R	T	200	62	4,0	3	8,5	
RRX SPIKE	07/09	A	915	L	T	260	90	4,0	6	6,5	916	R	T	200	58	4,0	6	6,5	
RRX SPIKE	08/09	A	013 / 013X	L	S	260	108	4,0	6	7,0	014 / 014X	R	S	200	62	4,0	3	8,5	
RRX SPIKE	08/09	A	828	L	T	260	108	4,0	6	6,5	844	R	T	200	62	4,0	3	8,5	
RS BLAST URBAN	14/17	S	1022X / 1022	L	MD	190	58	3,7	3	MH	Drum	-	-	-	-	-	-	-	
RS SPORT	12/13	S	1011X / 1011	L	S	180	58	4,0	3	10,5	1011X / 1011	L	S	180	58	4,0	3	10,5	
RS SPORT / NAKED	14/17	S	1022X / 1022	L	MD	190	58	3,7	3	MH	1022X / 1022	L	MD	190	58	3,7	3	MH	
RS 1 AM	95/96	H	015	L	S	220	45	3,5	4	8,5	016	R	S	185	45	4,0	4	8,5	
RS 1 CASTROL SERIES	99	H	318	L	S	260	105	3,5	6	6,5	368	R	S	200	80	3,5	3	8,5	
RS 1 CASTROL SERIES	01	H	318	L	S	260	105	3,5	6	6,5	311	R	S	199	57	3,5	5	6,5	
RS 1 EVOLUTION	97/98	H	310	L	S	220	105	3,5	6	6,5	311	R	S	199	57	3,5	5	6,5	
RS 1 EVOLUTION	99/01	H	318	L	S	260	105	3,5	6	6,5	311	R	S	199	57	3,5	5	6,5	
RS 2 FR	07/08	H	865	R	T	280	90	4,0	6	6,5	829	R	T	220	57	4,0	5	6,5	
RS 2 MATRIX	03	H	024	R	F00,0	280	108	4,0	7	6,5	042	R	S	220	57	4,0	5	6,5	
RS 2 MATRIX	04	H	822	R	T	280	108	4,0	7	6,5	829	R	T	220	57	4,0	5	6,5	
RS 2 MATRIX / PRO	05/09	H	865	R	T	280	90	4,0	6	6,5	829	R	T	220	57	4,0	5	6,5	
RS 2 NKD	04/05	H	822	R	T	280	108	4,0	7	6,5	829	R	T	220	57	4,0	5	6,5	
RS 2 NKD / PRO	06	H	865	R	T	280	90	4,0	6	6,5	829	R	T	220	57	4,0	5	6,5	
RS 3	10	H	1428	R	S	280	108	4,0	6	7,5	1460	R	S	218	62	3,5	3	10,5	
RS 3	11	H	-	-	-	-	-	-	-	-	1460	R	S	218	62	3,5	3	10,5	
RS 3	12/17	H	1327	R	S	280	108	4,0	6	7,0	487	R	S	220	62	3,5	3	8,5	
RS 3 NAKED	14/17	H	866X	R	S	300	108	4,0	6	7,0	1460X	R	S	218	62	3,5	3	10,5	
RS 3 PRO	14/17	H	1327	R	S	280	108	4,0	6	7,0	487	R	S	220	62	3,5	3	8,5	
SMX	01/15	A	013 / 013X	L	S	260	108	4,0	6	7,0	014 / 014X	R	S	200	62	4,0	3	8,5	
SMX	01/15	A	828	L	T	260	108	4,0	6	6,5	844	R	T	200	62	4,0	3	8,5	
SMX FR	08	A	013 / 013X	L	S	260	108	4,0	6	7,0	014 / 014X	R	S	200	62	4,0	3	8,5	
SMX FR	08	A	828	L	T	260	108	4,0	6	6,5	844	R	T	200	62	4,0	3	8,5	
SMX PRO	07/08	A	866 / 866X	L	T/S	300	108	4,0	6	7,0	844	R	T	200	62	4,0	3	8,5	
SMX PRO	07/08	A	867	L	T	300	108	3,5	6	6,5									
SMX SUPERMOTARD	06	A	915	L	T	260	90	4,0	6	6,5	916	R	T	200	58	4,0	6	6,5	
TANGO	12	A	013 / 013X	L	S	260	108	4,0	6	7,0	014 / 014X	R	S	200	62	4,0	3	8,5	
TANGO	12	A	828	L	T	260	108	4,0	6	6,5	844	R	T	200	62	4,0	3	8,5	
TANGO	14/17	A	013 / 013X	L	S	260	108	4,0	6	7,0	1286 / 1286X	R	S	200	62	4,0	3	10,5	
TANGO / RACING	07/10	A	1242	L	S	220	108	3,5	6	7,5	014 / 014X	R	S	200	62	4,0	3	8,5	
TANGO / RACING	07/10	A									844	R	T	200	62	4,0	3	8,5	
TANGO MOTARD	07/10	A	1242	L	S	220	108	3,5	6	7,5	014 / 014X	R	S	200	62	4,0	3	8,5	
TANGO MOTARD	07/10	A									844	R	T	200	62	4,0	3	8,5	
TANGO / RACING	11	A	1242	L	S	220	108	3,5	6	7,5	1286	R	S	200	62	4,0	3	10,5	
TANGO MOTARD	11	A	1242	L	S	220	108	3,5	6	7,5	1286	R	S	200	62	4,0	3	10,5	
80 c.c.										80 c.c.									
MR PRO	95	A	-	-	S	-	-	-	-	-	010	R	S	185	80	3,5	3	8,5	
RR	97	A	336	L	S	220	108	3,5	6	6,5	010	R	S	185	80	3,5	3	8,5	
125 c.c.										125 c.c.									
CITY LINE i / ABS	13/17	S	-	L	S	260	-	-	-	-	-	R	S	240	-	-	-	-	
MARATHON MODELS																			
AC ENDURO	17	E	013 / 013X	L	S	260	108	4,0	6	7,0	1286 / 1286X	R	S	200	62	4,0	3	10,5	
AC SUPERMOTARD	17	F	013 / 013X	L	S	260	108	4,0	6	7,0	1286 / 1286X	R	S	200	62	4,0	3	10,5	
MARATHON	08/12	E	013 / 013X	L	S	260	108	4,0	6	7,0	014 / 014X	R	S	200	62	4,0	3	8,5	
MARATHON	08/12	E	828	L	T	260	108	4,0	6	6,5	844	R	T	200	62	4,0	3	8,5	
MARATHON	14	E	866 / 866X	L	T/S	300	108	4,0	6	7,0	844	R	T	200	62	4,0	3	8,5	
MARATHON	14	E	867	L	T	300	108	3,5	6	6,5	014 / 014X	R	S	200	62	4,0	3	8,5	
RIEJU										RIEJU									
125 c.c.										125 c.c.									
MARATHON MODELS																			
PRO ENDURO	12/17	E	866X	L	S	300	108	4,0	6	7,0	014X	R	S	200	62	4,0	3	8,5	
PRO SM	12/17	E	866X	L	S	300	108	4,0	6	7,0	014X	R	S	200	62	4,0	3	8,5	
PRO COMPETICION	12	E	013 / 013X	L	S	260	108	4,0	6	7,0	-	-	-	220	-	-	3	-	
PRO COMPETICION	12	E	828	L	T	260	108	4,0	6	6,5									
SM	08/10	F	013 / 013X	L	S	260	108	4,0	6	7,0	014 / 014X	R	S	200	62	4,0	3	8,5	

NG Brake Disc												NG Brake Disc											
YEAR	MODEL TYPE	REFERENCE	FRONT	REAR	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø	REFERENCE	FRONT	REAR	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø		
SM	08/10	F	828	L T	260	108	4,0	6	6,5			844	R T	200	62	4,0	3	8,5					
SM	11	F	013 / 013X	L S	260	108	4,0	6	7,0			1286 / 1286X	R S	200	62	4,0	3	10,5					
SM	11	F	828	L T	260	108	4,0	6	6,5														
SM PRO	17	F	866X	L S	300	108	4,0	6	7,0			014X	R S	200	62	4,0	3	8,5					
MRX 4T	03/10	E	013 / 013X	L S	260	108	4,0	6	7,0			014 / 014X	R S	200	62	4,0	3	8,5					
MRX 4T	03/10	E	828	L T	260	108	4,0	6	6,5			844	R T	200	62	4,0	3	8,5					
MRX 4T	11	E	013 / 013X	L S	260	108	4,0	6	7,0			1286 / 1286X	R S	200	62	4,0	3	10,5					
MRX 4T	11	E	828	L T	260	108	4,0	6	6,5														
MRX 4T	12/17	E	013 / 013X	L S	260	108	4,0	6	7,0			014 / 014X	R S	200	62	4,0	3	8,5					
MRX 4T	12/17	E	828	L T	260	108	4,0	6	6,5			844	R T	200	62	4,0	3	8,5					
NKD	08/09	R	865	R T	280	90	4,0	6	6,5			829	R T	220	57	4,0	5	6,5					
RR	97	E	143	L S	240	108	3,5	6	6,5			010	R S	185	80	3,5	3	8,5					
RS 2 / RS 2 PRO	05/09	R	865	R T	280	90	4,0	6	6,5			829	R T	220	57	4,0	5	6,5					
RS 3	14/17	R	1327	R S	280	108	4,0	6	7,0			487	R S	220	62	3,5	3	8,5					
RS3 NKD	14/17	N	866X	L S	300	108	4,0	6	7,0			1460X	R S	218	62	3,5	3	10,5					
RS4 / RS4 REPLICA	15/16	R	866X	L S	300	108	4,0	6	7,0			1460X	R S	218	62	3,5	3	10,5					
RSZ	05	R	865	R T	280	90	4,0	6	6,5			-	-	-	-	-	-	-	-	-	-		
SIXTEEN UX	08	S	1113	R S	220	89	4,0	3	10,5			1113	R S	220	89	4,0	3	10,5					
SMX 4T	03/10	U	013 / 013X	L S	260	108	4,0	6	7,0			014 / 014X	R S	200	62	4,0	3	8,5					
SMX 4T	11	U	013 / 013X	L S	260	108	4,0	6	7,0			1286 / 1286X	R S	200	62	4,0	3	10,5					
SMX 4T	11	U	828	L T	260	108	4,0	6	6,5														
TANGO / TANGO PRO	06/14	U	013 / 013X	L S	260	108	4,0	6	7,0			1286 / 1286X	R S	200	62	4,0	3	10,5					
TANGO / TANGO PRO	06/14	U	828	L T	260	108	4,0	6	6,5														
TANGO	15/16	U	013 / 013X	L S	260	108	4,0	6	7,0			014 / 014X	R S	200	62	4,0	3	8,5					
TANGO	17	U	013 / 013X	L S	260	108	4,0	6	7,0			1286 / 1286X	R S	200	62	4,0	3	10,5					
250 c.c.																							
TANGO	12/13	U	013 / 013X	L S	260	108	4,0	6	7,0			014 / 014X	R S	200	62	4,0	3	8,5					
TANGO	12/13	U	828	L T	260	108	4,0	6	6,5			844	R T	200	62	4,0	3	8,5					
TANGO	14/17	U	013 / 013X	L S	260	108	4,0	6	7,0			1286 / 1286X	R S	200	62	4,0	3	10,5					
TANGO MOTARD	08/11	U	915	L T	260	90	4,0	6	6,5			916	R T	200	58	4,0	6	6,5					
300 c.c.																							
CITY LINE i / ABS	14/17	S	-	L S	260	-	5,0	5	-			-	R S	240	-	4,5	5	-					
RIYA																							
50 c.c.																							
LEGEND 4T	16/17	S	-	L S	220	-	-	-	-			Drum	-	-	-	-	-	-					
ROME 4T	16/17	S	-	L S	154	-	-	-	-			Drum	-	-	-	-	-	-					
RETRO S 4T	16/17	S	-	L S	154	-	-	-	-			Drum	-	-	-	-	-	-					
XENO 4T	16/17	S	-	L S	154	-	-	-	-			Drum	-	-	-	-	-	-					
125 c.c.																							
ADONIS	16/17	S	-	R S	240	-	-	-	-			-	-	-	180	-	-	-					
KNIGHT	16/17	S	-	R S	230	-	-	-	-			Drum	-	-	-	-	-	-					
MATRIX	16/17	S	-	R S	220	-	-	-	-			Drum	-	-	-	-	-	-					
MUSTANG	16/17	S	-	L S	220	-	-	-	-			Drum	-	-	-	-	-	-					
ROME 4T	16/17	S	-	L S	180	-	-	-	-			Drum	-	-	-	-	-	-					
T9	16/17	S	-	R S	-	-	-	-	-			-	-	-	-	-	-	-					
ROYETA																							
150 c.c.																							
JAMAICA / VORTEX	-	S	1201X	R S22,0	220	58	4,0	3	8,5			1312X	-	S17,0	190	58	4,0	3	8,5				
250 c.c.																							
5 RY	-	S	1201X	R S22,0	220	58	4,0	3	8,5			1312X	-	S17,0	190	58	4,0	3	8,5				
ROXON																							
50 c.c.																							
DUEL R SM / S SM	04	A-F	219	L S	290	108	3,5	6	6,5			014 / 014X	R S	200	62	4,0	3	8,5					
DUEL TT	06	A-E	614	L S	259	108	3,5	6	6,5			014 / 014X	R S	200	62	4,0	3	8,5					
DUEL TT	06	A-E	828	L T	260	108	4,0	6	6,5														
ROXON																							
50 c.c.																							
DUEL TT S	04	A-E	614	L S	259	108	3,5	6	6,5			079	R S	180	62	3,5	3	10,5					
DUEL TT S	04	A-E	828	L T	260	108	4,0	6	6,5														
ROYAL ENFIELD																							



411 c.c.												411 c.c.											
HIMALAYAN	16/17	U	-	L	S	300	-	-	-	-	-	-	R	S	240	-	-	-	-	-	-	-	-
499 c.c.												499 c.c.											
BULLET MODELS																							
BATTLE GREEN	09/14	D	321 / 321X	L	S	282	132	5,0	6	8,5	-	-	-	-	-	-	-	-	-	-	-	-	-
BULLET / CLASSIC	16/17	D	321 / 321X	L	S	282	132	5,0	6	8,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-
BULLET / CLASSIC	09/14	D	321 / 321X	L	S	282	132	5,0	6	8,5	-	-	-	-	-	-	-	-	-	-	-	-	-
CHROME	09/14	D	321 / 321X	L	S	282	132	5,0	6	8,5	-	-	-	-	-	-	-	-	-	-	-	-	-
DESERT STORM	12/14	D	321 / 321X	L	S	282	132	5,0	6	8,5	-	-	-	-	-	-	-	-	-	-	-	-	-
Efi	17	D	-	L	-	-	-	-	-	-	-	L	S	240	-	-	-	-	-	-	-	-	-
ELECTRA X	05/14	D	321 / 321X	L	S	282	132	5,0	6	8,5	-	-	-	-	-	-	-	-	-	-	-	-	-
CLASSIC MODELS																							
BATTLE GREEN	17	D	-	L	-	-	-	-	-	-	-	L	S	240	-	-	-	-	-	-	-	-	-
Efi	17	D	-	L	-	-	-	-	-	-	-	L	S	240	-	-	-	-	-	-	-	-	-
CLUBMAN Efi	09/12	D	321 / 321X	L	S	282	132	5,0	6	8,5	-	-	-	-	-	-	-	-	-	-	-	-	-
CLUBMAN TRIALS Efi	09/12	D	321 / 321X	L	S	282	132	5,0	6	8,5	-	-	-	-	-	-	-	-	-	-	-	-	-
DESERT STORM	15/16	D	321 / 321X	L	S	282	132	5,0	6	8,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-
DESERT STORM ABS	17/18	D	321 / 321X	L	S	282	132	5,0	6	8,5	-	L	S	240	-	-	-	-	-	-	-	-	-
Efi / Efi DE LUXE	09	D	321 / 321X	L	S	282	132	5,0	6	8,5	-	-	-	-	-	-	-	-	-	-	-	-	-
ELECTRA Efi	09/14	D	321 / 321X	L	S	282	132	5,0	6	8,5	-	-	-	-	-	-	-	-	-	-	-	-	-
FURY Efi	11/12	D	321 / 321X	L	S	282	132	5,0	6	8,5	-	-	-	-	-	-	-	-	-	-	-	-	-
TRAILS Efi	09/12	D	321 / 321X	L	S	282	132	5,0	6	8,5	-	-	-	-	-	-	-	-	-	-	-	-	-
WOODSMAN Efi	09/12	D	321 / 321X	L	S	282	132	5,0	6	8,5	-	-	-	-	-	-	-	-	-	-	-	-	-
535 c.c.												535 c.c.											
CONTINENTAL GT	13/17	D	-	L	F00,0	300	-	-	-	-	325	L	S	240	110	5,0	6	6,5	-	-	-	-	-
SACHS BIKE												SACHS BIKE											
50 c.c.												50 c.c.											
MADASS 2T	04/06	A	081	L	S	260	90	4,0	6	6,5	343	R	S	220	57	3,5	6	6,5	-	-	-	-	-
MADASS 2T	04/06	A	-	-	-	-	-	-	-	-	8022	R	T	220	57	4,0	6	6,5	-	-	-	-	-
MADASS 4T	06/09	A	081	L	S	260	90	4,0	6	6,5	343	R	S	220	57	3,5	6	6,5	-	-	-	-	-
MADASS 4T	06/09	A	-	-	-	-	-	-	-	-	8022	R	T	220	57	4,0	6	6,5	-	-	-	-	-
RC S	04	A	081	L	S	260	90	4,0	6	6,5	343	R	S	220	57	3,5	6	6,5	-	-	-	-	-
RC S	04	A	-	-	-	-	-	-	-	-	8022	R	T	220	57	4,0	6	6,5	-	-	-	-	-
125 c.c.												125 c.c.											
MADASS	07/09	R	081	L	S	260	90	4,0	6	6,5	343	R	S	220	57	3,5	6	6,5	-	-	-	-	-
MADASS	07/09	R	-	-	-	-	-	-	-	-	8022	R	T	220	57	4,0	6	6,5	-	-	-	-	-
SANYA												SANYA											
125 c.c.												125 c.c.											
SANYOU SY-8	15/17	C	-	R	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-	-	-	-	-	-
SCARABEO												SCARABEO											
50 c.c.												50 c.c.											
2T / 4T STREET	10/17	S	017	L	S	220	60	4,0	5	8,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-
4T 4V	10/17	S	017	L	S	220	60	4,0	5	8,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-
NET 4T 4V / YOUR 4T 4V	10/11	S	017	L	S	220	60	4,0	5	8,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-
100 c.c.												100 c.c.											
4T	10/16	S	017	L	S	220	60	4,0	5	8,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-
125 c.c.												125 c.c.											
4T i.e.	15/17	S	-	L	S	260	-	-	-	-	-	L	-	220	-	-	-	-	-	-	-	-	-
i.e.	10/15	S	017	L	S	220	60	4,0	5	8,5	-	-	-	-	-	-	-	-	-	-	-	-	-
NET	10/11	S	017	L	S	220	60	4,0	5	8,5	-	-	-	-	-	-	-	-	-	-	-	-	-
200 c.c.												200 c.c.											
i.e.	10/15	S	017	L	S	220	60	4,0	5	8,5	-	-	-	-	-	-	-	-	-	-	-	-	-
SCARABEO												SCARABEO											
200 c.c.												200 c.c.											
NET	10/11	S	017	L	S	220	60	4,0	5	8,5	-	-	-	-	-	-	-	-	-	-	-	-	-
300 c.c.												300 c.c.											
S.i.e.	09/12	S	017	L	S	220	60	4,0	5	8,5	-	-	-	-	-	-	-	-	-	-	-	-	-
500 c.c.												500 c.c.											
i.e.	10/12	S	017	L/R	S	220	60	4,0	5	8,5	-	-	-	-	-	-	-	-	-	-	-	-	-
SCOMADI												SCOMADI											
50 c.c.												50 c.c.											
2T	15/16	S	017	L	S	220	60	4,0	5	8,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-
4T 4V	15/16	S	017	L	S	220	60	4,0	5	8,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-
TURISMO LEGGERA	16/17	S	-	L	S	180	-	-	-	-	Drum	-	-	-	-	-	-	-	-	-	-	-	-
125 c.c.												125 c.c.											



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø		REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø
TURISMO LEGGERA	16/17	S	-	L	S	220	-	-	-	-	-	-	-	S	220	-	-	-	-
TURISMO TL CHROME	16/17	S	-	L	S	220	-	-	-	-	-	-	-	S	220	-	-	-	-
200 c.c.																			
TURISMO LEGGERA	16/17	S	-	L	S	220	-	-	-	-	-	-	-	S	220	-	-	-	-
TURISMO TL CHROME	16/17	S	-	L	S	220	-	-	-	-	-	-	-	S	220	-	-	-	-
SCORPA																			
50 c.c.																			
SM	14/15	A-F	841X / 841	L	S	300	108	3,5	6	6,5		089X	R	S	180	62	3,8	3	10,5
SM	14/15	A-F										351	R	S	180	62	3,5	3	10,5
125 c.c.																			
SC / SC FACTORY	17	T	715 / 715X	L	S	185	-	3,0	4	15,5		1535	R	S	145	45	3,0	4	6,5
SC / SC FACTORY	17	T	715SP	L	S	185	-	3,0	4	15,5		1591	R	FIM	145	45	3,0	4	6,5
T-RIDE	14/17	U	193 / 193X	L	S	260	108	3,5	6	6,5		351	R	S	180	62	3,5	3	10,5
T-RIDE	14/17	U		L								089X	R	S	180	62	3,8	3	10,5
TWENTY	14/17	T	715 / 715X	L	S	185	-	3,0	4	15,5		1535	R	S	145	45	3,0	4	6,5
TWENTY	14/17	T	715SP	L	S	185	-	3,0	4	15,5		1591	R	FIM	145	45	3,0	4	6,5
TY	16	E	715 / 715X	L	S	185	-	3,0	4	15,5		650 / 650X	R	S	150	45	3,0	4	6,5
TY	16/17	E	715SP	L	S	185	-	3,0	4	15,5		650SP	R	S	150	45	3,0	4	6,5
TY	16/17	E										1570X	R	FIM	150	45	3,0	4	6,5
250 c.c.																			
SC / SC FACTORY	17	T	715 / 715X	L	S	185	-	3,0	4	15,5		1535	R	S	145	45	3,0	4	6,5
SC / SC FACTORY	17	T	715SP	L	S	185	-	3,0	4	15,5		1591	R	FIM	145	45	3,0	4	6,5
EASY	98	T	197	L	S	185	72	3,5	6	15,8		063	R	S	150	45	3,0	5	6,5
T-RIDE F	06	E	840 / 840X	L	T/S	260	108	3,5	6	6,5		-	-	-	-	-	-	-	-
T-RIDE F	06	E	193 / 193X	L	S	260	108	3,5	6	6,5									
TWENTY	14/17	T	715 / 715X	L	S	185	-	3,0	4	15,5		1535	R	S	145	45	3,0	4	6,5
TWENTY	14/17	T	715SP	L	S	185	-	3,0	4	15,5		1591	R	FIM	145	45	3,0	4	6,5
280 c.c.																			
EASY TCS TOP	97	T	197	L	S	185	72	3,5	6	15,8		063	R	S	150	45	3,0	5	6,5
SR	14	T	715 / 715X	L	S	185	-	3,0	4	15,5		650 / 650X	R	S	150	45	3,0	4	6,5
SR	14	T	715SP	L	S	185	-	3,0	4	15,5		650SP	R	S	150	45	3,0	4	6,5
SR	14	T										1570X	R	FIM	150	45	3,0	4	6,5
T-RIDE	14/17	U	193X / 193	L	S	260	108	3,5	6	6,5		089X	R	S	180	62	3,8	3	10,5
294 c.c.																			
294	95	T	197	L	S	185	72	3,5	6	15,8		063	R	S	150	45	3,0	5	6,5
300 c.c.																			
SC / SC FACTORY	17	T	715 / 715X	L	S	185	-	3,0	4	15,5		1535	R	S	145	45	3,0	4	6,5
SC / SC FACTORY	17	T	715SP	L	S	185	-	3,0	4	15,5		1591	R	FIM	145	45	3,0	4	6,5
TWENTY	14/17	T	715 / 715X	L	S	185	-	3,0	4	15,5		1535	R	S	145	45	3,0	4	6,5
TWENTY	14/17	T	715SP	L	S	185	-	3,0	4	15,5		1591	R	FIM	145	45	3,0	4	6,5
SCRAMBLER DUCATI																			
399 c.c.																			
SIXTY2 / SIXTY2 ABS	16/18	DVT	1536	L	F00,0	320	78	5,0	5	8,5		636A	R	S	245	115	5,0	6	8,5
800 c.c.																			
CAFÉ RACER ABS	17/18	DVT	1517	L	F00,0	330	78	5,0	5	8,5		636A	R	S	245	115	5,0	6	8,5
CLASSIC	15/16	DVT	1517	L	F00,0	330	78	5,0	5	8,5		636 / 636X	R	S	245	115	5,0	6	8,5
CLASSIC ABS	17	DVT	1517	L	F00,0	330	78	5,0	5	8,5		636A	R	S	245	115	5,0	6	8,5
DESERT SLED ABS	17/18	DVT	1517	L	F00,0	330	78	5,0	5	8,5		636A	R	S	245	115	5,0	6	8,5
FLAT TRACK PRO	16/17	DVT	1517	L	F00,0	330	78	5,0	5	8,5		636 / 636X	R	S	245	115	5,0	6	8,5
SCRAMBLER DUCATI																			
800 c.c.																			
FULL THROTTLE	15/16	DVT	1517	L	F00,0	330	78	5,0	5	8,5		636 / 636X	R	S	245	115	5,0	6	8,5
FULL THROTTLE ABS	17/18	DVT	1517	L	F00,0	330	78	5,0	5	8,5		636A	R	S	245	115	5,0	6	8,5
ICON	15/16	DVT	1517	L	F00,0	330	78	5,0	5	8,5		636 / 636X	R	S	245	115	5,0	6	8,5
ICON ABS	17/18	DVT	1517	L	F00,0	330	78	5,0	5	8,5		636A	R	S	245	115	5,0	6	8,5
ICON SILVER ICE ABS	18	DVT	1517	L	F00,0	330	78	5,0	5	8,5		636A	R	S	245	115	5,0	6	8,5
ITALIA INDEPENDENT	15/16	NVT	1517	L	F00,0	330	78	5,0	5	8,5		636 / 636X	R	S	245	115	5,0	6	8,5
MACH 2.0 ABS	18	DVT	1517	L	F00,0	330	78	5,0	5	8,5		636A	R	S	245	115	5,0	6	8,5
SCRAMBLER C. RACER	17	DVT	1517	L	F00,0	330	78	5,0	5	8,5		636 / 636X	R	S	245	115	5,0	6	8,5
URBAN ENDURO	15/17	DVT	1517	L	F00,0	330	78	5,0	5	8,5		636 / 636X	R	S	245	115	5,0	6	8,5
1079 c.c.																			
SCRAMBLER	18	DVT	-	L/R	Fxx,x	320	78	5,0	5	8,5		636A	R	S	245	115	5,0	6	8,5
SCRAMBLER ESPECIAL	18	DVT	-	L/R	Fxx,x	320	78	5,0	5	8,5		636A	R	S	245	115	5,0	6	8,5



SCRAMBLER SPORT			18	DVT	-	L/R	Fxx,x	320	78	5,0	5	8,5	636A			R	S	245	115	5,0	6	8,5	
SCUTUM												SCUTUM											
ELECTRIC												ELECTRIC											
SO2 1.8 KWH	14/17	SV	1365	L	S	220	58	4,0	3	10,5	1366	L	S15,0	220	64	4,0	5	5,5					
SO2 3.0 KWH / 4,5 KWH	14/16	SV	1365	L	S	220	58	4,0	3	10,5	1366	L	S15,0	220	64	4,0	5	5,5					
SO2 6.0 KWH	16/17	SV	1365	L	S	220	58	4,0	3	10,5	1366	L	S15,0	220	64	4,0	5	5,5					
SO3 3 wheels	14/16	SV	1365	L	S	220	58	4,0	3	10,5	1366	L/R	S15,0	220	64	4,0	5	5,5					
SHE-LUNG												SHE-LUNG											
50 c.c.												50 c.c.											
ALUNIX	00/01	S	406	L	S	155	40,6	3,8	3	10,5	-	-	-	-	-	-	-	-					
ALUNIX	00/01	S	727	L	SO	*180	40,6	3,5	3	10,5													
SHERCO												SHERCO											
ELECTRIC												ELECTRIC											
E-KID ENDURO	16/17	EV	-	L	S	-	-	-	-	-	-	-	-	-	-	-	-	-					
E-KID TRIAL	16/17	EV	-	L	S	-	-	-	-	-	-	-	-	-	-	-	-	-					
50 c.c.												50 c.c.											
0,5 KID	05/06	A	670	L	S	173	-	2,8	4	15,7	-	-	-	-	-	-	-	-					
CUP REPLICA SM	07	A	841 / 841X	L	S	300	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5					
ENDURO	02	A	398	L	S	240	108	3,5	6	6,5	487	R	S	220	62	3,5	3	8,5					
ENDURO	02	A									076	R	S	220	66	3,5	6	6,5					
ENDURO	06/08	A	840 / 840X	L	T/S	260	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5					
ENDURO	06/08	A	193 / 193X	L	S	260	108	3,5	6	6,5													
ENDURO CH. FRANCE	06	A	840 / 840X	L	T/S	260	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5					
ENDURO CH. FRANCE	06	A	193 / 193X	L	S	260	108	3,5	6	6,5													
FRENCH CHAMPION	05	A	398	L	S	240	108	3,5	6	6,5	487	R	S	220	62	3,5	3	8,5					
IPONE LIMITED SERIE SM	05	A	398	L	S	240	108	3,5	6	6,5	487	R	S	220	62	3,5	3	8,5					
IPONE SUPER MOTARD	06	A	841 / 841X	L	S	300	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5					
IPONE REPLICA SM	06	A	840 / 840X	L	T/S	260	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5					
IPONE REPLICA SM	06	A	193 / 193X	L	S	260	108	3,5	6	6,5													
S MOTARD	12/13	A	841 / 841X	L	S	300	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5					
SE 0,5	09	A	840 / 840X	L	T/S	260	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5					
SE 0,5	09	A	193 / 193X	L	S	260	108	3,5	6	6,5													
SE	12	A	840 / 840X	L	T/S	260	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5					
SE	12	A	193 / 193X	L	S	260	108	3,5	6	6,5													
SE R BLUE / FACTORY	15/16	A	840X	L	S	260	108	3,5	6	6,5	089X	R	S	180	62	3,8	3	10,5					
SHARK ENDURO	06	A	840 / 840X	L	T/S	260	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5					
SHARK ENDURO	06	A	193 / 193X	L	S	260	108	3,5	6	6,5													
SHARK ENDURO L. S.	05	A	398	L	S	240	108	3,5	6	6,5	487	R	S	220	62	3,5	3	8,5					
SM	07/12	A	841 / 841X	L	S	300	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5					
SM / SM R	14/17	A	841X / 841	L	S	300	108	3,5	6	6,5	089X / 089	R	S	180	62	3,8	3	10,5					
SM	02	A	398	L	S	240	108	3,5	6	6,5	487	R	S	220	62	3,5	3	8,5					
SM	02	A									076	R	S	220	66	3,5	6	6,5					
SM CHAMPIONE FRANCE	06	A	841 / 841X	L	S	300	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5					
SM CUP	06	A	840 / 840X	L	T/S	260	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5					
SM CUP	06	A	193 / 193X	L	S	260	108	3,5	6	6,5													
SHERCO												SHERCO											
50 c.c.												50 c.c.											
URBAN STREET VERSION	10/11	A	841 / 841X	L	S	300	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5					
75 c.c.												75 c.c.											
ST	14/15	A-T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5					
ST	14/15	A-T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5					
ST	14/15	A-T									1570X	R	FIM	150	45	3,0	4	6,5					
80 c.c.												80 c.c.											
TRIAL	03	A-T	670	L	S	173	-	2,8	4	15,7	-	-	-	-	-	4,0	-	-					
80 c.c.												80 c.c.											
TRIAL	07/09	A-T	012	L	S	185	-	3,0	4	10,5	650 / 650X	R	S	150	45	3,0	4	6,5					
TRIAL	07/09	A-T									650SP	R	S	150	45	3,0	4	6,5					
TRIAL	07/09	A-T									1570X	R	FIM	150	45	3,0	4	6,5					
125 c.c.												125 c.c.											
CITYCORP ENDURO	05/06	E	398	L	S	240	108	3,5	6	6,5	487	R	S	220	62	3,5	3	8,5					
CITYCORP ENDURO	07/08	E	840 / 840X	L	T/S	260	108	3,5	6	6,5	871	R	T	180	62	4,0	3	10,5					



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø							
CITYCORP ENDURO	07/08	E	193 / 193X	L	S	260	108	3,5	6	6,5							
CITYCORP SM	07/08	F	841 / 841X	L	S	300	108	3,5	6	6,5	871	R	T	180	62	4,0	3 10,5
SE	09/11	E	840 / 840X	L	T/S	260	108	3,5	6	6,5	871	R	T	180	62	4,0	3 10,5
SE	09/11	E	193 / 193X	L	S	260	108	3,5	6	6,5							
SE-R RACING	18	E	-	L	-	260	-	-	-	-	-	-	-	220	-	-	-
SC-R RACING	18	E	-	L	-	260	-	-	-	-	-	-	-	220	-	-	-
SM	09	F	841 / 841X	L	S	300	108	3,5	6	6,5	871	R	T	180	62	4,0	3 10,5
ST / FACTORY / RACING	09/17	T	715 / 715X	L	S	185	-	3,0	4	15,5	1535	R	S	145	45	3,0	4 6,5
ST / FACTORY / RACING	09/17	T	715SP	L	S	185	-	3,0	4	15,5	1591	R	FIM	145	45	3,0	4 6,5
TRIAL	99	T	258	L	S	185	72	3,0	6	15,8	259	R	S	150	45	3,0	5 6,5
TRIAL	00/01	T	278	L	S	185	-	3,0	6	15,5	279	R	S	145	45	3,0	5 6,5
TRIAL	02/08	T	012	L	S	185	-	3,0	4	10,5	650 / 650X	R	S	150	45	3,0	4 6,5
TRIAL	02/08	T									650SP	R	S	150	45	3,0	4 6,5
TRIAL	02/08	T									1570X	R	FIM	150	45	3,0	4 6,5
X-RIDE	16/17	E	840X	L	S	260	108	3,5	6	6,5	089X	R	S	180	62	3,8	3 10,5
XY	14	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4 6,5
XY	14	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4 6,5
XY	14	T									1570X	R	FIM	150	45	3,0	4 6,5
200 c.c.											200 c.c.						
ENDURO	00/01	E	278	L	S	185	-	3,0	6	15,5	279	R	S	145	45	3,0	5 6,5
TRIAL	02	T	012	L	S	185	-	3,0	4	10,5	650 / 650X	R	S	150	45	3,0	4 6,5
TRIAL	02	T									650SP	R	S	150	45	3,0	4 6,5
TRIAL	02	T									1570X	R	FIM	150	45	3,0	4 6,5
250 c.c.											250 c.c.						
ENDURO i	06/08	E	682	L	S	270	120	3,5	4	10,5	683	R	S	240	112	4,0	4 10,5
SE i / SE i R	12/13	E	1269X	L	S	256	120	3,0	4	10,5	263X	R	S	220	112	4,0	4 9,5
SE i / SE i R	12/13	E	1326XK17	L	KF	*270	120	3,0	4	10,5	263XSP	R	S	220	112	4,0	4 9,5
SE i / SE i R	12/13	E	1326XBHK17	L	KF	*270	120	3,0	4	10,5							
SE F / SE i / SE i - FR	09/10	E	682	L	S	270	120	3,5	4	10,5	683	R	S	240	112	4,0	4 10,5
SX i / SX i F R	09/10	E	682	L	S	270	120	3,5	4	10,5	683	R	S	240	112	4,0	4 10,5
SE 2T / SEF 4T	14/15	E	1326X	L	F00,0	270	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4 10,5
SE 2T / SEF 4T	14/15	E	1326XBH	L	F00,0	270	120	3,0	4	10,5	1497XSP	R	S	220	112	4,0	4 10,5
SE-R / SE-SD / SEF-SD	14/17	E	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4 10,5
SE-R / SE-SD / SEF-SD	14/17	E	1326XK17	L	KF	*270	120	3,0	4	10,5	1497XSP	R	S	220	112	4,0	4 10,5
SE-R / SE-SD / SEF-SD	14/17	E	1326XBHK17	L	KF	*270	120	3,0	4	10,5							
SEF-R 4T	14/17	E	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4 10,5
SEF-R 4T	14/17	E	1326XK17	L	KF	*270	120	3,0	4	10,5	1497XSP	R	S	220	112	4,0	4 10,5
SEF-R 4T	14/17	E	1326XBHK17	L	KF	*270	120	3,0	4	10,5							
TRIAL	98/99	T	258	L	S	185	72	3,0	6	15,8	259	R	S	150	45	3,0	5 6,5
TRIAL	00/01	T	278	L	S	185	-	3,0	6	15,5	279	R	S	145	45	3,0	5 6,5
TRIAL	02/09	T	012	L	S	185	-	3,0	4	10,5	650 / 650X	R	S	150	45	3,0	4 6,5
TRIAL	02/09	T									650SP	R	S	150	45	3,0	4 6,5
TRIAL	02/09	T									1570X	R	FIM	150	45	3,0	4 6,5
SHERCO											SHERCO						
250 c.c.											250 c.c.						
SEF-R FACTORY	16/17	E	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4 10,5
SEF-R FACTORY	16/17	E	1326XK17	L	KF	*270	120	3,0	4	10,5	1497XSP	R	S	220	112	4,0	4 10,5
SEF-R FACTORY	16/17	E	1326XBHK17	L	KF	*270	120	3,0	4	10,5							
ST / ST FACTORY	12/17	T	715 / 715X	L	S	185	-	3,0	4	15,5	1535	R	S	145	45	3,0	4 6,5
ST / ST FACTORY	12/17	T	715SP	L	S	185	-	3,0	4	15,5	1591	R	FIM	145	45	3,0	4 6,5
ST RACING	12/17	T	715 / 715X	L	S	185	-	3,0	4	15,5	1535	R	S	145	45	3,0	4 6,5
ST RACING	12/17	T	715SP	L	S	185	-	3,0	4	15,5	1591	R	FIM	145	45	3,0	4 6,5
272 c.c.											272 c.c.						
ST	09/15	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4 6,5
ST	09/15	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4 6,5
ST	09/15	T									1570X	R	FIM	150	45	3,0	4 6,5
290 c.c.											290 c.c.						
TECHNISCHE X-RIDE	12/13	U	840 / 840X	L	T/S	260	108	3,5	6	6,5	871	R	T	180	62	4,0	3 10,5
TECHNISCHE X-RIDE	12/13	U	193 / 193X	L	S	260	108	3,5	6	6,5							
TRIAL	99	T	258	L	S	185	72	3,0	6	15,8	259	R	S	150	45	3,0	5 6,5



TRIAL	00/01	T	278	L	S	185	-	3,0	6	15,5	279	R	S	145	45	3,0	5	6,5
TRIAL	02/08	T	012	L	S	185	-	3,0	4	10,5	650 / 650X	R	S	150	45	3,0	4	6,5
TRIAL	02/08	T									650SP	R	S	150	45	3,0	4	6,5
TRIAL	02/08	T									1570X	R	FIM	150	45	3,0	4	6,5
X-RIDE	11/13	E	193 / 193X	L	S	260	108	3,5	6	6,5	238 / 238X	R	S	218	62	3,5	3	10,5
X-RIDE	14/16	E	840X	L	S	260	108	3,5	6	6,5	089X	R	S	180	62	3,8	3	10,5
294 c.c.			294 c.c.															
ST	09/12	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
ST	09/12	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
ST	13/17	T	715 / 715X	L	S	185	-	3,0	4	15,5	1535	R	S	145	45	3,0	4	6,5
ST	13/17	T	715SP	L	S	185	-	3,0	4	15,5	1591	R	FIM	145	45	3,0	4	6,5
300 c.c.			300 c.c.															
SCF-R 4T	16	M	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4	10,5
SCF-R 4T	16	M	1326XK17	L	KF	*270	120	3,0	4	10,5	1497XSP	R	S	220	112	4,0	4	10,5
SCF-R 4T	16	M	1326XBHK17	L	KF	*270	120	3,0	4	10,5								
SE 2T	14/15	E	1326X	L	F00,0	270	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4	10,5
SE 2T	14/15	E	1326XBH	L	F00,0	270	120	3,0	4	10,5	1497XSP	R	S	220	112	4,0	4	10,5
SE i F / SE i R	09/11	E	682	L	S	270	120	3,5	4	10,5	683	R	S	240	112	4,0	4	10,5
SE i R	12/16	E	1269X	L	S	256	120	3,0	4	10,5	263X	R	S	220	112	4,0	4	9,5
SE i R	12/16	E	1326XK17	L	KF	*270	120	3,0	4	10,5	263XSP	R	S	220	112	4,0	4	9,5
SE i R	12/16	E	1326XBHK17	L	KF	*270	120	3,0	4	10,5								
SE-R / SE-R FACTORY	14/17	E	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4	10,5
SE-R / SE-R FACTORY	14/17	E	1326XK17	L	KF	*270	120	3,0	4	10,5	1497XSP	R	S	220	112	4,0	4	10,5
SE-R / SE-R FACTORY	14/17	E	1326XBHK17	L	KF	*270	120	3,0	4	10,5								
SEF 4T	14/17	E	1326X	L	F00,0	270	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4	10,5
SEF 4T	14/17	E	1326XBH	L	F00,0	270	120	3,0	4	10,5	1497XSP	R	S	220	112	4,0	4	10,5
SEF R	12/13	E	1269X	L	S	256	120	3,0	4	10,5	263X	R	S	220	112	4,0	4	9,5
SEF R	12/13	E	1326XK17	L	KF	*270	120	3,0	4	10,5	263XSP	R	S	220	112	4,0	4	9,5
SEF R	12/13	E	1326XBHK17	L	KF	*270	120	3,0	4	10,5								
SEF-R 4T	14/17	E	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4	10,5
SEF-R 4T	14/17	E	1326XK17	L	KF	*270	120	3,0	4	10,5	1497XSP	R	S	220	112	4,0	4	10,5
SEF-R 4T	14/17	E	1326XBHK17	L	KF	*270	120	3,0	4	10,5								
SEF-R FACTORY 4T	14/17	E	1269XSP	L	S	256	120	3,0	4	10,5	1497XSP	R	S	220	112	4,0	4	10,5
SEF-R FACTORY 4T	14/17	E	1326XK17	L	KF	*270	120	3,0	4	10,5								
SEF-R FACTORY 4T	14/17	E	1326XBHK17	L	KF	*270	120	3,0	4	10,5								
ST / ST FACTORY	11/17	T	715 / 715X	L	S	185	-	3,0	4	15,5	1535	R	S	145	45	3,0	4	6,5
ST / ST FACTORY	11/17	T	715SP	L	S	185	-	3,0	4	15,5	1591	R	FIM	145	45	3,0	4	6,5
ST RACING	11/17	T	715 / 715X	L	S	185	-	3,0	4	15,5	1535	R	S	145	45	3,0	4	6,5
ST RACING	11/17	T	715SP	L	S	185	-	3,0	4	15,5	1591	R	FIM	145	45	3,0	4	6,5
305 c.c.			305 c.c.															
CABESTANY REPLICA	12/13	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
CABESTANY REPLICA	12/13	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
CABESTANY REPLICA	12/13	T									1570X	R	FIM	150	45	3,0	4	6,5
SHERCO			SHERCO															
305 c.c.			305 c.c.															
ST 3,5	14	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5
ST 3,5	14	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
ST 3,5	14	T									1570X	R	FIM	150	45	3,0	4	6,5
320 c.c.			320 c.c.															
3.2 TRIAL 4T	05/08	T	012	L	S	185	-	3,0	4	10,5	650 / 650X	R	S	150	45	3,0	4	6,5
3.2 TRIAL 4T	05/08	T									650SP	R	S	150	45	3,0	4	6,5
3.2 TRIAL 4T	05/08	T									1570X	R	FIM	150	45	3,0	4	6,5
450 c.c.			450 c.c.															
4,5 i 4T	03/05	E	682	L	S	270	120	3,5	4	10,5	683	R	S	240	112	4,0	4	10,5
4,5 i 4T / SE i F SM	05/10	E	722	L	F00,0	320	120	5,0	4	8,5	683	R	S	240	112	4,0	4	10,5
4,5 i 4T / SE i F SM	05/10	E	722X	L	F00,0	318	120	5,0	4	8,5								
4,5 i 4T / SE i F SM	05/10	E	722SP	L	F00,0	320	120	5,0	4	8,5								
SE 4,5 i F / SE F / SE i R	09/12	E	682	L	S	270	120	3,5	4	10,5	683	R	S	240	112	4,0	4	10,5
SEF 4T	14/15	E	1326X	L	F00,0	270	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4	10,5
SEF 4T	14/15	E	1326XBH	L	F00,0	270	120	3,0	4	10,5	1497XSP	R	S	220	112	4,0	4	10,5
SEF-R / SEF-R FACTORY	14/17	E	1269X	L	S	256	120	3,0	4	10,5	1497X	R	S	220	112	4,0	4	10,5
SEF-R / SEF-R FACTORY	14/17	E	1326XK17	L	KF	*270	120	3,0	4	10,5	1497XSP	R	S	220	112	4,0	4	10,5



SEF-R / SEF-R FACTORY	14/17	E	1326XBHK17	L	KF	*270	120	3,0	4	10,5									
510 c.c.											510 c.c.								
5,1 i 4T	03/05	E	682	L	S	270	120	3,5	4	10,5	683	R	S	240	112	4,0	4	10,5	
SE 5,1 i-F SM	06/10	E	722	L	F00,0	320	120	5,0	4	8,5	683	R	S	240	112	4,0	4	10,5	
SE 5,1 i-F SM	06/10	E	722X	L	F00,0	318	120	5,0	4	8,5									
SE 5,1 i-F S. MOTARD	06/10	E	722SP	L	F00,0	320	120	5,0	4	8,5									
SE F / SE i / SE R	09/12	E	682	L	S	270	120	3,5	4	10,5	683	R	S	240	112	4,0	4	10,5	
SIAMOTO											SIAMOTO								
50 c.c.											50 c.c.								
BINGO	99	S	452	L	S	155	40,6	4,0	3	8,5	Drum	-	-	-	-	-	-	-	
FALKON	98/00	S	424	R	S	220	42	3,5	4	8,5	376	R	S	185	45	4,0	4	8,5	
MAT	99/02	S	452	L	S	155	40,6	4,0	3	8,5	Drum	-	-	-	-	-	-	-	
TOP RACING	99/02	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-	
TOP RACING	99/02	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
100 c.c.											100 c.c.								
MAT	99/02	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-	
MAT	99/02	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
TOP RACING	99/00	S	303	L	S	190	58	4,0	3	8,5	-	-	-	-	-	-	-	-	
TOP RACING	99/00	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
125 c.c.											125 c.c.								
BINGO	99	S	452	L	S	155	40,6	4,0	3	8,5	-	-	-	-	-	-	-	-	
CAPRI	98/02	S	423	R	S	180	62	3,5	3	6,5	428	L	S	180	64	3,5	3	6,5	
FALKON	98/00	S	424	R	S	220	42	3,5	4	8,5	376	R	S	185	45	4,0	4	8,5	
150 c.c.											150 c.c.								
CAPRI 4T	00/02	S	423	R	S	180	62	3,5	3	6,5	428	L	S	180	64	3,5	3	6,5	
180 c.c.											180 c.c.								
CAPRI	00/02	S	423	R	S	180	62	3,5	3	6,5	428	L	S	180	64	3,5	3	6,5	
SIDE-BIKE											SIDE-BIKE								
180 c.c.											180 c.c.								
SIDE-BIKE	95/00	L	-	-	-	-	-	-	-	-	480	-	S	210	30	4,0	6	6,5	
SINNIS											SINNIS								
50 c.c.											50 c.c.								
LJ QT-H	12/14	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
LJ QT-H	12/14	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
LJ QT-H	12/14	S	1300X	L	FO	*220	58	3,5	3	10,5									
LJ QT-H.	12/14	S	107 / xxxX	L	S	190	58	4,0	3	10,5	107 / xxxX	L	S	190	58	4,0	3	10,5	
LJ QT-H.	12/14	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH	
LJ QT-H.	12/14	S	1300X	L	FO	*220	58	3,5	3	10,5									
QM QT-2T FALCON	08/14	S	406	L	S	155	40,6	3,8	3	10,5	-	-	-	-	-	-	-	-	
QM QT-2T FALCON	08/14	S	727	L	SO	*180	40,6	3,5	3	10,5	-	-	-	-	-	-	-	-	
QM QT-6A JET	08/10	S	406	L	S	155	40,6	3,8	3	10,5	-	-	-	-	-	-	-	-	
QM QT-6A JET	08/10	S	727	L	SO	*180	40,6	3,5	3	10,5	-	-	-	-	-	-	-	-	
SINNIS											SINNIS								
50 c.c.											50 c.c.								
WY QT-39A GHOST	06/10	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
WY QT-39A GHOST	06/10	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
WY QT-39A GHOST	06/10	S	1300X	L	FO	*220	58	3,5	3	10,5									
125 c.c.											125 c.c.								
NITRO 125 WY 125T-56A	09/11	S	1011 / 1011X	L	S	180	58	4,0	3	10,5	-	-	-	-	-	-	-	-	
SPIRIT											SPIRIT								
750 c.c.											750 c.c.								
SPIRIT R / STREET R	17	R	-	L/R	Fxx,x	320	-	-	-	-	-	R	S	220	-	-	-	-	
SUMCO											SUMCO								
50 c.c.											50 c.c.								
WY QT-39A GHOST	06/10	D	-	R	-	-	-	-	-	-	Drum	-	-	-	-	-	-	-	
125 c.c.											125 c.c.								
ACE	16/17	R	-	R	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-	
DYANGO	14	R	1392	L	S	200	58	3,5	3	8,5	-	-	-	-	-	-	-	-	
MANGA	09/10	S	1201X	R	S22,0	220	58	4,0	3	8,5	1312X	-	S17,0	190	58	4,0	3	8,5	
MOHICANO	16/17	C	-	L	S	275	-	-	-	-	Drum	-	-	-	-	-	-	-	
STREETER	16/17	N	-	-	-	-	-	-	-	-	Drum	-	-	-	-	-	-	-	
SUNL											SUNL								
150 c.c.											150 c.c.								
MOPED SCOOTER	-	S	1201X	R	S22,0	220	58	4,0	3	8,5	1312X	-	S17,0	190	58	4,0	3	8,5	



SUNRIGHT											SUNRIGHT										
250 c.c.											250 c.c.										
AEOLUS CLASSIC	-	S	1266X	-	S	243	115	4,0	6	8,5	-	-	-	-	-	-	-	-	-	-	-
300 c.c.											300 c.c.										
AEOLUS	-	S	1266X	-	S	243	115	4,0	6	8,5	-	-	-	-	-	-	-	-	-	-	-
SUZUKI											SUZUKI										
ELECTRIC											ELECTRIC										
BURGMAN FULL CELL	12/15	SV	1061	R	S	240	89	4,5	3	10,5	1061	R	S	240	89	4,5	3	10,5			
50 c.c.											50 c.c.										
ADDRESS / ADRESS R	91/92	S	ND / NA	L	-	156	34	3,0	3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
ADDRESS R	95/02	S	074	L	S	180	34	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
ADDRESS R7 / RF	96/99	S	074	L	S	180	34	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
DR BIG	92/02	A	336	L	S	220	108	3,5	6	6,5	Drum	-	-	-	-	-	-	-	-	-	-
ESTILETE	00/02	S	074	L	S	180	34	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KATANA	97/03	S	074	L	S	180	34	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KATANA RACING	98	S	074	L	S	180	34	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
KATANA RACING	99/02	S	074	L	S	180	34	4,0	3	10,5	181	L	S	190	64	4,0	4	10,5			
KATANA R MOVISTAR	01/02	S	074	L	S	180	34	4,0	3	10,5	181	L	S	190	64	4,0	4	10,5			
KATANA W	99/03	S	074	L	S	180	34	4,0	3	10,5	181	L	S	190	64	4,0	4	10,5			
RMX	97/02	A	116	L	S	220	-	3,5	6	15,5	117	R	S	185	-	3,5	6	15,5			
SMX	99/02	A	116	L	S	220	-	3,5	6	15,5	117	R	S	185	-	3,5	6	15,5			
TR S STREET MAGIC	98/00	A	280	L	S	180	38	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
ZILLION UX	99/03	S	074	L	S	180	34	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
65 c.c.											65 c.c.										
RM	03/05	A-M	1143 / 1143X	L	S	180	79	3,0	4	9,5	1143 / 1143X	R	S	180	79	3,0	4	9,5			
80 c.c.											80 c.c.										
RM	86/01	A-M	754	L	S	200	100,5	3,5	3	6,5	760	R	S	184	85	3,5	4	6,5			
85 c.c.											85 c.c.										
RM	02/04	A-M	754	L	S	200	100,5	3,5	3	6,5	760	R	S	184	85	3,5	4	6,5			
RM 17 / 14'	05/16	A-M	745 / 745X	L	S	220	100,5	3,0	6	6,5	909 / 909X	R	S	200	85	3,5	4	6,5			
RML 19 / 16'	05/16	A-M	745 / 745X	L	S	220	100,5	3,0	6	6,5	909 / 909X	R	S	200	85	3,5	4	6,5			
100 c.c.											100 c.c.										
ADDRESS AH V	91/94	S	703	L	S	162	34	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
ADDRESS AH	-	S	074	L	S	180	34	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
SEPIA ADRESS AH V	92	S	703	L	S	162	34	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
110 c.c.											110 c.c.										
ADRESS	18	S	1590	L	S	190	45,3	3,5	4	10,5	Drum	-	-	-	-	-	-	-	-	-	-
ADRESS MOTO GP	15/17	S	1590	L	S	190	45,3	3,5	4	10,5	Drum	-	-	-	-	-	-	-	-	-	-
ADRESS NE UK	15/17	S	1590	L	S	190	45,3	3,5	4	10,5	Drum	-	-	-	-	-	-	-	-	-	-
HOCUTO	00/03	S	074	L	S	180	34	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
SUZUKI											SUZUKI										
125 c.c.											125 c.c.										
AN	95/00	S	280	L	S	180	38	4,0	3	10,5	Drum	-	-	-	-	-	-	-	-	-	-
BURGMAN UH ABS	02/05	S	453	L	S	220	100	4,0	3	10,5	064	R	S	220	64	4,0	4	10,5			
BURGMAN UH ABS	15/18	S	1529	R	S	240	115	4,5	3	10,5	1529	R	S	240	115	4,5	3	10,5			
BURGMAN UH / UH R	06/13	S	1061	R	S	240	89	4,5	3	10,5	1061	R	S	240	89	4,5	3	10,5			
BURGMAN UH EXECUTIVE	06/13	S	1061	R	S	240	89	4,5	3	10,5	1061	R	S	240	89	4,5	3	10,5			
BURGMAN UH RACING	13/14	S	1061	R	S	240	89	4,5	3	10,5	1061	R	S	240	89	4,5	3	10,5			
DR SUPERMOTO / SM	08	F	137XS	L	MD	250	100	3,0	4	MH	676 / 676X	R	S	220	118	4,5	6	6,5			
DR SUPERMOTO / SM	08	F	137 / 137X	L	MDF	250	100	3,0	4	MH											
DR SUPERMOTO / SM	09/12	F	1280X	L	S	260	118	3,5	6	6,5	676X / 676	R	S	220	118	4,5	6	6,5			
DR SUPERMOTO / SM	09/12	F	1659X	L	F00,0	260	118	3,0	6	6,5											
DR Z	99/05	M	276 / 276X	L	F00,0	250	118	3,0	6	6,5	329 / 329X	R	S	240	118	4,0	6	6,5			
DR Z	99/05	M	675 / 675X	L	S	250	118	3,0	6	6,5											
DR Z	12/13	M	-	-	-	-	-	-	-	-	Drum	-	-	-	-	-	-	-	-	-	-
EPICURO	00/02	S	443	L	S	220	100	4,0	5	10,5	Drum	-	-	-	-	-	-	-	-	-	-
GAMMA	92	R	1159 / 1159X	L	F19,5	300	64	5,0	5	10,5	-	-	-	-	-	-	-	-	-	-	-
GSX-R ABS	17/18	R	-	R	S	290	-	4,0	5	10,5	-	R	S	187	-	4,0	3	-			
GSX-S ABS	17/18	N	-	R	S	290	-	4,0	5	10,5	-	R	S	187	-	4,0	3	-			
INTRUDER L.C.	04/09	C	1142	R	F21,7	275	56	5,0	6	8,5	Drum	-	-	-	-	-	-	-	-	-	-
MARAUDER	04/10	C	1142	R	F21,7	275	56	5,0	6	8,5	Drum	-	-	-	-	-	-	-	-	-	-
RG F	92	R	1159 / 1159X	L	F19,5	300	64	5,0	5	10,5	-	-	-	-	-	-	-	-	-	-	-



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø		REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø
RM	88/98	M	276 / 276X	L	F00,0	250	118	3,0	6	6,5		676 / 676X	R	S	220	118	4,5	6	6,5
RM	96/98	M	675 / 675X	L	S	250	118	3,0	6	6,5									
RM	96/98	M	719	L	SO	*270	118	3,0	6	6,5									
RM	96/98	M	1153XK01	L	KF	*270	118	3,0	6	6,5									
RM	96/98	M	1153XBHK01	L	KF	*270	118	3,0	6	6,5									
RM	96/98	M	723K13	L	KF	*320	118	5,0	6	6,5									
RM	96/98	M	723XK13	L	KF	*318	118	5,0	6	6,5									
RM	96/98	M	723SPK13	L	KF	*320	118	5,0	6	6,5									
RM	99/09	M	276 / 276X	L	F00,0	250	118	3,0	6	6,5		329 / 329X	R	S	240	118	4,0	6	6,5
RM	99/09	M	675 / 675X	L	S	250	118	3,0	6	6,5									
RM	99/09	M	719	L	SO	*270	118	3,0	6	6,5									
RM	99/09	M	1153XK01	L	KF	*270	118	3,0	6	6,5									
RM	99/09	M	1153XBHK01	L	KF	*270	118	3,0	6	6,5									
RM	99/09	M	723K13	L	KF	*320	118	5,0	6	6,5									
RM	99/09	M	723XK13	L	KF	*318	118	5,0	6	6,5									
RM	99/09	M	723SPK13	L	KF	*320	118	5,0	6	6,5									
SIXTEEN UX i	08/14	S	1113	R	S	220	89	4,0	3	10,5		1113	R	S	220	89	4,0	3	10,5
TS	89/94	E	-	-	-	-	-	-	-	-		044	R	S	220	118	4,0	4	10,5
UE	01/02	S	280	L	S	180	38	4,0	3	10,5		Drum	-	-	-	-	-	-	-
VAN VAN RV	05/17	D	1295	R	S	220	81	4,0	4	10,5		Drum	-	-	-	-	-	-	-
150 c.c.																		150 c.c.	
AN	96/00	S	280	L	S	180	38	4,0	3	10,5		-	-	-	-	-	-	-	-
BURGMAN	02/05	S	453	L	S	220	100	4,0	3	10,5		064	R	S	220	64	4,0	4	10,5
EPICURO	00/02	S	443	L	S	220	100	4,0	5	10,5		Drum	-	-	-	-	-	-	-
SIXTEEN UX	08/14	S	1113	R	S	220	89	4,0	3	10,5		1113	R	S	220	89	4,0	3	10,5
UE / VECSTAR AN	98/03	S	280	L	S	180	38	4,0	3	10,5		Drum	-	-	-	-	-	-	-
200 c.c.																		200 c.c.	
BURGMAN UH / ABS	06/14	S	1061	R	S	240	89	4,5	3	10,5		1061	R	S	240	89	4,5	3	10,5
BURGMAN UH ABS	15/18	S	1529	R	S	240	115	4,5	3	10,5		1529	R	S	240	115	4,5	3	10,5
VAN VAN	05/17	D	1295	R	S	220	81	4,0	4	10,5		Drum	-	-	-	-	-	-	-
250 c.c.																		250 c.c.	
BURGMAN AN	98/02	S	196	L	S	260	121	4,5	6	10,5		691	R	S	210	109	5,0	5	10,5
BURGMAN AN	03/06	S	1040	L	S	260	121	4,5	5	10,5		1055	L	F28,0	210	60,2	5,0	3	10,5
BURGMAN AN K7	07/08	S	1040	R	S	260	121	4,5	5	10,5		1118	R	S	210	89	5,0	5	10,5
DR R	97/00	E	276 / 276X	L	F00,0	250	118	3,0	6	6,5		044	R	S	220	118	4,0	4	10,5
DR R	97/00	E	675 / 675X	L	S	250	118	3,0	6	6,5									
SUZUKI											SUZUKI								
250 c.c.																		250 c.c.	
DR RX	-	E	276 / 276X	L	F00,0	250	118	3,0	6	6,5		044	R	S	220	118	4,0	4	10,5
DR RX	-	E	675 / 675X	L	S	250	118	3,0	6	6,5									
DR Z	01/02	E	276 / 276X	L	F00,0	250	118	3,0	6	6,5		044	R	S	220	118	4,0	4	10,5
DR Z	01/02	E	675 / 675X	L	S	250	118	3,0	6	6,5									
GSF BANDIT	90/96	R	120 / 120X	L	F19,5	310	64	5,0	5	10,5		121	R	S	250	84	6,0	4	8,5
GSX	91	R	120 / 120X	R	F19,5	310	64	5,0	5	10,5		121	R	S	250	84	6,0	4	8,5
GSX R	89	R	239 / 239X	L	F20,0	290	64	4,5	5	10,5		793	L	S	210	81	4,0	4	10,5
GSX R ABS	17/18	R	1682X	L	S	290	120	5,0	5	10,5		1670X	R	S	240	120	4,5	5	10,5
GW YOSHIMURA	12/13	R	674	L	F00,0	290	121	4,5	6	10,5		1174	R	S	240	120	5,0	5	10,5
GW INAZUMA / F / S	12/17	N	1552	L	S	290	120,7	5,0	6	8,5		1174	R	S	240	120	5,0	5	10,5
INTRUDER L.C.	01/10	C	1142	L	F21,7	275	56	5,0	6	8,5		Drum	-	-	-	-	-	-	-
MARAUDER GZ	01/10	C	1142	L	F21,7	275	56	5,0	6	8,5		Drum	-	-	-	-	-	-	-
RGV / RGV K / RGV L	89/90	R	239 / 239X	L	F20,0	290	64	4,5	5	10,5		-	-	-	-	-	-	-	-
RGV GAMMA M	91	R	1159 / 1159X	L/R	F19,5	300	64	5,0	5	10,5		-	-	-	-	-	-	-	-
RM	88/98	M	276 / 276X	L	F00,0	250	118	3,0	6	6,5		676 / 676X	R	S	220	118	4,5	6	6,5
RM	88/98	M	675 / 675X	L	S	250	118	3,0	6	6,5									
RM	96/98	M	719	L	SO	*270	118	3,0	6	6,5									
RM	96/98	M	1153XK01	L	KF	*270	118	3,0	6	6,5									
RM	96/98	M	1153XBHK01	L	KF	*270	118	3,0	6	6,5									
RM	96/98	M	723K13	L	KF	*320	118	5,0	6	6,5									
RM	96/98	M	723XK13	L	KF	*318	118	5,0	6	6,5									
RM	96/98	M	723SPK13	L	KF	*320	118	5,0	6	6,5									



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø		REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø
RM	99/09	M	276 / 276X	L	F00,0	250	118	3,0	6	6,5		329 / 329X	R	S	240	118	4,0	6	6,5
RM	99/09	M	675 / 675X	L	S	250	118	3,0	6	6,5									
RM	99/09	M	719	L	SO	*270	118	3,0	6	6,5									
RM	99/09	M	1153XK01	L	KF	*270	118	3,0	6	6,5									
RM	99/09	M	1153XBHK01	L	KF	*270	118	3,0	6	6,5									
RM	99/09	M	723K13	L	KF	*320	118	5,0	6	6,5									
RM	99/09	M	723XK13	L	KF	*318	118	5,0	6	6,5									
RM	99/09	M	723SPK13	L	KF	*320	118	5,0	6	6,5									
RMX	88/98	E	276 / 276X	L	F00,0	250	118	3,0	6	6,5		676 / 676X	R	S	220	118	4,5	6	6,5
RMX	88/98	E	675 / 675X	L	S	250	118	3,0	6	6,5									
RMZ 4T	90/98	E	255	R	S	250	121	3,5	4	10,5		044	R	S	220	118	4,0	4	10,5
RM-Z	04/06	M	137 / 137X	L	MDF	250	100	3,0	4	MH		799 / 799X	R	S	240	116	4,0	4	10,5
RM-Z	04/06	M	137XS	L	MD	250	100	3,0	4	MH									
RM-Z	04/06	M	1150XK01	L	KF	*270	100	3,0	4	MH									
RM-Z	04/06	M	1150XBHK01	L	KF	*270	100	3,0	4	MH									
RM-Z 4T	07/18	M	1048XS	L	S	250	118	3,0	4	9,5		1049X / 1049	R	S	240	122	4,0	4	10,5
RM-Z 4T	07/18	M	1048X / 1048	L	F00,0	250	118	3,0	4	9,5									
RM-Z 4T	07/18	M	1160XK01	L	KF	*270	118	3,0	4	9,5									
RM-Z 4T	07/18	M	1160XBHK01	L	KF	*270	118	3,0	4	9,5									
RM-Z 4T	07/18	M	749K13	L	KF	*320	118	5,0	4	9,5									
RM-Z 4T	07/18	M	749XK13	L	KF	*318	118	5,0	4	9,5									
RM-Z 4T	07/18	M	749SPK13	L	KF	*320	118	5,0	4	9,5									
RM-Z 4T ENDURO	07/18	E	1048XS	L	S	250	118	3,0	4	9,5		1049X / 1049	R	S	240	122	4,0	4	10,5
RM-Z 4T ENDURO	07/19	E	1048X / 1048	L	F00,0	250	118	3,0	4	9,5									
RM-Z 4T ENDURO	07/20	E	1160XK01	L	KF	*270	118	3,0	4	9,5									
RM-Z 4T ENDURO	07/21	E	1160XBHK01	L	KF	*270	118	3,0	4	9,5									
RM-Z 4T ENDURO	07/22	E	749K13	L	KF	*320	118	5,0	4	9,5									
RM-Z 4T ENDURO	07/23	E	749XK13	L	KF	*318	118	5,0	4	9,5									
RM-Z 4T ENDURO	07/24	E	749SPK13	L	KF	*320	118	5,0	4	9,5									
TS	85/89	U	051	R	S	242	121	4,0	4	10,5		Drum	-	-	-	-	-	-	-
TU / TU X	96/11	R	1142	L	F21,7	275	56	5,0	6	8,5		Drum	-	-	-	-	-	-	-
TV WOLF	88/90	R	-	-	-	-	-	-	-	-		793	L	S	210	81	4,0	4	10,5
VL INTRUDER	07/08	C	1142	R	F21,7	275	56	5,0	6	8,5		Drum	-	-	-	-	-	-	-
V-STROM ABS	17/18	U	-	L	S	290	-	5,0	5	-		-	R	S	-	-	4,5	4	-
SUZUKI 350 c.c.										SUZUKI 350 c.c.									
DR	99	E	276 / 276X	L	F00,0	250	118	3,0	6	6,5		044	R	S	220	118	4,0	4	10,5
DR	99	E	675 / 675X	L	S	250	118	3,0	6	6,5									
400 c.c.										400 c.c.									
BURGMAN AN	98/02	S	196	L	S	260	121	4,5	6	10,5		691	R	S	210	109	5,0	5	10,5
BURGMAN AN	03/04	S	1040	L	S	260	121	4,5	5	10,5		1055	L	F28,0	210	60,2	5,0	3	10,5
BURGMAN AN ABS	05/18	S	1040	L/R	S	260	121	4,5	5	10,5		1118	R	S	210	89	5,0	5	10,5
DR Z E / DR Z S	00/09	E-U	1466	L	S	250	118	3,0	6	6,5		676 / 676X	R	S	220	118	4,5	6	6,5
DR Z E / DR Z S	00/09	E-U	719	L	SO	*270	118	3,0	6	6,5									
DR Z E / DR Z S	00/08	E-U	723K13	L	KF	*320	118	5,0	6	6,5									
DR Z E / DR Z S	00/08	E-U	723XK13	L	KF	*318	118	5,0	6	6,5									
DR Z E / DR Z S	00/08	E-U	723SPK13	L	KF	*320	118	5,0	6	6,5									
DR Z SM	05/10	F	1211 / 1211X	L	F00,0	310	118	5,0	6	6,5		329 / 329X	R	S	240	118	4,0	6	6,5
GSF	89	R	120 / 120X	L	F19,5	310	64	5,0	5	10,5		-	-	-	-	-	-	-	-
GSF BANDIT	89/92	R	120 / 120X	L	F19,5	310	64	5,0	5	10,5		121	R	S	250	84	6,0	4	8,5
GSF BANDIT	93/96	R	120 / 120X	L/R	F19,5	310	64	5,0	5	10,5		121	R	S	250	84	6,0	4	8,5
GSF BANDIT	97	R	239 / 239X	L/R	F20,0	290	64	4,5	5	10,5		121	R	S	250	84	6,0	4	8,5
GSK F / GSX	88/90	R	239 / 239X	L	F20,0	290	64	4,5	5	10,5		121	R	S	250	84	6,0	4	8,5
GSR	06/08	R	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5		1174	R	S	240	120	5,0	5	10,5
GSR	06/08	R	1104G	L/R	F00,0	310	121,5	5,0	5	10,5									
GSX INAZUMA	00	R	239 / 239X	L	F20,0	290	64	4,5	5	10,5		240 / 240X	R	S	240	89	5,0	5	10,5
GSX KATANA	92	R	239 / 239X	L	F20,0	290	64	4,5	5	10,5		121	R	S	250	84	6,0	4	8,5
GSX R	88/90	R	239 / 239X	L	F20,0	290	64	4,5	5	10,5		793	R	S	210	81	4,0	4	10,5
GSX R IMPULSE S TYPE	94→	R	239 / 239X	L	F20,0	290	64	4,5	5	10,5		121	R	S	250	84	6,0	4	8,5
GSX X IMPULSE	94→	R	239 / 239X	L	F20,0	290	64	4,5	5	10,5		121	R	S	250	84	6,0	4	8,5
NINJA ABS	18	S3	-X	R	F00,0	310	-	-	-	-		-X	R	S	220	-	-	-	-



YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø
RF R	93/97	R															
RM	01/02	M															
RM	01/02	M															
450 c.c.										450 c.c.							
RMX / RMX Z	10/15	E															
RMX / RMX Z	10/15	E															
RM-Z 4T	05/17	M															
RM-Z 4T	05/17	M															
RM-Z 4T	05/17	M															
RM-Z 4T	05/17	M															
RM-Z 4T	05/17	M															
RM-Z 4T	05/17	M															
RM-Z 4T	18	M															
RM-Z 4T	18	M															
RM-Z 4T	18	M															
RMZ E 4T ENDURO	15/17	E															
RMZ E 4T ENDURO	15/17	E															
RMZ E 4T ENDURO	18	E															
RMZ E 4T ENDURO	18	E															
RMZ E 4T ENDURO	18	E															
RMX E 4T ENDURO	15	E															
RMX E 4T ENDURO	15	E															
SMX 4T MOTARD	15	F															
SMX 4T MOTARD	15	F															
SMX 4T MOTARD	15	F															
SM Z 4T MOTARD	18	F															
SM Z 4T MOTARD	18	F															
SM Z 4T MOTARD	18	F															
500 c.c.										500 c.c.							
GS E / EU / F / FU	89/08	R															
GS U	03/06	R															
SUZUKI 600 c.c.										SUZUKI 600 c.c.							
R	04	R															
R	04	R															
DR R DAKAR / DJEBEL	86/89	E															
DR S	85/86	E															
DR R	06	E															
DR R	06	E															
GSF BANDIT / BANDIT S	95/04	R															
GSF BANDIT W	95/98	R															
GSF BANDIT Y	00/04	R															
GSR / GSR ABS	06/10	R															
GSR / GSR ABS	06/10	R															
GSX F	89/97	R															
GSX F	98/03	R															
GSX F	04→	R															
GSX F W-K3	98/03	R															
GSX K	88/95	R															
GSX-R	97/03	R															
GSX-R	97/03	R															
GSX-R	04/05	R															
GSX-R	04/05	R															
GSX-R	06/07	R															
GSX-R	06/07	R															
GSX-R	08/17	S6															
GSX-R	08/17	S6															
GSX S	88/95	R															
RF P / RF R / RF T	93/97	R															
RF T	93/97	R															



VS GL / VS GLU INTRUDER	94/05	C	1318	R	F00,0	296	57	5,0	6	10,5	Drum	-	-	-	-	-	-
650 c.c.																	
BANDIT A KONZEPT	12/13	R	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1174	R	S	240	120	5,0	5 10,5
BANDIT A KONZEPT	12/13	R	1104G	L/R	F00,0	310	121,5	5,0	5	10,5							
BANDIT SA / F / T	12/14	R	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1174	R	S	240	120	5,0	5 10,5
BANDIT SA / F / T	12/14	R	1104G	L/R	F00,0	310	121,5	5,0	5	10,5							
BURGMAN AN	02/03	S	672	L/R	S	260	121	4,5	4	10,5	1065	R	S	250	117	5,7	4 10,5
BURGMAN / ABS	04/18	S	1357	L/R	F00,0	260	121	4,5	5	10,5	1105	R	S	250	117	5,0	5 10,5
BURGMAN / ABS	04/18	S	1040	L/R	S	260	121	4,5	5	10,5							
BURGMAN EXECTUTIVE ABS	04/18	S	1357	L/R	F00,0	260	121	4,5	5	10,5	1105	R	S	250	117	5,0	5 10,5
BURGMAN EXECTUTIVE ABS	04/18	S	1040	L/R	S	260	121	4,5	5	10,5							
DR	91/95	U	673	L	F00,0	300	121	4,5	6	10,5	-	-	-	-	-	-	-
DR	91/95	U	122 / 122X	L	S	300	121	5,0	6	10,5							
DR R DJEBEL	90/95	E	052 / 052X	L	S	280	121	4,0	4	10,5	065 / 065X	R	S	250	134,5	4,0	6 10,5
DR R / RE / RS / RSE	91/95	E	673	L	F00,0	300	121	4,5	6	10,5	065 / 065X	R	S	250	134,5	4,0	6 10,5
DR R / RE / RS / RSE	91/95	E	122 / 122X	L	S	300	121	5,0	6	10,5							
DR RSE	90/91	U	052 / 052X	L	S	280	121	4,0	4	10,5	065 / 065X	R	S	250	134,5	4,0	6 10,5
DR R DAKAR	90/91	E	052 / 052X	L	S	280	121	4,0	4	10,5	-	-	-	-	-	-	-
DR RS / SE / L / M / SL	91/95	U	673	L	F00,0	300	121	4,5	6	10,5	065 / 065X	R	S	250	134,5	4,0	6 10,5
DR RS / SE / L / M / SL	91/95	U	122 / 122X	L	S	300	121	5,0	6	10,5							
DR SE	96/10	U	674	L	F00,0	290	121	4,5	6	10,5	029	R	S	240	118	4,5	4 10,5
GSF BANDIT	05/06	R	1000 / 1000G	L/R	F00,0	290	69	4,5	5	10,5	240 / 240X	R	S	240	89	5,0	5 10,5
GSF BANDIT S / ABS	05/06	R	1322	L/R	F00,0	290	121	4,5	5	10,5	240 / 240X	R	S	240	89	5,0	5 10,5
GSF BANDIT / S / N / ABS	07/16	R	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1174	R	S	240	120	5,0	5 10,5
GSF BANDIT / S / N / ABS	07/16	R	1104G	L/R	F00,0	310	121,5	5,0	5	10,5							
GSX F / GSX F ABS	08/16	R	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1174	R	S	240	120	5,0	5 10,5
GSX F / GSX F ABS	08/16	R	1104G	L/R	F00,0	310	121,5	5,0	5	10,5							
SFV GLADIUS / ABS	09/16	NVT	1278	L/R	F00,0	290	121,5	5,0	5	10,5	1174	R	S	240	120	5,0	5 10,5
SV	99/02	NTV	239 / 239X	L/R	F20,0	290	64	4,5	5	10,5	240 / 240X	R	S	240	89	5,0	5 10,5
SV	03/15	NTV	1000 / 1000G	L/R	F00,0	290	69	4,5	5	10,5	791 / 791X	R	S	220	89	5,0	5 10,5
SUZUKI 650 c.c.																	
SV ABS	07/17	NTV	1278	L/R	F00,0	290	121,5	5,0	5	10,5	1174	R	S	240	120	5,0	5 10,5
SV ABS	18	NTV	1322	L/R	F00,0	290	121	4,5	5	10,5	1174	R	S	240	120	5,0	5 10,5
SV BANNER ABS	15/17	NVT	1278	L/R	F00,0	290	121,5	5,0	5	10,5	1174	R	S	240	120	5,0	5 10,5
SV S	99/02	NVT	239 / 239X	L/R	F20,0	290	64	4,5	5	10,5	240 / 240X	R	S	240	89	5,0	5 10,5
SV S	03/15	NVT	1000 / 1000G	L/R	F00,0	290	69	4,5	5	10,5	791 / 791X	R	S	220	89	5,0	5 10,5
SV S ABS	07/15	NVT	1278	L/R	F00,0	290	121,5	5,0	5	10,5	1174	R	S	240	120	5,0	5 10,5
SV X ABS	18	NTV	1322	L/R	F00,0	290	121	4,5	5	10,5	1174	R	S	240	120	5,0	5 10,5
XF FREEWIND	97/02	R	673	L	F00,0	300	121	4,5	6	10,5	029	R	S	240	118	4,5	4 10,5
XF FREEWIND	97/02	R	122 / 122X	L	S	300	121	5,0	6	10,5							
V-STROM MODELS																	
ABS	12/18	UVT	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4 10,5
ABS	12/18	UVT	1104G	L/R	F00,0	310	121,5	5,0	5	10,5							
DL	04/06	UVT	1053 / 1053X	L/R	F00,0	310	69	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4 10,5
X / ABS	07/17	UVT	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4 10,5
X / ABS	07/17	UVT	1104G	L/R	F00,0	310	121,5	5,0	5	10,5							
XT / ABS	12/18	UVT	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4 10,5
XT / ABS	12/18	UVT	1104G	L/R	F00,0	310	121,5	5,0	5	10,5							
S.ADVENTURE TOURER ABS	18	UVT	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4 10,5
S.ADVENTURE TOURER ABS	18	UVT	1104G	L/R	F00,0	310	121,5	5,0	5	10,5							
TRAVELLER / ABS	07/11	UVT	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4 10,5
TRAVELLER / ABS	07/11	UVT	1104G	L/R	F00,0	310	121,5	5,0	5	10,5							
XPEDITION	11	UVT	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1094 / 1094X	R	S	260	141	5,0	4 10,5
XPEDITION	11	UVT	1104G	L/R	F00,0	310	121,5	5,0	5	10,5							
750 c.c.																	
DR BIG / DR BIG S	88/90	U	052 / 052X	L	S	280	121	4,0	4	10,5	065 / 065X	R	S	250	134,5	4,0	6 10,5
GSR / GSR ABS	11/16	R	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1174	R	S	240	120	5,0	5 10,5
GSR / GSR ABS	11/16	R	1104G	L/R	F00,0	310	121,5	5,0	5	10,5							
GSR Z / GSR Z ABS	15/16	R	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5	1174	R	S	240	120	5,0	5 10,5
GSR Z / GSR Z ABS	15/16	R	1104G	L/R	F00,0	310	121,5	5,0	5	10,5							



MODEL	YEAR	TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø
GSX	89/92	R	239 / 239X	L	F20,0	290	64	4,5	5	10,5	-	-	-	-	-	-	-	-
GSX	97/08	R	1159 / 1159X	L/R	F19,5	300	64	5,0	5	10,5	240 / 240X	R	S	240	89	5,0	5	10,5
GSX-F	85/88	R	1138	L/R	F21,5	300	61	5,0	5	10,5	240 / 240X	R	S	240	89	5,0	5	10,5
GSX-F	89/95	R	124	L/R	F22,0	310	64	4,0	5	10,5	240 / 240X	R	S	240	89	5,0	5	10,5
GSX-F	89/97	R	239 / 239X	L	F20,0	290	64	4,5	5	10,5	121	R	S	250	84	6,0	4	8,5
GSX-F	98/03	R	239 / 239X	L	F20,0	290	64	4,5	5	10,5	240 / 240X	R	S	240	89	5,0	5	10,5
GSX-F	04/06	R	1000	L/R	F00,0	290	69	4,5	5	10,5	240 / 240X	R	S	240	89	5,0	5	10,5
GSX-F	04/06	R	1000G	L/R	F00,0	290	69	4,5	5	10,5								
GSX-F	07	R	1041 / 1041X	L/R	F00,0	310	100	5,0	5	10,5	791 / 791X	R	S	220	89	5,0	5	10,5
GSX-F	07	R	1041G / 1041XG	L/R	F00,0	310	100	5,0	5	10,5								
GSX-F	04/05	R	790 / 790X	L/R	F00,0	300	69	5,0	5	10,5	791 / 791X	R	S	220	89	5,0	5	10,5
GSX-F	04/05	R	790XG	L/R	F00,0	300	69	5,0	5	10,5								
GSX-F / FL	89/92	R	239 / 239X	L/R	F20,0	290	64	4,5	5	10,5	121	R	S	250	84	6,0	4	8,5
GSX-R	85/87	R	1138	L/R	F21,5	300	61	5,0	5	10,5	791 / 791X	R	S	220	89	5,0	5	10,5
GSX-R	88/95	R	124	L/R	F22,0	310	64	4,0	5	10,5	240 / 240X	R	S	240	89	5,0	5	10,5
GSX-R	96/03	R	458 / 458X	L/R	F00,0	320	69	5,0	5	10,5	791 / 791X	R	S	220	89	5,0	5	10,5
GSX-R	04/05	R	790 / 790X	L/R	F00,0	300	69	5,0	5	10,5	791 / 791X	R	S	220	89	5,0	5	10,5
GSX-R	04/05	R	790XG	L/R	F00,0	300	69	5,0	5	10,5								
GSX-R	06/07	R	1041 / 1041X	L/R	F00,0	310	100	5,0	5	10,5	791 / 791X	R	S	220	89	5,0	5	10,5
GSX-R	06/07	R	1041G / 1041XG	L/R	F00,0	310	100	5,0	5	10,5								
GSX-R	08/17	R	1214 / 1214X	L/R	F00,0	310	102	5,0	6	8,5	791 / 791X	R	S	220	89	5,0	5	10,5
GSX-R	08/17	R	1214G / 1214XG	L/R	F00,0	310	102	5,0	6	8,5								
GSX-R LIMITED EDITION	89/90	R	124	L/R	F22,0	310	64	4,0	5	10,5	240 / 240X	R	S	240	89	5,0	5	10,5
GSX-S ABS	16/18	N	1541XG	L/R	F00,0	310	110	5,0	6	8,5	1540X	R	S	250	121	5,0	5	10,5
GSX-F SLINGSHOT	89/92	R	239 / 239X	L/R	F20,0	290	64	4,5	5	10,5	121	R	S	250	84	6,0	4	8,5
GSX-S Z ABS	17/18	N	1541XG	L/R	F00,0	310	110	5,0	6	8,5	1540X	R	S	250	121	5,0	5	10,5
GSX Z	08/14	R	1214 / 1214X	L/R	F00,0	310	102	5,0	6	8,5	791 / 791X	R	S	220	89	5,0	5	10,5
GSX Z	08/14	R	1214G / 1214XG	L/R	F00,0	310	102	5,0	6	8,5								

SUZUKI

SUZUKI

750 c.c.											750 c.c.							
R	04	R	790 / 790X	L/R	F00,0	300	69	5,0	5	10,5	791 / 791X	R	S	220	89	5,0	5	10,5
R	04	R	790XG	L/R	F00,0	300	69	5,0	5	10,5								
VS GL INTRUDER	85/86	C	1318	L	F00,0	296	57	5,0	6	10,5	Drum	-	-	-	-	-	-	-
VS GLP INTRUDER	86/91	C	1318	L	F00,0	296	57	5,0	6	10,5	-	-	-	-	-	-	-	-
800 c.c.											800 c.c.							
DR BIG	88/90	U	-	-	-	-	-	-	-	-	065 / 065X	R	S	250	134,5	4,0	6	10,5
DR BIG	91/96	U	673	L	F00,0	300	121	4,5	6	10,5	065 / 065X	R	S	250	134,5	4,0	6	10,5
DR BIG	91/96	U	122 / 122X	L	S	300	121	5,0	6	10,5								
DR BIG	96/97	U	-	-	-	-	-	-	-	-	065 / 065X	R	S	250	134,5	4,0	6	10,5
DR SM-P	91/93	F	120 / 120X	L/R	F19,5	310	64	5,0	5	10,5	-	-	-	-	-	-	-	-
DR BIG SL	89/90	U	673	L	F00,0	300	121	4,5	6	10,5	065 / 065X	R	S	250	134,5	4,0	6	10,5
DR BIG SL	89/90	U	122 / 122X	L	S	300	121	5,0	6	10,5								
INTRUDER C	05/16	C	122 / 122X	R	S	300	121	5,0	6	10,5	Drum	-	-	-	-	-	-	-
INTRUDER C	05/16	C	673	R	F00,0	300	121	4,5	6	10,5								
INTRUDER C	17	C	-	R	S	300	-	5,0	5	-	Drum	-	-	-	-	-	-	-
INTRUDER C B / C C	14/15	C	122 / 122X	R	S	300	121	5,0	6	10,5	Drum	-	-	-	-	-	-	-
INTRUDER C B / C C	14/15	C	673	R	F00,0	300	121	4,5	6	10,5								
INTRUDER M / T	14/15	C	790 / 790X	R	F00,0	300	69	5,0	5	10,5	Drum	-	-	-	-	-	-	-
INTRUDER M / T	14/15	C	790XG	R	F00,0	300	69	5,0	5	10,5								
VS GL INTRUDER	91/03	C	1318	L	F00,0	296	57	5,0	6	10,5	Drum	-	-	-	-	-	-	-
VZ MARAUDER	96/04	C	1159 / 1159X	R	F19,5	300	64	5,0	5	10,5	-	-	-	-	-	-	-	-
900 c.c.											900 c.c.							
RF / T / V / RR / RS / RS2	94/97	R	120 / 120X	L/R	F19,5	310	64	5,0	5	10,5	240 / 240X	R	S	240	89	5,0	5	10,5
RF T / RF V	94/97	R	120 / 120X	L/R	F19,5	310	64	5,0	5	10,5	240 / 240X	R	S	240	89	5,0	5	10,5
1000 c.c.											1000 c.c.							
GSX-R K1 / K2	01/02	R	458 / 458X	L/R	F00,0	320	69	5,0	5	10,5	791 / 791X	R	S	220	89	5,0	5	10,5
GSX-R K1 / K2	01/02	R	458G / 458XG	L/R	F00,0	320	69	5,0	5	10,5								
GSX-R K3 / K4	03/04	R	790 / 790X	L/R	F00,0	300	69	5,0	5	10,5	791 / 791X	R	S	220	89	5,0	5	10,5
GSX-R K3 / K4	03/04	R	790XG	L/R	F00,0	300	69	5,0	5	10,5								
GSX-R K5 / K6 / K7 / K8	05/08	R	1041 / 1041X	L/R	F00,0	310	100	5,0	5	10,5	791 / 791X	R	S	220	89	5,0	5	10,5
GSX-R K5 / K6 / K7 / K8	05/08	R	1041G / 1041XG	L/R	F00,0	310	100	5,0	5	10,5								

NG Brake Disc		YEAR	MODEL TYPE	REFERENCE	FRONT										REAR									
					SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø					
GSX-R / GSX-R ABS	09/16	SB	1214 / 1214X	L/R F00,0	310	102	5,0	6	8,5			791 / 791X	R	S	220	89	5,0	5	10,5					
GSX-R / GSX-R ABS	09/16	SB	1214G / 1214XG	L/R F00,0	310	102	5,0	6	8,5															
GSX-R ABS	17/18	SB	1639G	L/R F00,0	320	102	5,0	6	8,5			1649	R	S	220	110	5,0	5	10,5					
GSX-R R ABS	17/18	SB	1639G	L/R F00,0	320	102	5,0	6	8,5			1649	R	S	220	110	5,0	5	10,5					
GSX-R Z PREMIUM	14	R	1214 / 1214X	L/R F00,0	310	102	5,0	6	8,5			791 / 791X	R	S	220	89	5,0	5	10,5					
GSX-R Z PREMIUM	14	R	1214G / 1214XG	L/R F00,0	310	102	5,0	6	8,5															
GSX-S / ABS	15/18	N	1541G / 1541XG	L/R F00,0	310	110	5,0	6	8,5			1540 / 1540X	R	S	250	121	5,0	5	10,5					
GSX-S F / ABS	15/18	R	1541G / 1541XG	L/R F00,0	310	110	5,0	6	8,5			1540 / 1540X	R	S	250	121	5,0	5	10,5					
GSX-S Z / ABS	17/18	N	1541G / 1541XG	L/R F00,0	310	110	5,0	6	8,5			1540 / 1540X	R	S	250	121	5,0	5	10,5					
SV / SV S	03/07	R	1053 / 1053X	L/R F00,0	310	69	5,0	5	10,5			791 / 791X	R	S	220	89	5,0	5	10,5					
TL R / TL S	97/03	R	458 / 458X	L/R F00,0	320	69	5,0	5	10,5			791 / 791X	R	S	220	89	5,0	5	10,5					
TL R / TL S	97/03	R	458G / 458XG	L/R F00,0	320	69	5,0	5	10,5															
V-STROM MODELS																								
ABS	14/15	UVT	1104 / 1104X	L/R F00,0	310	121,5	5,0	5	10,5			1094 / 1094X	R	S	260	141	5,0	4	10,5					
ABS	14/15	UVT	1104G	L/R F00,0	310	121,5	5,0	5	10,5			1604	R	S	260	141	5,5	4	10,5					
ABS	16/18	UVT	1104G	L/R F00,0	310	121,5	5,0	5	10,5			1094 / 1094X	R	S	260	141	5,0	4	10,5					
ABS	16/18	UVT	1104 / 1104X	L/R F00,0	310	121,5	5,0	5	10,5			1604	R	S	260	141	5,5	4	10,5					
DL	02/11	U	1053 / 1053X	L/R F00,0	310	69	5,0	5	10,5			1094 / 1094X	R	S	260	141	5,0	4	10,5					
DL	02/11	U										1604	R	S	260	141	5,5	4	10,5					
DL	12/13	U	1104 / 1104X	L/R F00,0	310	121,5	5,0	5	10,5			1094 / 1094X	R	S	260	141	5,0	4	10,5					
DL	12/13	U	1104G	L/R F00,0	310	121,5	5,0	5	10,5			1604	R	S	260	141	5,5	4	10,5					
XT ABS	17/18	UVT	1104G	L/R F00,0	310	121,5	5,0	5	10,5			1094 / 1094X	R	S	260	141	5,0	4	10,5					
XT ABS	17/18	UVT	1104 / 1104X	L/R F00,0	310	121,5	5,0	5	10,5			1604	R	S	260	141	5,5	4	10,5					
SPORT ADVENTURE																								
TOURER ABS	18	UVT	1104G	L/R F00,0	310	121,5	5,0	5	10,5			1094	R	S	260	141	5,0	4	10,5					
TOURER ABS	18	UVT										1604	R	S	260	141	5,5	4	10,5					
SUZUKI 1000 c.c.																								
SPORT ADVENTURE																								
TOURER XT ABS	18	UVT	1104G	L/R F00,0	310	121,5	5,0	5	10,5			1094	R	S	260	141	5,0	4	10,5					
TOURER ABS	18	UVT										1604	R	S	260	141	5,5	4	10,5					
1100 c.c.																								
GSX	91/96	R	-	-	-	-	-	-	-			240 / 240X	R	S	240	89	5,0	5	10,5					
GSX R	86/88	R	-	-	-	-	-	-	-			791 / 791X	R	S	220	89	5,0	5	10,5					
GSX R	89/00	R	124	L/R F22,0	310	64	4,0	5	10,5			240 / 240X	R	S	240	89	5,0	5	10,5					
1200 c.c.																								
GSF / GSF BANDIT	96/05	R	120 / 120X	L/R F19,5	310	64	5,0	5	10,5			240 / 240X	R	S	240	89	5,0	5	10,5					
GSF BANDIT S	01/06	R	120 / 120X	L/R F19,5	310	64	5,0	5	10,5			240 / 240X	R	S	240	89	5,0	5	10,5					
GSX	99/03	R	120 / 120X	L/R F19,5	310	64	5,0	5	10,5			240 / 240X	R	S	240	89	5,0	5	10,5					
GSX INAZUMA	98/02	R	120 / 120X	L/R F19,5	310	64	5,0	5	10,5			240 / 240X	R	S	240	89	5,0	5	10,5					
GSX X / GSX X1	99/01	R	120 / 120X	L/R F19,5	310	64	5,0	5	10,5			240 / 240X	R	S	240	89	5,0	5	10,5					
1250 c.c.																								
GSF BANDIT SA / ABS	12/16	R	1104 / 1104X	L/R F00,0	310	121,5	5,0	5	10,5			1174	R	S	240	120	5,0	5	10,5					
GSF BANDIT SA / ABS	12/16	R	1104G	L/R F00,0	310	121,5	5,0	5	10,5															
GSF BANDIT / S / N ABS	06/16	R	1104 / 1104X	L/R F00,0	310	121,5	5,0	5	10,5			1174	R	S	240	120	5,0	5	10,5					
GSF BANDIT / S / N ABS	06/16	R	1104G	L/R F00,0	310	121,5	5,0	5	10,5															
GSX F / GSX FA / ABS	10/15	R	1104 / 1104X	L/R F00,0	310	121,5	5,0	5	10,5			1174	R	S	240	120	5,0	5	10,5					
GSX F / GSX FA / ABS	10/15	R	1104G	L/R F00,0	310	121,5	5,0	5	10,5															
GSX FA TRAVELLER	14/16	R	1104 / 1104X	L/R F00,0	310	121,5	5,0	5	10,5			1174	R	S	240	120	5,0	5	10,5					
GSX FA TRAVELLER	14/16	R	1104G	L/R F00,0	310	121,5	5,0	5	10,5															
GSX S ABS	08/09	R	1104 / 1104X	L/R F00,0	310	121,5	5,0	5	10,5			-	-	-	-	-	5,0	-	-					
GSX S ABS	08/09	R	1104G	L/R F00,0	310	121,5	5,0	5	10,5															
1300 c.c.																								
B-KING / B-KING ABS	08/11	R	1104 / 1104X	L/R F00,0	310	121,5	5,0	5	10,5			1370 / 1370X	R	S	260	140	5,5	6	10,5					
B-KING / B-KING ABS	08/11	R	1104G	L/R F00,0	310	121,5	5,0	5	10,5															
B-KING KONZEPT	12/13	R	1104 / 1104X	L/R F00,0	310	121,5	5,0	5	10,5			1370 / 1370X	R	S	260	140	5,5	6	10,5					
B-KING KONZEPT	12/13	R	1104G	L/R F00,0	310	121,5	5,0	5	10,5															
GSX-R MODELS																								
HAYABUSA	99/07	R	458 / 458X	L/R F00,0	320	69	5,0	5	10,5			240 / 240X	R	S	240	89	5,0	5	10,5					
HAYABUSA	99/07	R	458G / 458XG	L/R F00,0	320	69	5,0	5	10,5															



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø		REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø
HAYABUSA / ABS	08/17	R	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5		1673	R	S	260	140	6,0	6	10,5
HAYABUSA / ABS	08/17	R	1104G	L/R	F00,0	310	121,5	5,0	5	10,5									
HAYABUSA KONZEPT	12/13	R	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5		1673	R	S	260	140	6,0	6	10,5
HAYABUSA KONZEPT	12/13	R	1104G	L/R	F00,0	310	121,5	5,0	5	10,5									
1400 c.c.											1400 c.c.								
GSX	02/07	R	458 / 458X	L/R	F00,0	320	69	5,0	5	10,5		1223	R	S	260	105	5,0	5	10,5
GSX	02/07	R	458G / 458XG	L/R	F00,0	320	69	5,0	5	10,5									
VS GLF INTRUDER	87/04	CVT	1318	R	F00,0	296	57	5,0	6	10,5		210	R	S	275	57	5,0	6	MH
VS GLP / GLPH INTRUDER	87/10	CVT	1318	R	F00,0	296	57	5,0	6	10,5		210	R	S	275	57	5,0	6	MH
VS GLPH INTRUDER	87/10	CVT	1318	R	F00,0	296	57	5,0	6	10,5		210	R	S	275	57	5,0	6	MH
1500 c.c.											1500 c.c.								
INTRUDER M	08/09	CVT	1000 / 1000G	L/R	F00,0	290	69	4,5	5	10,5		-	-	-	-	-	-	-	-
VL INTRUDER L.C.	98/01	CVT	348	R	S	299	100	6,0	5	8,5		-	-	-	-	-	-	-	-
1800 c.c.											1800 c.c.								
M 109 R BOULEVARD	06→	CVT	1041 / 1041X	L/R	F00,0	310	100	5,0	5	10,5		ND / NA	-	F6,6	275	89	5,5	5	10,5
M 109 R BOULEVARD	06→	CVT	1041G / 1041XG	L/R	F00,0	310	100	5,0	5	10,5									
VLR INTRUDER C R	08/11	CVT	1000 / 1000G	L/R	F00,0	290	69	4,5	5	10,5		1657	R	F00,0	276	89,2	7,0	6	10,5
VLR INTRUDER C RT	08/09	CVT	1000 / 1000G	L/R	F00,0	290	69	4,5	5	10,5		1657	R	F00,0	276	89,2	7,0	6	10,5
VLZ INTRUDER M	08/12	CVT	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5		-	-	-	-	-	-	-	-
VLZ INTRUDER M	08/12	CVT	1104G	L/R	F00,0	310	121,5	5,0	5	10,5									
VLZ INTRUDER M R	08/09	CVT	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5		-	-	-	-	-	-	-	-
VLZ INTRUDER M R	08/09	CVT	1104G	L/R	F00,0	310	121,5	5,0	5	10,5									
VLZ INTRUDER M R2	08/09	CVT	1104 / 1104X	L/R	F00,0	310	121,5	5,0	5	10,5		-	-	-	-	-	-	-	-
VLZ INTRUDER M R2	08/09	CVT	1104G	L/R	F00,0	310	121,5	5,0	5	10,5									
VLZ INTRUDER M RB	14/15	CVT	1041 / 1041X	L/R	F00,0	310	100	5,0	5	10,5		1657	R	F00,0	276	89,2	7,0	6	10,5
VLZ INTRUDER M RB	14/15	CVT	1041G / 1041XG	L/R	F00,0	310	100	5,0	5	10,5									
SUZUKI											SUZUKI								
1800 c.c.											1800 c.c.								
VLZ INTRUDER M RBZ	17	CVT	1041 / 1041X	L/R	F00,0	310	100	5,0	5	10,5		-	R	F00,0	-	-	7,0	5	-
VLZ INTRUDER M RBZ	17	CVT	1041G / 1041XG	L/R	F00,0	310	100	5,0	5	10,5									
VZR INTRUDER	06/08	CVT	1041 / 1041X	L/R	F00,0	310	100	5,0	5	10,5		ND / NA	-	F6,6	275	89	5,5	5	10,5
VZR INTRUDER	06/08	CVT	1041G / 1041XG	L/R	F00,0	310	100	5,0	5	10,5									
VZR INTRUDER M R	06/09	CVT	1041 / 1041X	L/R	F00,0	310	100	5,0	5	10,5		1657	R	F00,0	276	89,2	7,0	6	10,5
VZR INTRUDER M R	06/09	CVT	1041G / 1041XG	L/R	F00,0	310	100	5,0	5	10,5									
VZR INTRUDER M R2	08/09	CVT	1041 / 1041X	L/R	F00,0	310	100	5,0	5	10,5		1657	R	F00,0	276	89,2	7,0	6	10,5
VZR INTRUDER M R2	08/09	CVT	1041G / 1041XG	L/R	F00,0	310	100	5,0	5	10,5									
VZR INTRUDER M RZ	07/11	CVT	1041 / 1041X	L/R	F00,0	310	100	5,0	5	10,5		1657	R	F00,0	276	89,2	7,0	6	10,5
VZR INTRUDER M RZ	07/11	CVT	1041G / 1041XG	L/R	F00,0	310	100	5,0	5	10,5									
SWM											SWM								
125 c.c.											125 c.c.								
RS R	16	E	910X / 910	L	S	260	120	3,0	4	6,5		1193X	R	S	240	126	4,0	4	19,0
RS R	16	E	910SP	L	S	260	120	3,0	4	6,5									
RS R	16	E	392	L	S	260	120	3,5	4	6,5									
RS R	16	E	1164X	L	F00,0	260	120	3,0	4	6,5									
250 c.c.											250 c.c.								
MC S	16→	M	910X / 910	L	S	260	120	3,0	4	6,5		1264X	R	S	240	112	4,0	4	9,5
MC S	16→	M	910SP	L	S	260	120	3,0	4	6,5									
MC S	16→	M	392	L	S	260	120	3,5	4	6,5									
MC S	16→	M	1164X	L	F00,0	260	120	3,0	4	6,5									
MC S	16→	M	1325XK17	L	KF	*270	120	3,0	4	6,5									
MC S	16→	M	1325XBHK17	L	KF	*270	120	3,0	4	6,5									
MC S	16→	M	722K11	L	KF	*320	120	5,0	4	6,5									
MC S	16→	M	722XK11	L	KF	*318	120	5,0	4	6,5									
MC S	16→	M	722SPK11	L	KF	*320	120	5,0	4	6,5									
300 c.c.											300 c.c.								
FT R SUPERMOTARD	17	F	910X / 910	L	S	260	120	3,0	4	6,5		1193X	R	S	240	126	4,0	4	19,0
FT R SUPERMOTARD	17	F	910SP	L	S	260	120	3,0	4	6,5									
RS R	15/18	E	910X / 910	L	S	260	120	3,0	4	6,5		1193X	R	S	240	126	4,0	4	19,0
RS R	15/18	E	910SP	L	S	260	120	3,0	4	6,5									
RS R	15/18	E	392	L	S	260	120	3,5	4	6,5									
RS R	15/18	E	1164X	L	F00,0	260	120	3,0	4	6,5									



RS R	15/17	E	1325XK16	L	KF	*270	120	3,0	4	6,5										
RS R	15/17	E	1325XBHK16	L	KF	*270	120	3,0	4	6,5										
RS R	15/17	E	722K27	L	KF	*320	120	5,0	4	6,5										
RS R	15/17	E	722XK27	L	KF	*318	120	5,0	4	6,5										
RS R	15/17	E	722SPK27	L	KF	*320	120	5,0	4	6,5										
340 c.c.											340 c.c.									
RS S	16→	E	910X / 910	L	S	260	120	3,0	4	6,5	1264X	R	S	240	112	4,0	4	9,5		
RS S	16→	E	910SP	L	S	260	120	3,0	4	6,5										
RS S	16→	E	392	L	S	260	120	3,5	4	6,5										
RS S	16→	E	1164X	L	F00,0	260	120	3,0	4	6,5										
RS S	16→	E	1325XK17	L	KF	*270	120	3,0	4	6,5										
RS S	16→	E	1325XBHK17	L	KF	*270	120	3,0	4	6,5										
RS S	16→	E	722K11	L	KF	*320	120	5,0	4	6,5										
RS S	16→	E	722XK11	L	KF	*318	120	5,0	4	6,5										
RS S	16→	E	722SPK11	L	KF	*320	120	5,0	4	6,5										
440 c.c.											440 c.c.									
GRAN MILANO	16/17	D	-	L	F00,0	320	-	-	-	-	263X / 263	R	S	220	112	4,0	4	9,5		
GRAN MILANO	16/17	D									263SP / 263XSP	R	S	220	112	4,0	4	9,5		
SILVER VASE	16/17	D	-	L	F00,0	320	-	-	-	-	Drum	-	-	-	-	-	-	-		
500 c.c.											500 c.c.									
RS R	15/18	E	910X / 910	L	S	260	120	3,0	4	6,5	1193X	R	S	240	126	4,0	4	19,0		
RS R	15/18	E	910SP	L	S	260	120	3,0	4	6,5										
RS R	15/18	E	392	L	S	260	120	3,5	4	6,5										
RS R	15/18	E	1164X	L	F00,0	260	120	3,0	4	6,5										
SWM											SWM									
500 c.c.											500 c.c.									
RS R	15/17	E	1325XK16	L	KF	*270	120	3,0	4	6,5	1193X	R	S	240	126	4,0	4	19,0		
RS R	15/17	E	1325XBHK16	L	KF	*270	120	3,0	4	6,5										
RS R	15/17	E	722K27	L	KF	*320	120	5,0	4	6,5										
RS R	15/17	E	722XK27	L	KF	*318	120	5,0	4	6,5										
RS R	15/17	E	722SPK27	L	KF	*320	120	5,0	4	6,5										
SM-R	15	F	1561X	L	F9,0	320	120	5,0	4	8,5	1193X	R	S	240	126	4,0	4	19,0		
650 c.c.											650 c.c.									
RS R	16	E	910X / 910	L	S	260	120	3,0	4	6,5	263X / 263	R	S	220	112	4,0	4	9,5		
RS R	16	E	910SP	L	S	260	120	3,0	4	6,5	263SP	R	S	220	112	4,0	4	9,5		
RS R	17	E	-	-	-	-	-	-	-	-	263X / 263	R	S	220	112	4,0	4	9,5		
RS R	17	E									263SP	R	S	220	112	4,0	4	9,5		
SM-R	15/16	F	1561X	L	F9,0	320	120	5,0	4	8,5	1193X	R	S	240	126	4,0	4	19,0		
SUPER DUAL	16	F	1561X / 1561	L	F9,0	320	120	5,0	4	8,5	-	R	S	220	-	-	-	-		
SYM											SYM									
ELECTRIC											ELECTRIC									
E-SYMETRY	12/13	SV	108	L	S	160	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-		
E-VIRID DE LUXE	12/15	SV	108	L	S	160	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-		
E-WOO	11	SV	108	L	S	160	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-		
50 c.c.											50 c.c.									
ALLO	12/13	S	303	L	S	190	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-		
ALLO	12/13	S	1022 / 1022X	L	MD	190	58	3,7	3	MH										
CINDERELLA	99/02	S	108	L	S	160	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-		
CITY HOPPER	99/00	S	108	L	S	160	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-		
DD	04/07	S	108	L	S	160	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-		
FANCY	98/06	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-		
FANCY	98/06	S	1022 / 1022X	L	MD	190	58	3,7	3	MH										
FIDDLE / S / II / III	08/17	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	Drum	-	-	-	-	-	-	-		
JET	95/10	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-		
JET	95/10	S	1022 / 1022X	L	MD	190	58	3,7	3	MH										
JET 4	09/10	S	1313 / 1313X	L	S	226	59	4,0	5	10,5	Drum	-	-	-	-	-	-	-		
JET 4 / R / NAKED	12/13	S	1206X	L	S	226	58	4,0	5	10,5	Drum	-	-	-	-	-	-	-		
JET 4 2T / JET 4 R 2T	14/17	S	1313X / 1313	L	S	226	59	4,0	5	10,5	Drum	-	-	-	-	-	-	-		
JET EURO X	06/09	S	1070	L	S	190	80	4,0	5	10,5	Drum	-	-	-	-	-	-	-		
JET SPORT X SR	702	S	1354X	L	S	190	58	4,0	3	10,5	1355	L	S	160	60	4,0	4	6,5		



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø		REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø
JUNGLE	99/02	S	023	L	S	190	58	3,5	3	8,5		Drum	-	-	-	-	-	-	-
JUNGLE	99/02	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
MIO	06/16	S	108	L	S	160	58	4,0	3	10,5		Drum	-	-	-	-	-	-	-
ORBIT	08/09	S	1022 / 1022X	L	MD	190	58	3,7	3	MH		Drum	-	-	-	-	-	-	-
ORBIT 2T / ORBIT II / TS	14/17	S	303	L	S	190	58	4,0	3	8,5		Drum	-	-	-	-	-	-	-
ORBIT 2T / ORBIT II / TS	14/17	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
PURE	98	S	023	L	S	190	58	3,5	3	8,5		Drum	-	-	-	-	-	-	-
PURE	98	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
RED DEVIL	07	S	1070	L	S	190	80	4,0	5	10,5		Drum	-	-	-	-	-	-	-
SR	99	S	162	L	F18,0	267	64	5,0	6	8,5		Drum	-	-	-	-	-	-	-
SUPER FANCY	06/16	S	108	L	S	160	58	4,0	3	10,5		Drum	-	-	-	-	-	-	-
SYMPLY	09/13	S	107 / xxxX	L	S	190	58	4,0	3	10,5		Drum	-	-	-	-	-	-	-
SYMPLY	09/13	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
SYMPLY	09/13	S	1300X	L	FO	*220	58	3,5	3	10,5									
SYMPLY II	14/15	S	303	L	S	190	58	4,0	3	8,5		Drum	-	-	-	-	-	-	-
SYMPLY II	14/15	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
SYMPHONY	09/17	S	1313 / 1313X	L	S	226	59	4,0	5	10,5		Drum	-	-	-	-	-	-	-
SYMPHONY S 4T / LX 4T	10/17	S	1313 / 1313X	L	S	226	59	4,0	5	10,5		Drum	-	-	-	-	-	-	-
SYMPHONY SR 4T	10/17	S	1313X / 1313	L	S	226	59	4,0	5	10,5		1313X / 1313	C	S	226	59	4,0	5	10,5
X-PRO	12/17	S	107 / xxxX	L	S	190	58	4,0	3	10,5		Drum	-	-	-	-	-	-	-
X-PRO	12/17	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
X-PRO	12/17	S	1300X	L	FO	*220	58	3,5	3	10,5									
SYM											SYM								
100 c.c.											100 c.c.								
CINDERELLA	99/02	S	108	L	S	160	58	4,0	3	10,5		Drum	-	-	-	-	-	-	-
JET	95/00	S	023	L	S	190	58	3,5	3	8,5		Drum	-	-	-	-	-	-	-
JET	95/00	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
JET EURO	07/08	S	1070	L	S	190	80	4,0	5	10,5		Drum	-	-	-	-	-	-	-
MIO	05/15	S	108	L	S	160	58	4,0	3	10,5		Drum	-	-	-	-	-	-	-
125 c.c.											125 c.c.								
ALLO 4T	12/17	S	303	L	S	190	58	4,0	3	8,5		Drum	-	-	-	-	-	-	-
ALLO 4T	12/17	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
ATTILA	95/00	S	108	L	S	160	58	4,0	3	10,5		Drum	-	-	-	-	-	-	-
FIDDLE / II / II S	08/16	S	1022 / 1022X	L	MD	190	58	3,7	3	MH		Drum	-	-	-	-	-	-	-
FIDDLE III 4T	14/17	S	303	L	S	190	58	4,0	3	8,5		Drum	-	-	-	-	-	-	-
FIDDLE III 4T	14/17	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
GTS / GTS Efi	06/07	S	-	-	-	-	-	-	-	-		1156 / 1156X	R	S	200	73	4,5	3	10,5
GTS i EVO / E3	08/16	S	1158	L	S	240	98	4,0	5	10,5		1156 / 1156X	R	S	200	73	4,5	3	10,5
HD EURO / HD E3	03/04	S	1126	L	S	220	96,5	4,0	5	10,5		-	-	-	-	-	-	-	-
HD E3	07/08	S	1126	L	S	220	96,5	4,0	5	10,5		-	-	-	-	-	-	-	-
HD EVO / HD EVO CBS	07/17	S	1126	L	S	220	96,5	4,0	5	10,5		1127	R	S	220	110	5,0	5	10,5
HD 2 i / CBS / EVO	10/17	S	1516X	L	S	226	96,5	4,0	5	10,5		1127	R	S	220	110	5,0	5	10,5
JET 4	09/17	S	1313X / 1313	L	S	226	59	4,0	5	10,5		Drum	-	-	-	-	-	-	-
JET 14 i AC 14'	17	S	-	L	S	260	-	-	-	-		Drum	-	-	-	-	-	-	-
JET 14 i L.C. 14'	17	S	-	L	S	260	-	-	-	-		-	L	S	220	-	-	-	-
JOYMAX MODELS																			
ABS / i GTS	15/17	S	1448XE	L	S	260	128	4,0	5	10,5		1589X	R	S	240	98	5,0	5	10,5
i / Xi	12/14	S	1158	L	S	240	98	4,0	5	10,5		1127	R	S	220	110	5,0	5	10,5
i / Xi	15/16	S	1448XE	L	S	260	128	4,0	5	10,5		1589X	R	S	240	98	5,0	5	10,5
i ABS START/STOP	15/16	S	1448XE	L	S	260	128	4,0	5	10,5		1589X	R	S	240	98	5,0	5	10,5
i COMFORT / ABS	16/17	S	1448XE	L	S	260	128	4,0	5	10,5		1589X	R	S	240	98	5,0	5	10,5
i SPORT ABS	15/17	S	1448XE	L	S	260	128	4,0	5	10,5		1589X	R	S	240	98	5,0	5	10,5
i S & S / ABS	15/17	S	1448XE	L	S	260	128	4,0	5	10,5		1589X	R	S	240	98	5,0	5	10,5
JOYRIDE	01/04	S	1157	L	S	224	173	4,0	5	10,5		1156 / 1156X	R	S	200	73	4,5	3	10,5
JOYRIDE EVO / E2	09/14	S	1157	L	S	224	173	4,0	5	10,5		1156 / 1156X	R	S	200	73	4,5	3	10,5
JOYRIDE EVO	10/14	S	1157	L	S	224	173	4,0	5	10,5		-	R	S	220	-	-	-	-
JOYRIDE EVO	15/17	S	-	L	S	273	-	-	-	-		-	R	S	220	-	-	-	-
MEGALO	00/07	S	108	L	S	160	58	4,0	3	10,5		-	-	-	-	-	-	-	-
NEW DUKE	00/01	S	108	L	S	160	58	4,0	3	10,5		-	-	-	-	-	-	-	-
MX EURO / E2	02/04	S	1157	L	S	224	173	4,0	5	10,5		1156 / 1156X	R	S	200	73	4,5	3	10,5




	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø		REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø
SHARK / E2	99/02	S	1157	L	S	224	173	4,0	5	10,5		1156 / 1156X	R	S	200	73	4,5	3	10,5
SR	98	S	108	L	S	160	58	4,0	3	10,5		-	-	-	-	-	-	-	-
SUPER DUKE	99/02	S	108	L	S	160	58	4,0	3	10,5		-	-	-	-	-	-	-	-
SYMPLY 4T / ORBIT 11	09/15	S	1022 / 1022X	L	MD	190	58	3,7	3	MH		Drum	-	-	-	-	-	-	-
SYMPHONY	09/17	S	1313 / 1313X	L	S	226	59	4,0	5	10,5		Drum	-	-	-	-	-	-	-
SYMPHONY DD	09	S	1313 / 1313X	L	S	226	59	4,0	5	10,5		-	-	-	-	-	-	-	-
SYMPHONY S	10	S	1313 / 1313X	L	S	226	59	4,0	5	10,5		-	-	-	-	-	-	-	-
SYMPHONY S / LX	15/17	S	1313 / 1313X	L	S	226	59	4,0	5	10,5		1313 / 1313X	C	S	226	59	4,0	5	10,5
SYMPHONY SR	10/17	S	1313X / 1313	L	S	226	59	4,0	5	10,5		1313 / 1313X	C	S	226	59	4,0	5	10,5
SYMPHONY ST	15/17	S	1572X	L	S	260	106,2	4,0	5	10,5		1573X	C	S	240	102,3	4,0	5	10,5
VS / VS E3	06/16	S	1157	L	S	224	173	4,0	5	10,5		Drum	-	-	-	-	-	-	-
WOLF	14/16	D	-	R	S	260	-	-	-	-		-	R	S	220	-	-	-	-
X-PRO	12/17	S	107 / xxxX	L	S	190	58	4,0	3	10,5		Drum	-	-	-	-	-	-	-
X-PRO	12/17	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
X-PRO	12/17	S	1300X	L	FO	*220	58	3,5	3	10,5									
XS	16/17	S	-	R	S	240	-	-	-	-		Drum	-	-	-	-	-	-	-
150 c.c.											150 c.c.								
ATTILA	00/01	S	108	L	S	160	58	4,0	3	10,5		Drum	-	-	-	-	-	-	-
ALLO / FIDDLE II	12/13	S	1022 / 1022X	L	MD	190	58	3,7	3	MH		-	-	-	-	-	-	-	-
DURO MX	02/04	s	1157	L	S	224	173	4,0	5	10,5		-	-	-	-	-	-	-	-
JET 4	12/16	S	1313X / 1313	L	S	226	59	4,0	5	10,5		Drum	-	-	-	-	-	-	-
SYM 150 c.c.											SYM 150 c.c.								
JOYRIDE / EVO	01/10	S	1157	L	S	224	173	4,0	5	10,5		1156 / 1156X	R	S	200	73	4,5	3	10,5
MX EURO / MX E2	02/04	S	1157	L	S	224	173	4,0	5	10,5		1156 / 1156X	R	S	200	73	4,5	3	10,5
SHARK	00/01	S	1157	L	S	224	173	4,0	5	10,5		-	-	-	-	-	-	-	-
SUPER DUKE	99/02	S	108	L	S	160	58	4,0	3	10,5		-	-	-	-	-	-	-	-
SYMPHONY	09	S	1313 / 1313X	L	S	226	59	4,0	5	10,5		Drum	-	-	-	-	-	-	-
SYMPHONY S	10/14	S	1313 / 1313X	L	S	226	59	4,0	5	10,5		Drum	-	-	-	-	-	-	-
SYMPHONY SR	10/14	S	1313X / 1313	L	S	226	59	4,0	5	10,5		1313X / 1313	C	S	226	59	4,0	5	10,5
VS / VS E3	07/08	S	1157	L	S	224	173	4,0	5	10,5		-	-	-	-	-	-	-	-
200 c.c.											200 c.c.								
FIDDLE III	14/15	S	107 / xxxX	L	S	190	58	4,0	3	10,5		Drum	-	-	-	-	-	-	-
FIDDLE III	14/15	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
FIDDLE III	14/15	S	1300X	L	FO	*220	58	3,5	3	10,5									
FIDDLE III	16	S	107 / xxxX	L	S	190	58	4,0	3	10,5		-	-	S	220	-	-	-	-
FIDDLE III	16	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
FIDDLE III	16	S	1300X	L	FO	*220	58	3,5	3	10,5									
GTS	07/08	S	1158	L	S	240	98	4,0	5	10,5		1127	R	S	220	110	5,0	5	10,5
GTS	12/13	S	1158	L	S	240	98	4,0	5	10,5		1156 / 1156X	L	S	200	73	4,5	3	10,5
HD 2	03/04	S	1126	L	S	220	96,5	4,0	5	10,5		-	-	-	-	-	-	-	-
HD 2 EVO	05/06	S	1126	L	S	220	96,5	4,0	5	10,5		1127	R	S	220	110	5,0	5	10,5
HD 2 EVO	11/13	S	-	-	-	-	-	-	-	-		1127	R	S	220	110	5,0	5	10,5
HD 2 i / HD2 i CBS	10/17	S	1516X	L	S	226	96,5	4,0	5	10,5		1127	R	S	220	110	5,0	5	10,5
HD 3 EVO i	07/10	S	1126	L	S	220	96,5	4,0	5	10,5		1127	R	S	220	110	5,0	5	10,5
JOYRIDE	01/09	S	1157	L	S	224	173	4,0	5	10,5		1156 / 1156X	R	S	200	73	4,5	3	10,5
JOYRIDE EVO i	09/14	S	1157	L	S	224	173	4,0	5	10,5		1156 / 1156X	R	S	200	73	4,5	3	10,5
JOYRIDE EVO i	15/17	S	-	L	S	273	-	-	-	-		-	R	S	220	-	-	-	-
JOYMAX / i E3	05/08	S	1158	L	S	240	98	4,0	5	10,5		1127	R	S	220	110	5,0	5	10,5
JOYMAX EVO	09→	S	1158	L	S	240	98	4,0	5	10,5		1127	R	S	220	110	5,0	5	10,5
JOYMAX ABS	15/16	S	1448XE	L	S	260	128	4,0	5	10,5		1512X	R	S	240	100	5,0	5	10,5
JOYMAX i / EVO	10/12	S	1158	L	S	240	98	4,0	5	10,5		1127	R	S	220	110	5,0	5	10,5
SYMPHONY ST i CBS	15/17	S	1572X	L	S	260	106,2	4,0	5	10,5		1573X	C	S	240	102,3	4,0	5	10,5
250 c.c.											250 c.c.								
GTS	07/08	S	1158	L	S	240	98	4,0	5	10,5		1127	R	S	220	110	5,0	5	10,5
JOYMAX / JOYMAX i E3	05/08	S	1158	L	S	240	98	4,0	5	10,5		1127	R	S	220	110	5,0	5	10,5
JOYMAX i	03/09	S	1158	L	S	240	98	4,0	5	10,5		1127	R	S	220	110	5,0	5	10,5
JOYMAX / I SPORT / ABS	15/16	S	1448XE	L	S	260	128	4,0	5	10,5		1512X	R	S	240	100	5,0	5	10,5
JOYMAX Xi	10/12	S	1158	L	S	240	98	4,0	5	10,5		1589X	R	S	240	98	5,0	5	10,5
WOLF SB Ni	12/13	R	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
300 c.c.											300 c.c.								

NG Brake Disc		YEAR	MODEL TYPE	FRONT REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø	REAR REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø
CITYCOM i	08/10	S	1522	L	S	260	121	4,0	5	10,5	1470	L	S	260	98	4,0	5	10,5	
CITYCOM i	16/17	S	1522	L	S	260	121	4,0	5	10,5	-	R	S	260	-	-	-	-	
CITYCOM S	15	S	1522	L	S	260	121	4,0	5	10,5	Drum	-	-	-	-	-	-	-	
CITYCOM S	16/17	S	1522	L	S	260	121	4,0	5	10,5	-	L	S	260	-	-	-	-	
CRUISYM i	17	S	-	L	S	260	-	-	-	-	-	R	S	240	-	-	-	-	
GTS EVO	09/10	S	1158	L	S	240	98	4,0	5	10,5	-	-	-	-	-	-	-	-	
JOYMAX MODELS																			
i	12/13	S	1158	L	S	240	98	4,0	5	10,5	1589X	R	S	240	98	5,0	5	10,5	
i COMFORT / ABS	09/13	S	1448XE	L	S	260	128	4,0	5	10,5	1512X	R	S	240	100	5,0	5	10,5	
i COMFORT / ABS	14/17	S	1448XE	L	S	260	128	4,0	5	10,5	-	R	S	260	-	-	-	-	
i EVO	09/12	S	1158	L	S	240	98	4,0	5	10,5	1127	R	S	220	110	5,0	5	10,5	
i GTS	12/16	S	1448X	L	S	260	128	3,5	5	10,5	1589X	R	S	240	98	5,0	5	10,5	
i S & S / ABS	15/17	S	1448XE	L	S	260	128	4,0	5	10,5	-	R	S	260	-	-	-	-	
i SPORT / ABS	14/17	S	1448XE	L	S	260	128	4,0	5	10,5	-	R	S	260	-	-	-	-	
Xi	12/13	S	1158	L	S	240	98	4,0	5	10,5	1589X	R	S	240	98	5,0	5	10,5	
WOLF CAFÉ RACER	15/17	D	-	R	S	260	-	-	-	-	-	R	S	220	-	-	-	-	
WOLF CLASSIC	15/17	D	-	R	S	260	-	-	-	-	-	R	S	220	-	-	-	-	
SYM																			
400 c.c.																			
MAXSYM i / ABS	11/17	S	1449X	L/R	S	275	127,5	5,0	5	10,5	1449X	R	S	275	127,5	5,0	5	10,5	
SYM																			
500 c.c.																			
MAXSYM	15/16	S	1449X	L/R	S	275	127,5	5,0	5	10,5	1449X	R	S	275	127,5	5,0	5	10,5	
600 c.c.																			
MAXSYM i ABS / SPORT	14/17	S	1449X	L/R	S	275	127,5	5,0	5	10,5	1449X	R	S	275	127,5	5,0	5	10,5	
TAMORETTI																			
50 c.c.																			
RETRO	-	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	Drum	-	-	-	-	-	-	-	
125 c.c.																			
RETRO / STEALTH	-	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	
TANK																			
150 c.c.																			
RACER DS	-	S	1201X	R	S22,0	220	58	4,0	3	8,5	1312X	-	S17,0	190	58	4,0	3	8,5	
TGB																			
50 c.c.																			
101 R	04/09	S	107 / xxxX	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-	
101 R	04/09	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	
101 R	04/09	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-	
202 CLASSIC	03/14	S	107 / xxxX	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-	
202 CLASSIC	03/14	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	
202 CLASSIC	03/14	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-	
303 R LASER / R HAWK	04/14	S	107 / xxxX	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-	
303 R LASER / R HAWK	04/14	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	
303 R LASER / R HAWK	04/14	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-	
303 REVOLUTION / RS	02/03	S	107 / xxxX	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-	
303 REVOLUTION / RS	02/03	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	
303 REVOLUTION / RS	02/03	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-	
AKROS TEC	94/04	S	107 / xxxX	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-	
AKROS TEC	94/04	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	
AKROS TEC	94/04	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-	
CITY 2T	07/08	S	107 / xxxX	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-	
CITY 2T	07/08	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	
CITY 2T	07/08	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-	
CITY 4T	07/11	S	107 / xxxX	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-	
CITY 4T	07/11	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	
CITY 4T	07/11	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-	
DELIVERY / EXPRESS	04/12	S	107 / xxxX	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-	
DELIVERY / EXPRESS	04/12	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	
DELIVERY / EXPRESS	04/12	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-	
F409 CRUISE	02/05	S	107 / xxxX	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-	
F409 CRUISE	02/05	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	-	-	-	-	-	-	-	-	
F409 CRUISE	02/05	S	1300X	L	FO	*220	58	3,5	3	10,5	-	-	-	-	-	-	-	-	
HIGH WHEEL / TRIGGER	02/03	S	107 / xxxX	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-	



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø								
HIGH WHEEL / TRIGGER	02/03	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
HIGH WHEEL / TRIGGER	02/03	S	1300X	L	FO	*220	58	3,5	3	10,5								
HIW'S	99	S	107 / xxxX	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-
HIW'S	99	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
HIW'S	99	S	1300X	L	FO	*220	58	3,5	3	10,5								
KEY WEST 2T	06/15	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
KEY WEST 2T	06/15	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
KEY WEST 2T	06/15	S	1300X	L	FO	*220	58	3,5	3	10,5								
90 c.c.											90 c.c.							
AKROS / HIW'S	99	S	107 / xxxX	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-
AKROS / HIW'S	99	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
AKROS / HIW'S	99	S	1300X	L	FO	*220	58	3,5	3	10,5								
125 c.c.											125 c.c.							
202 T / 303 R	99	S	107 / xxxX	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-
202 T / 303 R	99	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
202 T / 303 R	99	S	1300X	L	FO	*220	58	3,5	3	10,5								
303 REVOLUTION	02/03	S	107 / xxxX	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-
303 REVOLUTION	02/03	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
303 REVOLUTION	02/03	S	1300X	L	FO	*220	58	3,5	3	10,5								
TGB											TGB							
125 c.c.											125 c.c.							
309 RS	00	S	107 / xxxX	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-
309 RS	00	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
309 RS	00	S	1300X	L	FO	*220	58	3,5	3	10,5								
F409 CRUISE	02/05	S	107 / xxxX	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-
F409 CRUISE	02/05	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
F409 CRUISE	02/05	S	1300X	L	FO	*220	58	3,5	3	10,5								
X-MOTION Efi	08/17	S	1132	L	S	260	130	5,0	5	10,5	1133	R	S	220	104	5,0	5	10,5
150 c.c.											150 c.c.							
303 R / 309 RS	00	S	107 / xxxX	L	S	190	58	4,0	3	10,5	-	-	-	-	-	-	-	-
303 R / 309 RS	00	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
303 R / 309 RS	00	S	1300X	L	FO	*220	58	3,5	3	10,5								
250 c.c.											250 c.c.							
X-MOTION Efi	08	S	1132	L	S	260	130	5,0	5	10,5	1133	R	S	220	104	5,0	5	10,5
300 c.c.											300 c.c.							
X-MOTION Efi	15/17	S	1132	L	S	260	130	5,0	5	10,5	1133	R	S	220	104	5,0	5	10,5
TM											TM							
80 c.c.											80 c.c.							
EN	98/03	A-E	1299X	L	F00,0	270	70,5	3,0	6	6,5	-	-	-	-	-	-	-	-
85 c.c.											85 c.c.							
MX JUNIOR	03/11	A-E	1299X	L	F00,0	270	70,5	3,0	6	6,5	-	-	-	-	-	-	-	-
125 c.c.											125 c.c.							
E / GS / MC / MX / XC	90/92	E	390	L	S	230	86	3,5	6	6,5	422 / 422X	R	S	220	115	4,0	6	6,5
EN	02/04	E	1299X	L	F00,0	270	70,5	3,0	6	6,5	-	-	-	-	-	-	-	-
EN	05/09	E	ND / NA	L	F9,0	270	-	3,0	6	6,5	1364X	R	S	242	110	4,5	4	7,0
EN	10/16	E	1299X	L	F00,0	270	70,5	3,0	6	6,5	1425X	R	S	245	-	4,0	4	6,5
EN	17	E	1405X	L	F00,0	270	-	3,0	6	6,5	1425X	R	S	245	-	4,0	4	6,5
M	05/09	M	ND / NA	L	F9,0	270	-	3,0	6	6,5	1364X	R	S	242	110	4,5	4	7,0
MX	02/04	M	1299X	L	F00,0	270	70,5	3,0	6	6,5	-	-	-	-	-	-	-	-
MX	10/16	M	1299X	L	F00,0	270	70,5	3,0	6	6,5	1425X	R	S	245	-	4,0	4	6,5
MX	17	M	1405X	L	F00,0	270	-	3,0	6	6,5	1425X	R	S	245	-	4,0	4	6,5
MX - EN	98/01	M	1299X	L	F00,0	270	70,5	3,0	6	6,5	-	-	-	-	-	-	-	-
SM	14	F	1426X	L	F00,0	318	-	5,0	6	6,5	1425X	R	S	245	-	4,0	4	6,5
SMM	14/17	F	1426X	L	F00,0	318	-	5,0	6	6,5	-	-	S	220	-	-	-	-
SMR	05/10	F	1299X	L	F00,0	270	70,5	3,0	6	6,5	-	-	-	-	-	-	-	-
SMR	14/17	F	1426X	L	F00,0	318	-	5,0	6	6,5	1425X	R	S	245	-	4,0	4	6,5
144 c.c.											144 c.c.							
EN	08/09	E	1299X	L	F00,0	270	70,5	3,0	6	6,5	1364X	R	S	242	110	4,5	4	7,0
EN	10/15	E	1299X	L	F00,0	270	70,5	3,0	6	6,5	1425X	R	S	245	-	4,0	4	6,5
MX	08/09	M	1299X	L	F00,0	270	70,5	3,0	6	6,5	1364X	R	S	242	110	4,5	4	7,0
MX	10/15	M	1299X	L	F00,0	270	70,5	3,0	6	6,5	1425X	R	S	245	-	4,0	4	6,5
250 c.c.											250 c.c.							
EN	02/04	E	1299X	L	F00,0	270	70,5	3,0	6	6,5	-	-	-	-	-	-	-	-

																																																					
			YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø				REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø																														
			EN	05/09	E		ND / NA	L	F9,0	270	-	3,0	6	6,5		1364X	R	S	242	110	4,5	4	7,0																														
			EN 2T / EN 2T Fi	10/15	E		1405X	L	F00,0	270	-	3,0	6	6,5		1425X	R	S	245	-	4,0	4	6,5																														
			EN 4T Fi ES	14/17	E		1405X	L	F00,0	270	-	3,0	6	6,5		1425X	R	S	245	-	4,0	4	6,5																														
			MX	02/04	M		1299X	L	F00,0	270	70,5	3,0	6	6,5		-	-	-	-	-	-	-	-																														
			MX	05/09	M		ND / NA	L	F9,0	270	-	3,0	6	6,5		1364X	R	S	242	110	4,5	4	7,0																														
			MX / MX Fi	10/16	M		1299X	L	F00,0	270	70,5	3,0	6	6,5		1425X	R	S	245	-	4,0	4	6,5																														
			MX / MX Fi	17	M		1405X	L	F00,0	270	-	3,0	6	6,5		1425X	R	S	245	-	4,0	4	6,5																														
			MX - EN	98/01	M		1299X	L	F00,0	270	70,5	3,0	6	6,5		-	-	-	-	-	-	-	-																														
			300 c.c.																																																		
			EN	10/16	E		1299X	L	F00,0	270	70,5	3,0	6	6,5		-	-	-	-	-	-	-	-																														
			EN 3HUNDRED ES	17	E		1405X	L	F00,0	270	-	3,0	6	6,5		1425X	R	S	245	-	4,0	4	6,5																														
			MX	14/16	M		1405X	L	F00,0	270	-	3,0	6	6,5		1425X	R	S	245	-	4,0	4	6,5																														
			MX 3HUNDRED	17	M		1405X	L	F00,0	270	-	3,0	6	6,5		1425X	R	S	245	-	4,0	4	6,5																														
			MX - EN	06/09	M-E		1299X	L	F00,0	270	70,5	3,0	6	6,5		1364X	R	S	242	110	4,5	4	7,0																														
			SMX	14/15	F		ND / NA	L	F00,0	305	-	5,5	6	6,5		1425X	R	S	245	-	4,0	4	6,5																														
			400 c.c.																																																		
			MX	03	M		1299X	L	F00,0	270	70,5	3,0	6	6,5		-	-	-	-	-	-	-	-																														
			TM																																																		
			450 c.c.																																																		
			EN	14/15	E		1299X	L	F00,0	270	70,5	3,0	6	6,5		1425X	R	S	245	-	4,0	4	6,5																														
			EN F / MX F	05	M		1299X	L	F00,0	270	70,5	3,0	6	6,5		-	-	-	-	-	-	-	-																														
			EN Fi ES	14/16	E		1299X	L	F00,0	270	70,5	3,0	6	6,5		1425X	R	S	245	-	4,0	4	6,5																														
			EN Fi ES	17	E		1405X	L	F00,0	270	-	3,0	6	6,5		1425X	R	S	245	-	4,0	4	6,5																														
			EN Fi / MX Fi	05/09	E-M		ND / NA	L	F9,0	270	-	3,0	6	6,5		1364X	R	S	242	110	4,5	4	7,0																														
			EN Fi / MX Fi	10/15	E-M		1299X	L	F00,0	270	70,5	3,0	6	6,5		1425X	R	S	245	-	4,0	4	6,5																														
			FT Fi	16	F		1299X	L	F00,0	270	70,5	3,0	6	6,5		1425X	R	S	245	-	4,0	4	6,5																														
			MX-Fi	14/16	M		1299X	L	F00,0	270	70,5	3,0	6	6,5		1425X	R	S	245	-	4,0	4	6,5																														
			MX-Fi	17	M		1405X	L	F00,0	270	-	3,0	6	6,5		1425X	R	S	245	-	4,0	4	6,5																														
			SM Fi	14	E		1426X	L	F00,0	318	-	5,0	6	6,5		1425X	R	S	245	-	4,0	4	6,5																														
			SMX Fi	14/16	F		ND / NA	L	F00,0	305	-	5,5	6	6,5		1425X	R	S	245	-	4,0	4	6,5																														
			530 c.c.																																																		
			MX F / EN F	05/09	M-E		ND / NA	L	F9,0	270	-	3,0	6	6,5		1364X	R	S	242	110	4,5	4	7,0																														
			SM	14	F		1426X	L	F00,0	318	-	5,0	6	6,5		1425X	R	S	245	-	4,0	4	6,5																														
			SMM Fi ES	14/15	F		1426X	L	F00,0	318	-	5,0	6	6,5		-	C	S	220	-	-	-	-																														
			SMR Fi ES	16	F		1426X	L	F00,0	318	-	5,0	6	6,5		1425X	R	S	245	-	4,0	4	6,5																														
			SMX Fi	17	F		ND / NA	L	F00,0	305	-	5,5	6	6,5		1425X	R	S	245	-	4,0	4	6,5																														
			TNG																																																		
			50 c.c.																																																		
			LS / SS	-	S		1265X	L	S	185	58	3,5	3	10,5		Drum	-	-	-	-	-	-	-																														
			150 c.c.																																																		
			LOW BOY / MILANO	-	S		1265X	L	S	185	58	3,5	3	10,5		Drum	-	-	-	-	-	-	-																														
			LOW BOY VOLARE	-	S		1265X	L	S	185	58	3,5	3	10,5		Drum	-	-	-	-	-	-	-																														
			VOLARE GS LOW BOY	-	S		-	-	-	-	-	-	-	-		1011 / 1011X	-	S	180	58	4,0	3	10,5																														
			VOLARE ZNEN GS	-	S		-	-	-	-	-	-	-	-		1011 / 1011X	-	S	180	58	4,0	3	10,5																														
			VL	-	S		-	-	-	-	-	-	-	-		1022 / 1022X	-	MD	190	58	3,7	3	MH																														
			250 c.c.																																																		
			TS	-	S		-	-	-	-	-	-	-	-		1265X	-	S	185	58	3,5	3	10,5																														
			TOMOS																																																		
			50 c.c.																																																		
			SE	05	A		837	L	T	240	108	3,5	6	6,5		836	R	T	218	62	3,5	3	8,5																														
			125 c.c.																																																		
			SE 4T	05/06	E		837	L	T	240	108	3,5	6	6,5		836	R	T	218	62	3,5	3	8,5																														
			SM 4T	05/06	F		801	L	T	300	90	4,0	6	6,5		836	R	T	218	62	3,5	3	8,5																														
			SM 4T	05/06	F		1103	L	F00,0	300	90	4,0	6	6,5																																							
			SM 4T	05/06	F		1068	L	F00,0	300	90	4,0	6	6,5																																							
			TORROT																																																		
			ELECTRIC																																																		
			CONTACT TX	17	TV		715X	L	S	185	-	3,0	4	15,5		650X	R	S	150	45	3,0	4	6,5																														
			CONTACT TX	17	TV		715SP	L	S	185	-	3,0	4	15,5		650SP	R	S	150	45	3,0	4	6,5																														
			CONTACT TX	17	TV											1570X	R	FIM	150	45	3,0	4	6,5																														
			MUVI CITY EDITION	16/17	SV		1653	L	S	220	58	4,0	3	10,5		1086	R	S	190	58	4,0	3	10,5																														
			MUVI CITY EDITION	16/17	SV											1022	R	MD	190	58	3,7	3	MH																														
			MUVI CITY EDITION	18	SV		1653	L	S	220	58	4,0	3	10,5		1652	R	S	200	58	4,0	3	10,5																														



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø		REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø
MUVI EXECUTIVE	16/17	SV	1653	L	S	220	58	4,0	3	10,5		1086	R	S	190	58	4,0	3	10,5
MUVI EXECUTIVE	16/17	SV										1022	R	MD	190	58	3,7	3	MH
MUVI EXECUTIVE	18	SV	1653	L	S	220	58	4,0	3	10,5		1652	R	S	200	58	4,0	3	10,5
T10 KIDS	17	TV	-	L	S	160	-	-	-	-		-	R	S	160	-	-	-	-
S10 KIDS	17	FV	-	L	S	160	-	-	-	-		-	R	S	160	-	-	-	-
E10 KIDS	17	EV	-	L	S	160	-	-	-	-		-	R	S	160	-	-	-	-
T12 KIDS	17	TV	-	L	S	160	-	-	-	-		-	R	S	160	-	-	-	-
S12 KIDS	17	FV	-	L	S	160	-	-	-	-		-	R	S	160	-	-	-	-
S12 59 M. SIMONCELLI	17	FV	-	L	S	160	-	-	-	-		-	R	S	160	-	-	-	-
E12 KIDS	17	EV	-	L	S	160	-	-	-	-		-	R	S	160	-	-	-	-
TRIUMPH										TRIUMPH									
600 c.c.										600 c.c.									
BABY SPEED	01/03	R	1256 / 1256X	L/R	F14,5	310	78	5,0	5	10,5		101 / 101X	R	S	220	105	5,0	4	10,5
DAYTONA	03/07	R	1256 / 1256X	L/R	F14,5	310	78	5,0	5	10,5		101 / 101X	R	S	220	105	5,0	4	10,5
SPEED FOUR	02/06	R	1256 / 1256X	L/R	F14,5	310	78	5,0	5	10,5		101 / 101X	R	S	220	105	5,0	4	10,5
TT	00/04	E	1256 / 1256X	L/R	F14,5	310	78	5,0	5	10,5		101 / 101X	R	S	220	105	5,0	4	10,5
TRIUMPH										TRIUMPH									
650 c.c.										650 c.c.									
DAYTONA	05/06	R	1256 / 1256X	L/R	F14,5	310	78	5,0	5	10,5		101 / 101X	R	S	220	105	5,0	4	10,5
660 c.c.										660 c.c.									
STREET TRIPLE S / ABS	16/17	N	1675G	L/R	F00,0	310	82,5	5,0	5	10,5		1667	R	S	220	82	5,0	4	10,5
675 c.c.										675 c.c.									
DAYTONA / R / ABS	06/12	S6	1257 / 1257X	L/R	F14,0	310	84,5	5,0	5	10,5		101 / 101X	R	S	220	105	5,0	4	10,5
DAYTONA / R / ABS	13/15	S6	1508 / 1508X	L/R	F00,0	310	82,5	5,0	5	10,5		1509	R	S	220	85	4,0	4	10,5
DAYTONA / R / ABS	13/15	S6	1675G	L/R	F00,0	310	82,5	5,0	5	10,5									
DAYTONA / R / ABS	16/17	S6	1675G	L/R	F00,0	310	82,5	5,0	5	10,5		1509	R	S	220	85	4,0	4	10,5
STREET TRIPLE / ABS	08/12	N	1257 / 1257X	L/R	F14,0	310	84,5	5,0	5	10,5		1509	R	S	220	85	4,0	4	10,5
STREET TRIPLE / ABS	13/16	N	1675G	L/R	F00,0	310	82,5	5,0	5	10,5		1667	R	S	220	82	5,0	4	10,5
STREET TRIPLE R	07/12	N	1257 / 1257X	L/R	F14,0	310	84,5	5,0	5	10,5		101 / 101X	R	S	220	105	5,0	4	10,5
STREET TRIPLE R / ABS	13/15	N	1508 / 1508X	L/R	F00,0	310	82,5	5,0	5	10,5		1509	R	S	220	85	4,0	4	10,5
STREET TRIPLE R / ABS	13/15	N	1675G	L/R	F00,0	310	82,5	5,0	5	10,5									
STREET TRIPLE Rx ABS	13/15	N	1508 / 1508X	L/R	F00,0	310	82,5	5,0	5	10,5		1509	R	S	220	85	4,0	4	10,5
STREET TRIPLE Rx ABS	13/15	N	1675G	L/R	F00,0	310	82,5	5,0	5	10,5									
STREET TRIPLE Rx ABS	16/17	N	1675G	L/R	F00,0	310	82,5	5,0	5	10,5		1667	R	S	220	82	5,0	4	10,5
750 c.c.										750 c.c.									
BONNEVILLE	01/06	C	1163	L	S	310	144	5,0	6	10,5		1259 / 1259X	R	S	255	105	5,0	4	10,5
BONEVILLE AMERICA	02	C	1267	L	S	310	144	5,0	6	8,5		-	L	S	255	-	-	-	-
BONEVILLE AMERICA	02	C	1267F	L	F00,0	310	144	5,0	6	8,5									
BONEVILLE AMERICA	02	C	1267XF	L	F00,0	310	144	5,0	6	8,5									
BONEVILLE T100	01/04	C	-	-	-	-	-	-	-	-		1259 / 1259X	R	S	255	105	5,0	4	10,5
765 c.c.										765 c.c.									
STREET TRIPLE S / ABS	17	N	1675G	L/R	F00,0	310	82,5	5,0	5	10,5		1667	R	S	220	82	5,0	4	10,5
STREET TRIPLE R ABS	17/18	N	1675G	L/R	F00,0	310	82,5	5,0	5	10,5		1667	R	S	220	82	5,0	4	10,5
STREET TRIPLE RS ABS	17/18	N	1675G	L/R	F00,0	310	82,5	5,0	5	10,5		1667	R	S	220	82	5,0	4	10,5
790 c.c.										790 c.c.									
AMERICA	04/05	C	1267	L	S	310	144	5,0	6	8,5		-	L	S	285	-	-	-	-
AMERICA	04/05	C	1267F	L	F00,0	310	144	5,0	6	8,5		-	L	S	285	-	-	-	-
AMERICA	04/05	C	1267XF	L	F00,0	310	144	5,0	6	8,5		-	L	S	285	-	-	-	-
BONNEVILLE AMERICA	02/04	C	-	L	S	-	-	-	-	-		1471	-	S	285	144	6,0	5	10,5
SPEEDMASTER	03/04	C	1267	L	S	310	144	5,0	6	8,5		1471	-	S	285	144	6,0	5	10,5
SPEEDMASTER	03/04	C	1267F	L	F00,0	310	144	5,0	6	8,5									
SPEEDMASTER	03/04	C	1267XF	L	F00,0	310	144	5,0	6	8,5									
800 c.c.										800 c.c.									
BONNEVILLE	01/06	R	1163	L	S	310	144	5,0	6	10,5		-	-	-	-	-	-	-	-
BONNEVILLE AMERICA	02/06	R	1163	L	S	310	144	5,0	6	10,5		-	-	-	-	-	-	-	-
BONNEVILLE	07/13	R	-	-	-	-	-	-	-	-		1259 / 1259X	L	S	255	105	5,0	4	10,5
BONNEVILLE / T100	01/07	R	1267	L	S	310	144	5,0	6	8,5		1259 / 1259X	L	S	255	105	5,0	4	10,5
BONNEVILLE / T100	01/07	R	1267F	L	F00,0	310	144	5,0	6	8,5									
BONNEVILLE / T100	01/07	R	1267XF	L	F00,0	310	144	5,0	6	8,5									
BONNEVILLE Efi / T100	08	R	1267	L	S	310	144	5,0	6	8,5		1259 / 1259X	L	S	255	105	5,0	4	10,5
BONNEVILLE Efi / T100	08	R	1267F	L	F00,0	310	144	5,0	6	8,5									
BONNEVILLE Efi / T100	08	R	1267XF	L	F00,0	310	144	5,0	6	8,5									



SPEEDMASTER	03/04	C	1163	L	S	310	144	5,0	6	10,5	-	-	-	-	-	-	-
TIGER	10/14	U	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1259 / 1259X	L	S	255	105	5,0	4 10,5
TIGER	10/14	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5							
TIGER ABS	11/15	U	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1259A / 1259XA	R	S	255	105	6,0	4 10,5
TIGER ABS	11/15	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5							
TIGER SE	14	U	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1331 / 1331X	R	S	255	105	6,0	4 10,5
TIGER SE	14	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5	1259E	R	S	255	105	6,0	4 10,5
TIGER XC	10/17	U	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1259 / 1259X	R	S	255	105	5,0	4 10,5
TIGER XC	10/17	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5							
TIGER XC ABS	11/17	U	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1259A / 1259XA	R	S	255	105	6,0	4 10,5
TIGER XC ABS	11/17	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5							
TIGER XCA	15/16	U	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1331 / 1331X	R	S	255	105	6,0	4 10,5
TIGER XCA	15/16	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5	1259E	R	S	255	105	6,0	4 10,5
TIGER XCA ABS	15/16	U	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1259A / 1259XA	R	S	255	105	6,0	4 10,5
TRIUMPH																	
800 c.c.																	
TIGER XCA ABS	17/18	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5	xxxx / xxxxxX	R	S	255	105	5,5	4 10,5
TIGER XCR	15/16	U	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1331 / 1331X	R	S	255	105	6,0	4 10,5
TIGER XCR	15/16	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5	1259E	R	S	255	105	6,0	4 10,5
TIGER XCR ABS	15/16	U	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1259A / 1259XA	R	S	255	105	6,0	4 10,5
TIGER XCR ABS	15/16	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5							
TIGER XCx	14/16	U	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1331 / 1331X	R	S	255	105	6,0	4 10,5
TIGER XCx	14/16	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5	1259E	R	S	255	105	6,0	4 10,5
TIGER XCx ABS	14/17	U	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1259A / 1259XA	R	S	255	105	6,0	4 10,5
TIGER XCx ABS	14/17	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5							
TIGER XCx LOW ABS	16	U	1253X / 1253	L/R	F00,0	305	82,5	5,0	5	10,5	1259XA / 1259A	R	S	255	105	6,0	4 10,5
TIGER XCx LOW ABS	17/18	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5	1259A / 1259XA	R	S	255	105	6,0	4 10,5
TIGER XR	15/16	U	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1331 / 1331X	R	S	255	105	6,0	4 10,5
TIGER XR	15/16	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5	1259E	R	S	255	105	6,0	4 10,5
TIGER XR ABS	15/17	U	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1259A / 1259XA	R	S	255	105	6,0	4 10,5
TIGER XR ABS	15/17	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5							
TIGER XR LOW ABS	16	U	1253X / 1253	L/R	F00,0	305	82,5	5,0	5	10,5	1259XA / 1259A	R	S	255	105	6,0	4 10,5
TIGER XR LOW ABS	16	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5							
TIGER XRT	15/16	U	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1331 / 1331X	R	S	255	105	6,0	4 10,5
TIGER XRT	15/16	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5	1259E	R	S	255	105	6,0	4 10,5
TIGER XRT ABS	15/16	U	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1259A / 1259XA	R	S	255	105	6,0	4 10,5
TIGER XRT ABS	17/18	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5	1259A / 1259XA	R	S	255	105	6,0	4 10,5
TIGER XRx	15/16	U	1253X / 1253	L/R	F00,0	305	82,5	5,0	5	10,5	1331 / 1331X	R	S	255	105	6,0	4 10,5
TIGER XRx	15/16	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5	1259E	R	S	255	105	6,0	4 10,5
TIGER XRx ABS	15/17	U	1253X / 1253	L/R	F00,0	305	82,5	5,0	5	10,5	1259XA / 1259A	R	S	255	105	6,0	4 10,5
TIGER XRx ABS	15/17	U	1695XG / 1695G	L/R	F00,0	305	82,5	5,0	5	10,5							
865 c.c.																	
AMERICA	06/16	C	1267	L	S	310	144	5,0	6	8,5	1331 / 1331X	-	S	255	105	6,0	4 10,5
AMERICA	06/16	C	1267F	L	F00,0	310	144	5,0	6	8,5	1259E	-	S	255	105	6,0	4 10,5
AMERICA	06/16	C	1267XF	L	F00,0	310	144	5,0	6	8,5							
BONNEVILLE MODELS																	
850 SE	09/13	D	1508 / 1508X	L	F00,0	310	82,5	5,0	5	10,5	1259 / 1259X	L	S	255	105	5,0	4 10,5
851 SE	09/13	D	1675G	L	F00,0	310	82,5	5,0	5	10,5							
ACE	15	D	1680	L	F00,0	310	78	5,0	5	10,5	1259 / 1259X	L	S	255	105	5,0	4 10,5
BONNEVILLE	05/09	R	1163	L	S	310	144	5,0	6	10,5	1259	L	S	255	105	5,0	4 10,5
BONNEVILLE	10/13	R	1508 / 1508X	L	F00,0	310	82,5	5,0	5	10,5	1259E	L	S	255	105	6,0	4 10,5
BONNEVILLE	10/13	R	1675G	L	F00,0	310	82,5	5,0	5	10,5	1331 / 1331X	L	S	255	105	6,0	4 10,5
BONNEVILLE / T100	05/17	D	1267F	L	F00,0	310	144	5,0	6	8,5							
BONNEVILLE / T100	05/17	D	1267XF	L	F00,0	310	144	5,0	6	8,5							
NEW CHURCH	15/16	R	1492	L	S	310	78	5,0	5	10,5	1259E	L	S	255	105	6,0	4 10,5
NEW CHURCH	15/16	R	1680	L	F00,0	310	78	5,0	5	10,5	1331 / 1331X	L	S	255	105	6,0	4 10,5
SE	09/13	R	1492	L	S	310	78	5,0	5	10,5	1259 / 1259X	L	S	255	105	5,0	4 10,5
SE	09/13	R	1680	L	F00,0	310	78	5,0	5	10,5							
SPIRIT	15/16	R	1492	L	S	310	78	5,0	5	10,5	1259E	L	S	255	105	6,0	4 10,5
SPIRIT	15/16	R	1680	L	F00,0	310	78	5,0	5	10,5	1331 / 1331X	L	S	255	105	6,0	4 10,5
T100	05/17	D	1267	L	S	310	144	5,0	6	8,5	1259 / 1259X	L	S	255	105	5,0	4 10,5

NG Brake Disc		YEAR	MODEL TYPE	REFERENCE	FRONT	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø	REAR	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø
T100	05/16	D		1163	L S	310	144	5,0	6	10,5			1259	L S	255	105	5,0	4	10,5		
T100 / T214	14/15	R		1267	L S	310	144	5,0	6	8,5			1259E	L S	255	105	6,0	4	10,5		
T100 / T214	14/15	R		1267F	L F00,0	310	144	5,0	6	8,5			1331 / 1331X	L S	255	105	6,0	4	10,5		
T100 / T214	14/15	R		1267XF	L F00,0	310	144	5,0	6	8,5											
Q-BIKE	12/13	R		1267	L S	310	144	5,0	6	8,5			1259 / 1259X	L S	255	105	5,0	4	10,5		
Q-BIKE	12/13	R		1267F	L F00,0	310	144	5,0	6	8,5											
Q-BIKE	12/13	R		1267XF	L F00,0	310	144	5,0	6	8,5											
MR. BROWN By SBF	12/13	R		1267	L S	310	144	5,0	6	8,5			-	-	-	-	-	-	-	-	-
MR. BROWN By SBF	12/13	R		1267F	L F00,0	310	144	5,0	6	8,5											
MR. BROWN By SBF	12/13	R		1267XF	L F00,0	310	144	5,0	6	8,5											
SCRAMBLER	06/16	D		1267	L S	310	144	5,0	6	8,5			1259 / 1259X	R S	255	105	5,0	4	10,5		
SCRAMBLER	06/16	D		1267F	L F00,0	310	144	5,0	6	8,5											
SCRAMBLER	06/16	D		1267XF	L F00,0	310	144	5,0	6	8,5											
TRIUMPH										TRIUMPH											
865 c.c.										865 c.c.											
SPEEDMASTER	03/04	C		1267	L S	310	144	5,0	6	8,5			-	-	-	-	-	-	-	-	-
SPEEDMASTER	03/04	C		1267F	L F00,0	310	144	5,0	6	8,5											
SPEEDMASTER	03/04	C		1267XF	L F00,0	310	144	5,0	6	8,5											
SPEEDMASTER	05/09	C		1163	L/R S	310	144	5,0	6	10,5			1471	- S	285	144	6,0	5	10,5		
SPEEDMASTER	10/15	C		1492	L S	310	78	5,0	5	10,5			1471	- S	285	144	6,0	5	10,5		
SPEEDMASTER	10/15	C		1680	L F00,0	310	78	5,0	5	10,5											
STEVE MC QUEN SE	12	R		1680	L F00,0	310	78	5,0	5	10,5			1259	L S	255	105	5,0	4	10,5		
THRUXTON T914 / ACE	04/15	R		1429	L F00,0	318	144	5,0	6	10,5			1259	L S	255	105	5,0	4	10,5		
THE RUNNER	12/13	R		1267	L S	310	144	5,0	6	8,5			1259 / 1259X	L S	255	105	5,0	4	10,5		
THE RUNNER	12/13	R		1267F	L F00,0	310	144	5,0	6	8,5											
THE RUNNER	12/13	R		1267XF	L F00,0	310	144	5,0	6	8,5											
885 c.c.										885 c.c.											
ADVENTURER	96/01	R		125	L S	317	144	6,0	6	10,5			1471	- S	285	144	6,0	5	10,5		
ADVENTURER	96/01	R		1073	L S	316	144	5,0	6	10,5											
ADVENTURER	96/01	R		1429	L F00,0	318	144	5,0	6	10,5											
LEGEND TT	99/01	R		1471	L S	285	144	6,0	5	10,5			1471	- S	285	144	6,0	5	10,5		
THUNDERBIRD	95/03	C		125	L S	317	144	6,0	6	10,5			1471	- S	285	144	6,0	5	10,5		
THUNDERBIRD	95/03	C		1073	L S	316	144	5,0	6	10,5											
THUNDERBIRD	95/03	C		1429	L F00,0	318	144	5,0	6	10,5											
THUNDERBIRD 900	96/04	R		1267	L S	310	144	5,0	6	8,5			1471	- S	285	144	6,0	5	10,5		
THUNDERBIRD 900	96/04	R		1267F	L F00,0	310	144	5,0	6	8,5											
THUNDERBIRD 900	96/04	R		1267XF	L F00,0	310	144	5,0	6	8,5											
THUNDERBIRD 900 S	96/04	R		1267	L S	310	144	5,0	6	8,5			1471	- S	285	144	6,0	5	10,5		
THUNDERBIRD 900 S	96/04	R		1267F	L F00,0	310	144	5,0	6	8,5											
THUNDERBIRD 900 S	96/04	R		1267XF	L F00,0	310	144	5,0	6	8,5											
900 c.c.										900 c.c.											
ADVENTURER	96/01	D		125	L S	317	144	6,0	6	10,5			-	R S	-	-	-	-	-	-	-
AMERICA	07	D		1163	L S	310	144	5,0	6	10,5			-	-	-	-	-	-	-	-	-
BONNEVILLE MODELS																					
STREET TWIN ABS	16	D		1492	L S	310	78	5,0	5	10,5			1259A	L S	255	105	6,0	4	10,5		
STREET TWIN ABS	17/18	D		xxxx	L S	310	82,5	5,5	5	10,5			xxxx	L S	255	105	5,5	4	10,5		
T100 ABS	17	D		1675G	L F00,0	310	82,5	5,0	5	10,5			xxxx	L S	255	105	5,5	4	10,5		
T100 BLACK ABS	17	D		1675G	L F00,0	310	82,5	5,0	5	10,5			xxxx	L S	255	105	5,5	4	10,5		
DAYTONA	94/96	R		-	-	-	-	-	-	-			101 / 101X	R S	220	105	5,0	4	10,5		
LEGEND	99/01	D		125	L S	317	144	6,0	6	10,5			-	R S	-	-	-	-	-	-	-
SCRAMBLER / Efi	06/15	D		1163	L S	310	144	5,0	6	10,5			1259	L S	255	105	5,0	4	10,5		
SPEED TRIPLE T509	97/98	R		1258 / 1258X	L/R F10,3	320	78	5,0	6	10,5			101 / 101X	L S	220	105	5,0	4	10,5		
SPRINT	89/90	R		1472 / 1472X	L/R F12,8	310	118	5,0	6	10,5			1474	R S	260	115	5,5	6	10,5		
STREET CUP ABS	17/18	D		1675G	L F00,0	310	82,5	5,0	5	10,5			xxxx	L S	255	105	5,5	4	10,5		
STREET SCRAM. ABS	17/18	D		xxxx	L S	310	82,5	5,5	5	10,5			1259A	L S	255	105	6,0	4	10,5		
STREET TWIN / ABS	16/17	D		1675G	L F00,0	310	82,5	5,0	5	10,5			1259A	L S	255	105	6,0	4	10,5		
TIGER	93/98	R		204	L/R S	276	144	5,0	6	10,5			-	-	-	-	-	-	-	-	-
THUNDERBIRD	95/03	D		125	L S	317	144	6,0	6	10,5			-	R S	-	-	-	-	-	-	-
THUNDERBIRD SPORT	03/04	D		125	L S	317	144	6,0	6	10,5			-	R S	-	-	-	-	-	-	-
950 c.c.										950 c.c.											
DAYTONA T	96/98	R		1258 / 1258X	L/R F10,3	320	78	5,0	6	10,5			101 / 101X	R S	220	105	5,0	4	10,5		
955 c.c.										955 c.c.											



DAYTONA / T i	97/01	R	1258 / 1258X	L/R	F10,3	320	78	5,0	6	10,5	101 / 101X	R	S	220	105	5,0	4	10,5
DAYTONA / T i	02/06	R	1452 / 1452X	L/R	F14,5	320	78	4,5	5	10,5	101 / 101X	R	S	220	105	5,0	4	10,5
SPEED TRIPLE T	02/06	R	1452 / 1452X	L/R	F14,5	320	78	4,5	5	10,5	101 / 101X	L	S	220	105	5,0	4	10,5
SPRINT RS i.E T625	99/04	R	1258 / 1258X	L/R	F10,3	320	78	5,0	6	10,5	1259 / 1259X	L	S	255	105	5,0	4	10,5
SPRINT ST / ABS	98/04	R	1258 / 1258X	L/R	F10,3	320	78	5,0	6	10,5	1259A	L	S	255	105	6,0	4	10,5
SPRINT ST / ABS	98/04	R									1259XA	L	S	255	105	6,0	4	10,5
TIGER I S. WHEELS	01	R	1471	L/R	S	285	144	6,0	5	10,5	-	-	-	-	-	-	-	-
1050 c.c. 1050 c.c.																		
SPEED TRIPLE MODELS																		
SPEED TRIPLE	05/07	R	1260 / 1260X	L/R	F17,5	320	78	5,0	5	10,5	101 / 101X	R	S	220	105	5,0	4	10,5
SPEED TRIPLE	05/07	R	xxxxG / xxxxXG	L/R	F17,5	320	78	5,0	5	10,5								
TRIUMPH TRIUMPH																		
1050 c.c. 1050 c.c.																		
SPEED TRIPLE MODELS																		
94R	16	N	1284 / 1284X	L/R	F00,0	320	150	5,0	5	10,5	101 / 101X	R	S	220	105	5,0	4	10,5
94R	16	N	xxxxG / xxxxXG	L/R	F00,0	320	150	5,0	5	10,5								
ABS	11/15	R	1284 / 1284X	L/R	F00,0	320	150	5,0	5	10,5	1259A	R	S	255	105	6,0	4	10,5
ABS	11/15	R	xxxxG / xxxxXG	L/R	F00,0	320	150	5,0	5	10,5	1259XA	R	S	255	105	6,0	4	10,5
R	11/13	N	1260 / 1260X	L/R	F17,5	320	78	5,0	5	10,5	1259 / 1259X	C	S	255	105	5,0	4	10,5
R	11/13	N	xxxxG / xxxxXG	L/R	F17,5	320	78	5,0	5	10,5								
R	14/15	N	1284 / 1284X	L/R	F00,0	320	150	5,0	5	10,5	1331 / 1331X	C	S	255	105	6,0	4	10,5
R	14/15	N	xxxxG / xxxxXG	L/R	F00,0	320	150	5,0	5	10,5	1259E	C	S	255	105	6,0	4	10,5
R ABS	11/13	N	1260 / 1260X	L/R	F17,5	320	78	5,0	5	10,5	1259A	R	S	255	105	6,0	4	10,5
R ABS	11/13	N	xxxxG / xxxxXG	L/R	F17,5	320	78	5,0	5	10,5	1259XA	R	S	255	105	6,0	4	10,5
R ABS	14/17	N	1284 / 1284X	L/R	F00,0	320	150	5,0	5	10,5	1259A	R	S	255	105	6,0	4	10,5
R ABS	14/17	N	xxxxG / xxxxXG	L/R	F00,0	320	150	5,0	5	10,5	1259XA	R	S	255	105	6,0	4	10,5
S	05/07	R	1260 / 1260X	L/R	F17,5	320	78	5,0	5	10,5	101 / 101X	R	S	220	105	5,0	4	10,5
S	05/07	R	xxxxG / xxxxXG	L/R	F17,5	320	78	5,0	5	10,5								
S	11/16	R	1284 / 1284X	L/R	F00,0	320	150	5,0	5	10,5	1331 / 1331X	R	S	255	105	6,0	4	10,5
S	11/16	R	xxxxG / xxxxXG	L/R	F00,0	320	150	5,0	5	10,5	1259E	C	S	255	105	6,0	4	10,5
S ABS	11/17	R	1284 / 1284X	L/R	F00,0	320	150	5,0	5	10,5	1259A	R	S	255	105	6,0	4	10,5
S ABS	11/17	R	xxxxG / xxxxXG	L/R	F00,0	320	150	5,0	5	10,5	1259XA	R	S	255	105	6,0	4	10,5
S ABS	18	R	xxxxG / xxxxXG	L/R	F00,0	320	150	4,5	5	10,5	xxxx / xxxxX	R	S	255	105	5,5	4	10,5
SPEED TRIPLE	08/10	R	1284 / 1284X	L/R	F00,0	320	150	5,0	5	10,5	101 / 101X	R	S	220	105	5,0	4	10,5
SPEED TRIPLE	08/10	R	xxxxG / xxxxXG	L/R	F00,0	320	150	5,0	5	10,5								
SPEED TRIPLE	11/15	R	1284 / 1284X	L/R	F00,0	320	150	5,0	5	10,5	1259 / 1259X	C	S	255	105	5,0	4	10,5
SPEED TRIPLE	11/15	R	xxxxG / xxxxXG	L/R	F00,0	320	150	5,0	5	10,5								
T	11/17	R	1284 / 1284X	L/R	F00,0	320	150	5,0	5	10,5	1331 / 1331X	R	S	255	105	6,0	4	10,5
T	11/17	R	xxxxG / xxxxXG	L/R	F00,0	320	150	5,0	5	10,5	1259E	R	S	255	105	6,0	4	10,5
T ABS	11/17	R	1284 / 1284X	L/R	F00,0	320	150	5,0	5	10,5	1259A	R	S	255	105	6,0	4	10,5
T ABS	11/17	R	xxxxG / xxxxXG	L/R	F00,0	320	150	5,0	5	10,5	1259XA	R	S	255	105	6,0	4	10,5
T R	11/15	R	1284 / 1284X	L/R	F00,0	320	150	5,0	5	10,5	1331 / 1331X	R	S	255	105	6,0	4	10,5
T R	11/15	R	xxxxG / xxxxXG	L/R	F00,0	320	150	5,0	5	10,5	1259E	R	S	255	105	6,0	4	10,5
T R ABS	11/15	R	1284 / 1284X	L/R	F00,0	320	150	5,0	5	10,5	1259A	R	S	255	105	6,0	4	10,5
T R ABS	11/15	R	xxxxG / xxxxXG	L/R	F00,0	320	150	5,0	5	10,5	1259XA	R	S	255	105	6,0	4	10,5
T SE	11/12	R	1284 / 1284X	L/R	F00,0	320	150	5,0	5	10,5	1331 / 1331X	R	S	255	105	6,0	4	10,5
T SE	11/12	R	xxxxG / xxxxXG	L/R	F00,0	320	150	5,0	5	10,5	1259E	R	S	255	105	6,0	4	10,5
T SE ABS	11/12	R	1284 / 1284X	L/R	F00,0	320	150	5,0	5	10,5	1259A	R	S	255	105	6,0	4	10,5
T SE ABS	11/12	R	xxxxG / xxxxXG	L/R	F00,0	320	150	5,0	5	10,5	1259XA	R	S	255	105	6,0	4	10,5
SPRINT GT ABS	10/14	R	1284 / 1284X	L/R	F00,0	320	150	5,0	5	10,5	1259A	R	S	255	105	6,0	4	10,5
SPRINT GT ABS	10/14	R	xxxxG / xxxxXG	L/R	F00,0	320	150	5,0	5	10,5	1259XA	R	S	255	105	6,0	4	10,5
SPRINT ST T	05/14	R	1452 / 1452X	L/R	F14,5	320	78	4,5	5	10,5	1331 / 1331X	L	S	255	105	6,0	4	10,5
SPRINT ST T	05/14	R									1259E	C	S	255	105	6,0	4	10,5
SPRINT ST T ABS	05/14	R	1452 / 1452X	L/R	F14,5	320	78	4,5	5	10,5	1259A	L	S	255	105	6,0	4	10,5
SPRINT ST T ABS	05/14	R									1259XA	L	S	255	105	6,0	4	10,5
TIGER / TIGER ABS	07/16	R	1260 / 1260X	L/R	F17,5	320	78	5,0	5	10,5	1259A	L	S	255	105	6,0	4	10,5
TIGER / TIGER ABS	07/16	R	xxxxG / xxxxXG	L/R	F17,5	320	78	5,0	5	10,5	1259XA	L	S	255	105	6,0	4	10,5
TIGER BS / SE	07/13	R	1260 / 1260X	L/R	F17,5	320	78	5,0	5	10,5	1331 / 1331X	R	S	255	105	6,0	4	10,5
TIGER BS / SE	07/13	R	xxxxG / xxxxXG	L/R	F17,5	320	78	5,0	5	10,5	1259E	C	S	255	105	6,0	4	10,5
TIGER SE ABS	07/13	R	1260 / 1260X	L/R	F17,5	320	78	5,0	5	10,5	1259A	R	S	255	105	6,0	4	10,5
TIGER SE ABS	07/13	R	xxxxG / xxxxXG	L/R	F17,5	320	78	5,0	5	10,5	1259XA	R	S	255	105	6,0	4	10,5



TIGER SPORT	13/17	R	1260 / 1260X	L/R	F17,5	320	78	5,0	5	10,5	1331 / 1331X	L	S	255	105	6,0	4	10,5
TIGER SPORT	13/17	R	xxxxG / xxxxXG	L/R	F17,5	320	78	5,0	5	10,5	1259E	C	S	255	105	6,0	4	10,5
TIGER SPORT ABS	13/17	R	1260 / 1260X	L/R	F17,5	320	78	5,0	5	10,5	1259A	L	S	255	105	6,0	4	10,5
TIGER SPORT ABS	13/17	R	xxxxG / xxxxXG	L/R	F17,5	320	78	5,0	5	10,5	1259XA	L	S	255	105	6,0	4	10,5

1200 c.c. 1200 c.c.

BONNEVILLE MODELS

BOBBER ABS	17/18	D	xxxx	L	S	310	82,5	5,0	5,5	10,5	-	L	S	255	105	5,5	4	10,5
BOBBER BLACK ABS	18	D	xxxx	L/R	S	310	82,5	5,0	5,5	10,5	-	L	S	255	105	5,5	4	10,5
SPEEDMASTER ABS	18	D	xxxx	L/R	S	310	82,5	5,0	5,5	10,5	-	L	S	255	105	5,5	4	10,5

TRIUMPH TRIUMPH

1200 c.c. 1200 c.c.

BONNEVILLE MODELS

T120 ABS	17/18	D	xxxx	L/R	S	310	82,5	5,0	5,5	10,5	-	L	S	255	105	5,5	4	10,5
T120 BLACK ABS	17/18	D	xxxx	L/R	S	310	82,5	5,0	5,5	10,5	-	L	S	255	105	5,5	4	10,5

THROPHY	98	R	1362 / 1362X	L/R	F13,0	310	115	5,0	6	10,5	1556	C	S	282	105	5,0	5	10,5
THRUXTON ABS	16/18	DVT	xxxx	L/R	S	310	82,5	5,0	5	10,5	1667	L	S	220	82	5,0	4	10,5
THRUXTON R ABS	16/18	DVT	1675G	L/R	F00,0	310	82,5	5,0	5	10,5	1667	L	S	220	82	5,0	4	10,5

1215 c.c. 1215 c.c.

TIGER MODELS

EXPLORER / XC	12/16	U	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1556	C	S	282	105	5,0	5	10,5
EXPLORER / XC	12/16	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5	-	-	-	-	-	-	-	-
EXPLORER XCX / ABS	15/17	U	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1556	C	S	282	105	5,0	5	10,5
EXPLORER XCX / ABS	15/17	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5	-	-	-	-	-	-	-	-
EXPLORER XR / ABS	16/17	U	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1556	C	S	282	105	5,0	5	10,5
EXPLORER XR / ABS	16/17	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5	-	-	-	-	-	-	-	-
EXPLORER XRT / ABS	16/17	U	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1556	C	S	282	105	5,0	5	10,5
EXPLORER XRT / ABS	16/17	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5	-	-	-	-	-	-	-	-
EXPLORER XR / ABS	15/16	U	1253 / 1253X	L/R	F00,0	305	82,5	5,0	5	10,5	1556	C	S	282	105	5,0	5	10,5
EXPLORER XR / ABS	15/16	U	1695G / 1695XG	L/R	F00,0	305	82,5	5,0	5	10,5	-	-	-	-	-	-	-	-

TROPHY / ABS SE / ABS	13/16	U	1284 / 1284X	L/R	F00,0	320	150	5,0	5	10,5	1556	C	S	282	105	5,0	5	10,5
TROPHY / ABS SE / ABS	13/16	U	xxxxG / xxxxXG	L/R	F00,0	320	150	5,0	5	10,5	-	-	-	-	-	-	-	-
XCA ABS	18	U	xxxxG / xxxxXG	L/R	F00,0	305	82,5	5,0	5	10,5	1556	C	S	282	105	5,0	5	10,5
XRT ABS	18	U	xxxxG / xxxxXG	L/R	F00,0	305	82,5	5,0	5	10,5	1556	C	S	282	105	5,0	5	10,5
XR / ABS	18	U	xxxxG / xxxxXG	L/R	F00,0	305	82,5	5,0	5	10,5	1556	C	S	282	105	5,0	5	10,5

1600 c.c. 1600 c.c.

THUNDERBIRD / ABS	09	C	1680	L/R	F00,0	310	78	5,0	5	10,5	-	L	S	-	-	-	-	-
-------------------	----	---	------	-----	-------	-----	----	-----	---	------	---	---	---	---	---	---	---	---

1700 c.c. 1700 c.c.

THUNDERBIRD MODELS

COMMANDER / ABS	14	C	1680	L/R	F00,0	310	78	5,0	5	10,5	-	L	S	310	-	-	-	-
STORM / ABS	11	C	1680	L/R	F00,0	310	78	5,0	5	10,5	-	L	S	310	-	-	-	-

2300 c.c. 2300 c.c.

ROCKET MODELS

III CLASSIC	04/15	C	1255 / 1255X	L/R	F14,5	320	78	5,0	5	10,5	-	R	-	316	-	-	-	-
III ROADSTER ABS	10/15	C	1255 / 1255X	L/R	F14,5	320	78	5,0	5	10,5	-	R	-	316	-	-	-	-
III TOURING / X	14/15	C	1255 / 1255X	L/R	F14,5	320	78	5,0	5	10,5	-	R	-	316	-	-	-	-
X L. EDITION ABS	17	C	1255 / 1255X	L/R	F14,5	320	78	5,0	5	10,5	-	R	-	316	-	-	-	-

TRS TRS

125 c.c. 125 c.c.

ONE 2T	17/18	T	715X	L	S	185	-	3,0	4	15,5	650X	R	S	150	45	3,0	4	6,5
ONE 2T	17/18	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
ONE 2T	17/18	T	-	-	-	-	-	-	-	-	1570X	R	FIM	150	45	3,0	4	6,5
ONE 2T RAGA RACING	18	T	715X	L	S	185	-	3,0	4	15,5	650X	R	S	150	45	3,0	4	6,5
ONE 2T RAGA RACING	18	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
ONE 2T RAGA RACING	18	T	-	-	-	-	-	-	-	-	1570X	R	FIM	150	45	3,0	4	6,5
X-TRACK 2T	17	U	715X	L	S	185	-	3,0	4	15,5	650X	R	S	150	45	3,0	4	6,5
X-TRACK 2T	17	U	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
X-TRACK 2T	17	U	-	-	-	-	-	-	-	-	1570X	R	FIM	150	45	3,0	4	6,5

247.7 c.c. 247.7 c.c.

ONE 2T / RAGA RACING	15/18	T	715X	L	S	185	-	3,0	4	15,5	650X	R	S	150	45	3,0	4	6,5
ONE 2T / RAGA RACING	15/18	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
ONE 2T / RAGA RACING	15/18	T	-	-	-	-	-	-	-	-	1570X	R	FIM	150	45	3,0	4	6,5



YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø
X-TRACK 2T	17/18 U	715X	L	S	185	-	3,0	4	15,5	650X	R	S	150	45	3,0	4	6,5
X-TRACK 2T	17/18 U	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
X-TRACK 2T	17/18 U									1570X	R	FIM	150	45	3,0	4	6,5
272 c.c.										272 c.c.							
ONE 2T / RAGA RACING	15/17 T	715X	L	S	185	-	3,0	4	15,5	650X	R	S	150	45	3,0	4	6,5
ONE 2T / RAGA RACING	15/17 T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
ONE 2T / RAGA RACING	15/17 T									1570X	R	FIM	150	45	3,0	4	6,5
TR 294.1 c.c.										TR 294.1 c.c.							
ONE 2T / RAGA RACING	15/17 T	715X	L	S	185	-	3,0	4	15,5	650X	R	S	150	45	3,0	4	6,5
ONE 2T / RAGA RACING	15/17 T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
ONE 2T / RAGA RACING	15/17 T									1570X	R	FIM	150	45	3,0	4	6,5
UM 125 c.c.										UM 125 c.c.							
RENEGADE MODELS																	
COMMANDO	16/17 C	-	L	S	280	-	-	-	-	Drum	-	-	-	-	-	-	-
COMMANDO CLASSIC	16/18 C	-	L	S	280	-	-	-	-	Drum	-	-	-	-	-	-	-
DSR ADVENTURE	16/18 U	-	L	S	300	-	-	-	-	-	R	S	220	-	-	-	-
DSR ADVENTURE TT	16/18 U	-	L	S	300	-	-	-	-	-	R	S	220	-	-	-	-
DSR Ex	16/18 E	-	L	S	260	-	-	-	-	-	R	S	220	-	-	-	-
DSR SUPERMOTARD	16/18 F	-	L	S	300	-	-	-	-	-	R	S	220	-	-	-	-
SCRAMBLER CLASSIC	16/18 N	-	L	S	300	-	-	-	-	-	R	S	220	-	-	-	-
SCRAMBLER S	16/18 N	-	L	S	300	-	-	-	-	-	R	S	220	-	-	-	-
SPORT	16/18 D	-	L	S	220	-	-	-	-	-	R	S	240	-	-	-	-
SPORT S	16/18 C	-	L	S	280	-	-	-	-	Drum	-	-	-	-	-	-	-
XTREET SS	16/17 R	-	L	S	300	-	-	-	-	-	-	-	-	-	-	-	-
XTREET RC	16/18 N	-	L	S	250	-	-	-	-	-	R	S	240	-	-	-	-
280 c.c.										280 c.c.							
RENEGADE MODELS																	
COM. CLASSIC ABS	18 C	-	L	S	280	-	-	-	-	-	R	S	-	-	-	-	-
CLASSIC	18 C	-	L	S	280	-	-	-	-	Drum	-	-	-	-	-	-	-
COMMANDO	18 C	-	L	S	280	-	-	-	-	Drum	-	-	-	-	-	-	-
MOJAVE ABS	18 C	-	L	S	280	-	-	-	-	Drum	-	-	-	-	-	-	-
SPORT S	18 C	-	L	S	280	-	-	-	-	Drum	-	-	-	-	-	-	-
URAL 750 c.c.										URAL 750 c.c.							
M70 W / SIDECAR	14/17 D	404 / 404X	R	F9,5	298	64	4,0	6	8,5	313	L	S	256	94	6,0	4	8,5
M70 W / SIDECAR	14/17 D									1306	L	F00,0	245	90	5,0	5	8,5
RANGER	13 D	404 / 404X	R	F9,5	298	64	4,0	6	8,5	Drum	-	-	-	-	-	-	-
RANGER W / SIDECAR	11/17 D	404 / 404X	R	F9,5	298	64	4,0	6	8,5	313	L	S	256	94	6,0	4	8,5
RANGER W / SIDECAR	11/17 D									1306	L	F00,0	245	90	5,0	5	8,5
RETRO W / SIDECAR	11/17 D	404 / 404X	R	F9,5	298	64	4,0	6	8,5	313	L	S	256	94	6,0	4	8,5
RETRO W / SIDECAR	11/17 D									1306	L	F00,0	245	90	5,0	5	8,5
RETRO SOLO	15/17 D	404 / 404X	R	F9,5	298	64	4,0	6	8,5	313	L	S	256	94	6,0	4	8,5
SCRAMBLER	15/16 D	404 / 404X	R	F9,5	298	64	4,0	6	8,5	313	L	S	256	94	6,0	4	8,5
SOLO	15/17 D	404 / 404X	R	F9,5	298	64	4,0	6	8,5	313	L	S	256	94	6,0	4	8,5
SPORTSMAN MODELS																	
W / SIDECAR	11/17 D	404 / 404X	R	F9,5	298	64	4,0	6	8,5	313	L	S	256	94	6,0	4	8,5
W / SIDECAR	11/17 D									1306	L	F00,0	245	90	5,0	5	8,5
CROSS W / SIDECAR	11/17 D	404 / 404X	R	F9,5	298	64	4,0	6	8,5	313	L	S	256	94	6,0	4	8,5
CROSS W / SIDECAR	11/17 D									1306	L	F00,0	245	90	5,0	5	8,5
CROSS W / SIDECAR	11/17 D	404 / 404X	R	F9,5	298	64	4,0	6	8,5	313	L	S	256	94	6,0	4	8,5
CROSS W / SIDECAR	11/17 D									1306	L	F00,0	245	90	5,0	5	8,5
PATROL 2WD	06/11 D	404 / 404X	R	F9,5	298	64	4,0	6	8,5	Drum	-	-	-	-	-	-	-
TOURIST W / SIDECAR	11/17 D	404 / 404X	R	F9,5	298	64	4,0	6	8,5	313	L	S	256	94	6,0	4	8,5
TOURIST W / SIDECAR	11/17 D									1306	L	F00,0	245	90	5,0	5	8,5
PUSTINJA MODELS																	
II W / SIDECAR	14/17 D	404 / 404X	R	F9,5	298	64	4,0	6	8,5	313	L	S	256	94	6,0	4	8,5
II W / SIDECAR	14/17 D									1306	L	F00,0	245	90	5,0	5	8,5
T TWD W / SIDECAR	11/17 D	404 / 404X	R	F9,5	298	64	4,0	6	8,5	313	L	S	256	94	6,0	4	8,5
T TWD W / SIDECAR	11/17 D									1306	L	F00,0	245	90	5,0	5	8,5
VAN.EKO ELECTRIC										VAN.EKO ELECTRIC							




THE BE.E	17	S	303	L	S	190	58	4,0	3	8,5	1622	R	S17,0	190	58	4,0	5	5,0
VENTO										VENTO								
150 c.c.																		150 c.c.
PHANTERA	08/10	S	1201X	R	S22,0	220	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
PHANTOM R4	05	S	1201X	R	S22,0	220	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
VENTO										VENTO								
150 c.c.																		150 c.c.
PHANTOM R4i / R5	09/10	S	1201X	R	S22,0	220	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-
VERTEMATI										VERTEMATI								
500 c.c.																		500 c.c.
CROSS C	01/04	M	066 / 066X	L	S	240	101	3,0	6	6,5	-	-	-	-	-	-	-	-
CROSS C	01/04	M	724K27	L	KF	*318	101	5,0	6	6,5								
CROSS C	01/04	M	724XK27	L	KF	*318	101	5,0	6	6,5								
CROSS C	01/04	M	724SPK27	L	KF	*320	101	5,0	6	6,5								
VERTIGO										VERTIGO								
50 c.c.																		50 c.c.
MINI VANDAL	17/18	T	-	L	S	-	-	-	-	-	-	R	S	-	-	-	-	-
250 c.c.																		250 c.c.
VANDAL R / VANDAL S	17	T	715X	L	S	185	-	3,0	4	15,5	650X	R	S	150	45	3,0	4	6,5
VANDAL R / VANDAL S	17	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
VANDAL R / VANDAL S	17	T									1570X	R	FIM	150	45	3,0	4	6,5
299 c.c.																		299 c.c.
COMBAT MODELS																		
CAMO WORKS	14/16	T	715X	L	S	185	-	3,0	4	15,5	650X	R	S	150	45	3,0	4	6,5
CAMO WORKS	14/16	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
CAMO WORKS	14/16	T									1570X	R	FIM	150	45	3,0	4	6,5
EVO 2 / VANDAL S / R	17	T	715X	L	S	185	-	3,0	4	15,5	650X	R	S	150	45	3,0	4	6,5
EVO 2 / VANDAL S / R	17	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
EVO 2 / VANDAL S / R	17	T									1570X	R	FIM	150	45	3,0	4	6,5
ICE HELL	14/17	T	715X	L	S	185	-	3,0	4	15,5	650X	R	S	150	45	3,0	4	6,5
ICE HELL	14/17	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
ICE HELL	14/17	T									1570X	R	FIM	150	45	3,0	4	6,5
TITANIUM R	14/17	T	715X	L	S	185	-	3,0	4	15,5	650X	R	S	150	45	3,0	4	6,5
TITANIUM R	14/17	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
TITANIUM R	14/17	T									1570X	R	FIM	150	45	3,0	4	6,5
TITANIUM R	18	T	715X	L	S	185	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
TITANIUM R	18	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
TITANIUM R	18	T																
VERTICAL	16/18	T	715X	L	S	185	-	3,0	4	15,5	1570X	R	FIM	150	45	3,0	4	6,5
VERTICAL	16/18	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5
VESPA										VESPA								
50 c.c.																		50 c.c.
ET2 / ET2 i.e.	97/05	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
ET2 / ET2 i.e.	97/05	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
ET2 4T	00/01	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
ET2 4T	00/01	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
ET4	96/05	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
ET4	96/05	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
LX 2T / LX 4T 4V	05/13	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
LX 2T / LX 4T 4V	05/13	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
LX 4T TOURING	12/13	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
LX 4T TOURING	12/13	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
LXV 2T	07/09	S	113 / 113X	L	S	220	105	4,0	6	6,5	Drum	-	-	-	-	-	-	-
LXV 2T NAVY	08	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
LXV 2T NAVY	08	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
VEGAS / VEGAS 8-BALL	12→	S	113 / 113X	L	S	220	105	4,0	6	6,5	Drum	-	-	-	-	-	-	-
PRIMAVERA MODELS																		
2T	13/17	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
2T	13/17	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
2T	13/17	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-
2T	13/17	S	610F	L	F00,0	200	96,5	4,0	5	6,5								
4T 4V	13/17	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-



4T 4V	13/17	S	610F	L	F00,0	200	96,5	4,0	5	6,5							
4T TOURING	13/17	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-
4T TOURING	13/17	S	610F	L	F00,0	200	96,5	4,0	5	6,5							
VESPA										VESPA							
50 c.c.										50 c.c.							
S 2T / SPORT / S 4T	07/13	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-
S 2T / SPORT / S 4T	07/13	S	610F	L	F00,0	200	96,5	4,0	5	6,5							
S 2T SPORT	11/13	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-
S 2T SPORT	11/13	S	610F	L	F00,0	200	96,5	4,0	5	6,5							
S 4T 4V	08/13	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-
S 4T 4V	08/13	S	610F	L	F00,0	200	96,5	4,0	5	6,5							
S 4T 4V SPORT	11/13	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-
S 4T 4V SPORT	11/13	S	610F	L	F00,0	200	96,5	4,0	5	6,5							
SPRINT 2T / 4T 3V	15/17	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-
SPRINT 2T / 4T 3V	15/17	S	610F	L	F00,0	200	96,5	4,0	5	6,5							
SPRINT S 2T	15/17	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-
SPRINT S 2T	15/17	S	610F	L	F00,0	200	96,5	4,0	5	6,5							
125 c.c.										125 c.c.							
946 MODELS																	
RED	14/17	S	-	L	S	220	-	4,0	-	-	-	R	S	220	-	4,0	-
ABS-ASR EM. ARMANI	14/17	S	-	L	S	220	-	4,0	-	-	-	R	S	220	-	4,0	-
ET 4	96/05	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-
ET 4	96/05	S	610F	L	F00,0	200	96,5	4,0	5	6,5							
GRANTURISMO 4T	03/07	S	113 / 113X	L	S	220	105	4,0	6	6,5	113 / 113X	R	S	220	105	4,0	6
GRANTURISMO L	01/03	S	612	L	S	220	58	4,0	5	6,5	366	L	S	175	73	4,0	5
GT GRANTURISMO	03/06	S	113 / 113X	L	S	220	105	4,0	6	6,5	113 / 113X	L	S	220	105	4,0	6
GT L	98→	S	113 / 113X	L	S	220	105	4,0	6	6,5	113 / 113X	L	S	220	105	4,0	6
GTS	07/17	S	113 / 113X	L	S	220	105	4,0	6	6,5	113 / 113X	R	S	220	105	4,0	6
GTS 4T SUPER i.e.	07/17	S	113 / 113X	L	S	220	105	4,0	6	6,5	113 / 113X	L	S	220	105	4,0	6
GTS 4T i-GET RISS	11/17	S	113 / 113X	L	S	220	105	4,0	6	6,5	113 / 113X	L	S	220	105	4,0	6
GTS 4T I ABS-ASR	11/17	S	113 / 113X	L	S	220	105	4,0	6	6,5	113 / 113X	L	S	220	105	4,0	6
GTS SUPERSPORT i.e.	13/16	S	113 / 113X	L	S	220	105	4,0	6	6,5	113 / 113X	L	S	220	105	4,0	6
GTV 4T NAVY	07/09	S	113 / 113X	L	S	220	105	4,0	6	6,5	113 / 113X	L	S	220	105	4,0	6
LX	05/06	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-
LX	05/06	S	610F	L	F00,0	200	96,5	4,0	5	6,5							
LX E3	06/07	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-
LX E3	06/07	S	610F	L	F00,0	200	96,5	4,0	5	6,5							
LX i.e. 4T 3V	05/15	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-
LX i.e. 4T 3V	05/15	S	610F	L	F00,0	200	96,5	4,0	5	6,5							
LXV 4T	07/15	S	113 / 113X	L	S	220	105	4,0	6	6,5	Drum	-	-	-	-	-	-
LXV 4T NAVY	08	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-
LXV 4T NAVY	08	S	610F	L	F00,0	200	96,5	4,0	5	6,5							
PRIMAVERA 4T i.e. 3V	15/17	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-
PRIMAVERA 4T i.e. 3V	15/17	S	610F	L	F00,0	200	96,5	4,0	5	6,5							
PRIMAVERA 70°	15/16	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-
PRIMAVERA 70°	15/16	S	610F	L	F00,0	200	96,5	4,0	5	6,5							
PX 2T / 70° / TOURING	96/17	S	610	R	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-
PX 2T / 70° / TOURING	96/17	S	610F	R	F00,0	200	96,5	4,0	5	6,5							
PX S 4T i.e.	96/16	S	610	R	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-
PX S 4T i.e.	96/16	S	610F	R	F00,0	200	96,5	4,0	5	6,5							
PX S 4T i.e. 4T TOURING	96/16	S	610	R	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-
PX S 4T i.e. 4T TOURING	96/16	S	610F	R	F00,0	200	96,5	4,0	5	6,5							
S 4T i.e. & COLLEGE	09/10	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-
S 4T i.e. & COLLEGE	09/10	S	610F	L	F00,0	200	96,5	4,0	5	6,5							
S SPORT 4T 3V	11/13	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-
S SPORT 4T 3V	11/13	S	610F	L	F00,0	200	96,5	4,0	5	6,5							
SPRINT 4T i.e. 3V	15/17	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-
SPRINT 4T i.e. 3V	15/17	S	610F	L	F00,0	200	96,5	4,0	5	6,5							
SPRINT S 4T 3V / ABS	15/16	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-
SPRINT S 4T 3V / ABS	15/16	S	610F	L	F00,0	200	96,5	4,0	5	6,5							
SPRINT SPORT ABS	17	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-



SPRINT SPORT ABS		17	S	610F	L	F00,0	200	96,5	4,0	5	6,5										
VESPA												VESPA									
150 c.c.												150 c.c.									
ET4	96/05	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-	-		
ET4	96/05	S	610F	L	F00,0	200	96,5	4,0	5	6,5											
GRANTURISMO 4T	03/04	S	113 / 113X	L	S	220	105	4,0	6	6,5	113 / 113X	L	S	220	105	4,0	6	6,5			
LX 4T 3V	05/13	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-	-		
LX 4T 3V	05/13	S	610F	L	F00,0	200	96,5	4,0	5	6,5											
PRIMAVERA MODELS																					
4T 3V	13/15	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-	-		
4T 3V	13/15	S	610F	L	F00,0	200	96,5	4,0	5	6,5											
TOURING 3V	15	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-	-		
TOURING 3V	15	S	610F	L	F00,0	200	96,5	4,0	5	6,5											
PX 2T / PX 2T TOURING	96/17	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-	-		
PX 2T / PX 2T TOURING	96/17	S	610F	L	F00,0	200	96,5	4,0	5	6,5											
S 4T i.e. / COLLEGE / S	09/12	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-	-		
S 4T i.e. / COLLEGE / S	09/12	S	610F	L	F00,0	200	96,5	4,0	5	6,5											
SPRINT S 4T 3V ABS	15	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-	-		
SPRINT S 4T 3V ABS	15	S	610F	L	F00,0	200	96,5	4,0	5	6,5											
200 c.c.												200 c.c.									
GT L GRANTURISMO	03/06	S	113 / 113X	L	S	220	105	4,0	6	6,5	113 / 113X	R	S	220	105	4,0	6	6,5			
PE	98→	S	610	R	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-	-		
PE	98→	S	610F	R	F00,0	200	96,5	4,0	5	6,5											
PX	98/01	S	610	R	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-	-		
PX	98/01	S	610F	R	F00,0	200	96,5	4,0	5	6,5											
PX E	01	S	610	L	S	200	96,5	4,0	5	6,5	Drum	-	-	-	-	-	-	-	-		
PX E	01	S	610F	L	F00,0	200	96,5	4,0	5	6,5											
250 c.c.												250 c.c.									
GT 60	06/07	S	113 / 113X	L	S	220	105	4,0	6	6,5	113 / 113X	L	S	220	105	4,0	6	6,5			
GTS i.e. / GTS ABS	05/13	S	113 / 113X	L	S	220	105	4,0	6	6,5	113 / 113X	L	S	220	105	4,0	6	6,5			
GTV GT60	06/09	S	113 / 113X	L	S	220	105	4,0	6	6,5	113 / 113X	L	S	220	105	4,0	6	6,5			
GTV 4T NAVY	08	S	113 / 113X	L	S	220	105	4,0	6	6,5	113 / 113X	L	S	220	105	4,0	6	6,5			
300 c.c.												300 c.c.									
GTS MODELS																					
i.e. / TOURING ABS-ASR	11/17	S	113 / 113X	L/R	S	220	105	4,0	6	6,5	113 / 113X	L	S	220	105	4,0	6	6,5			
SUPER ABS-ASR	08/17	S	113 / 113X	L/R	S	220	105	4,0	6	6,5	113 / 113X	L	S	220	105	4,0	6	6,5			
SUPERSPORT ABS	10/17	S	113 / 113X	L/R	S	220	105	4,0	6	6,5	113 / 113X	L	S	220	105	4,0	6	6,5			
GTV 4T 4V	10/13	S	113 / 113X	L/R	S	220	105	4,0	6	6,5	113 / 113X	L	S	220	105	4,0	6	6,5			
SPORT SEI GIORNI	17	S	-	-	S	-	-	-	-	-	-	-	S	-	-	-	-	-	-		
VICTORY												VICTORY									
1179 c.c.												1179 c.c.									
CRUISERS MODELS																					
OCTANTE	16/17	CVT	-	L	S	298	-	-	-	-	-	R	S	298	-	-	-	-	-		
1500 c.c.												1500 c.c.									
CROSS ROADS	10	CVT	1487	L	F9,7	300	64	5,0	6	8,5	1487	L	F9,7	300	64	5,0	6	8,5			
CRUISER	01	CVT	1487	L	F9,7	300	64	5,0	6	8,5	1487	L	F9,7	300	64	5,0	6	8,5			
DE LUXE	01	CVT	1487	L	F9,7	300	64	5,0	6	8,5	1487	L	F9,7	300	64	5,0	6	8,5			
HAMMER / S	01/07	CVT	1487	L	F9,7	300	64	5,0	6	8,5	1487	L	F9,7	300	64	5,0	6	8,5			
JACKPOT	10	CVT	1487	L	F9,7	300	64	5,0	6	8,5	1487	L	F9,7	300	64	5,0	6	8,5			
KING PIN	08	CVT	1487	L	F9,7	300	64	5,0	6	8,5	1487	L	F9,7	300	64	5,0	6	8,5			
SPORTCRUISER	01	CVT	1487	L	F9,7	300	64	5,0	6	8,5	1487	L	F9,7	300	64	5,0	6	8,5			
TOURING CRUISER	03	CVT	1487	L	F9,7	300	64	5,0	6	8,5	1487	L	F9,7	300	64	5,0	6	8,5			
V92C	01	CVT	1487	L	F9,7	300	64	5,0	6	8,5	1487	L	F9,7	300	64	5,0	6	8,5			
VEGAS	08	CVT	1487	L	F9,7	300	64	5,0	6	8,5	1487	L	F9,7	300	64	5,0	6	8,5			
VEGAS 8 BALL	05/07	CVT	1487	L	F9,7	300	64	5,0	6	8,5	1487	L	F9,7	300	64	5,0	6	8,5			
1634 c.c.												1634 c.c.									
KINGPIN	04/12	CVT	1487	L	F9,7	300	64	5,0	6	8,5	1487	L	F9,7	300	64	5,0	6	8,5			
KINGPIN TOUR	08/09	CVT	1487	L	F9,7	300	64	5,0	6	8,5	1487	L	F9,7	300	64	5,0	6	8,5			
KINGPIN 8-BALL	08/11	CVT	1487	L	F9,7	300	64	5,0	6	8,5	1487	L	F9,7	300	64	5,0	6	8,5			
KINGPIN LOW	09	CVT	1487	L	F9,7	300	64	5,0	6	8,5	1487	L	F9,7	300	64	5,0	6	8,5			
VEGAS	03/10	CVT	1487	L	F9,7	300	64	5,0	6	8,5	1487	L	F9,7	300	64	5,0	6	8,5			
VEGAS 8 BALL	05/10	CVT	1487	L	F9,7	300	64	5,0	6	8,5	1487	L	F9,7	300	64	5,0	6	8,5			
VICTORY												VICTORY									





ROADSTER	99/08	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5										
SCRAMBLER	06	D	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	028	-	S	245	115	4,0	6	8,5		
SCRAMBLER	06	D	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5										
STREET SCRAMBLER	00/08	D	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	028	-	S	245	115	4,0	6	8,5		
STREET SCRAMBLER	00/08	D	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5										
VB1 EVO	03/04	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	028	-	S	245	115	4,0	6	8,5		
VB1 EVO	03/04	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5										

WAKAN										WAKAN									
1640 c.c.										1640 c.c.									
ROAD / RACING	07	R	-	-	-	-	-	-	-	-	1064	L	S	229	67	5,0	5	8,5	

WK TRIKES										WK TRIKES									
- C.C.										- C.C.									
WK TRIKES	02/03	G	662	L/R	S	240	80	4,0	6	8,5	-	-	-	-	-	-	-	-	-
WK TRIKES	02/03	G	847	L/R	T	240	80	4,5	6	8,5									

WOTTAN										WOTTAN									
125 c.c.										125 c.c.									
STORM Efi	15/17	S	-	R	S	-	-	-	-	-	-	-	S	-	-	-	-	-	-

XISPA										XISPA									
125 c.c.										125 c.c.									
X R	08/09	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5	
X R	08/09	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5	
X R	08/09	T									1570X	R	FIM	150	45	3,0	4	6,5	

250 c.c.										250 c.c.									
XISPA	08/12	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5	
XISPA	08/12	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5	
XISPA	08/12	T									1570X	R	FIM	150	45	3,0	4	6,5	

280 c.c.										280 c.c.									
XPA R	08/12	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5	
XPA R	08/12	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5	
XPA R	08/12	T									1570X	R	FIM	150	45	3,0	4	6,5	

300 c.c.										300 c.c.									
XPA	10/11	T	715 / 715X	L	S	185	-	3,0	4	15,5	650 / 650X	R	S	150	45	3,0	4	6,5	
XPA	10/11	T	715SP	L	S	185	-	3,0	4	15,5	650SP	R	S	150	45	3,0	4	6,5	
XPA	10/11	T									1570X	R	FIM	150	45	3,0	4	6,5	

X.TREME										X.TREME									
160 c.c.										160 c.c.									
XM	-	S	1201X	R	S22,0	220	58	4,0	3	8,5	Drum	-	-	-	-	-	-	-	-

YAMAHA										YAMAHA									
50 c.c.										50 c.c.									
AEROX / NAKED / R	97/17	S	107 / xxxX	L	S	190	58	4,0	3	10,5	107 / xxxX	C	S	190	58	4,0	3	10,5	
AEROX / NAKED / R	97/17	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	C	MD	190	58	3,7	3	MH	
AEROX / NAKED / R	97/17	S	1300X	L	FO	*220	58	3,5	3	10,5									
AEROX R	18	S	xxxX / 107	L	S	190	58	4,0	3	10,5	107 / xxxX	C	S	190	58	4,0	3	10,5	
AEROX R	18	S	1022X / 1022	L	MD	190	58	3,7	3	MH	1022 / 1022X	C	MD	190	58	3,7	3	MH	
AEROX R	18	S	1300X	L	FO	*220	58	3,5	3	10,5									
AXIS YA / BREEZE YM	93/98	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	
AXIS YA / BREEZE YM	93/98	S	727	L	SO	*180	40,6	3,5	3	10,5									
BW'S	91/97	S	393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-	
BW'S	00	S	1148	-	S10,0	180	48	4,0	3	8,5	Drum	-	-	-	-	-	-	-	
BW'S 12'	04/16	S	1187	L	S	190	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-	
BW'S / BW'S BUMP	93/95	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	
BW'S / BW'S BUMP	93/95	S	727	L	SO	*180	40,6	3,5	3	10,5									
BW'S / BW'S NG	96/99	S	393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-	
BW'S / S / NAKED	01/17	S	393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-	
BW'S ORIGINAL	01/17	S	393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-	
BW'S SPY	96	S	1187	L	S	190	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-	
BW'S MOTO GP	99	S	1187	L	S	190	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-	

YAMAHA										YAMAHA									
50 c.c.										50 c.c.									
BW'S NEXT GENERATION	97/07	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-	
BW'S NEXT GENERATION	97/07	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
BW'S NEXT GENERATION	97/07	S	1300X	L	FO	*220	58	3,5	3	10,5									




	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø
BW'S R	95/96	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
BW'S R	95/96	S	727	L	SO	*180	40,6	3,5	3	10,5								
CR Z	91/95	A	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
CR Z	91/95	A	727	L	SO	*180	40,6	3,5	3	10,5								
CW	02/07	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
CW	02/07	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
CW	02/07	S	1300X	L	FO	*220	58	3,5	3	10,5								
CW RS	99/05	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
CW RS	99/05	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
CW RS	99/05	S	1300X	L	FO	*220	58	3,5	3	10,5								
CW RSP	97/98	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
CW RSP	97/98	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
CW RSP	97/98	S	1300X	L	FO	*220	58	3,5	3	10,5								
DT L.C.	98	A	399	L	S	220	92	3,0	4	8,5	Drum	-	-	-	-	-	-	-
DT L.C.	06	A	614	L	S	259	108	3,5	6	6,5	082	R	S	218	62	3,5	3	8,5
DT L.C.	08	A	1531	L	S	259	108	3,5	6	6,5	082	R	S	218	62	3,5	3	8,5
DT R	97	A	274	L	S	230	112	4,5	6	6,5	Drum	-	-	-	-	-	-	-
DT R	00/02	A	163	L	S	230	112	4,0	6	6,5	Drum	-	-	-	-	-	-	-
DT R	03/08	A	350	L	S	240	108	3,5	6	6,5	082	R	S	218	62	3,5	3	8,5
DT R	03/08	A	837	L	T	240	108	3,5	6	6,5	836	R	T	218	62	3,5	3	8,5
DT X / DT SM	07/11	A	1531	L	S	259	108	3,5	6	6,5	082	R	S	218	62	3,5	3	8,5
DT X / DT SM	07/11	A									836	R	T	218	62	3,5	3	8,5
JOG	90→	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
JOG	90→	S	727	L	SO	*180	40,6	3,5	3	10,5								
JOG R	91/02	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
JOG R	91/02	S	727	L	SO	*180	40,6	3,5	3	10,5								
JOG R / JOG RR	03/17	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-
JOG R / JOG RR	03/17	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
NEO'S 2T / 4T / 4T UBS	97/17	S	023	L	S	190	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-
NEO'S 2T / 4T / 4T UBS	97/17	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
SLIDER EW	99/05	S	107 / xxxX	L	S	190	58	4,0	3	10,5	107 / xxxX	L	S	190	58	4,0	3	10,5
SLIDER EW	99/05	S	1022 / 1022X	L	MD	190	58	3,7	3	MH	1022 / 1022X	L	MD	190	58	3,7	3	MH
SLIDER EW	99/05	S	1300X	L	FO	*220	58	3,5	3	10,5								
SLIDER NAKED EW	08→	S	107 / xxxX	L	S	190	58	4,0	3	10,5	Drum	-	-	-	-	-	-	-
SLIDER NAKED EW	08→	S	1022 / 1022X	L	MD	190	58	3,7	3	MH								
SLIDER NAKED EW	08→	S	1300X	L	FO	*220	58	3,5	3	10,5								
SPY	96/00	S	1187	L	S	190	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-
RS SPY	96/00	A	393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-
TZR R	93/96	H	057	R	S	245	115	4,0	6	6,5	092	R	S	203	48	4,0	4	8,5
TZR R	97/02	H	057	R	S	245	115	4,0	6	6,5	388	R	S	203	84	4,5	4	8,5
SLIDER NAKED EW	03/12	H	289	L	S	280	155	4,0	5	6,5	609	R	S	220	102	4,0	5	6,5
TZR ROSSI REPLICA	08	H	289	L	S	280	155	4,0	5	6,5	609	R	S	220	102	4,0	5	6,5
TZR / TZR RR	14/15	H	289	L	S	280	155	4,0	5	6,5	609	R	S	220	102	4,0	5	6,5
TZR X POWER	00/05	H	401	R	S	282	132	4,0	6	8,5	388	R	S	203	84	4,5	4	8,5
TZR R CHECA	01	H	401	R	S	282	132	4,0	6	8,5	388	R	S	203	84	4,5	4	8,5
WHY	98/09	S	084	L	S	220	88	4,0	3	8,5	Drum	-	-	-	-	-	-	-
YM BREEZE	94	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
YM BREEZE	94	S	727	L	SO	*180	40,6	3,5	3	10,5								
80 c.c.											80 c.c.							
TZR RR	96/98	H-R	401	R	S	282	132	4,0	6	8,5	388	R	S	203	84	4,5	4	8,5
YZ	86/92	A-M	797 / 797X	L	S	184	84	3,0	4	9,5	797 / 797X	R	S	184	84	3,0	4	9,5
YZ / YZ LW	93/01	A-M	745 / 745X	L	S	220	100,5	3,0	6	6,5	757 / 757X	R	S	190	84	3,0	4	6,5
YZ LW	02/05	A-M	745 / 745X	L	S	220	100,5	3,0	6	6,5	-	-	-	-	-	-	-	-
YAMAHA											YAMAHA							
80 c.c.											80 c.c.							
ZEST YE	97/98	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-
ZEST YE	97/98	S	727	L	SO	*180	40,6	3,5	3	10,5								
85 c.c.											85 c.c.							
YZ 17 / 14'	93/18	A-M	1599	L	S	220	100,5	3,0	3	6,5	757 / 757X	R	S	190	84	3,0	4	6,5
YZ LW 19 / 16'	93/18	A-M	1599	L	S	220	100,5	3,0	3	6,5	757 / 757X	R	S	190	84	3,0	4	6,5
100 c.c.											100 c.c.							



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø		REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø
AEROX	00/05	S	107 / xxxX	L	S	190	58	4,0	3	10,5		107 / xxxX	L	S	190	58	4,0	3	10,5
AEROX	00/05	S	1022 / 1022X	L	MD	190	58	3,7	3	MH		1022 / 1022X	L	MD	190	58	3,7	3	MH
AEROX	00/05	S	1300X	L	FO	*220	58	3,5	3	10,5									
BW'S	00	S	1148	L	S10,0	180	48	4,0	3	8,5		Drum	-	-	-	-	-	-	-
BW'S 2T	01/02	S	393	L	S	180	48	3,5	4	10,5		Drum	-	-	-	-	-	-	-
NEO'S	00/02	S	023	L	S	190	58	3,5	3	8,5		Drum	-	-	-	-	-	-	-
NEO'S	00/02	S	1022 / 1022X	L	MD	190	58	3,7	3	MH									
114 c.c.											114 c.c.								
D'ELIGHT	15/17	S	1548	R	S	180	48	4,0	3	8,5		Drum	-	-	-	-	-	-	-
125 c.c.											125 c.c.								
BW'S	09/13	S	1036 / 1036X	L	S	220	82	4,0	5	8,5		Drum	-	-	-	-	-	-	-
CYGNUS XC	00/03	S	1148	L	S10,0	180	48	4,0	3	8,5		Drum	-	-	-	-	-	-	-
CYGNUS XC	06	S	1036 / 1036X	L	S	220	82	4,0	5	8,5		Drum	-	-	-	-	-	-	-
CYGNUS XC	07	S	1179	R	S	245	82	4,0	5	8,5		Drum	-	-	-	-	-	-	-
CYGNUS X	08/17	S	1036 / 1036X	R	S	220	82	4,0	5	8,5		Drum	-	-	-	-	-	-	-
D'ELIGHT	17/18	S	1548	R	S	180	48	4,0	3	8,5		Drum	-	-	-	-	-	-	-
DT	84/87	E	390	L	S	230	86	3,5	6	6,5		Drum	-	-	-	-	-	-	-
DT X	05/06	F	294 / 294X	L	F00,0	298	132	5,0	6	8,5		422 / 422X	R	S	220	115	4,0	6	6,5
DT X	05/06	F	294G / 294XG	L	F00,0	298	132	5,0	6	8,5									
DT X	05/06	F	294S / 294XS	L	S	298	132	5,0	6	8,5									
DT / DT R	88/07	E	390	L	S	230	86	3,5	6	6,5		422 / 422X	R	S	220	115	4,0	6	6,5
DTZ TENERE	89/94	U	390	L	S	230	86	3,5	6	6,5		-	-	-	-	-	-	-	-
JANUS	16/17	S	-	R	S	-	-	-	-	-		Drum	-	-	-	-	-	-	-
MAJESTY YP	96/97	S	131	L	S	220	54	4,5	4	10,5		-	-	-	-	-	-	-	-
MAJESTY YP	98/09	S	716	L	S	220	54	4,5	4	8,5		-	-	-	-	-	-	-	-
MAJESTY YP E / YP LTD	01/09	S	716	L	S	220	54	4,5	4	8,5		658	R	S	190	63	5,0	3	8,5
MAJESTY YP DT	98/01	S	716	L	S	220	54	4,5	4	8,5		Drum	-	-	-	-	-	-	-
MAJESTY YP S	15/16	S	-	L	S	267	-	-	-	-		-	R	S	245	-	-	-	-
MAXSTER	01/04	U	1099	L	S	245	80	4,0	6	8,5		1341	R	S	220	102	5,0	5	8,5
MT	14	R	1202	L	S	292	155	4,0	5	8,5		1203	R	S	230	102	4,0	5	8,5
MT ABS	15/18	N	1454	L	F00,0	292	165	4,5	6	8,5		1490	R	S	230	118	4,0	6	8,5
NMAX / NMAX ABS	15/18	S	1574	R	S	230	115	4,0	3	10,5		1575	R	S	230	120	4,5	3	10,5
R CUP	12	R	1202	L	S	292	155	4,0	5	8,5		1203	R	S	230	102	4,0	5	8,5
SR	97/02	R	1195	L	F00,0	267	132	4,0	6	8,5		Drum	-	-	-	-	-	-	-
SR	97/02	R	483	L	S	267	132	5,0	6	8,5									
SR	97/02	R	783	L	S	267	132	4,0	6	8,5									
TEO'S	99/02	S	716	L	S	220	54	4,5	4	8,5		656	R	S	220	105	4,0	4	6,5
TRICITY ABS	14/18	TS	1620	L/R	S	220	109,8	3,5	3	10,5		1619	L	S	230	117,8	4,0	3	10,5
TT R	00/03	E	399	L	S	220	92	3,0	4	8,5		Drum	-	-	-	-	-	-	-
TW	99/04	U	785	R	S	220	86	3,5	6	6,5		Drum	-	-	-	-	-	-	-
TDR ITALIAN MODEL	89/99	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5		422 / 422X	R	S	220	115	4,0	6	6,5
TDR ITALIAN MODEL	89/99	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5									
TDR / TDR JAPANESE	93/04	R	321 / 321X	L	S	282	132	5,0	6	8,5		422 / 422X	R	S	220	115	4,0	6	6,5
TDR R	91/93	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5		422 / 422X	R	S	220	115	4,0	6	6,5
TDR R	91/93	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5									
TZ COMPETITION	96/97	R	404 / 404X	R	F9,5	298	64	4,0	6	8,5		-	-	-	-	-	-	-	-
TZR	89/92	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5		-	-	-	-	-	-	-	-
TZR	89/92	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5									
VITY / VITY R	08/11	S	406	R	S	155	40,6	3,8	3	10,5		Drum	-	-	-	-	-	-	-
VITY / VITY R	08/11	S	727	R	SO	*180	40,6	3,5	3	10,5									
VITY / VITY R	12/13	S	1548	R	S	180	48	4,0	3	8,5		Drum	-	-	-	-	-	-	-
YAMAHA											YAMAHA								
125 c.c.											125 c.c.								
WR	89/90	E	390	L	S	230	86	3,5	6	6,5		422 / 422X	R	S	220	115	4,0	6	6,5
WR	91/92	E	039	L	S	245	86	4,0	6	6,5		422 / 422X	R	S	220	115	4,0	6	6,5
WR	93/97	E	320 / 320X	L	S	245	118	3,0	6	6,5		422 / 422X	R	S	220	115	4,0	6	6,5
WR	98/01	E	320 / 320X	L	S	245	118	3,0	6	6,5		372 / 372X	R	S	240	115	4,0	6	6,5
WR	02/12	E	276 / 276X	L	F00,0	250	118	3,0	6	6,5		372 / 372X	R	S	240	115	4,0	6	6,5
WR	02/12	E	675 / 675X	L	S	250	118	3,0	6	6,5									

																							
			YEAR	MODEL TYPE	REFERENCE	FRONT	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø	REAR	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø	
WR		98/12	E		719		L	SO	*270	118	3,0	6	6,5										
WR		98/12	E		1153XK02		L	KF	*270	118	3,0	6	6,5										
WR		98/12	E		1153XBHK02		L	KF	*270	118	3,0	6	6,5										
WR		00/12	E		723K13		L	KF	*320	118	5,0	6	6,5										
WR		00/12	E		723XK13		L	KF	*318	118	5,0	6	6,5										
WR		00/12	E		723SPK13		L	KF	*320	118	5,0	6	6,5										
WR R		09/17	U		1482		L	S	240	86	4,0	6	6,5	-		R	S	220	-	-	-	-	
WR X / WR X SM		09/17	F		294S / 294XS		L	S	298	132	5,0	6	8,5	422 / 422X		R	S	220	115	4,0	6	6,5	
WR X / WR X SM		09/17	F		294X / 294		L	F00,0	298	132	5,0	6	8,5										
WR X / WR X SM		09/17	F		294XG / 294G		L	F00,0	298	132	5,0	6	8,5										
X-CITY		08/12	S		1123		L	S	270	128	5,0	6	8,5	1124		R	S	240	92	5,0	4	8,5	
X-ENTER / URBAN EDITION		12/18	S		1443		L	S	267	115	4,0	5	8,5	Drum		-	-	-	-	-	-	-	
X-MAX / i / ABS		05/09	S		1081		L	S	267	132	4,5	5	8,5	1124		R	S	240	92	5,0	4	8,5	
X-MAX / i / ABS		05/09	S		1083		L	F00,0	267	132	4,0	5	8,5	1033		R	S	240	92	5,0	4	10,5	
X-MAX / i / ABS		05/09	S		1233X		L	MDF	267	132	4,0	5/6	MH										
X-MAX YP R / ABS		10/13	S		1081		L	S	267	132	4,5	5	8,5	1567		R	S	245	115	5,0	3	8,5	
X-MAX YP R / ABS		10/13	S		1083		L	F00,0	267	132	4,0	5	8,5										
X-MAX YP R / ABS		10/13	S		1233X		L	MDF	267	132	4,0	5/6	MH										
X-MAX YP R / ABS		14/16	S		1081		L	S	267	132	4,5	5	8,5	1458		R	S	240	117	5,0	3	8,5	
X-MAX YP R / ABS		14/16	S		1083		L	F00,0	267	132	4,0	5	8,5										
X-MAX YP R / ABS		14/16	S		1233X		L	MDF	267	132	4,0	5/6	MH										
X-MAX YP R / ABS		17	S		1634		R	S	267	132	5,0	5	8,5	1458		R	S	240	117	5,0	3	8,5	
X-MAX YP R ABS		18	S		1634		R	S	267	132	5,0	5	8,5	-		R	S	245	-	5,0	-	-	
XT R		05/08	U		837		L	T	240	108	3,5	6	6,5	836		R	T	218	62	3,5	3	8,5	
XT X		05	U		614		L	S	259	108	3,5	6	6,5	082		R	S	218	62	3,5	3	8,5	
XT X		05	U											836		R	T	218	62	3,5	3	8,5	
XT X		07/11	U		1531		L	S	259	108	3,5	6	6,5	082		R	S	218	62	3,5	3	8,5	
XT X		07/11	U											836		R	T	218	62	3,5	3	8,5	
XTZ BRAZIL MODEL		03/10	E		059		L	S	220	86	4,5	6	6,5	Drum		-	-	-	-	-	-	-	
XTZ X BRAZIL MODEL		08/14	E		059		L	S	220	86	4,5	6	6,5	Drum		-	-	-	-	-	-	-	
XV / XV S VIRAGO		97→	C		321 / 321X		L	S	282	132	5,0	6	8,5	Drum		-	-	-	-	-	-	-	
XV S DRAG STAR		97→	C		321 / 321X		L	S	282	132	5,0	6	8,5	Drum		-	-	-	-	-	-	-	
YBR		05/06	N		1320		R	S	245	132	4,0	6	8,5	Drum		-	-	-	-	-	-	-	
YBR		07/17	N		1292		R	S	245	114,7	3,5	5	8,5	Drum		-	-	-	-	-	-	-	
YBR CLASSIC / CUSTOM		08/17	C		1292		R	S	245	114,7	3,5	5	8,5	Drum		-	-	-	-	-	-	-	
YS		17/18	R		1292		R	S	245	114,7	3,5	5	8,5	Drum		-	-	-	-	-	-	-	
YZ		86/87	M		034		L	S	230	86	4,0	6	6,5	422 / 422X		R	S	220	115	4,0	6	6,5	
YZ		88/89	M		390		L	S	230	86	3,5	6	6,5	422 / 422X		R	S	220	115	4,0	6	6,5	
YZ		90/97	M		320 / 320X		L	S	245	118	3,0	6	6,5	422 / 422X		R	S	220	115	4,0	6	6,5	
YZ		98/01	M		320 / 320X		L	S	245	118	3,0	6	6,5	372 / 372X		R	S	240	115	4,0	6	6,5	
YZ		98/01	M		719		L	SO	*270	118	3,0	6	6,5										
YZ		98/01	M		1153XK05		L	KF	*270	118	3,0	6	6,5										
YZ		98/01	M		1153XBHK05		L	KF	*270	118	3,0	6	6,5										
YZ		00/01	M		723K13		L	KF	*320	118	5,0	6	6,5										
YZ		00/01	M		723XK13		L	KF	*318	118	5,0	6	6,5										
YZ		00/01	M		723SPK13		L	KF	*320	118	5,0	6	6,5										
YZ 2T		17/18	M		1153X		L	F00,0	270	118	3,0	6	6,5	789 / 789X		R	S	245	115	4,0	6	6,5	
YZ 2T		17/18	M		1153XBH		L	F00,0	270	118	3,0	6	6,5	789SP		R	S	245	115	4,0	6	6,5	
YZ 2T / CUP, VERSION 1		02/16	M		276 / 276X		L	F00,0	250	118	3,0	6	6,5	789 / 789X		R	S	245	115	4,0	6	6,5	
YZ 2T / CUP, VERSION 1		02/16	M		675 / 675X		L	S	250	118	3,0	6	6,5	789SP		R	S	245	115	4,0	6	6,5	
YAMAHA 125 c.c. YAMAHA 125 c.c.																							
YZ 2T		02/04	M		1153XK02		L	KF	*270	118	3,0	6	6,5	789 / 789X		R	S	245	115	4,0	6	6,5	
YZ 2T		02/04	M		1153XBHK02		L	KF	*270	118	3,0	6	6,5	789SP		R	S	245	115	4,0	6	6,5	
YZ 2T / CUP, VERSION 1		08/15	M		1153XK05		L	KF	*270	118	3,0	6	6,5										
YZ 2T / CUP, VERSION 1		08/15	M		1153XBHK05		L	KF	*270	118	3,0	6	6,5										
YZ 2T		02/15	M		723K13		L	KF	*320	118	5,0	6	6,5										
YZ 2T		02/15	M		723XK13		L	KF	*318	118	5,0	6	6,5										
YZ 2T		02/15	M		723SPK13		L	KF	*320	118	5,0	6	6,5										
YZF R		08/13	R		1202		L	S	292	155	4,0	5	8,5	1203		R	S	230	102	4,0	5	8,5	

																													
			FRONT							REAR																			
YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø												
YZF R	14	R																											
YZF R / YZF R ABS	15/18	R																											
150 c.c.										150 c.c.																			
MAJESTY YP	98/00	S																											
MAJESTY YP TEO'S	98/00	S																											
MAJESTY YP	01/06	S																											
MAJESTY YP E	01/06	S																											
MAXSTER XQ	01/02	S																											
MAXSTER	03/04	S																											
NMAX	15/17	S																											
TEO'S	01	S																											
WINNER VIETNAM MODEL	16/17	S																											
XENTER	12/17	S																											
155 c.c.										155 c.c.																			
AEROX	17	S																											
NMAX	15/17	S																											
TRICITY ABS	16/17	S																											
180 c.c.										180 c.c.																			
MAJESTY YP	00/02	S																											
MAJESTY YP / LTD / E	03/06	S																											
MAJESTY YP	07/09	S																											
200 c.c.										200 c.c.																			
DT	87	E																											
DT	89	E																											
SR	97	R																											
SR	97	R																											
SR	97	R																											
SDR	86/87	R																											
TW	98/17	U																											
WR	92/05	U																											
223 c.c.										223 c.c.																			
SCORPIO SX4-W	06/14	N																											
SCORPIO Z SPEC. EDITION	15/16	N																											
SCORPIO Z SPECIAL HITAM	15/16	N																											
SCORPIO Z MERAH	15/16	N																											
230 c.c.										230 c.c.																			
TT R BRAZIL MODEL	08	E																											
250 c.c.										250 c.c.																			
FZR	87	R																											
FZX ZEAL	91/92	R																											
FZX ZEAL	91/92	R																											
GRAND MAJESTY JAPAN	04/05	S																											
GRAND MAJESTY JAPAN	04/05	S																											
GRAND MAJESTY JAPAN	04/05	S																											
IRON MAX	16	S																											
IRON MAX	16	S																											
IRON MAX	16	S																											
R1 Z	97	R																											
RZ R	10/12	R																											
RZ RR	10/12	R																											
YAMAHA										YAMAHA																			
250 c.c.										250 c.c.																			
SR CLASSIC	95/03	R																											
SRV	92/97	R																											
SRV S-RENAISSA	92	R																											
TRICKER	05/07	U																											
TDR	87/92	U																											
TDR	87/92	U																											
TT	00→	U																											
TT R	93/03	E																											
TZ GP	96/97	R																											



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø		REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø
TZR / TZR R / TZR SPR	87/96	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5		421	R	S	210	84	5,0	3	8,5
TZR / TZR R / TZR SPR	87/96	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5									
WR	90/97	E	-	-	-	-	-	-	-	-		422 / 422X	R	S	220	115	4,0	6	6,5
WR	98/00	E	320 / 320X	L	S	245	118	3,0	6	6,5		372 / 372X	R	S	240	115	4,0	6	6,5
WR / WR R	01	E	276 / 276X	L	F00,0	250	118	3,0	6	6,5		372 / 372X	R	S	240	115	4,0	6	6,5
WR / WR R	01	E	675 / 675X	L	S	250	118	3,0	6	6,5									
WR / WR R	98/01	E	719	L	SO	*270	118	3,0	6	6,5									
WR / WR R	98/01	E	1153XK02	L	KF	*270	118	3,0	6	6,5									
WR / WR R	98/01	E	1153XBHK02	L	KF	*270	118	3,0	6	6,5									
WR / WR R	00/01	E	723K13	L	KF	*320	118	5,0	6	6,5									
WR / WR R	00/01	E	723XK13	L	KF	*318	118	5,0	6	6,5									
WR / WR R	00/01	E	723SPK13	L	KF	*320	118	5,0	6	6,5									
WR / WR R	02/08	E	276 / 276X	L	F00,0	250	118	3,0	6	6,5		789 / 789X	R	S	245	115	4,0	6	6,5
WR / WR R	02/08	E	675 / 675X	L	S	250	118	3,0	6	6,5		789SP	R	S	245	115	4,0	6	6,5
WR / WR R	02/08	E	719	L	SO	*270	118	3,0	6	6,5									
WR / WR R	02/08	E	1153XK02	L	KF	*270	118	3,0	6	6,5									
WR / WR R	02/08	E	1153XBHK02	L	KF	*270	118	3,0	6	6,5									
WR / WR R	02/08	E	723K13	L	KF	*320	118	5,0	6	6,5									
WR / WR R	02/08	E	723XK13	L	KF	*318	118	5,0	6	6,5									
WR / WR R	02/08	E	723SPK13	L	KF	*320	118	5,0	6	6,5									
WR F	01/17	E	276 / 276X	L	F00,0	250	118	3,0	6	6,5		789 / 789X	R	S	245	115	4,0	6	6,5
WR F	01/17	E	675 / 675X	L	S	250	118	3,0	6	6,5		789SP	R	S	245	115	4,0	6	6,5
WR F	01/17	E	719	L	SO	*270	118	3,0	6	6,5									
WR F	18	E	1153X	L	F00,0	270	118	3,0	6	6,5		789X / 789	R	S	245	115	4,0	6	6,5
WR F	18	E	719	L	SO	270	118	3,0	6	6,5		789SP	R	S	245	115	4,0	6	6,5
WR F ENDURO GP L.E.	17/18	E	276X / 276	L	F00,0	250	118	3,0	6	6,5		789X / 789	R	S	245	115	4,0	6	6,5
WR F ENDURO GP L.E.	17/18	E	675X / 675	L	S	250	118	3,0	6	6,5		789SP	R	S	245	115	4,0	6	6,5
WR F ENDURO GP L.E.	17/18	E	719	L	SO	*270	118	3,0	6	6,5									
WR F	01/16	E	1153XK02	L	KF	*270	118	3,0	6	6,5									
WR F	01/16	E	1153XBHK02	L	KF	*270	118	3,0	6	6,5									
WR F	01/16	E	723K13	L	KF	*320	118	5,0	6	6,5									
WR F	01/16	E	723XK13	L	KF	*318	118	5,0	6	6,5									
WR F	01/16	E	723SPK13	L	KF	*320	118	5,0	6	6,5									
WR X	98/03	E	276 / 276X	L	F00,0	250	118	3,0	6	6,5		-	-	-	-	-	-	-	-
WR X	98/03	E	675 / 675X	L	S	250	118	3,0	6	6,5									
X-CITY / X-CITY i	07/17	S	1123	L	S	270	128	5,0	6	8,5		1124	R	S	240	92	5,0	4	8,5
XV VIRAGO	91/94	C	162	R	F18,0	267	64	5,0	6	8,5		Drum	-	-	-	-	-	-	-
XV VIRAGO / XV S VIRAGO	95→	C	321 / 321X	L	S	282	132	5,0	6	8,5		Drum	-	-	-	-	-	-	-
XV S DRAG STAR	95→	C	321 / 321X	L	S	282	132	5,0	6	8,5		Drum	-	-	-	-	-	-	-
X-MAX MODELS																			
YP R	05/09	S	1081	R	S	267	132	4,5	5	8,5		1124	R	S	240	92	5,0	4	8,5
YP R	05/09	S	1083	R	F00,0	267	132	4,0	5	8,5		1033	R	S	240	92	5,0	4	10,5
YP R	05/09	S	1233X	R	MDF	267	132	4,0	5/6	MH									
YP R SPORT	10/13	S	1081	R	S	267	132	4,5	5	8,5		1567	R	S	245	115	5,0	3	8,5
YP R SPORT	10/13	S	1083	R	F00,0	267	132	4,0	5	8,5									
YP R SPORT	10/13	S	1233X	R	MDF	267	132	4,0	5/6	MH									
YAMAHA										YAMAHA									
250 c.c.										250 c.c.									
YP R / ABS - IRON MAX	14/16	S	1081	L	S	267	132	4,5	5	8,5		1458	R	S	240	117	5,0	3	8,5
YP R / ABS - IRON MAX	14/16	S	1083	L	F00,0	267	132	4,0	5	8,5									
YP R / ABS - IRON MAX	14/16	S	1233X	L	MDF	267	132	4,0	5/6	MH									
YP R / ABS - IRON MAX / ABS	17	S	1634	L	S	267	132	5,0	5	8,5		1458	R	S	240	117	5,0	3	8,5
YBR	07/14	R	1198	R	S	282	106	4,0	5	8,5		Drum	-	-	-	-	-	-	-
YP MAJESTY	96/97	S	028	R	S	245	115	4,0	6	8,5		Drum	-	-	-	-	-	-	-
YP MAJESTY ABS / YP M. DX	98/99	S	028	R	S	245	115	4,0	6	8,5		779	R	S	230	84	5,0	3	8,5
YP MAJESTY DX	98/99	S	028	R	S	245	115	4,0	6	8,5		779	R	S	230	84	5,0	3	8,5
YP MAJESTY ABS / YP M. DX	00/08	S	028	R	S	245	115	4,0	6	8,5		689	R	S	230	116	5,0	3	8,5
YZ 2T	85/88	M	785	L	S	220	86	3,5	6	6,5		422 / 422X	R	S	220	115	4,0	6	6,5

NG Brake Disc										FRONT										REAR									
YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø												
YZ 2T	89/91	M	039	L	S	245	86	4,0	6	6,5	422 / 422X	R	S	220	115	4,0	6	6,5											
YZ 2T	92/97	M	320 / 320X	L	S	245	118	3,0	6	6,5	422 / 422X	R	S	220	115	4,0	6	6,5											
YZ 2T	98/00	M	320 / 320X	L	S	245	118	3,0	6	6,5	372 / 372X	R	S	240	115	4,0	6	6,5											
YZ 2T	98/00	M	719	L	SO	*270	118	3,0	6	6,5																			
YZ 2T	94/96	M	1153XK02	L	KF	*270	118	3,0	6	6,5																			
YZ 2T	94/96	M	1153XBHK02	L	KF	*270	118	3,0	6	6,5																			
YZ 2T	98/00	M	1153XK05	L	KF	*270	118	3,0	6	6,5																			
YZ 2T	98/00	M	1153XBHK05	L	KF	*270	118	3,0	6	6,5																			
YZ 2T / YZ F 4T	01/15	M	276 / 276X	L	F00,0	250	118	3,0	6	6,5	789 / 789X	R	S	245	115	4,0	6	6,5											
YZ 2T / YZ F 4T	01/15	M	675 / 675X	L	S	250	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5											
YZ 2T / YZ F 4T	01/15	M	719	L	SO	*270	118	3,0	6	6,5																			
YZ 2T	01/06	M	1153XK02	L	KF	*270	118	3,0	6	6,5																			
YZ 2T	01/06	M	1153XBHK02	L	KF	*270	118	3,0	6	6,5																			
YZ 2T / YZ F 4T	07/15	M	1153XK05	L	KF	*270	118	3,0	6	6,5																			
YZ 2T / YZ F 4T	07/15	M	1153XBHK05	L	KF	*270	118	3,0	6	6,5																			
YZ 2T / YZ F 4T	02/15	M	723K13	L	KF	*320	118	5,0	6	6,5																			
YZ 2T / YZ F 4T	02/15	M	723XK13	L	KF	*318	118	5,0	6	6,5																			
YZ 2T / YZ F 4T	02/15	M	723SPK13	L	KF	*320	118	5,0	6	6,5																			
YZ 2T	16	M	276X / 276	L	F00,0	250	118	3,0	6	6,5	789X / 789	R	S	245	115	4,0	6	6,5											
YZ 2T	16	M	675X / 675	L	S	250	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5											
YZ 2T	16	M	723K13	L	KF	*320	118	5,0	6	6,5																			
YZ 2T	16	M	723XK13	L	KF	*318	118	5,0	6	6,5																			
YZ 2T	16	M	723SPK13	L	KF	*320	118	5,0	6	6,5																			
YZ 2T	16	M	1153XK05	L	KF	*270	118	3,0	6	6,5																			
YZ 2T	16	M	1153XBHK05	L	KF	*270	118	3,0	6	6,5																			
YZ 2T	17	M	723K30	L	KF	*320	118	5,0	6	6,5																			
YZ 2T	17	M	723XK30	L	KF	*318	118	5,0	6	6,5																			
YZ 2T	17	M	723SPK30	L	KF	*320	118	5,0	6	6,5																			
YZ F 4T / 60th ANNIVERSARY	17/18	M	1153X	L	F00,0	270	118	3,0	6	6,5	789X / 789	R	S	245	115	4,0	6	6,5											
YZ F 4T / 60th ANNIVERSARY	17/18	M	1153XBH	L	F00,0	270	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5											
YZ F 4T / 60th ANNIVERSARY	16/18	M	723K30	L	KF	*320	118	5,0	6	6,5																			
YZ F 4T / 60th ANNIVERSARY	16/18	M	723XK30	L	KF	*318	118	5,0	6	6,5																			
YZ F 4T / 60th ANNIVERSARY	16/18	M	723SPK30	L	KF	*320	118	5,0	6	6,5																			
YZ FX 4T / YZ X 4T	16/18	M	1153X	L	F00,0	270	118	3,0	6	6,5	789 / 789X	R	S	245	115	4,0	6	6,5											
YZ FX 4T / YZ X 4T	16/18	M	1153XBH	L	F00,0	270	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5											
YZF-R25	14/17	R	165 / 165X	R	F00,0	298	132	5,0	5	8,5	1635	R	S	220	105	4,5	3	8,5											
300 c.c.																		300 c.c.											
XC / XC VERSITY	03/06	S	1359	R	S	270	129	5,0	5	8,5	1124	R	S	240	92	5,0	4	8,5											
X-MAX ABS	17/18	S	1634	R	S	267	132	5,0	5	8,5	-	R	S	245	-	5,0	3	8,5											
321 c.c.																		321 c.c.											
MT-03 ABS	16/18	R	165 / 165X	R	F00,0	298	132	5,0	5	8,5	1635	R	S	220	105	4,5	3	8,5											
YZF-R3 / ABS	15/18	S3	165 / 165X	R	F00,0	298	132	5,0	5	8,5	1635	R	S	220	105	4,5	3	8,5											
350 c.c.																		350 c.c.											
RD F / N / R	85/93	R	1195	L/R	F00,0	267	132	4,0	6	8,5	483	R	S	267	132	5,0	6	8,5											
RD F / N / R	85/93	R	483	L/R	S	267	132	5,0	6	8,5	783	R	S	267	132	4,0	6	8,5											
RD F / N / R	85/93	R	783	L/R	S	267	132	4,0	6	8,5																			
YAMAHA																		YAMAHA											
350 c.c.																		350 c.c.											
RD YPVS	83/84	R	1195	L/R	F00,0	267	132	4,0	6	8,5	Drum	-	-	-	-	-	-	-											
RD YPVS	83/84	R	483	L/R	S	267	132	5,0	6	8,5																			
RD YPVS	83/84	R	783	L/R	S	267	132	4,0	6	8,5																			
RZ	92	E	-	-	-	-	-	-	-	-	421	R	S	210	84	5,0	3	8,5											
TT	85/95	E	390	L	S	230	86	3,5	6	6,5	Drum	-	-	-	-	-	-	-											
XT	85/95	E	039	L	S	245	86	4,0	6	6,5	Drum	-	-	-	-	-	-	-											
360 c.c.																		360 c.c.											
YZ	89	M	390	L/R	S	230	86	3,5	6	6,5	422 / 422X	R	S	220	115	4,0	6	6,5											
YZ RALLY	90/93	U	039	L	S	245	86	4,0	6	6,5	422 / 422X	R	S	220	115	4,0	6	6,5											
400 c.c.																		400 c.c.											
GRAN MAJESTY SP JAPAN	05	S	1081	L/R	S	267	132	4,5	5	8,5	1054	R	S	267	132	5,0	3	8,5											
GRAN MAJESTY SP JAPAN	05	S	1083	L/R	F00,0	267	132	4,0	5	8,5																			




MODEL	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø
GRAN MAJESTY SP JAPAN	05	S	1233X	L/R	MDF	267	132	4,0	5/6	MH								
MAJESTY YP / ABS	04/13	S	1081	L/R	S	267	132	4,5	5	8,5	1054	R	S	267	132	5,0	3	8,5
MAJESTY YP / ABS	04/13	S	1083	L/R	F00,0	267	132	4,0	5	8,5								
MAJESTY YP / ABS	04/13	S	1233X	L/R	MDF	267	132	4,0	5/6	MH								
FZ FAZER	01	R	404 / 404X	L/R	F9,5	298	64	4,0	6	8,5	421	R	S	210	84	5,0	3	8,5
FZ N	85	R	1195	L/R	F00,0	267	132	4,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
FZ N	85	R	483	L/R	S	267	132	5,0	6	8,5								
FZ N	85	R	783	L/R	S	267	132	4,0	6	8,5								
FZ	96	R	404 / 404X	R	F9,5	298	64	4,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
FZR	86/87	R	404 / 404X	L/R	F9,5	298	64	4,0	6	8,5	421	R	S	210	84	5,0	3	8,5
FZR R / FZR RSP	87/88	R	401	L	S	282	132	4,0	6	8,5	421	R	S	210	84	5,0	3	8,5
FZR R / FZR RR	89/92	R	404 / 404X	R	F9,5	298	64	4,0	6	8,5	421	R	S	210	84	5,0	3	8,5
FZR RRS	89/92	R	404 / 404X	R	F9,5	298	64	4,0	6	8,5	421	R	S	210	84	5,0	3	8,5
SR	02	D	404 / 404X	R	F9,5	298	64	4,0	6	8,5	Drum	-	-	-	-	-	-	-
SR	14/17	D	294S / 294XS	R	S	298	132	5,0	6	8,5	Drum	-	-	-	-	-	-	-
SR	14/17	D	294 / 294X	R	F00,0	298	132	5,0	6	8,5								
SR	14/17	D	294G / 294XG	R	F00,0	298	132	5,0	6	8,5								
SRX	87/91	R	1060 / 1060X	L	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
SRX	87/91	R	1060G / 1060XG	L	F10,5	320	64	5,0	6	8,5								
WR F	98/00	E	320 / 320X	L	S	245	118	3,0	6	6,5	422 / 422X	R	S	220	115	4,0	6	6,5
WR F	98/00	E	719	L	SO	*270	118	3,0	6	6,5								
WR F	98/00	E	1153XK02	L	KF	*270	118	3,0	6	6,5								
WR F	98/00	E	1153XBHK02	L	KF	*270	118	3,0	6	6,5								
XJR	95/00	R	404 / 404X	L/R	F9,5	298	64	4,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
X-MAX / IRON MAX ABS	13/18	S	1083	L/R	F00,0	267	132	4,0	5	8,5	1467	R	S	267	136	5,0	3	8,5
X-MAX / IRON MAX ABS	13/18	S	1233X	L/R	MDF	267	132	4,0	5/6	MH								
X-MAX SPORT / ABS	17/18	S	1083	L/R	F00,0	267	132	4,0	5	8,5	1467	R	S	267	136	5,0	3	8,5
X-MAX SPORT / ABS	17/18	S	1233X	L/R	MDF	267	132	4,0	5/6	MH								
XS	82	R	1195	L/R	F00,0	267	132	4,0	6	8,5	Drum	-	-	-	-	-	-	-
XS	82	R	483	L/R	S	267	132	5,0	6	8,5								
XS	82	R	783	L/R	S	267	132	4,0	6	8,5								
YZ F 4T	98/00	M	320 / 320X	L	S	245	118	3,0	6	6,5	422 / 422X	R	S	220	115	4,0	6	6,5
YZ F 4T	98/00	M	719	L	SO	*270	118	3,0	6	6,5								
YZ F 4T	98/00	M	1153XK02	L	KF	*270	118	3,0	6	6,5								
YZ F 4T	98/00	M	1153XBHK02	L	KF	*270	118	3,0	6	6,5								
YZ F 4T	00	M	723K13	L	KF	*320	118	5,0	6	6,5								
YZ F 4T	00	M	723XK13	L	KF	*318	118	5,0	6	6,5								
YZ F 4T	00	M	723SPK13	L	KF	*320	118	5,0	6	6,5								
426 c.c.											426 c.c.							
WR F	00/01	E	320 / 320X	L	S	245	118	3,0	6	6,5	372 / 372X	R	S	240	115	4,0	6	6,5
WR F	00/01	E	719	L	SO	*270	118	3,0	6	6,5								
WR F	00/01	E	1153XK02	L	KF	*270	118	3,0	6	6,5								
WR F	00/01	E	1153XBHK02	L	KF	*270	118	3,0	6	6,5								
WR F	00/01	E	723K13	L	KF	*320	118	5,0	6	6,5								
WR F	00/01	E	723XK13	L	KF	*318	118	5,0	6	6,5								
WR F	00/01	E	723SPK13	L	KF	*320	118	5,0	6	6,5								
YAMAHA											YAMAHA							
426 c.c.											426 c.c.							
WR F	02	M	276 / 276X	L	F00,0	250	118	3,0	6	6,5	789 / 789X	R	S	245	115	4,0	6	6,5
WR F	02	M	675 / 675X	L	S	250	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
WR F	02	M	719	L	SO	*270	118	3,0	6	6,5								
WR F	02	M	1153XK02	L	KF	*270	118	3,0	6	6,5								
WR F	02	M	1153XBHK02	L	KF	*270	118	3,0	6	6,5								
WR F	02	M	723K13	L	KF	*320	118	5,0	6	6,5								
WR F	02	M	723XK13	L	KF	*318	118	5,0	6	6,5								
WR F	02	M	723SPK13	L	KF	*320	118	5,0	6	6,5								
YZ F	00/02	M	276 / 276X	L	F00,0	250	118	3,0	6	6,5	789 / 789X	R	S	245	115	4,0	6	6,5
YZ F	00/02	M	675 / 675X	L	S	250	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
YZ F	00/02	M	719	L	SO	*270	118	3,0	6	6,5								
YZ F	00/02	M	1153XK02	L	KF	*270	118	3,0	6	6,5								



YZ F	00/02	M	1153XBHK02	L	KF	*270	118	3,0	6	6,5								
450 c.c.											450 c.c.							
WR F	03/12	E	276 / 276X	L	F00,0	250	118	3,0	6	6,5	789 / 789X	R	S	245	115	4,0	6	6,5
WR F	03/12	E	675 / 675X	L	S	250	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
WR F	03/12	E	719	L	SO	*270	118	3,0	6	6,5								
WR F	03/17	E	1153XK02	L	KF	*270	118	3,0	6	6,5								
WR F	03/17	E	1153XBHK02	L	KF	*270	118	3,0	6	6,5								
WR F	03/17	E	723K13	L	KF	*320	118	5,0	6	6,5								
WR F	03/17	E	723XK13	L	KF	*318	118	5,0	6	6,5								
WR F	03/17	E	723SPK13	L	KF	*320	118	5,0	6	6,5								
WR F ESPECIAL DAKAR	09/12	E	1209XK10	L	KF	*300	118	4,5	6	6,5	789X	R	S	245	115	4,0	6	6,5
WR F ESPECIAL DAKAR	09/12	E									789SP	R	S	245	115	4,0	6	6,5
WR F	13	E	1347X	L	F00,0	240	118	3,0	6	6,5	789X	R	S	245	115	4,0	6	6,5
WR F	13	E									789SP	R	S	245	115	4,0	6	6,5
WR F	14/16	E	276X / 276	L	F00,0	250	118	3,0	6	6,5	789X / 789	R	S	245	115	4,0	6	6,5
WR F	14/16	E	675X / 675	L	S	250	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
WR F	17/18	E	1153X	L	F00,0	270	118	3,0	6	6,5	789X / 789	R	S	245	115	4,0	6	6,5
WR F	17/18	E	1153XBH	L	F00,0	270	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
WR F ENDURO GP L.EDITION	17/18	E	1153X	L	F00,0	270	118	3,0	6	6,5	789X / 789	R	S	245	115	4,0	6	6,5
WR F ENDURO GP L.EDITION	17/18	E	1153XBH	L	F00,0	270	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
WR F ENDURO GP L.EDITION	17/18	E	719	L	SO	*270	118	3,0	6	6,5								
YZ F 4T	03/15	M	276 / 276X	L	F00,0	250	118	3,0	6	6,5	789 / 789X	R	S	245	115	4,0	6	6,5
YZ F 4T	03/15	M	675 / 675X	L	S	250	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
YZ F 4T	03/15	M	719	L	SO	*270	118	3,0	6	6,5								
YZ F 4T	03/07	M	1153XK02	L	KF	*270	118	3,0	6	6,5								
YZ F 4T	03/07	M	1153XBHK02	L	KF	*270	118	3,0	6	6,5								
YZ F 4T	08/15	M	1153XK05	L	KF	*270	118	3,0	6	6,5								
YZ F 4T	08/15	M	1153XBHK05	L	KF	*270	118	3,0	6	6,5								
YZ F 4T	03/04	M	723K13	L	KF	*320	118	5,0	6	6,5								
YZ F 4T	03/04	M	723XK13	L	KF	*318	118	5,0	6	6,5								
YZ F 4T	03/04	M	723SPK13	L	KF	*320	118	5,0	6	6,5								
YZ F 4T	08/15	M	723K14	L	KF	*320	118	5,0	6	6,5								
YZ F 4T	08/15	M	723XK14	L	KF	*318	118	5,0	6	6,5								
YZ F 4T	08/15	M	723SPK14	L	KF	*320	118	5,0	6	6,5								
YZ F 4T / YF FX 4T	16/17	M	723K30	L	KF	*320	118	5,0	6	6,5								
YZ F 4T / YF FX 4T	16/17	M	723XK30	L	KF	*318	118	5,0	6	6,5								
YZ F 4T / YF FX 4T	16/17	M	723SPK30	L	KF	*320	118	5,0	6	6,5								
YZ F 4T 60th ANNIVERSARY	16/17	M	1153X	L	F00,0	270	118	3,0	6	6,5	789X / 789	R	S	245	115	4,0	6	6,5
YZ F 4T 60th ANNIVERSARY	16/17	M	1153XBH	L	F00,0	270	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
YZ F 4T	16/18	M	1153X	L	F00,0	270	118	3,0	6	6,5	789X / 789	R	S	245	115	4,0	6	6,5
YZ F 4T	16/18	M	1153XBH	L	F00,0	270	118	3,0	6	6,5	789SP	R	S	245	115	4,0	6	6,5
490 c.c.											490 c.c.							
YZ	85/87	M	034	L	S	230	86	4,0	6	6,5	Drum	-	-	-	-	-	-	-
YZ	88	M	390	L	S	230	86	3,5	6	6,5	Drum	-	-	-	-	-	-	-
YAMAHA											YAMAHA							
500 c.c.											500 c.c.							
RD L.C.	84/88	R	1195	L/R	F00,0	267	132	4,0	6	8,5	405	R	S	245	115	5,0	6	6,5
RD L.C.	84/88	R	483	L/R	S	267	132	5,0	6	8,5								
RD L.C.	84/88	R	783	L/R	S	267	132	4,0	6	8,5								
XP T-MAX	01/03	S	401	L	S	282	132	4,0	6	8,5	1032 / 1032X	L	S	267	132	4,5	6	8,5
XP T-MAX / BLACK MAX	04/07	S	1081	L/R	S	267	132	4,5	5	8,5	1032 / 1032X	L	S	267	132	4,5	6	8,5
XP T-MAX / BLACK MAX	04/07	S	1083	L/R	F00,0	267	132	4,0	5	8,5								
XP T-MAX / BLACK MAX	04/07	S	1233X	L/R	MDF	267	132	4,0	5/6	MH								
XP T-MAX	08/11	S	1195	L/R	F00,0	267	132	4,0	6	8,5	1032 / 1032X	L	S	267	132	4,5	6	8,5
XP T-MAX	08/11	S	483	L/R	S	267	132	5,0	6	8,5								
XP T-MAX	08/11	S	783	L/R	S	267	132	4,0	6	8,5								
XP T-MAX	08/11	S	1233X	L/R	MDF	267	132	4,0	5/6	MH								
XP T-MAX	08/11	S	1196K07	L	KF	*298	132	4,0	6	8,5								
XP T-MAX	08/11	S	1196XK07	L	KF	*298	132	4,0	6	8,5								



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø								
XP T-MAX	08/11	S	1196K08	R	KF	*298	132	4,0	6	8,5								
XP T-MAX	08/11	S	1196XK08	R	KF	*298	132	4,0	6	8,5								
WR Z	92/93	M	390	L	S	230	86	3,5	6	6,5	422 / 422X	R	S	220	115	4,0	6	6,5
530 c.c.											530 c.c.							
TMAX / TMAX ABS	12/14	S	1083	L/R	F00,0	267	132	4,0	5	8,5	1296 / 1296X	R	S	282	132	5,0	5	10,5
TMAX / TMAX ABS	12/14	S	1233X	L/R	MDF	267	132	4,0	5/6	MH								
TMAX / TMAX ABS	12/14	S	1205K07	L	KF	*298	132	4,0	5	8,5								
TMAX / TMAX ABS	12/14	S	1205XK07	L	KF	*298	132	4,0	5	8,5								
TMAX / TMAX ABS	12/14	S	1205K08	L	KF	*298	132	4,0	5	8,5								
TMAX / TMAX ABS	12/14	S	1205XK08	L	KF	*298	132	4,0	5	8,5								
TMAX / TMAX ABS	15/16	S	1083	L/R	F00,0	267	132	4,0	5	8,5	1296 / 1296X	R	S	282	132	5,0	5	10,5
TMAX / TMAX ABS	15/16	S	1233X	L/R	MDF	267	132	4,0	5/6	MH								
TMAX / TMAX ABS	15/16	S	1205K23	L	KF	*298	132	4,0	5	8,5								
TMAX / TMAX ABS	15/16	S	1205XK23	L	KF	*298	132	4,0	5	8,5								
TMAX IRON MAX / ABS	15/16	S	1083	L/R	F00,0	267	132	4,0	5	8,5	1296 / 1296X	R	S	282	132	5,0	5	10,5
TMAX IRON MAX / ABS	15/16	S	1233X	L/R	MDF	267	132	4,0	5/6	MH								
TMAX IRON MAX / ABS	15/16	S	1205K23	L/R	KF	*298	132	4,0	5	8,5								
TMAX IRON MAX / ABS	15/16	S	1205XK23	L/R	KF	*298	132	4,0	5	8,5								
TMAX LUX MAX / ABS	15/16	S	1083	L/R	F00,0	267	132	4,0	5	8,5	1296 / 1296X	R	S	282	132	5,0	5	10,5
TMAX LUX MAX / ABS	15/16	S	1233X	L/R	MDF	267	132	4,0	5/6	MH								
TMAX LUX MAX / ABS	15/16	S	1205K23	L/R	KF	*298	132	4,0	5	8,5								
TMAX LUX MAX / ABS	15/16	S	1205XK23	L/R	KF	*298	132	4,0	5	8,5								
TMAX / SX / DX / ABS	17/18	S	1083	L/R	F00,0	267	132	4,0	5	8,5	1296 / 1296X	R	S	282	132	5,0	5	10,5
TMAX / SX / DX / ABS	17/18	S	1233X	L/R	MDF	267	132	4,0	5/6	MH								
TMAX / SX / DX / ABS	17/18	S	1205K23	L/R	KF	*298	132	4,0	5	8,5								
TMAX / SX / DX / ABS	17/18	S	1205XK23	L/R	KF	*298	132	4,0	5	8,5								
535 c.c.											535 c.c.							
XV DX VIRAGO	89/94	C	696	R	MDF	298	64	5,0	6	MH	Drum	-	-	-	-	-	-	-
XV DX VIRAGO	95/03	C	294 / 294X	R	F00,0	298	132	5,0	6	8,5	Drum	-	-	-	-	-	-	-
XV DX VIRAGO	95/03	C	294S / 294XS	R	S	298	132	5,0	6	8,5								
XV DX VIRAGO	95/03	C	294G / 294XG	R	F00,0	298	132	5,0	6	8,5								
XV S VIRAGO	95/00	C	294 / 294X	R	F00,0	298	132	5,0	6	8,5	Drum	-	-	-	-	-	-	-
XV S VIRAGO	95/00	C	294S / 294XS	R	S	298	132	5,0	6	8,5								
XV S VIRAGO	95/00	C	294G / 294XG	R	F00,0	298	132	5,0	6	8,5								
550 c.c.											550 c.c.							
XJ MAXIM / XJ SECA	81/83	R	696	L	MDF	298	64	5,0	6	MH	Drum	-	-	-	-	-	-	-
XZ	82/84	C	1195	L/R	F00,0	267	132	4,0	6	8,5	Drum	-	-	-	-	-	-	-
XZ	82/84	C	483	L/R	S	267	132	5,0	6	8,5								
XZ	82/84	C	783	L/R	S	267	132	4,0	6	8,5								
600 c.c.											600 c.c.							
FZ	87/88	R	1195	L/R	F00,0	267	132	4,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
FZ	87/88	R	483	L/R	S	267	132	5,0	6	8,5								
FZ	87/88	R	783	L/R	S	267	132	4,0	6	8,5								
YAMAHA 600 c.c.											YAMAHA 600 c.c.							
FZ / FAZER / FACER S2	04/10	R	165	L/R	F00,0	298	132	5,0	5	8,5	784	R	S	245	105	5,0	5	10,5
FZ / FAZER / FACER S2	04/10	R	165S	L/R	S	298	132	5,0	5	8,5								
FZ N / FZ NS	04/05	R	165	L/R	F00,0	298	132	5,0	5	8,5	784	R	S	245	105	5,0	5	10,5
FZ N / FZ NS	04/05	R	165S	L/R	S	298	132	5,0	5	8,5								
FZ N / FZ NS	06	R	165	L/R	F00,0	298	132	5,0	5	8,5	-	-	-	-	-	-	-	-
FZ N / FZ NS	06	R	165S	L/R	S	298	132	5,0	5	8,5								
FZR	89	R	404 / 404X	L/R	F9,5	298	64	4,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
FZR R	90/95	R	404 / 404X	L/R	F9,5	298	64	4,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
FZS FAZER	98/03	R	404 / 404X	L/R	F9,5	298	64	4,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
SRX	85/87	R	483	L/R	S	267	132	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
SRX	85/87	R	783	L/R	S	267	132	4,0	6	8,5								
SRX	85/87	R	1195	L/R	F00,0	267	132	4,0	6	8,5								
SRX	87/89	R	054	L/R	S	267	132	4,5	6	6,5	636 / 636X	R	S	245	115	5,0	6	8,5
TT	89/92	E	390	L	S	230	86	3,5	6	6,5	-	-	-	-	-	-	-	-
TT E	92/97	E	314	L	S	267	118	4,0	6	6,5	322	R	S	220	115	5,0	6	6,5

FRONT											REAR										
																					
YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø				
TT E	93/01	E	314	L S	267	118	4,0	6	6,5	422 / 422X	R	S	220	115	4,0	6	6,5				
TT N	85/88	E	390	L S	230	86	3,5	6	6,5	Drum	-	-	-	-	-	-	-				
TT R	84/92	E	390	L S	230	86	3,5	6	6,5	Drum	-	-	-	-	-	-	-				
TT R	98/07	E	314	L S	267	118	4,0	6	6,5	422 / 422X	R	S	220	115	4,0	6	6,5				
TT S	93/01	E	314	L S	267	118	4,0	6	6,5	422 / 422X	R	S	220	115	4,0	6	6,5				
TT W	89/92	E	390	L S	230	86	3,5	6	6,5	Drum	-	-	-	-	-	-	-				
XJ6	83/91	R	1195	L/R F00,0	267	132	4,0	6	8,5	483	R	S	267	132	5,0	6	8,5				
XJ6	83/91	R	483	L/R S	267	132	5,0	6	8,5	783	R	S	267	132	4,0	6	8,5				
XJ6	83/91	R	783	L/R S	267	132	4,0	6	8,5												
XJ6 SECA II	95/97	R	409	L S	320	198	6,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5				
XJ6 / XJ6 ABS	09/15	R	165	L/R F00,0	298	132	5,0	5	8,5	1583	R	S	245	115	5,0	5	8,5				
XJ6 / XJ6 ABS	09/15	R	165S	L/R S	298	132	5,0	5	8,5												
XJ6 DIVERSION F / FA	09/16	R	165	L/R F00,0	298	132	5,0	5	8,5	1583	R	S	245	115	5,0	5	8,5				
XJ6 DIVERSION F / FA	09/16	R	165S	L/R S	298	132	5,0	5	8,5												
XJ6 DIVERSION N	95/97	R	409	L S	320	198	6,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5				
XJ6 DIVERSION N	98/99	R	294 / 294X	R F00,0	298	132	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5				
XJ6 DIVERSION N	98/99	R	294S / 294XS	R S	298	132	5,0	6	8,5												
XJ6 DIVERSION N	98/99	R	294G / 294XG	R F00,0	298	132	5,0	6	8,5												
XJ6 DIVERSION N	09/15	R	165	L/R F00,0	298	132	5,0	5	8,5	1583	R	S	245	115	5,0	5	8,5				
XJ6 DIVERSION N	09/15	R	165S	L/R S	298	132	5,0	5	8,5												
XJ6 DIVERSION S	91/97	R	409	L S	320	198	6,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5				
XJ6 DIVERSION S	95/97	R	409	L S	320	198	6,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5				
XJ6 DIVERSION S	98/08	R	294 / 294X	R F00,0	298	132	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5				
XJ6 DIVERSION S	98/08	R	294S / 294XS	R S	298	132	5,0	6	8,5												
XJ6 DIVERSION S	98/08	R	294G / 294XG	R F00,0	298	132	5,0	6	8,5												
XJ6 DIVERSION S	09/15	R	165	L/R F00,0	298	132	5,0	5	8,5	1583	R	S	245	115	5,0	5	8,5				
XJ6 DIVERSION S	09/15	R	165S	L/R S	298	132	5,0	5	8,5												
XT 4 VALVES	88/89	E	054	L S	267	132	4,5	6	6,5	059	R	S	220	86	4,5	6	6,5				
XT E	90/94	E	054	L S	267	132	4,5	6	6,5	059	R	S	220	86	4,5	6	6,5				
XT E	95/03	E	321 / 321X	L S	282	132	5,0	6	8,5	059	R	S	220	86	4,5	6	6,5				
XT Z 4 VALVES	86/87	U	054	L S	267	132	4,5	6	6,5	-	-	-	-	-	-	-	-				
XT Z TENERE	85/86	U	054	L S	267	132	4,5	6	6,5	-	-	-	-	-	-	-	-				
XT Z TENERE	87/91	U	054	L S	267	132	4,5	6	6,5	059	R	S	220	86	4,5	6	6,5				
XVS DRAG STAR	97	C	294 / 294X	R F00,0	298	132	5,0	6	8,5	-	-	-	-	-	-	-	-				
XVS DRAG STAR	97	C	294S / 294XS	R S	298	132	5,0	6	8,5												
XVS DRAG STAR	97	C	294G / 294XG	R F00,0	298	132	5,0	6	8,5												
YX RADIAN	86/90	R	1195	L/R F00,0	267	132	4,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5				
YX RADIAN	86/90	R	483	L/R S	267	132	5,0	6	8,5												
YX RADIAN	86/90	R	783	L/R S	267	132	4,0	6	8,5												
YZF R THUNDERCAT	96/06	R	294 / 294X	R F00,0	298	132	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5				
YZF R THUNDERCAT	96/06	R	294S / 294XS	R S	298	132	5,0	6	8,5												
YZF R THUNDERCAT	96/06	R	294G / 294XG	R F00,0	298	132	5,0	6	8,5												

YAMAHA											YAMAHA										
600 c.c.											600 c.c.										
YZF-R6	99/02	R	294 / 294X	R	F00,0	298	132	5,0	6	8,5	639 / 639X	R	S	220	115	5,0	6	8,5			
YZF-R6	99/02	R	294S / 294XS	R	S	298	132	5,0	6	8,5											
YZF-R6	99/02	R	294G / 294XG	R	F00,0	298	132	5,0	6	8,5											
YZF-R6	03/04	R	165 / 165X	L/R	F00,0	298	132	5,0	5	8,5	903 / 903X	R	S	220	105	5,0	5	10,5			
YZF-R6	03/04	R	165S	L/R	S	298	132	5,0	5	8,5											
YZF-R6	05/16	S6	902G / 902XG	L/R	F00,0	310	132	5,0	5	8,5	903 / 903X	R	S	220	105	5,0	5	10,5			
YZF-R6	05/16	S6	902 / 902X	L/R	F00,0	310	132	5,0	5	8,5											
YZF-R6 ABS	17/18	S6	1058G / 1058XG	L/R	F00,0	320	132	5,0	5	8,5	903 / 903X	R	S	220	105	5,0	5	10,5			
YZF-R6 S	06/09	R	165	L/R	F00,0	298	132	5,0	5	8,5	903 / 903X	R	S	220	105	5,0	5	10,5			
YZF-R6 S	06/09	R	165S	L/R	S	298	132	5,0	5	8,5											
YZF-R46	05	R	902 / 902X	L/R	F00,0	310	132	5,0	5	8,5	903 / 903X	R	S	220	105	5,0	5	10,5			
YZF-R46	05	R	902G / 902XG	L/R	F00,0	310	132	5,0	5	8,5											
650 c.c.											650 c.c.										
XJ SEKA / XJ TURBO	82/83	R	1195	L/R	F00,0	267	132	4,0	6	8,5	Drum	-	-	-	-	-	-	-			
XJ SEKA / XJ TURBO	82/83	R	483	L/R	S	267	132	5,0	6	8,5											
XJ SEKA / XJ TURBO	82/83	R	783	L/R	S	267	132	4,0	6	8,5											
XVS DRAG STAR	97/06	R	294 / 294X	R	F00,0	298	132	5,0	6	8,5	Drum	-	-	-	-	-	-	-			



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø							
XVS DRAG STAR	97/06	R	294S / 294XS	R	S	298	132	5,0	6	8,5							
XVS DRAG STAR	97/06	R	294G / 294XG	R	F00,0	298	132	5,0	6	8,5							
XVS DRAG CLASSIC	97/06	R	294 / 294X	R	F00,0	298	132	5,0	6	8,5	Drum	-	-	-	-	-	-
XVS DRAG CLASSIC	97/06	R	294S / 294XS	R	S	298	132	5,0	6	8,5							
XVS DRAG CLASSIC	97/06	R	294G / 294XG	R	F00,0	298	132	5,0	6	8,5							
XVS STAR SILVERADO	97	R	294 / 294X	R	F00,0	298	132	5,0	6	8,5	-	-	-	-	-	-	-
XVS STAR SILVERADO	97	R	294S / 294XS	R	S	298	132	5,0	6	8,5							
XVS STAR SILVERADO	97	R	294G / 294XG	R	F00,0	298	132	5,0	6	8,5							
660 c.c.											660 c.c.						
MT-03	05/14	N	165	L/R	F00,0	298	132	5,0	5	8,5	784	R	S	245	105	5,0	5 10,5
MT-03	05/14	N	165S	L/R	S	298	132	5,0	5	8,5							
MT-03 / MT-03 ABS	15/17	N	165	R	F00,0	298	132	5,0	5	8,5	-	R	S	220	-	-	-
MT-03 / MT-03 ABS	15/17	N	165S	R	S	298	132	5,0	5	8,5							
SZR	95/01	R	1060 / 1060X	R	F10,5	320	64	5,0	6	8,5	421	R	S	210	84	5,0	3 8,5
SZR	95/01	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5							
XT R	04/16	U	294 / 294X	L	F00,0	298	132	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6 8,5
XT R	04/16	U	294S / 294XS	L	S	298	132	5,0	6	8,5							
XT R	04/16	U	294G / 294XG	L	F00,0	298	132	5,0	6	8,5							
XT Z TENERE	91/98	U	321 / 321X	L	S	282	132	5,0	6	8,5	059	R	S	220	86	4,5	6 6,5
XT Z TENERE / ABS	08/16	U	294 / 294X	L	F00,0	298	132	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6 8,5
XT Z TENERE / ABS	08/16	U	294S / 294XS	L	S	298	132	5,0	6	8,5							
XT Z TENERE / ABS	08/16	U	294G / 294XG	L	F00,0	298	132	5,0	6	8,5							
XT X	04/16	F	1226	L	F14,0	320	132	4,0	6	8,5	636 / 636X	R	S	245	115	5,0	6 8,5
700 c.c.											700 c.c.						
FZX	86/87	R	1195	L/R	F00,0	267	132	4,0	6	8,5	-	-	-	-	-	-	-
FZX	86/87	R	483	L/R	S	267	132	5,0	6	8,5							
FZX	86/87	R	783	L/R	S	267	132	4,0	6	8,5							
MT-07 / ABS	14/18	N	1503X	L/R	F00,0	282	133	5,0	5	8,5	1451X	R	S	245	132	5,0	5 10,5
MT-07 M. CAGE / ABS	14/17	N	1503X	L/R	F00,0	282	133	5,0	5	8,5	1451X	R	S	245	132	5,0	5 10,5
MT-07 SPORT VLC ABS	17	R	1503X	L/R	F00,0	282	133	5,0	5	8,5	1451X	R	S	245	132	5,0	5 10,5
TENERE WORLD RAID	18	U	xxxxX	L/R	F00,0	282	133	4,5	5	8,5	1451X	R	S	245	132	5,0	5 10,5
TRACER	16/17	R	1503X	L/R	F00,0	282	133	5,0	5	8,5	1451X	R	S	245	132	5,0	5 10,5
TRACER ABS	18	R	xxxxX	L/R	F00,0	282	133	4,5	5	8,5	1451X	R	S	245	132	5,0	5 10,5
XSR / XSR ABS	15/18	D	1503X	L/R	F00,0	282	133	5,0	5	8,5	1451X	R	S	245	132	5,0	5 10,5
750 c.c.											750 c.c.						
FZ GENESIS	87/88	R	1195	L/R	F00,0	267	132	4,0	6	8,5	483	R	S	267	132	5,0	6 8,5
FZ GENESIS	87/88	R	483	L/R	S	267	132	5,0	6	8,5	783	R	S	267	132	4,0	6 8,5
FZ GENESIS	87/88	R	783	L/R	S	267	132	4,0	6	8,5							
FZ GENESIS	89/92	R	404 / 404X	L/R	F9,5	298	64	4,0	6	8,5	483	R	S	267	132	5,0	6 8,5
FZ GENESIS	89/92	R									783	R	S	267	132	4,0	6 8,5
YAMAHA											YAMAHA						
750 c.c.											750 c.c.						
FZR R	89/92	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	483	R	S	267	132	5,0	6 8,5
FZR R	89/92	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	783	R	S	267	132	4,0	6 8,5
FZX FAZER	86/90	R	1195	L/R	F00,0	267	132	4,0	6	8,5	483	R	S	267	132	5,0	6 8,5
FZX FAZER	86/90	R	483	L/R	S	267	132	5,0	6	8,5	783	R	S	267	132	4,0	6 8,5
FZX FAZER	86/90	R	783	L/R	S	267	132	4,0	6	8,5							
XJ / XJ R SECA	81→	R	696	L/R	MDF	298	64	5,0	6	MH	Drum	-	-	-	-	-	-
XTZ SUPER TENERE	89/91	U	057	R	S	245	115	4,0	6	6,5	057	R	S	245	115	4,0	6 6,5
XTZ SUPER TENERE	92/97	U	057	L/R	S	245	115	4,0	6	6,5	405	R	S	245	115	5,0	6 6,5
XTZ TENERE	12	U	902X / 902	L/R	F00,0	310	132	5,0	5	8,5	321X / 321	R	S	282	132	5,0	6 8,5
XTZ TENERE	12	U	902XG / 902G	L/R	F00,0	310	132	5,0	5	8,5							
XV VIRAGO	90/93	C	1195	L/R	F00,0	267	132	4,0	6	8,5	Drum	-	-	-	-	-	-
XV VIRAGO	90/93	C	483	L/R	S	267	132	5,0	6	8,5							
XV VIRAGO	90/93	C	783	L/R	S	267	132	4,0	6	8,5							
XV VIRAGO	94/97	C	321 / 321X	L	S	282	132	5,0	6	8,5	Drum	-	-	-	-	-	-
YZF R / YZF SP	93/98	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6 8,5
YZF R / YZF SP	93/98	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5							
YZF R 7	99/02	R	297 / 297X	L/R	F00,0	320	132	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6 8,5
YZF R 7	99/02	R	297G / 297XG	L/R	F00,0	320	132	5,0	6	8,5							

800 c.c. 800 c.c.

FZ FAZER MODELS



8 / ABS / N / S	10/16	R	902 / 902X	L/R	F00,0	310	132	5,0	5	8,5	1081	R	S	267	132	4,5	5	8,5
8 / ABS / N / S	10/16	R	902G / 902XG	L/R	F00,0	310	132	5,0	5	8,5								
847 c.c.										847 c.c.								
MT-09 MODELS																		
ABS	18	N	xxxx / xxxxX	L/R	F00,0	298	132	4,5	5	8,5	1451 / 1451X	R	S	245	132	5,0	5	10,5
MT-09 / ABS	13/17	N	165 / 165X	L/R	F00,0	298	132	5,0	5	8,5	1451 / 1451X	R	S	245	132	5,0	5	10,5
SPORT TRACER	13/17	R	165 / 165X	L/R	F00,0	298	132	5,0	5	8,5	1451 / 1451X	R	S	245	132	5,0	5	10,5
SPORT TRACER ABS	15/17	R	165 / 165X	L/R	F00,0	298	132	5,0	5	8,5	1451 / 1451X	R	S	245	132	5,0	5	10,5
STREET RALLY / ABS	13/15	N	165 / 165X	L/R	F00,0	298	132	5,0	5	8,5	1451 / 1451X	R	S	245	132	5,0	5	10,5
TDM	91/01	R	404 / 404X	L/R	F9,5	298	64	4,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
TRACER	15/17	R	165 / 165X	L/R	F00,0	298	132	5,0	5	8,5	1451 / 1451X	R	S	245	132	5,0	5	10,5
TRACER GT	18	R	165 / 165X	L/R	F00,0	298	132	5,0	5	8,5	1451 / 1451X	R	S	245	132	5,0	5	10,5
850 c.c.										850 c.c.								
TRX	95/00	R	404 / 404X	L/R	F9,5	298	64	4,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
900 c.c.										900 c.c.								
TDM / TDM ABS	02/14	C	294 / 294X	R	F00,0	298	132	5,0	6	8,5	636 / 636X	R	S	245	115	5,0	6	8,5
TDM / TDM ABS	02/14	C	294S / 294XS	R	S	298	132	5,0	6	8,5								
TDM / TDM ABS	02/14	C	294G / 294XG	R	F00,0	298	132	5,0	6	8,5								
XJ	87/94	R	1195	L/R	F00,0	267	132	4,0	6	8,5	-	-	-	-	-	-	-	-
XJ	87/94	R	483	L/R	S	267	132	5,0	6	8,5								
XJ	87/94	R	783	L/R	S	267	132	4,0	6	8,5								
XJ S DIVERSION	95/03	R	419	L/R	S	320	198	4,0	6	8,5	483	R	S	267	132	5,0	6	8,5
XJ S DIVERSION	95/03	R									783	R	S	267	132	4,0	6	8,5
XSR / XSR ABS	15/18	D	165 / 165X	L/R	F00,0	298	132	5,0	5	8,5	1451 / 1451X	R	S	245	132	5,0	5	10,5
XSR ABARTH ABS	17/18	D	165 / 165X	L/R	F00,0	298	132	5,0	5	8,5	1451 / 1451X	R	S	245	132	5,0	5	10,5
950 c.c.										950 c.c.								
SCR / SCR ABS	16/18	CVT	294X / 294XG	L	F00,0	298	132	5,0	6	8,5	1628X	R	S	298	132	6,0	6	8,5
XV / XV ABS	15/16	C	294X / 294XG	L	F00,0	298	132	5,0	6	8,5	294XS	R	S	298	132	5,0	6	8,5
XV RACER / ABS	15/18	CVT	294X / 294XG	L	F00,0	298	132	5,0	6	8,5	1628X	R	S	298	132	6,0	6	8,5
XV BOLT RACER / ABS	14/16	CVT	294 / 294X	R	F00,0	298	132	5,0	6	8,5	294S / 294XS	R	S	298	132	5,0	6	8,5
XV BOLT RACER / ABS	14/16	CVT	294S / 294XS	R	S	298	132	5,0	6	8,5								
XV BOLT RACER / ABS	14/16	CVT	294G / 294XG	R	F00,0	298	132	5,0	6	8,5								
XVS - A MIDNIGHT STAR	09/15	C	294 / 294X	L	F00,0	298	132	5,0	6	8,5	294S	R	S	298	132	5,0	6	8,5
XVS - A MIDNIGHT STAR	09/15	C	294G / 294XG	L	F00,0	298	132	5,0	6	8,5	294XS	R	S	298	132	5,0	6	8,5
1000 c.c.										1000 c.c.								
FS1 FAZER GT	01/05	R	1058 / 1058X	L/R	F00,0	320	132	5,0	5	8,5	784	R	S	245	105	5,0	5	10,5
FS1 FAZER GT	01/05	R	1058G / 1058XG	L/R	F00,0	320	132	5,0	5	8,5								
FZ1 / FZ1 FAZER ABS	06→	R	1058 / 1058X	L/R	F00,0	320	132	5,0	5	8,5	784	R	S	245	105	5,0	5	10,5
FZ1 / FZ1 FAZER ABS	06→	R	1058G / 1058XG	L/R	F00,0	320	132	5,0	5	8,5								
YAMAHA										YAMAHA								
1000 c.c.										1000 c.c.								
FZ1 S FAZER / N FAZER	06→	R	1058 / 1058X	L/R	F00,0	320	132	5,0	5	8,5	784	R	S	245	105	5,0	5	10,5
FZ1 S FAZER / N FAZER	06→	R	1058G / 1058XG	L/R	F00,0	320	132	5,0	5	8,5								
FZ1 USA	98/05	R	294 / 294X	R	F00,0	298	132	5,0	6	8,5	483	R	S	267	132	5,0	6	8,5
FZ1 USA	98/05	R	294S / 294XS	R	S	298	132	5,0	6	8,5								
FZ1 USA	98/05	R	294G / 294XG	R	F00,0	298	132	5,0	6	8,5								
FZR	87/89	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	483	R	S	267	132	5,0	6	8,5
FZR	87/89	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	783	R	S	267	132	4,0	6	8,5
FZR EXUP	89/95	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	483	R	S	267	132	5,0	6	8,5
FZR EXUP	89/95	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5	783	R	S	267	132	4,0	6	8,5
FZR GENESIS	87/89	R	1058 / 1058X	L/R	F00,0	320	132	5,0	5	8,5	483	R	S	267	132	5,0	6	8,5
FZR GENESIS	87/89	R	1058G / 1058XG	L/R	F00,0	320	132	5,0	5	8,5	783	R	S	267	132	4,0	6	8,5
FZS FAZER	01/05	R	294 / 294X	R	F00,0	298	132	5,0	6	8,5	483	R	S	267	132	5,0	6	8,5
FZS FAZER	01/05	R	294S / 294XS	R	S	298	132	5,0	6	8,5	783	R	S	267	132	4,0	6	8,5
FZS FAZER	01/05	R	294G / 294XG	R	F00,0	298	132	5,0	6	8,5								
GTS / GTS A	93/99	R	1058 / 1058X	L/R	F00,0	320	132	5,0	5	8,5	321 / 321X	R	S	282	132	5,0	6	8,5
GTS / GTS A	93/99	R	1058G / 1058XG	L/R	F00,0	320	132	5,0	5	8,5								
MT-10 ABS / SP ABS	16/18	N	1058G / 1058XG	L/R	F00,0	320	132	5,0	5	8,5	903 / 903X	R	S	220	105	5,0	5	10,5
MT-10 TOURER EDITION	17	N	1058 / 1058X	L/R	F00,0	320	132	5,0	5	8,5	903 / 903X	R	S	220	105	5,0	5	10,5
MT-10 TOURER EDITION	17	N	1058G / 1058XG	L/R	F00,0	320	132	5,0	5	8,5								
XV VIRAGO	86→	C	1195	L/R	F00,0	267	132	4,0	6	8,5	Drum	-	-	-	-	-	-	-
XV VIRAGO	86→	C	483	L/R	S	267	132	5,0	6	8,5								



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø		REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø
XV VIRAGO	86→	C	783	L/R	S	267	132	4,0	6	8,5									
XV SE VIRAGO	86→	C	1195	L/R	F00,0	267	132	4,0	6	8,5		Drum	-	-	-	-	-	-	-
XV SE VIRAGO	86→	C	483	L/R	S	267	132	5,0	6	8,5									
XV SE VIRAGO	86→	C	783	L/R	S	267	132	4,0	6	8,5									
YZF R THUNDERACE	96/01	R	294 / 294X	R	F00,0	298	132	5,0	6	8,5		636 / 636X	R	S	245	115	5,0	6	8,5
YZF R THUNDERACE	96/01	R	294S / 294XS	R	S	298	132	5,0	6	8,5									
YZF R THUNDERACE	96/01	R	294G / 294XG	R	F00,0	298	132	5,0	6	8,5									
YZF R1	96/01	R	294 / 294X	R	F00,0	298	132	5,0	6	8,5		636 / 636X	R	S	245	115	5,0	6	8,5
YZF R1	96/01	R	294S / 294XS	R	S	298	132	5,0	6	8,5									
YZF R1	96/01	R	294G / 294XG	R	F00,0	298	132	5,0	6	8,5									
YZF R1	02/03	R	294 / 294X	R	F00,0	298	132	5,0	6	8,5		639 / 639X	R	S	220	115	5,0	6	8,5
YZF R1	02/03	R	294S / 294XS	R	S	298	132	5,0	6	8,5									
YZF R1	02/03	R	294G / 294XG	R	F00,0	298	132	5,0	6	8,5									
YZF R1	04/06	R	1058 / 1058X	L/R	F00,0	320	132	5,0	5	8,5		903 / 903X	R	S	220	105	5,0	5	10,5
YZF R1	04/06	R	1058G / 1058XG	L/R	F00,0	320	132	5,0	5	8,5									
YZF R1	07/11	R	902 / 902X	L/R	F00,0	310	132	5,0	5	8,5		903 / 903X	R	S	220	105	5,0	5	10,5
YZF R1	07/11	R	902G / 902XG	L/R	F00,0	310	132	5,0	5	8,5									
YZF R1 ABS	12/14	R	1358	L/R	F00,0	310	132	5,0	5	8,5		903 / 903X	R	S	220	105	5,0	5	10,5
YZF R1 60th ANNIVERSARY	15/16	SB	1058G / 1058XG	L/R	F00,0	320	132	5,0	5	8,5		1511	R	S	220	102	5,0	5	10,5
YZF R1 ABS / R1M ABS	15/18	SB	1058G / 1058XG	L/R	F00,0	320	132	5,0	5	8,5		1511	R	S	220	102	5,0	5	10,5
1100 c.c.											1100 c.c.								
BT BULLDOG	02/06	R	294 / 294X	L/R	F00,0	298	132	5,0	6	8,5		483	R	S	267	132	5,0	6	8,5
BT BULLDOG	02/06	R	294S / 294XS	L/R	S	298	132	5,0	6	8,5									
BT BULLDOG	02/06	R	294G / 294XG	L/R	F00,0	298	132	5,0	6	8,5									
FJ	83/87	R	321 / 321X	L/R	S	282	132	5,0	6	8,5		321 / 321X	R	S	282	132	5,0	6	8,5
FZR	89/96	R	-	-	-	-	-	-	-	-		483	R	S	267	132	5,0	6	8,5
FZR	89/96	R	-	-	-	-	-	-	-	-		783	R	S	267	132	4,0	6	8,5
XV VIRAGO	86/93	C	1195	L/R	F00,0	267	132	4,0	6	8,5		Drum	-	-	-	-	-	-	-
XV VIRAGO	86/93	C	483	L/R	S	267	132	5,0	6	8,5									
XV VIRAGO	86/93	C	783	L/R	S	267	132	4,0	6	8,5									
XV VIRAGO	94/98	C	321 / 321X	L/R	S	282	132	5,0	6	8,5		Drum	-	-	-	-	-	-	-
XV VIRAGO	99	C	321 / 321X	L/R	S	282	132	5,0	6	8,5		-	-	-	-	-	-	-	-
XVS MODELS																			
DRAG STAR	99/06	C	294 / 294X	R	F00,0	298	132	5,0	6	8,5		321 / 321X	R	S	282	132	5,0	6	8,5
DRAG STAR	99/06	C	294S / 294XS	R	S	298	132	5,0	6	8,5									
DRAG STAR	99/06	C	294G / 294XG	R	F00,0	298	132	5,0	6	8,5									
YAMAHA											YAMAHA								
1100 c.c.											1100 c.c.								
DRAG STAR CLASSIC	99/06	C	294 / 294X	R	F00,0	298	132	5,0	6	8,5		321 / 321X	R	S	282	132	5,0	6	8,5
DRAG STAR CLASSIC	99/06	C	294S / 294XS	R	S	298	132	5,0	6	8,5									
DRAG STAR CLASSIC	99/06	C	294G / 294XG	R	F00,0	298	132	5,0	6	8,5									
1200 c.c.											1200 c.c.								
FJ	85/95	R	404 / 404X	L/R	F9,5	298	64	4,0	6	8,5		321 / 321X	R	S	282	132	5,0	6	8,5
FJ ABS	91/93	R	-	L/R	F9,5	298	64	4,0	6	8,5		321 / 321X	R	S	282	132	5,0	6	8,5
FJ FAIRING	86/87	R	321 / 321X	L/R	S	282	132	5,0	6	8,5		321 / 321X	R	S	282	132	5,0	6	8,5
FJ FAIRING	88/93	R	-	-	-	-	-	-	-	-		321 / 321X	R	S	282	132	5,0	6	8,5
V-MAX	86/87	R	321 / 321X	L/R	S	282	132	5,0	6	8,5		321 / 321X	R	S	282	132	5,0	6	8,5
V-MAX	93/06	C	294 / 294X	R	F00,0	298	132	5,0	6	8,5		321 / 321X	R	S	282	132	5,0	6	8,5
V-MAX	93/06	C	294S / 294XS	R	S	298	132	5,0	6	8,5									
V-MAX	93/06	C	294G / 294XG	R	F00,0	298	132	5,0	6	8,5									
XJR	95/99	D	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5		483	R	S	267	132	5,0	6	8,5
XJR	95/99	D	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5		783	R	S	267	132	4,0	6	8,5
XT Z MODELS																			
E SUPER TENERE ABS	14/18	UVT	902XG / 902G	L/R	F00,0	310	132	5,0	5	8,5		321X / 321	R	S	282	132	5,0	6	8,5
S.TÉNÉRÉ WORDCROSSER	11/17	U	902X / 902	L/R	F00,0	310	132	5,0	5	8,5		321X / 321	R	S	282	132	5,0	6	8,5
S.TÉNÉRÉ WORDCROSSER	11/17	U	902XG / 902G	L/R	F00,0	310	132	5,0	5	8,5									
WORLD CROSSER	11/16	U	902XG / 902G	L/R	F00,0	310	132	5,0	5	8,5									
XT Z	13/18	U	902XG / 902G	L/R	F00,0	310	132	5,0	5	8,5		321X / 321	R	S	282	132	5,0	6	8,5
XT Z	13/18	U	902X / 902	L/R	F00,0	310	132	5,0	5	8,5									
XVZ TD	85	R	294 / 294X	R	F00,0	298	132	5,0	6	8,5		321 / 321X	R	S	282	132	5,0	6	8,5
XVZ TD	85	R	294S / 294XS	R	S	298	132	5,0	6	8,5									



XVZ TD	85	R	294G / 294XG	R	F00,0	298	132	5,0	6	8,5								
XVZ VENTURE ROYALE	84/87	C	294 / 294X	R	F00,0	298	132	5,0	6	8,5	294 / 294X	R	F00,0	298	132	5,0	6	8,5
XVZ VENTURE ROYALE	84/87	C	294S / 294XS	R	S	298	132	5,0	6	8,5	294S / 294XS	R	S	298	132	5,0	6	8,5
XVZ VENTURE ROYALE	84/87	C	294G / 294XG	R	F00,0	298	132	5,0	6	8,5	294G / 294XG	R	F00,0	298	132	5,0	6	8,5
XVZ VENTURE ROYALE	87	C	294 / 294X	R	F00,0	298	132	5,0	6	8,5	-	-	-	-	-	-	-	-
XVZ VENTURE ROYALE	87	C	294S / 294XS	R	S	298	132	5,0	6	8,5								
XVZ VENTURE ROYALE	87	C	294G / 294XG	R	F00,0	298	132	5,0	6	8,5								
1300 c.c.										1300 c.c.								
FJR	01/05	R	294 / 294X	R	F00,0	298	132	5,0	6	8,5	321 / 321X	R	S	282	132	5,0	6	8,5
FJR	01/05	R	294S / 294XS	R	S	298	132	5,0	6	8,5								
FJR	01/05	R	294G / 294XG	R	F00,0	298	132	5,0	6	8,5								
FJR / FJR A / FJR AE	03/16	R	297 / 297X	L/R	F00,0	320	132	5,0	6	8,5	321 / 321X	R	S	282	132	5,0	6	8,5
FJR / FJR A / FJR AE	03/16	R	297G / 297XG	L/R	F00,0	320	132	5,0	6	8,5								
FJR AE ABS / FJR AS	03/18	R	297 / 297X	L/R	F00,0	320	132	5,0	6	8,5	321 / 321X	R	S	282	132	5,0	6	8,5
FJR AE ABS / FJR AS	03/18	R	297G / 297XG	L/R	F00,0	320	132	5,0	6	8,5								
XJR MODELS																		
XJR	95/97	R	-	-	-	-	-	-	-	-	483	R	S	267	132	5,0	6	8,5
XJR	98	R	1060 / 1060X	L/R	F10,5	320	64	5,0	6	8,5	483	R	S	267	132	5,0	6	8,5
XJR	98	R	1060G / 1060XG	L/R	F10,5	320	64	5,0	6	8,5								
XJR / RACER	99/17	D	294 / 294X	L/R	F00,0	298	132	5,0	6	8,5	483	R	S	267	132	5,0	6	8,5
XJR / RACER	99/17	D	294S / 294XS	L/R	S	298	132	5,0	6	8,5								
XJR / RACER	99/17	D	294G / 294XG	L/R	F00,0	298	132	5,0	6	8,5								
YARD BUILT RHAPSODY	14/15	R	294 / 294X	R	F00,0	298	132	5,0	6	8,5	483	R	S	267	132	5,0	6	8,5
YARD BUILT RHAPSODY	14/15	R	294S / 294XS	R	S	298	132	5,0	6	8,5								
YARD BUILT RHAPSODY	14/15	R	294G / 294XG	R	F00,0	298	132	5,0	6	8,5								
XVS MODELS																		
A CASUAL FULL DRESS	14/15	CVT	395 / 395X	L/R	F00,0	298	132	5,0	6	10,5	294S / 294XS	R	S	298	132	5,0	6	8,5
CUSTOM	14/16	CVT	1058 / 1058X	L	F00,0	320	132	5,0	5	8,5	-	R	S	-	-	-	-	-
CUSTOM	14/16	CVT	1058G / 1058XG	L	F00,0	320	132	5,0	5	8,5								
MIDNIGHT STAR	07/11	CVT	294 / 294X	R	F00,0	298	132	5,0	6	8,5	-	-	-	-	-	-	-	-
MIDNIGHT STAR	07/11	CVT	294S / 294XS	R	S	298	132	5,0	6	8,5								
MIDNIGHT STAR	07/11	CVT	294G / 294XG	R	F00,0	298	132	5,0	6	8,5								
ROYAL STAR	96/07	C	294 / 294X	R	F00,0	298	132	5,0	6	8,5	409	R	S	320	198	6,0	6	8,5
ROYAL STAR	96/07	C	294S / 294XS	R	S	298	132	5,0	6	8,5								
ROYAL STAR	96/07	C	294G / 294XG	R	F00,0	298	132	5,0	6	8,5								
YAMAHA										YAMAHA								
1300 c.c.										1300 c.c.								
ROYAL STAR VENTURE	99	C	294 / 294X	R	F00,0	298	132	5,0	6	8,5	409	R	S	320	198	6,0	6	8,5
ROYAL STAR VENTURE	99	C	294S / 294XS	R	S	298	132	5,0	6	8,5								
ROYAL STAR VENTURE	99	C	294G / 294XG	R	F00,0	298	132	5,0	6	8,5								
XVZ MODELS																		
13TF WILD STAR	99	C	294 / 294X	R	F00,0	298	132	5,0	6	8,5	409	R	S	320	198	6,0	6	8,5
13TF WILD STAR	99	C	294S / 294XS	R	S	298	132	5,0	6	8,5								
13TF WILD STAR	99	C	294G / 294XG	R	F00,0	298	132	5,0	6	8,5								
T VENTURE ROYALE	88/95	C	321 / 321X	L/R	S	282	132	5,0	6	8,5	-	-	-	-	-	-	-	-
T VENTURE ROYALE	99/01	C	395 / 395X	L/R	F00,0	298	132	5,0	6	10,5	-	-	-	-	-	-	-	-
TD	88	C	1296 / 1296X	L/R	S	282	132	5,0	5	10,5	-	-	-	-	-	-	-	-
TD VENTURE ROYALE	88/95	C	321 / 321X	L/R	S	282	132	5,0	6	8,5	-	-	-	-	-	-	-	-
TD VENTURE ROYALE	99/01	C	395 / 395X	L/R	F00,0	298	132	5,0	6	10,5	-	-	-	-	-	-	-	-
1600 c.c.										1600 c.c.								
XV A WILD STAR	99/04	C	395 / 395X	L/R	F00,0	298	132	5,0	6	10,5	-	-	-	-	-	-	-	-
XV WILD STAR	99/07	C	294 / 294X	R	F00,0	298	132	5,0	6	8,5	-	-	-	-	-	-	-	-
XV WILD STAR	99/07	C	294S / 294XS	R	S	298	132	5,0	6	8,5								
XV WILD STAR	99/07	C	294G / 294XG	R	F00,0	298	132	5,0	6	8,5								
1670 c.c.										1670 c.c.								
MT-01	05/06	CVT	297 / 297X	L/R	F00,0	320	132	5,0	6	8,5	483	R	S	267	132	5,0	6	8,5
MT-01	05/06	CVT	297G / 297XG	L/R	F00,0	320	132	5,0	6	8,5								
MT-01	07/12	CVT	1660G	L/R	F00,0	310	132	5,0	6	8,5	483	R	S	267	132	5,0	6	8,5
1700 c.c.										1700 c.c.								
V MAX	09	C	1058 / 1058X	L/R	F00,0	320	132	5,0	5	8,5	-	-	-	-	-	-	-	-
V MAX	09	C	1058G / 1058XG	L/R	F00,0	320	132	5,0	5	8,5								
V-MAX / V-MAX MATT	10/17	C	297X / 297	L/R	F00,0	320	132	5,0	6	8,5	1557X	R	S	298	132	6,0	5	8,5



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø		REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø
V-MAX / V-MAX MATT	10/17	C	297XG / 297G	L/R	F00,0	320	132	5,0	6	8,5									
V-MAX CARBON	09/17	C	297X / 297	L/R	F00,0	320	132	5,0	6	8,5		1557X	R	S	298	132	6,0	5	8,5
V-MAX CARBON	09/17	C	297XG / 297G	L/R	F00,0	320	132	5,0	6	8,5									
XV	02/04	C	294 / 294X	L/R	F00,0	298	132	5,0	6	8,5		321 / 321X	R	S	282	132	5,0	6	8,5
XV	02/04	C	294S / 294XS	L/R	S	298	132	5,0	6	8,5									
XV	02/04	C	294G / 294XG	L/R	F00,0	298	132	5,0	6	8,5									
XV	06/09	C	165 / 165X	L/R	F00,0	298	132	5,0	5	8,5		321 / 321X	R	S	282	132	5,0	6	8,5
XV STAR WARRIOR / PC	02/08	C	294 / 294X	L/R	F00,0	298	132	5,0	6	8,5		-	-	-	-	-	-	-	-
XV STAR WARRIOR / PC	02/08	C	294S / 294XS	L/R	S	298	132	5,0	6	8,5									
XV STAR WARRIOR / PC	02/08	C	294G / 294XG	L/R	F00,0	298	132	5,0	6	8,5									
XV-Y	09/16	CVT	1058 / 1058X	L	F00,0	320	132	5,0	5	8,5		-	R	S	-	-	-	-	-
XV-Y	09/16	CVT	1058G / 1058XG	L	F00,0	320	132	5,0	5	8,5									
1900 c.c.											1900 c.c.								
XV ROADLINER	06	C	294 / 294X	L/R	F00,0	298	132	5,0	6	8,5		-	-	-	-	-	-	-	-
XV ROADLINER	06	C	294S / 294XS	L/R	S	298	132	5,0	6	8,5									
XV ROADLINER	06	C	294G / 294XG	L/R	F00,0	298	132	5,0	6	8,5									
STAR VENTURE	18	CVT	-	L/R	F00,0	298	-	-	-	-		-	L	S	320	-	-	-	-
XV STAR RAIDER	08	C	165 / 165X	L/R	F00,0	298	132	5,0	5	8,5		-	-	-	-	-	-	-	-
XV STRATOLINER	06	C	294 / 294X	L/R	F00,0	298	132	5,0	6	8,5		-	-	-	-	-	-	-	-
XV STRATOLINER	06	C	294S / 294XS	L/R	S	298	132	5,0	6	8,5									
XV STRATOLINER	06	C	294G / 294XG	L/R	F00,0	298	132	5,0	6	8,5									
XVS MIDNIGHT STAR	06/13	C	294 / 294X	L/R	F00,0	298	132	5,0	6	8,5		-	-	-	-	-	-	-	-
XVS MIDNIGHT STAR	06/13	C	294S / 294XS	L/R	S	298	132	5,0	6	8,5									
XVS MIDNIGHT STAR	06/15	C	294G / 294XG	L/R	F00,0	298	132	5,0	6	8,5									
ZERO ELECTRIC											ZERO ELECTRIC								
DS DUAL SPORT	10/17	UV	-	L	S	320	-	-	-	-		-	R	S	221	-	4,5	-	-
DSR MAX ADVENTURE	17	UV	-	L	S	320	-	-	-	-		-	R	S	221	-	4,5	-	-
FX LEAN / MEAN	13/17	UV	-	L	S	320	-	-	-	-		-	R	S	221	-	4,5	-	-
FXS SUPERMOTO	17	FV	-	L	S	320	-	-	-	-		-	R	S	221	-	4,5	-	-
S STREETFIGHTER	10/17	RV	-	L	S	320	-	-	-	-		-	R	S	221	-	4,5	-	-
SR ELECTRIC HOD ROD	14/15	RV	-	L	S	320	-	-	-	-		-	R	S	221	-	4,5	-	-
MX	10/13	FV	-	L	S	320	-	-	-	-		-	R	S	221	-	4,5	-	-
AEON											AEON								
50 c.c.											50 c.c.								
COBRA Hi PERFORMANCE	16/17	Q	Drum	-	-	-	-	-	-	-		-	-	S	-	-	-	-	-
200 c.c.											200 c.c.								
OVERLAND	16/17	Q	-	L/R	S	-	-	-	-	-		-	S	-	-	-	-	-	-
400 c.c.											400 c.c.								
COBRA	10/13	Q	-	L/R	S	-	-	-	-	-		-	S	-	-	-	-	-	-
CROSSLAND 2x4	12/13	Q	-	L/R	S	-	-	-	-	-		-	S	-	-	-	-	-	-
CROSSLAND 4x4	12/13	Q	-	L/R	S	-	-	-	-	-		-	S	-	-	-	-	-	-
CROSSLAND RX 2x4	16/17	Q	-	L/R	S	-	-	-	-	-		-	S	-	-	-	-	-	-
600 c.c.											600 c.c.								
OVERLAND	10/11	Q	-	L/R	S	-	-	-	-	-		-	S	-	-	-	-	-	-
ARCTIC CAT											ARCTIC CAT								
50 c.c.											50 c.c.								
4x4 AUTO YOUTH	06/08	Q	-	-	-	-	-	-	-	-		1011 / 1011X	-	S	180	58	4,0	3	10,5
DVX SPORT 4T	06/08	Q	1011 / 1011X	-	S	180	58	4,0	3	10,5		1011 / 1011X	-	S	180	58	4,0	3	10,5
90 c.c.											90 c.c.								
2x4 4T YOUTH	04/05	Q	-	-	-	-	-	-	-	-		Drum	-	-	-	-	-	-	-
2x4 4T YOUTH	06	Q	-	-	-	-	-	-	-	-		1011 / 1011X	-	S	180	58	4,0	3	10,5
DVX	06/14	Q	1011 / 1011X	-	S	180	58	4,0	3	10,5		1011 / 1011X	-	S	180	58	4,0	3	10,5
DVX NH	16/17	Q	Drum	-	-	-	-	-	-	-		-	-	S	-	-	-	-	-
DVX SE	09	Q	-	-	-	-	-	-	-	-		1011 / 1011X	-	S	180	58	4,0	3	10,5
NH ALTERRA	16/17	Q	Drum	-	-	-	-	-	-	-		-	-	S	-	-	-	-	-
REVERSE GEAR UTILITY	10/14	Q	-	-	-	-	-	-	-	-		1011 / 1011X	-	S	180	58	4,0	3	10,5
150 c.c.											150 c.c.								
2x4 UTILITY	09/14	Q	-	-	-	-	-	-	-	-		1011 / 1011X	-	S	180	58	4,0	3	10,5
250 c.c.											250 c.c.								
2x4 UTILITY	98/09	Q	1384X	L/R	S	202	95	3,5	4	8,5		1384X	-	S	202	95	3,5	4	8,5

NG Brake Disc		FRONT														REAR													
YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø												
2x4 UTILITY	98/09	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5											
4x4 UTILITY	01/08	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5											
4x4 UTILITY	01/08	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5											
DVX SPORT	06/08	Q	1507 / 1507X	L/R	MD	180	58	4,0	3	MH	1012 / 1012X	-	S	220	88	4,0	5	10,5											
300 c.c.																													
2x4	98/03	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5											
2x4	98/03	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5											
2x4 AUTO	10	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5											
2x4 AUTO	10	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5											
2x4 UTILITY MID SIZE	10/14	Q	1507 / 1507X	L/R	MD	180	58	4,0	3	MH	-	-	-	-	-	-	-	-											
4x4	98/04	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5											
4x4	98/04	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5											
4x4 UTILITY	05	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5											
4x4 UTILITY	05	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5											
ALTERRA 2x4	16/17	Q	-	L/R	-	-	-	-	-	-	-	L/R	S	-	-	-	-	-											
ATV	10/12	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5											
ATV	10/12	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5											
DVX	09/14	Q	1507 / 1507X	L/R	MD	180	58	4,0	3	MH	1012 / 1012X	-	S	220	88	4,0	5	10,5											
350 c.c.																													
ATV	12	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5											
ATV	12	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5											
366 c.c.																													
4x4 AUTO UTILITY	08/09	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5											
4x4 AUTO UTILITY	08/09	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5											
SE	10	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5											
SE	10	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5											
375 c.c.																													
2x4 / 4x4 ALL MODELS	98/04	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5											
2x4 / 4x4 ALL MODELS	98/04	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5											
ARCTIC CAT																													
400 c.c.																													
2x4 / UTILITY	98/04	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5											
2x4 / UTILITY	98/04	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5											
2x4 AUTO UTILITY	04	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5											
2x4 AUTO UTILITY	04	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5											
4x4 ACT AUTO	04	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5											
4x4 ACT AUTO	04	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5											
4x4 ALL MODELS	98/04	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5											
4x4 ALL MODELS	98/04	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5											
4x4 AUTO MODELS																													
ACT	04	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5											
ACT	04	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5											
LE UTILITY	05/07	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5											
LE UTILITY	05/07	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5											
TBX UTILITY	04/06	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5											
TBX UTILITY	04/06	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5											
4x4 AUTO TRV MODELS																													
FI 5	05	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5											
FI 5	05	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5											
MULTIRIDER	06	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5											
MULTIRIDER	06	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5											
PLUS MULTIRIDER	07	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5											
PLUS MULTIRIDER	07	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5											
UTILITY	00/08	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5											
UTILITY	00/08	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5											
VP UTILITY	05/06	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5											
VP UTILITY	05/06	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5											
ALTERRA 2x4	16/17	Q	-	L/R	-	-	-	-	-	-	-	L/R	S	-	-	-	-	-											



MODEL	YEAR	Q	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø
ALTEERRA 4x4	16/17	Q	-	L/R	-	-	-	-	-	-	-	L/R	S	-	-	-	-	-
ATV CORE / MID SIZE	13/14	Q	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	1483 / 1483X	-	S	202	95	4,0	4	8,5
DVX SPORT	04/08	Q	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	043 / 043X	-	S	220	105	4,0	4	10,5
DVX TS SPORT	06/07	Q	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	043 / 043X	-	S	220	105	4,0	4	10,5
TRV	09	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
TRV	09	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
TRV	13	Q	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	1483 / 1483X	-	S	202	95	4,0	4	8,5
TRV H1	10	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
TRV H1	10	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
425 c.c.																		
i / i SE	12	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
i / i SE	12	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
450 c.c.																		
ATV CORE / MID SIZE	13/14	Q	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	1483 / 1483X	-	S	202	95	4,0	4	8,5
Hi / H1 Efi	10	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
Hi / H1 Efi	10	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
i / TRV / i TRV / i XC	11/12	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
i / TRV / i TRV / i XC	11/12	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
i GT	12	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
i GT	12	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
i TRV	11	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
i TRV	11	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
i XC	13	Q	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	1483 / 1483X	-	S	202	95	4,0	4	8,5
454 c.c.																		
2x4 / 4x4 ALL MODELS	98/04	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
2x4 / 4x4 ALL MODELS	98/04	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
BEARCAT 2x4 / 4x4	96/98	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
BEARCAT 2x4 / 4x4	96/98	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT																		
500 c.c.																		
2x4 / 4x4	98/04	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
2x4 / 4x4	98/04	Q	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	1483 / 1483X	-	S	202	95	4,0	4	8,5
4x4 AUTO or MANUAL MODELS																		
G/BOX UTILITY	98/09	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
G/BOX UTILITY	98/09	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
UTILITY	98/08	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
LE UTILITY	05/06	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
LE UTILITY	05/06	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
TBX UTILITY	04/06	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
TBX UTILITY	04/06	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
TBX UTILITY	04	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
TBX UTILITY	04	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
TRV MULTIRIDER	05/08	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
TRV MULTIRIDER	05/08	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ALTEERRA	16/17	Q	-	L/R	-	-	-	-	-	-	-	L/R	S	-	-	-	-	-
ATV MID SIZE	13/14	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
ATV MID SIZE	13/14	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
Fi 5 / TRV	05	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
Fi 5 / TRV	05	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
TRV COREL / 2 UP	13/14	Q	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	1483 / 1483X	-	S	202	95	4,0	4	8,5
TRV COREL XT MID SIZE	13/14	Q	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	1483 / 1483X	-	S	202	95	4,0	4	8,5
550 c.c.																		
ALTEERRA XT EPS	16/17	Q	-	L/R	-	-	-	-	-	-	-	L/R	S	-	-	-	-	-
CRUISER	11	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
CRUISER	11	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
GT TRV / i / i GT / i LTD	11/12	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
GT TRV / i / i GT / i LTD	11/12	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5

FRONT										REAR									
NG Brake Disc	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLES Ø	
GT S TRV	10	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5	
GT S TRV	10	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5	
HI Efi / HI Efi LE	09/10	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5	
HI Efi / HI Efi LE	09/10	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5	
i GT TRV	11	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5	
i GT TRV	11	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5	
i PROWLER XT	12	Q	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-	
i PROWLER XT	12	Q	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-	
MID SIZE / MID SIZE LTD	13/14	Q	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	1483 / 1483X	-	S	202	95	4,0	4	8,5	
MID SIZE XT	13/14	Q	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	1483 / 1483X	-	S	202	95	4,0	4	8,5	
PROWLER	09/13	Q	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-	
PROWLER	09/13	Q	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-	
PROWLER XT	10/11	Q	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-	
PROWLER XT	10/11	Q	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-	
S / S LTD	10	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5	
S / S LTD	10	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5	
TRV	11	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5	
TRV	11	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5	
TRV Efi	09/10	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5	
TRV Efi	09/10	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5	
TRV Efi LE	09/10	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5	
TRV Efi LE	09/10	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5	
TRV LTD	13/14	Q	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	1483 / 1483X	-	S	202	95	4,0	4	8,5	
650 c.c.										650 c.c.									
4x4	05	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5	
4x4	05	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5	
ARCTIC CAT										ARCTIC CAT									
650 c.c.										650 c.c.									
4x4	10	Q	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-	
4x4	10	Q	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-	
H1 4x4 AUTO UTILITY	04/08	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5	
H1 4x4 AUTO UTILITY	04/08	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5	
H1 4x4 AUTO LE UTILITY	07	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5	
H1 4x4 AUTO LE UTILITY	07	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5	
H1 4x4 SE AUTO UTILITY	06	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5	
H1 4x4 SE AUTO UTILITY	06	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5	
H1 4x4 TBX AUTO UTILITY	07	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5	
H1 4x4 TBX AUTO UTILITY	07	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5	
H1 4x4 TRV AUTO MODELS																			
H1 4x4	08	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5	
H1 4x4	08	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5	
PLUS MULTIRIDER	07	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5	
PLUS MULTIRIDER	07	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5	
PLUS LE MULTIRIDER	07	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5	
PLUS LE MULTIRIDER	07	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5	
H1 / H1 MUDPRO	10/11	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5	
H1 / H1 MUDPRO	10/11	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5	
H1 PROWLER	06/07	Q	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-	
H1 PROWLER	06/07	Q	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-	
H1 TRV 4 x 4 AUTO	08/09	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5	
H1 TRV 4 x 4 AUTO	08/09	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5	
PROWLER 4x4 AUTO	08	Q	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-	
PROWLER 4x4 AUTO	08	Q	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-	
PROWLER XT	05	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5	
PROWLER XT	05	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5	
PROWLER XT H1	06/09	Q	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-	
PROWLER XT H1	06/09	Q	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-	



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø
SUPER DUTY DIESEL	10	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
SUPER DUTY DIESEL	10	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
TBX / TRV	09	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
TBX / TRV	09	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
TRV DIESEL	06	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
TRV DIESEL	06	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
TRV V2 AUTO LE TS UTILITY	06	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
TRV V2 AUTO LE TS UTILITY	06	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
XT 4x4 AUTO M4	08	Q	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
XT 4x4 AUTO M4	08	Q	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-
V2 4x4 AUTO UTILITY	04/06	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
V2 4x4 AUTO UTILITY	04/06	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
V2 4x4 AUTO LE UTILITY	04/05	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
V2 4x4 AUTO LE UTILITY	04/05	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
700 c.c.																		
ALTERRA TRV VALUE	16/17	Q	-	L/R	-	-	-	-	-	-	-	L/R	S	-	-	-	-	-
ALTERRA XT EPS	16/17	Q	-	L/R	-	-	-	-	-	-	-	L/R	S	-	-	-	-	-
ATV DIESEL / LTD / XT	12/14	Q	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	1483 / 1483X	-	S	202	95	4,0	4	8,5
DIESEL UTILITY	07/08	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
DIESEL UTILITY	07/08	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
Efi 4x4 UTILITY	07/08	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
Efi 4x4 UTILITY	07/08	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
Efi MODELS																		
4x4 AUTO M4 / TRV LE	08	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
4x4 AUTO M4 / TRV LE	08	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
ARCTIC CAT																		
Efi MODELS																		
700 c.c.																		
4x4 LE UTILITY	06	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
4x4 LE UTILITY	06	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
4x4 SE UTILITY	06	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
4x4 SE UTILITY	06	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
CRUISER	11	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
CRUISER	11	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
i MUDPRO LTD	11	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
i MUDPRO LTD	11	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
TBX LTD	11	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
TBX LTD	11	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
H1 Efi / H1 Efi LE	09/10	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
H1 Efi / H1 Efi LE	09/10	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
H1 Efi MUDPRO	09/11	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
H1 Efi MUDPRO	09/11	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
H1 Efi 4x4	09/10	Q	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
H1 Efi 4x4	09/10	Q	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-
H1 Efi 4x4 AUTO SE	08/09	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
H1 Efi 4x4 AUTO SE	08/09	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
H1 TBX Efi	10	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
H1 TBX Efi	10	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
i MUDPRO / i MUDPRO	11/12	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
i MUDPRO / i MUDPRO	11/12	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
i XTX	12	Q	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
i XTX	12	Q	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-
PROWLER HDX	11/13	Q	1420X	L/R	S	253	95	3,5	4	8,5	1420X	-	S	253	95	3,5	4	8,5
PROWLER HDX	11/13	Q	1514	L/R	F00,0	253	95	4,5	4	8,5	1514	-	F00,0	253	95	4,5	4	8,5
PROWLER XT / XTX	08/13	Q	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
PROWLER XT / XTX	08/13	Q	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-
S / S LTD	10	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5



S / S LTD	10	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
SUPER DUTY DIESEL	10/11	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
SUPER DUTY DIESEL	10/11	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
TBX	13	Q	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	1483 / 1483X	-	S	202	95	4,0	4	8,5
TRV / TRV CRUISER	11/12	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
TRV / TRV CRUISER	11/12	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
TRV GT	11/12	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
TRV GT	11/12	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
TRV DIESEL	06	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
TRV DIESEL	06	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
TRV H1	09	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
TRV H1	09	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
TRV H2 Efi CRUISER	09/10	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
TRV H2 Efi CRUISER	09/10	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
TRV XT	13/14	Q	1483 / 1483X	L/R	S	202	95	4,0	4	8,5	1483 / 1483X	-	S	202	95	4,0	4	8,5
XTX	10/11	Q	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
XTX	10/11	Q	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-
XTX H1 Efi	09	Q	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
XTX H1 Efi	09	Q	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-
XTX LE	08	Q	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
XTX LE	08	Q	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-
1000 c.c.																		1000 c.c.
ALTERRA TRV XT EPS	16/17	Q	-	L/R	-	-	-	-	-	-	-	L/R	S	-	-	-	-	-
ARCTIC CAT																		ARCTIC CAT
1000 c.c.																		1000 c.c.
ATV 4x4	10	Q	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
ATV 4x4	10	Q	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-
GT / H2 MUDPRO Efi	11/12	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
GT / H2 MUDPRO Efi	11/12	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
H2 TRV	09	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
H2 TRV	09	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
i MUDPRO	12	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
i MUDPRO	12	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
i XTZ	12	Q	1420X	L/R	S	253	95	3,5	4	8,5	1420X	-	S	253	95	3,5	4	8,5
i XTZ	12	Q	1514	L/R	F00,0	253	95	4,5	4	8,5	1514	-	F00,0	253	95	4,5	4	8,5
MUDPRO	10/13	Q	1420X	L/R	S	253	95	3,5	4	8,5	1420X	-	S	253	95	3,5	4	8,5
MUDPRO	10/13	Q	1514	L/R	F00,0	253	95	4,5	4	8,5	1514	-	F00,0	253	95	4,5	4	8,5
MUDPRO LTD	12/13	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
MUDPRO LTD	12/13	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
PROWLER H2	09/13	Q	1420X	L/R	S	253	95	3,5	4	8,5	1420X	-	S	253	95	3,5	4	8,5
PROWLER H2	09/13	Q	1514	L/R	F00,0	253	95	4,5	4	8,5	1514	-	F00,0	253	95	4,5	4	8,5
THUNDERCAT / H2	08/10	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
THUNDERCAT / H3	08/10	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
THUNDERCAT H2 LE	10	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
THUNDERCAT H2 LE	10	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
TRV H2 Efi	10	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
TRV H2 Efi	10	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
TRV CRUISER	11	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
TRV CRUISER	11	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
TRV H2 Efi CRUISER	09/10	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
TRV H2 Efi CRUISER	09/10	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
TRV XT EPS	16/17	Q	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
XT EPS	16/17	Q	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
XTZ	09/13	Q	1420X	L/R	S	253	95	3,5	4	8,5	1420X	-	S	253	95	3,5	4	8,5
XTZ	09/13	Q	1514	L/R	F00,0	253	95	4,5	4	8,5	1514	-	F00,0	253	95	4,5	4	8,5
XTZ H2 Efi	09	Q	1420X	L/R	S	253	95	3,5	4	8,5	1420X	-	S	253	95	3,5	4	8,5
XTZ H2 Efi	09	Q	1514	L/R	F00,0	253	95	4,5	4	8,5	1514	-	F00,0	253	95	4,5	4	8,5




SSV TYPE														500 c.c.													
HDX PROWLER / LTD / XT	14	W	1420X	L/R	S	253	95	3,5	4	8,5	1420X	-	S	253	95	3,5	4	8,5									
HDX PROWLER / LTD / XT	14	W	1514	L/R	F00,0	253	95	4,5	4	8,5	1514	-	F00,0	253	95	4,5	4	8,5									
HDX PROWLER / LTD / XT	15/17	W	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-									
PROWLER / LTD / XT	14	W	1420X	L/R	S	253	95	3,5	4	8,5	1420X	-	S	253	95	3,5	4	8,5									
PROWLER / LTD / XT	14	W	1514	L/R	F00,0	253	95	4,5	4	8,5	1514	-	F00,0	253	95	4,5	4	8,5									
PROWLER / LTD / XT	15/17	W	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-									
550 c.c.														550 c.c.													
HI Efi PROWLER	09	W	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-									
HI Efi PROWLER	09	W	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-									
XT	10/11	W	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-									
XT	10/11	W	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-									
XT i PROWLER	11/14	W	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-									
XT i PROWLER	11/14	W	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-									
650 c.c.														650 c.c.													
H1 PROWLER	07	W	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-									
H1 PROWLER	07	W	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-									
PROWLER 4x4 M4	08	W	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-									
PROWLER 4x4 M4	08	W	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-									
XT H1 PROWLER	06/09	W	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-									
XT H1 PROWLER	06/09	W	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-									
ARCTIC CAT														ARCTIC CAT													
700 c.c.														700 c.c.													
HDX / HDX CREW	16/17	W	-	L/R	-	-	-	-	-	-	-	-	S	-	-	-	-	-									
HDX PROWLER	11/14	W	1420X	L/R	S	253	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5									
HDX PROWLER	11/14	W	1514	L/R	F00,0	253	95	4,5	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5									
HDX PROWLER LTD	14	W	1420X	L/R	S	253	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5									
HDX PROWLER LTD	14	W	1514	L/R	F00,0	253	95	4,5	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5									
PROWLER	16/17	W	-	L/R	-	-	-	-	-	-	-	-	S	-	-	-	-	-									
XTX i PROWLER	10/14	W	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-									
XTX i PROWLER	10/14	W	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-									
XTX HI LE PROWLER	08/09	W	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-									
XTX HI LE PROWLER	08/09	W	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-									
WILDCAT MODELS														WILDCAT MODELS													
TRAIL	16/17	W	-	L/R	S	-	-	-	-	-	-	-	L/R	S	-	-	-	-									
TRAIL XT HOMO EU	16/17	W	-	L/R	S	-	-	-	-	-	-	-	L/R	S	-	-	-	-									
SPORT TRAIL XT EPS	16/17	W	-	L/R	S	-	-	-	-	-	-	-	L/R	S	-	-	-	-									
SPORT LTD EPS	16/17	W	-	L/R	S	-	-	-	-	-	-	-	L/R	S	-	-	-	-									
1000 c.c.														1000 c.c.													
PROWLER	16/17	W	-	L/R	-	-	-	-	-	-	-	-	S	-	-	-	-	-									
WILDCAT MODELS														WILDCAT MODELS													
4 LTD	14	W	1420X	L/R	S	253	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5									
WILDCAT	13/14	W	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-									
WILDCAT	13/14	W	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-									
SSV TYPE														SSV TYPE													
WILDCAT MODELS														WILDCAT MODELS													
4 LTD	14	W	1514	L/R	F00,0	253	95	4,5	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5									
4X	13/14	W	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-									
4X	13/14	W	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-									
i X EPS H. EU	16/17	W	-	L/R	S	-	-	-	-	-	-	-	L/R	S	-	-	-	-									
i X EPS RG	16/17	W	-	L/R	S	-	-	-	-	-	-	-	L/R	S	-	-	-	-									
i X LTD RG	16/17	W	-	L/R	S	-	-	-	-	-	-	-	L/R	S	-	-	-	-									
i X4 RG	16/17	W	-	L/R	S	-	-	-	-	-	-	-	L/R	S	-	-	-	-									
i GT	12	W	1420X	L/R	S	253	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5									
i GT	12	W	1514	L/R	F00,0	253	95	4,5	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5									
LIMITED	12/15	W	1420X	L/R	S	253	95	3,5	4	8,5	1420X	-	S	253	95	3,5	4	8,5									
LIMITED	12/15	W	1514	L/R	F00,0	253	95	4,5	4	8,5	1514	-	F00,0	253	95	4,5	4	8,5									



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø
LTD	13/14	W	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
LTD	13/14	W	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-
RG PRO XX / TURBO	16/17	W	-	L/R	-	-	-	-	-	-	-	-	S	-	-	-	-	-
RG PRO 4XX	16/17	W	-	L/R	-	-	-	-	-	-	-	-	S	-	-	-	-	-
X	13	W	1420X	L/R	S	253	95	3,5	4	8,5	-	-	-	-	-	-	-	-
X	13	W	1514	L/R	F00,0	253	95	4,5	4	8,5	-	-	-	-	-	-	-	-
X	14	W	1420X	L/R	S	253	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
X	14	W	1514	L/R	F00,0	253	95	4,5	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
XTZ	10/14	W	1420X	L/R	S	253	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
XTZ	10/14	W	1514	L/R	F00,0	253	95	4,5	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
XTZ H2 PROWLER	09	W	1420X	L/R	S	253	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
XTZ H2 PROWLER	09	W	1514	L/R	F00,0	253	95	4,5	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
200 c.c.																		
OUTLANDER H2o	04/05	Q	-	-	-	-	-	-	-	-	1018 / 1018X	-	S	205	-	4,0	4	8,5
RALLY	03/07	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	-	-	-	-	-	-	-	-
330 c.c.																		
OUTLANDER H2o 2x4 / 4x4	04/05	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
400 c.c.																		
OUTLANDER	03/04	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
OUTLANDER H2o	03/06	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
BOMBARDIER																		
400 c.c.																		
OUTLANDER MAX	03/06	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
OUTLANDER MAX XT	03/06	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
500 c.c.																		
QUEST 4x4 ALL MODELS	02	Q	-	-	-	-	-	-	-	-	1018 / 1018X	-	S	205	-	4,0	4	8,5
TRAXTER XL / XT	00	Q	608	L/R	S	165	48	4,0	4	8,5	282	-	S	196	81	4,0	4	8,5
650 c.c.																		
DS / BAJA	00/06	Q	608	L/R	S	165	48	4,0	4	8,5	282	-	S	196	81	4,0	4	8,5
DS X	01/06	Q	608	L/R	S	165	48	4,0	4	8,5	282	-	S	196	81	4,0	4	8,5
OUTLANDER MODELS																		
OUTLANDER	06	Q	-	-	-	-	-	-	-	-	282	-	S	196	81	4,0	4	8,5
Ho Efi 4x4 / XT 4x4	06	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
MAX Ho Efi 4x4	06	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
XT 4x4	06	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
QUEST	02	Q	608	L/R	S	165	48	4,0	4	8,5	282	-	S	196	81	4,0	4	8,5
QUEST 2x4 7582	02/04	Q	-	-	-	-	-	-	-	-	1018 / 1018X	-	S	205	-	4,0	4	8,5
QUEST MAX	03	Q	-	-	-	-	-	-	-	-	1018 / 1018X	-	S	205	-	4,0	4	8,5
QUEST XT 4x4	02	Q	-	-	-	-	-	-	-	-	1018 / 1018X	-	S	205	-	4,0	4	8,5
TRAXTER MAX	02	Q	-	-	-	-	-	-	-	-	1018 / 1018X	-	S	205	-	4,0	4	8,5
TRAXTER MAX	04	Q	608	L/R	S	165	48	4,0	4	8,5	-	-	-	-	-	-	-	-
TRAXTER XL / XT	00	Q	608	L/R	S	165	48	4,0	4	8,5	282	-	S	196	81	4,0	4	8,5
800 c.c.																		
OUTLANDER MODELS																		
OUTLANDER	06	Q	-	-	-	-	-	-	-	-	282	-	S	196	81	4,0	4	8,5
Efi	06/07	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
Efi XT	06/07	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
Ho Efi 4x4	06	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
MAX Ho Efi 4x4	06	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
Ho Efi 4x4 XT	06	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
OUTLANDER MAX	06/07	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
OUTLANDER MAX XT	06/07	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
QUEST MAX	04/05	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
QUEST STD / QUEST XT	04/05	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
TRAXTER 4x4	01	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	-	-	-	-	-	-	-	-
TRAXTER AUTOSHIFT	01/05	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	-	-	-	-	-	-	-	-
TRAXTER FOOTSHIFT	01	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	-	-	-	-	-	-	-	-



TRAXTER MAX	03/05	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	-	-	-	-	-	-	-
TRAXTER XL 4x4	01/04	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	-	-	-	-	-	-	-
CAN AM 90 c.c.																	
DS / DS PRO 2x4	08/14	Q	1498 / 1498X	L/R	S	165	57	4,2	3	10,5	1499 / 1499X	-	S	180	36	3,7	4 6,5
DS / DS PRO 2x4	15/17	Q	1498 / 1498X	L/R	S	165	57	4,2	3	10,5	Drum	-	-	-	-	-	-
DS X 2x4 4T	08/14	Q	1498 / 1498X	L/R	S	165	57	4,2	3	10,5	1499 / 1499X	-	S	180	36	3,7	4 6,5
200 c.c.																	
RALLY	07	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	-	-	S	-	-	-	-
400 c.c.																	
OUTLANDER MODELS																	
MAX STD 4x4	07/14	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4 8,5
MAX XT 4x4	07/13	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4 8,5
STD 4x4 / XT 4x4	07/14	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4 8,5
450 c.c.																	
OUTLANDER / PRO	16/17	Q	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-
OUTLANDER MAX DPS	16/17	Q	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-
DS 2x4 / Efi	08/14	Q	1479X	L/R	S	181	-	4,0	4	8,5	1504 / 1504X	-	S	197	-	4,0	3 10,5
DS X 2x4 / Efi	08/09	Q	1479X	L/R	S	181	-	4,0	4	8,5	1504 / 1504X	-	S	197	-	4,0	3 10,5
DS Xxc / Xxm	09/14	Q	1479X	L/R	S	181	-	4,0	4	8,5	1504 / 1504X	-	S	197	-	4,0	3 10,5
CAN AM 500 c.c.																	
OUTLANDER MODELS																	
4x4	07/12	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4 8,5
DPST 4x4	13/14	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4 8,5
MAX STD 4x4	07/12	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4 8,5
MAX XT 4x4	13/14	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4 8,5
MAX XT 4x4	07/12	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4 8,5
MAX STD / DPST 4x4	13/14	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4 8,5
STD 4x4	13/14	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4 8,5
XT	13/14	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4 8,5
XT 4x4	07/12	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4 8,5
RENEGADE 4x4 / Efi	07/12	Q	1017 / 1017X	L/R	S	180	-	4,5	4	8,5	1017 / 1017X	-	S	180	-	4,5	4 8,5
RENEGADE STD	12/13	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4 8,5
570 c.c.																	
OUTLANDER / DPS	16/17	Q	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-
OUTLANDER MAX XT	16/17	Q	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-
OUTLANDER PRO	16/17	Q	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-
OUTLANDER X mr LIGHT	16/17	Q	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-
RENAGE	16/17	Q	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-
RENAGE X xc	16/17	Q	-	L/R	S	-	-	-	-	-	-	-	L/R	S	-	-	-
RENAGE X mr	16/17	Q	-	L/R	S	-	-	-	-	-	-	-	L/R	S	-	-	-
650 c.c.																	
OUTLANDER MODELS																	
6x6 DPS FB	16/17	Q	-	L/R	S	-	-	-	-	-	-	-	L/R	S	-	-	-
MAX DPST 4x4	13/14	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4 8,5
MAX PRO	16/17	Q	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-
MAX STD	13/14	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4 8,5
MAX STD 4x4	07/12	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4 8,5
MAX XT 4x4	07/12	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4 8,5
MAX XT-P	12	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4 8,5
PRO	16/17	Q	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-
STD / DPS	13/14	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4 8,5
STD 4x4	07/12	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4 8,5
XT 4x4	07/12	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4 8,5
XT 4x4	13/14	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4 8,5
800 c.c.																	
OUTLANDER MODELS																	
MAX LTD 4x4	07/12	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4 8,5

**CAN AM**

800 c.c.

000 C.C.

RENEGADE Efi 4x4	07/08	Q	1017 / 1017X	L/R	S	180	-	4,5	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
RENEGADE R Efi	09/11	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
RENEGADE R STD	12/14	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	-	S	214	115,5	4,5	4	8,5
RENEGADE R X	09/10	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
RENEGADE R Xxc	11	Q	1018 / 1018X	L/R	S	205	-	4,0	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
RENEGADE R Xxc	12/14	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5
RENEGADE X Efi 4x4	08	Q	1017 / 1017X	L/R	S	180	-	4,5	4	8,5	1017 / 1017X	-	S	180	-	4,5	4	8,5
RENEGADE X xc	16/17	Q	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-

850 c.c.

— — —

1000 c.c.

1000 0.0.

RENEGADE STD / Xxc	12/14	Q	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5
RENEGADE R X xc	16/17	Q	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
RENEGADE R X mr	16/17	Q	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-



CAN AM SSV(SIDE x SIDE)

800 c.c.



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
DEFENDER PRO T1	16/17	W	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
DEFENDER XT / XT CAB	16/17	W	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
900 c.c.																		900 c.c.
MAVERICK X3 TURBO R	16/17	W	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
976 c.c.																		976 c.c.
COMANDER 1000 XT	16/17	W	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
DEFENDER / DPS	16	W	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
DEFENDER XT / CAB	16	W	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
MAVERICK MODELS																		
1000 R X XC	16/17	W	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
1000 R TURBO X DS	16/17	W	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
1000 XT / XT CAMU	16/17	W	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
MAX R TURBO XDS	16/17	W	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
1000 c.c.																		1000 c.c.
COMMANDER MODELS																		
COMMANDER	11/14	W	1501 / 1501X	L/R	S	214	115,5	4,0	4	11,5	1501 / 1501X	-	S	214	115,5	4,0	4	11,5
DPS	13/14	W	1501 / 1501X	L/R	S	214	115,5	4,0	4	11,5	1501 / 1501X	-	S	214	115,5	4,0	4	11,5
LTD	12/14	W	1501 / 1501X	L/R	S	214	115,5	4,0	4	11,5	1501 / 1501X	-	S	214	115,5	4,0	4	11,5
CAN AM																		
1000 c.c.																		1000 c.c.
COMMANDER MODELS																		
STD	11/14	W	1501 / 1501X	L/R	S	214	115,5	4,0	4	11,5	1501 / 1501X	-	S	214	115,5	4,0	4	11,5
X	11/13	W	1501 / 1501X	L/R	S	214	115,5	4,0	4	11,5	1501 / 1501X	-	S	214	115,5	4,0	4	11,5
XT	11/14	W	1501 / 1501X	L/R	S	214	115,5	4,0	4	11,5	1501 / 1501X	-	S	214	115,5	4,0	4	11,5
XT-P	14	W	1501 / 1501X	L/R	S	214	115,5	4,0	4	11,5	1501 / 1501X	-	S	214	115,5	4,0	4	11,5
MAX XT / DPS	14	W	-	-	-	-	-	-	-	-	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5
MAVERICK MODELS																		
MAX R-STD	14	W	1501 / 1501X	L/R	S	214	115,5	4,0	4	11,5	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5
MAX STD / XRS / DPS	14	W	1501 / 1501X	L/R	S	214	115,5	4,0	4	11,5	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5
R-XMR / XXC	14	W	1501 / 1501X	L/R	S	214	115,5	4,0	4	11,5	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5
R-STD	14	W	1501 / 1501X	L/R	S	214	115,5	4,0	4	11,5	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5
R-XRS	14	W	1501 / 1501X	L/R	S	214	115,5	4,0	4	11,5	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5
R-XRS / DPS	14	W	1501 / 1501X	L/R	S	214	115,5	4,0	4	11,5	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5
R-XXC	14	W	1501 / 1501X	L/R	S	214	115,5	4,0	4	11,5	1480 / 1480X	L/R	S	214	115,5	4,5	4	8,5
X3	17	W	xxxx	L/R	S	262	135	5	4	11	xxxx	L/R	S	248	135	5	4	8,5
CANNONDALE																		
400 c.c.																		400 c.c.
FX	01	Q	ND / NA	L/R	S	165	51	4,4	4	8,5	ND / NA	-	S	218,5	110,5	4,4	4	8,5
440 c.c.																		440 c.c.
BLAZE	02	Q	ND / NA	L/R	S	165	51	4,4	4	8,5	ND / NA	-	S	218,5	110,5	4,4	4	8,5
CANNIBAL	02	Q	ND / NA	L/R	S	165	51	4,4	4	8,5	ND / NA	-	S	218,5	110,5	4,4	4	8,5
GLAMIS	03	W	ND / NA	L/R	S	165	51	4,4	4	8,5	ND / NA	-	S	218,5	110,5	4,4	4	8,5
MOTO	02	Q	ND / NA	L/R	S	165	51	4,4	4	8,5	ND / NA	-	S	218,5	110,5	4,4	4	8,5
SPEED	02	Q	ND / NA	L/R	S	165	51	4,4	4	8,5	ND / NA	-	S	218,5	110,5	4,4	4	8,5
CF MOTO																		
400 c.c.																		400 c.c.
CFORCE 450S T3	17	Q	1668G	L/R	F22,0	220	72	3,5	4	10,5	1669	-	S	150	44,3	7,5	4	6,5
CFORCE 450S TRACTOR	17	Q	1668G	L/R	F22,0	220	72	3,5	4	10,5	1669	-	S	150	44,3	7,5	4	6,5
CFORCE 450S / L	17	Q	1668G	L/R	F22,0	220	72	3,5	4	10,5	1669	-	S	150	44,3	7,5	4	6,5
CFORCE HO EPS	16	Q	1668G	L/R	F22,0	220	72	3,5	4	10,5	1669	-	S	150	44,3	7,5	4	6,5
500 c.c.																		500 c.c.
CFORCE 520 S / L EPS	17	Q	1668G	L/R	F22,0	220	72	3,5	4	10,5	1669	-	S	150	44,3	7,5	4	6,5
CFORCE 550	17	Q	1668G	L/R	F22,0	220	72	3,5	4	10,5	1669	-	S	150	44,3	7,5	4	6,5
CFORCE 550 T3	17	Q	1668G	L/R	F22,0	220	72	3,5	4	10,5	1669	-	S	150	44,3	7,5	4	6,5
CFORCE 550 TRACTOR	17	Q	1668G	L/R	F22,0	220	72	3,5	4	10,5	1669	-	S	150	44,3	7,5	4	6,5
CFORCE HO EPS	16/17	Q	1668G	L/R	F22,0	220	72	3,5	4	10,5	1669	-	S	150	44,3	7,5	4	6,5
800 c.c.																		800 c.c.
CFORCE 820 LE	17	Q	1668G	L/R	F22,0	220	72	3,5	4	10,5	1669	-	S	150	44,3	7,5	4	6,5

FRONT										REAR							
																	
YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø
CFORCE 820 L	17	Q	1668G	L/R F22,0	220	72	3,5	4	10,5	1669	-	S	150	44,3	7,5	4	6,5
CFORCE EPS	16	Q	1668G	L/R F22,0	220	72	3,5	4	10,5	1669	-	S	150	44,3	7,5	4	6,5
CFORCE L	17	Q	1668G	L/R F22,0	220	72	3,5	4	10,5	1669	-	S	150	44,3	7,5	4	6,5
1000 c.c.																	
SSV TYPE																	
500 c.c.																	
UFORCE 550	17	W	-	L/R -	-	-	-	-	-	-	L/R	S	-	-	-	-	-
ZFORCE 550 / EX	16	W	-	L/R -	-	-	-	-	-	-	-	S	-	-	-	-	-
ZFORCE / TRAIL	16	W	-	L/R -	-	-	-	-	-	-	L/R	S	-	-	-	-	-
800 c.c.																	
UFORCE	17	W	-	L/R	-	-	-	-	-	-	L/R	S	-	-	-	-	-
Z FORCE / EPS / TRAIL	16/17	W	-	L/R -	-	-	-	-	-	-	-	S	-	-	-	-	-
Z FORCE EPS / EX EPS	16	W	-	L/R -	-	-	-	-	-	-	-	S	-	-	-	-	-
Z FORCE EX	16/17	W	-	L/R -	-	-	-	-	-	-	L/R	S	-	-	-	-	-
1000 c.c.																	
Z FORCE EX	16/17	W	-	L/R S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
Z FORCE Z8	13	W	-	L/R F22,0	220	72	3,5	4	10,5	-	-	S	-	-	-	-	-
CPI																	
50 c.c.																	
50	-	Q	-	-	-	-	-	-	-	1408X	-	S	190	36	3,5	4	6,5
SX	-	Q	-	-	-	-	-	-	-	1408X	-	S	190	36	3,5	4	6,5
90 c.c.																	
90	-	Q	-	-	-	-	-	-	-	1408X	-	S	190	36	3,5	4	6,5
110 c.c.																	
SSX REVERSE	-	Q	-	-	-	-	-	-	-	1408X	-	S	190	36	3,5	4	6,5
DAELIM																	
300 c.c.																	
ET	12	Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DDR																	
50 c.c.																	
DRX2	-	Q	1415X	L/R S	165	59,2	3,5	3	10,5	1416X	-	S	180	41,2	4,0	3	10,5
70 c.c.																	
DRX2	-	Q	1415X	L/R S	165	59,2	3,5	3	10,5	1416X	-	S	180	41,2	4,0	3	10,5
90 c.c.																	
DRX2	-	Q	1415X	L/R S	165	59,2	3,5	3	10,5	1416X	-	S	180	41,2	4,0	3	10,5
GAS GAS																	
50 c.c.																	
WILD H.P.	02/07	Q	815 / 816	L/R T	178	54	5,0	3	10,5	817	-	T	220	108	4,5	6	10,5
125 c.c.																	
H.P.	07/08	Q	815 / 816	L/R T	178	54	5,0	3	10,5	817	-	T	220	108	4,5	6	10,5
200 c.c.																	
H.P.	08	Q	815 / 816	L/R T	178	54	5,0	3	10,5	817	-	T	220	108	4,5	6	10,5
240 c.c.																	
WILD H.P.	03/05	Q	815 / 816	L/R T	178	54	5,0	3	10,5	817	-	T	220	108	4,5	6	10,5
250 c.c.																	
KS RV	06	Q	815 / 816	L/R T	178	54	5,0	3	10,5	817	-	T	220	108	4,5	6	10,5
WILD H.P.	02/08	Q	815 / 816	L/R T	178	54	5,0	3	10,5	817	-	T	220	108	4,5	6	10,5
300 c.c.																	
WILD H.P.	02/05	Q	815 / 816	L/R T	178	54	5,0	3	10,5	817	-	T	220	108	4,5	6	10,5
WILD H.P. REVERSE	06	Q	815 / 816	L/R T	178	54	5,0	3	10,5	817	-	T	220	108	4,5	6	10,5
450 c.c.																	
H.P.	02/09	Q	815 / 816	L/R T	178	54	5,0	3	10,5	817	-	T	220	108	4,5	6	10,5
500 c.c.																	
WILD H.P.	05	Q	815 / 816	L/R T	178	54	5,0	3	10,5	817	-	T	220	108	4,5	6	10,5
515 c.c.																	
WILD H.P.	08/09	Q	815 / 816	L/R T	178	54	5,0	3	10,5	817	-	T	220	108	4,5	6	10,5
GOES																	
450 c.c.																	
450	07/09	Q	1406X	L/R S	170	48	4,0	3	10,5	1407X	-	S	240	108	4,0	4	10,5
HONDA																	
250 c.c.																	
ATC R - 3 WHEELERS	81/82	Q	651 / 651X	L/R S	173,5	53,2	3,0	3	10,5	-	-	-	-	-	-	-	-
TRX	06	Q	651 / 651X	L/R S	173,5	53,2	3,0	3	10,5	1016	-	S	190	72	4,0	3	10,5


																																					
FRONT																		REAR																			
YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø																				
TRX EX FOURTRAX	01/12	Q	651 / 651X	L/R	S	173,5	53,2	3,0	3	10,5	-	-	-	-	-	-	-																				
TRX R	86/13	Q	651 / 651X	L/R	S	173,5	53,2	3,0	3	10,5	1038	-	S	190	72	4,0	4	10,5																			
TRX R FOURTRAX	88/89	Q	651 / 651X	L/R	S	173,5	53,2	3,0	3	10,5	-	-	-	-	-	-	-																				
TRX X	86/13	Q	651 / 651X	L/R	S	173,5	53,2	3,0	3	10,5	1038	-	S	190	72	4,0	4	10,5																			
TRX X FOURTRAX	87/92	Q	651 / 651X	L/R	S	173,5	53,2	3,0	3	10,5	1098	-	S	220	60	4,0	3	8,5																			
300 c.c.																		300 c.c.																			
TRX X	09/11	Q	651 / 651X	L/R	S	173,5	53,2	3,0	3	10,5	1098	-	S	220	60	4,0	3	8,5																			
TRX EX	93/08	Q	651 / 651X	L/R	S	173,5	53,2	3,0	3	10,5	1038	-	S	190	72	4,0	4	10,5																			
TRX EX FOURTRAX	93/12	Q	651 / 651X	L/R	S	173,5	53,2	3,0	3	10,5	1098	-	S	220	60	4,0	3	8,5																			
TRX EX SPORTRAX	01	Q	-	-	-	-	-	-	-	1098	-	S	220	60	4,0	3	8,5																				
400 c.c.																		400 c.c.																			
TRX EX	99/08	Q	651 / 651X	L/R	S	173,5	53,2	3,0	3	10,5	101 / 101X	-	S	220	105	5,0	4	10,5																			
TRX EX FOURTRAX	99/07	Q	651 / 651X	L/R	S	173,5	53,2	3,0	3	10,5	101 / 101X	-	S	220	105	5,0	4	10,5																			
TRX EX SPORTRAX	99/06	Q	651 / 651X	L/R	S	173,5	53,2	3,0	3	10,5	101 / 101X	-	S	220	105	5,0	4	10,5																			
TRX X	09/13	Q	651 / 651X	L/R	S	173,5	53,2	3,0	3	10,5	101 / 101X	-	S	220	105	5,0	4	10,5																			
HONDA																		HONDA																			
420 c.c.																		420 c.c.																			
TRX MODELS																																					
2WD FOURTRAX ES	07/09	Q	1396X	L/R	S	185	75,3	4,2	4	10,5	-	-	-	-	-	-	-																				
4WD FOURTRAX AUTO	07/11	Q	1396X	L/R	S	185	75,3	4,2	4	10,5	1028	-	S	170	46	6,0	5	6,5																			
4WD FOURTRAX ES	07/11	Q	1396X	L/R	S	185	75,3	4,2	4	10,5	-	-	-	-	-	-	-																				
FOURTRAX A.P. STEERING	09/11	Q	1396X	L/R	S	185	75,3	4,2	4	10,5	1028	-	S	170	46	6,0	5	6,5																			
TRX	07/11	Q	1396X	L/R	S	185	75,3	4,2	4	10,5	-	-	-	-	-	-	-																				
450 c.c.																		450 c.c.																			
TRX ER	04/12	Q	651 / 651X	L/R	S	173,5	53,2	3,0	3	10,5	1016	-	S	190	72	4,0	3	10,5																			
TRX R	04/12	Q	651 / 651X	L/R	S	173,5	53,2	3,0	3	10,5	1016	-	S	190	72	4,0	3	10,5																			
650 c.c.																		650 c.c.																			
RINCON	-	Q	Drum	-	-	-	-	-	-	1028	-	S	170	46	6,0	5	6,5																				
TRX RINCON	03/06	Q	Drum	-	-	-	-	-	-	1028	-	S	170	46	6,0	5	6,5																				
680 c.c.																		680 c.c.																			
RINCON Efi	06/12	Q	1027	L/R	S	180	75	4,0	4	10,5	1028	-	S	170	46	6,0	5	6,5																			
700 c.c.																		700 c.c.																			
TRX XX	08/12	Q	651 / 651X	L/R	S	173,5	53,2	3,0	3	10,5	-	-	-	-	-	-	-																				
HYOSUNG																		HYOSUNG																			
450 c.c.																		450 c.c.																			
TE RAPIER	06/09	Q	1406X	L/R	S	170	48	4,0	3	10,5	1407X	-	S	240	108	4,0	4	10,5																			
KAWASAKI																		KAWASAKI																			
220 c.c.																		220 c.c.																			
KLF A	01/02	Q	053	L/R	S	200	80	3,5	3	10,5	-	-	-	-	-	-	-																				
250 c.c.																		250 c.c.																			
KFX MOJAVE	04	Q	-	-	-	-	-	-	-	1423X	-	S	235	-	4,7	4	11,5																				
KSF A1-A18 MOJAVE	87/04	Q	490	L/R	S	169	50	3,5	3	10,5	1423X	-	S	235	-	4,7	4	11,5																			
KXF A1 / A2 TECATE	87/88	Q	490	L/R	S	169	50	3,5	3	10,5	-	-	-	-	-	-	-																				
300 c.c.																		300 c.c.																			
LAKOTA UTILITY	95/00	Q	490	L/R	S	169	50	3,5	3	10,5	1423X	-	S	235	-	4,7	4	11,5																			
KEF A1-A6 LAKOTA	95/00	Q	490	L/R	S	169	50	3,5	3	10,5	1423X	-	S	235	-	4,7	4	11,5																			
KEF LAKOTA SPORT	01/03	Q	490	L/R	S	169	50	3,5	3	10,5	1423X	-	S	235	-	4,7	4	11,5																			
KLF B1-17 BAYOU	88/04	Q	490	L/R	S	169	50	3,5	3	10,5	-	-	-	-	-	-	-																				
KLF C1-C17 BAYOU 4x4	89/05	Q	053	L/R	S	200	80	3,5	3	10,5	-	-	-	-	-	-	-																				
KVF BRUTE FORCE	12/17	Q	1507 / 1507X	L/R	MD	180	58	4,0	3	MH	1507 / 1507X	-	MD	180	58	4,0	3	MH																			
KVF PRAIRIE 2x4	99/02	Q	053	L/R	S	200	80	3,5	3	10,5	-	-	-	-	-	-	-																				
KVF PRAIRIE 4x4	99/02	Q	053	L/R	S	200	80	3,5	3	10,5	-	-	-	-	-	-	-																				
360 c.c.																		360 c.c.																			
KVF4x4 HARDWOODS HD	03/11	Q	1062 / 1062X	L/R	S	200	84	3,5	4	10,5	Drum	-	-	-	-	-	-																				
KVF B1-B4 2x4 PRAIRIE	99/02	Q	1062 / 1062X	L/R	S	200	84	3,5	4	10,5	Drum	-	-	-	-	-	-																				
400 c.c.																		400 c.c.																			
KFX	03	Q	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	043 / 043X	-	S	220	105	4,0	4	10,5																			
KFX	04/05	Q	053	L/R	S	200	80	3,5	3	10,5	043 / 043X	-	S	220	105	4,0	4	10,5																			
KLF B1-B7 BAYOU 4x4	93/99	Q	053	L/R	S	200	80	3,5	3	10,5	-	-	-	-	-	-	-																				



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø
KVF PRAIRIE 2x4	99/02	Q	053	L/R	S	200	80	3,5	3	10,5	-	-	-	-	-	-	-	-
KVF PRAIRIE 4x4	99/02	Q	053	L/R	S	200	80	3,5	3	10,5	-	-	-	-	-	-	-	-
KVF PRAIRIE A1/A2/B1	97/98	Q	053	L/R	S	200	80	3,5	3	10,5	-	-	-	-	-	-	-	-
400 c.c.																		
LT Z	03	Q	-	-	-	-	-	-	-	-	043 / 043X	-	S	220	105	4,0	4	10,5
450 c.c.																		
KFX R	08/14	Q	1520	L/R	S	163	51	3,5	4	10,5	1521	R	S	200	70	3,5	4	10,5
650 c.c.																		
KVF BRUTE FORCE 4x4	05/11	Q	1062 / 1062X	L/R	S	200	84	3,5	4	10,5	-	-	-	-	-	-	-	-
KVF BRUTE FORCE HARD.	05/13	Q	1062 / 1062X	L/R	S	200	84	3,5	4	10,5	-	-	-	-	-	-	-	-
KVF FCF	12/14	Q	1062 / 1062X	L/R	S	200	84	3,5	4	10,5	-	-	-	-	-	-	-	-
KVF PRAIRIE	02/03	Q	1062 / 1062X	L/R	S	200	84	3,5	4	10,5	-	-	-	-	-	-	-	-
700 c.c.																		
BRUTE FORCE 4x4 i EPS	13/17	Q	-	L/R	S	200	-	-	-	-	-	-	-	-	-	-	-	-
KFX	03	Q	1520	L/R	S	163	51	3,5	4	10,5	-	-	-	-	-	-	-	-
KAWASAKI																		
700 c.c.																		
KFX - KSV	04/11	Q	1520	L/R	S	163	51	3,5	4	10,5	-	-	-	-	-	-	-	-
KSV A1	04/11	Q	1520	L/R	S	163	51	3,5	4	10,5	Drum	-	-	-	-	-	-	-
KVF	06/07	Q	1062 / 1062X	L/R	S	200	84	3,5	4	10,5	Drum	-	-	-	-	-	-	-
KVF A1-B1 4x4 PRAIRIE	04/08	Q	1062 / 1062X	L/R	S	200	84	3,5	4	10,5	Drum	-	-	-	-	-	-	-
KVF A2-A9	04/09	Q	1062 / 1062X	L/R	S	200	84	3,5	4	10,5	Drum	-	-	-	-	-	-	-
KVF B2-B9	04/09	Q	1062 / 1062X	L/R	S	200	84	3,5	4	10,5	Drum	-	-	-	-	-	-	-
KVF D1 TEAM GREEN	05/06	Q	1062 / 1062X	L/R	S	200	84	3,5	4	10,5	Drum	-	-	-	-	-	-	-
750 c.c.																		
KRF A8F / B8F TERYX 4x4	08/10	Q	1411X	L/R	S	200	84	5,0	4	10,5	-	-	-	-	-	-	-	-
KRF D8F TERYX 4x4 LE	08/10	Q	1411X	L/R	S	200	84	5,0	4	10,5	-	-	-	-	-	-	-	-
KRF F8F TERYX	08/10	Q	1411X	L/R	S	200	84	5,0	4	10,5	-	-	-	-	-	-	-	-
KRF G9F / NAF / NBF	09/13	Q	1411X	L/R	S	200	84	5,0	4	10,5	-	-	-	-	-	-	-	-
KRF J9FA TERYX Fi 4x4 LE	09/13	Q	1411X	L/R	S	200	84	5,0	4	10,5	-	-	-	-	-	-	-	-
KRF LE SPORT	10/13	Q	1411X	L/R	S	200	84	5,0	4	10,5	-	-	-	-	-	-	-	-
KRF NDF TERYX Fi	09/13	Q	1411X	L/R	S	200	84	5,0	4	10,5	-	-	-	-	-	-	-	-
KRF RDF TERYX Fi 4x4 LE	09/13	Q	1411X	L/R	S	200	84	5,0	4	10,5	-	-	-	-	-	-	-	-
KRF RUV TERYX NRA	08/10	Q	1411X	L/R	S	200	84	5,0	4	10,5	-	-	-	-	-	-	-	-
KRF NAF RUV TERYX 4x4	08/10	Q	1411X	L/R	S	200	84	5,0	4	10,5	-	-	-	-	-	-	-	-
KRF PAF RUV TERYX 4x4 LE	08/10	Q	1411X	L/R	S	200	84	5,0	4	10,5	-	-	-	-	-	-	-	-
KRF SAF RUV TERYX 4x4	10/13	Q	1411X	L/R	S	200	84	5,0	4	10,5	-	-	-	-	-	-	-	-
KRF TAF TERYX 4x4 Fi SGE	10/11	Q	1411X	L/R	S	200	84	5,0	4	10,5	-	-	-	-	-	-	-	-
KRF VBF TERYX 4x4 Fi SGE	10/11	Q	1411X	L/R	S	200	84	5,0	4	10,5	-	-	-	-	-	-	-	-
KVF D8F / D9F / DBF	08/11	Q	1062 / 1062X	L/R	S	200	84	3,5	4	10,5	-	-	-	-	-	-	-	-
KVF BRUTE FORCE i EPS	12/17	Q	1062 / 1062X	L/R	S	200	84	3,5	4	10,5	-	-	-	-	-	-	-	-
KVF BRUTE FORCE i EPS	14	Q	1411X	L/R	S	200	84	5,0	4	10,5	-	-	-	-	-	-	-	-
SSV TYPE																		
812 c.c.																		
MULE MODELS																		
PRO-FX	16/18	W	-	L/R	-	-	-	-	-	-	-	L/R	-	-	-	-	-	-
PRO-FX EPS	16/18	W	-	L/R	-	-	-	-	-	-	-	L/R	-	-	-	-	-	-
PRO-FX EPS CAMO	16/17	W	-	L/R	-	-	-	-	-	-	-	L/R	-	-	-	-	-	-
PRO-FX EPS LE	16/18	W	-	L/R	-	-	-	-	-	-	-	L/R	-	-	-	-	-	-
PRO-FX R. EDITION	17	W	-	L/R	-	-	-	-	-	-	-	L/R	-	-	-	-	-	-
PRO-FXR	18	W	-	L/R	-	-	-	-	-	-	-	L/R	-	-	-	-	-	-
PRO-FXT	15/18	W	-	L/R	-	-	-	-	-	-	-	L/R	-	-	-	-	-	-
PRO-FXT CAMO	15/18	W	-	L/R	-	-	-	-	-	-	-	L/R	-	-	-	-	-	-
PRO-FXT EPS	15/18	W	-	L/R	-	-	-	-	-	-	-	L/R	-	-	-	-	-	-
PRO-FXT EPS LE	15/18	W	-	L/R	-	-	-	-	-	-	-	L/R	-	-	-	-	-	-
PRO-FXT R. EDITION	16/18	W	-	L/R	-	-	-	-	-	-	-	L/R	-	-	-	-	-	-
1000 c.c.																		
MULE DX EPS LE / DIESEL	16/17	W	-	L/R	-	-	-	-	-	-	-	L/R	-	-	-	-	-	-
MULE PRO-DX DIESEL	16/17	W	-	L/R	-	-	-	-	-	-	-	L/R	-	-	-	-	-	-



	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø
MULE PRO-DX DIESEL	16/17	W	-	L/R	-	-	-	-	-	-	-	L/R	-	-	-	-	-	-
MULE PRO-DX EPS / DIESEL	16/17	W	-	L/R	-	-	-	-	-	-	-	L/R	-	-	-	-	-	-
MULE PRO-DXT / DIESEL	16/17	W	-	L/R	-	-	-	-	-	-	-	L/R	-	-	-	-	-	-
MULE PRO-DXT	16/17	W	-	L/R	-	-	-	-	-	-	-	L/R	-	-	-	-	-	-
MULE PRO-DXT EPS	16/17	W	-	L/R	-	-	-	-	-	-	-	L/R	-	-	-	-	-	-
MULE PRO-DXT DIESEL	16/17	W	-	L/R	-	-	-	-	-	-	-	L/R	-	-	-	-	-	-
MULE PRO-DXT EPS LE	16/17	W	-	L/R	-	-	-	-	-	-	-	L/R	-	-	-	-	-	-
KTM																		
450 c.c.																		
SX	08/13	Q	1111X	L/R	F00,0	180	63,5	4,0	4	8,5	1112	-	S	200	76	4,0	4	10,5
XC	08/13	Q	1111X	L/R	F00,0	180	63,5	4,0	4	8,5	1112	-	S	200	76	4,0	4	10,5
505 c.c.																		
SX	08/13	Q	1111X	L/R	F00,0	180	63,5	4,0	4	8,5	1112	-	S	200	76	4,0	4	10,5
KTM																		
525 c.c.																		
XC	08/13	Q	1111X	L/R	F00,0	180	63,5	4,0	4	8,5	1112	-	S	200	76	4,0	4	10,5
KYMCO																		
50 c.c.																		
MAXXER	17	Q	Drum	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-
MXER	00/07	Q	Drum	-	-	-	-	-	-	-	1507 / 1507X	-	MD	180	58	4,0	3	MH
MXU / MXU REVERSE	05/17	Q	Drum	-	-	-	-	-	-	-	1507 / 1507X	-	MD	180	58	4,0	3	MH
90 c.c.																		
KXR / S MONGOOSE	04/15	Q	Drum	-	-	-	-	-	-	-	1507 / 1507X	-	MD	180	58	4,0	3	MH
MAXXER	05/06	Q	Drum	-	-	-	-	-	-	-	1507 / 1507X	-	MD	180	58	4,0	3	MH
125 c.c.																		
MXER	02/07	Q	Drum	-	-	-	-	-	-	-	1011 / 1011X	-	S	180	58	4,0	3	10,5
MXER	02/07	Q									1507 / 1507X	-	MD	180	58	4,0	3	MH
150 c.c.																		
MXU	05/17	Q	Drum	-	-	-	-	-	-	-	1011 / 1011X	-	S	180	58	4,0	3	10,5
MXU	05/17	Q									1507 / 1507X	-	MD	180	58	4,0	3	MH
MXER	02/07	Q	Drum	-	-	-	-	-	-	-	1011 / 1011X	-	S	180	58	4,0	3	10,5
MXER	02/07	Q									1507 / 1507X	-	MD	180	58	4,0	3	MH
250 c.c.																		
KXR MONGOOSE	04/09	Q	1507 / 1507X	L/R	MD	180	58	4,0	3	MH	1012 / 1012X	-	S	220	88	4,0	5	10,5
KXR SPORT	04	Q	1507 / 1507X	L/R	MD	180	58	4,0	3	MH	1012 / 1012X	-	S	220	88	4,0	5	10,5
MAXXER	06/13	Q	1507 / 1507X	L/R	MD	180	58	4,0	3	MH	1507 / 1507X	-	MD	180	58	4,0	3	MH
MXU	04/13	Q	1507 / 1507X	L/R	MD	180	58	4,0	3	MH	1012 / 1012X	-	S	220	88	4,0	5	10,5
MXU	17	Q	1507 / 1507X	L/R	MD	180	58	4,0	3	MH	-	-	S	180	-	-	-	-
MXU R	12/13	Q	1507 / 1507X	L/R	MD	180	58	4,0	3	MH	1507 / 1507X	-	MD	180	58	4,0	3	MH
URBAN QUAD	06	Q	1507 / 1507X	L/R	MD	180	58	4,0	3	MH	1012 / 1012X	-	S	220	88	4,0	5	10,5
300 c.c.																		
MAXXER	06/13	Q	1507 / 1507X	L/R	MD	180	58	4,0	3	MH	1012 / 1012X	-	S	220	88	4,0	5	10,5
MONGOOSE	06/14	Q	1507 / 1507X	L/R	MD	180	58	4,0	3	MH	1012 / 1012X	-	S	220	88	4,0	5	10,5
MXU	06/11	Q	1507 / 1507X	L/R	MD	180	58	4,0	3	MH	1012 / 1012X	-	S	220	88	4,0	5	10,5
MXU R	10/17	Q	1507 / 1507X	L/R	MD	180	58	4,0	3	MH	1012 / 1012X	-	S	220	88	4,0	5	10,5
375 c.c.																		
MAXXER 4x4 IRS	10/12	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
MAXXER 4x4 IRS	10/12	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
MXU 4x4 IRS	08/12	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
MXU 4x4 IRS	08/12	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
400 c.c.																		
MAXXER / PARKING BRAKE	09/10	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
MAXXER / PARKING BRAKE	09/10	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
MXU / PARKING BRAKE	08/17	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
MXU / PARKING BRAKE	08/17	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
450 c.c.																		
MAXXER 4x4 IRS	11/14	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
MAXXER 4x4 IRS	11/14	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
MAXXER i	18	Q	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
MAXXER i / PARKING BRAKE	09/15	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5

																																								
		YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLE Ø																					
MAXXER i / PARKING BRAKE		09/15	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5																					
MXU		08/17	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5																					
MXU		08/17	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5																					
MXU PARKING BRAKE		08/17	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5																					
MXU PARKING BRAKE		08/17	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5																					
MXU i / MXU IRS LE		08/17	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5																					
MXU i / MXU IRS LE		08/17	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5																					
UXV i		17/18	Q	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-																					
500 c.c.		500 c.c.																																						
MXU		05/09	Q	1507 / 1507X	L/R	MD	180	58	4,0	3	MH	1261	-	S	220	79	4,0	4	10,5																					
MXU IRS		06	Q	1507 / 1507X	L/R	MD	180	58	4,0	3	MH	-	-	-	-	-	-	-	-																					
KYMCO																																								
500 c.c.		500 c.c.																																						
MTU		09/13	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5																					
MTU		09/13	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5																					
MXU 4x4 CARB MODELS		07/09	Q	1384X	L/R	S	202	95	3,5	4	8,5	-	-	-	-	-	-	-	-																					
MXU 4x4 CARB MODELS		07/09	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	-																					
MXU 4x4 IRS CARB MODELS		10/11	Q	1384X	L/R	S	202	95	3,5	4	8,5	-	-	-	-	-	-	-	-																					
MXU 4x4 IRS CARB MODELS		10/11	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	-																					
MXU DX		09/13	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5																					
MXU DX PARKING BRAKE		09/13	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5																					
MXU DX PARKING BRAKE		09/13	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5																					
MXU i / DX		09/13	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5																					
MXU IRS / PARKING BRAKE		09/14	Q	1384X	L/R	S	202	95	3,5	4	8,5	-	-	-	-	-	-	-	-																					
MXU IRS / PARKING BRAKE		09/14	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	-																					
MXU IRIS / MXU i DX		17	Q	-	L/R	S	190	-	-	-	-	-	S	200	-	-	-	-	-																					
UTV i 4x4		10/17	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5																					
UTV i 4x4		10/17	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5																					
UTV BULL 4x4		10/13	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5																					
UTV BULL 4x4		10/13	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5																					
UXV i 4x4		08/17	Q	1384X	L/R	S	202	95	3,5	4	8,5	1658X	-	S	200	54,2	5,0	5	10,5																					
UXV i 4x4		08/17	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	-																					
UXV i 4x4 G TURF		15	Q	1384X	L/R	S	202	95	3,5	4	8,5	1658X	-	S	200	54,2	5,0	5	10,5																					
UXV i 4x4 G TURF		15	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	-																					
UXV i 4x4 HE		14	Q	1384X	L/R	S	202	95	3,5	4	8,5	1658X	-	S	200	54,2	5,0	5	10,5																					
UXV i 4x4 HE		14	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	-																					
UXV i 4x4 LE		12/15	Q	1384X	L/R	S	202	95	3,5	4	8,5	1658X	-	S	200	54,2	5,0	5	10,5																					
UXV i 4x4 LE		12/15	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	-																					
UXV i 4x4 SE		12/13	Q	1384X	L/R	S	202	95	3,5	4	8,5	1658X	-	S	200	54,2	5,0	5	10,5																					
UXV i 4x4 SE		12/13	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	-																					
UXV i 4x4 SP		13/14	Q	1384X	L/R	S	202	95	3,5	4	8,5	1658X	-	S	200	54,2	5,0	5	10,5																					
UXV i 4x4 SP		13/14	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	-																					
UXV i 4x4 TURF		14/15	Q	1384X	L/R	S	202	95	3,5	4	8,5	1658X	-	S	200	54,2	5,0	5	10,5																					
UXV i 4x4 TURF		14/15	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	-																					
550 c.c.		550 c.c.																																						
MXU i / PARKING BRAKE		12/17	Q	1384X	L/R	S	202	95	3,5	4	8,5	-	-	S	200	-	-	-	-																					
MXU i / PARKING BRAKE		12/17	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	-																					
MXU i / MXU i EX		12/17	Q	1384X	L/R	S	202	95	3,5	4	8,5	-	-	S	200	-	-	-	-																					
MXU i / MXU i EX		12/17	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	-																					
MXU i LOF / PARKING BRAKE		13/15	Q	1384X	L/R	S	202	95	3,5	4	8,5	-	-	S	-	-	-	-	-																					
MXU i LOF / PARKING BRAKE		13/15	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	-	-	-	-	-	-	-	-																					
700 c.c.		700 c.c.																																						
MTU		09/13	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5																					
MTU		09/13	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5																					
SSV TYPE																																								
450 c.c.		450 c.c.																																						



UXV i	15	W	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
500 c.c.																		500 c.c.
UXV i 4x4 SIDE x SIDE	08/15	W	-	L/R	S	-	-	-	-	-	-	1658X	-	S	200	54,2	5,0	5 10,5
700 c.c.																		700 c.c.
MTU	09/13	W	1384X	L/R	S	202	95	3,5	4	8,5	1384X	L/R	S	202	95	3,5	4	8,5
MTU	09/13	W	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	L/R	S	202	95	4,0	4	8,5
MXU i 4x4 ESENTIAL	18	W	1384X	L/R	S	202	95	3,5	4	8,5	-	L/R	S	200	-	-	-	-
MXU i 4x4 EX	18	W	1384X	L/R	S	202	95	3,5	4	8,5	-	L/R	S	200	-	-	-	-
MXU i 4x4 LOF / i EPS	13/17	W	1384X	L/R	S	202	95	3,5	4	8,5	-	L/R	S	200	-	-	-	-
450 c.c.																		450 c.c.
MXU i 4x4 LOF / i EPS	13/17	W	1483X / 1483	L/R	S	202	95	4,0	4	8,5								
KYMCO																		
SSV TYPE																		
MXU i 4x4 LOF P. BRAKE	13/17	W	1384X	L/R	S	202	95	3,5	4	8,5	-	L/R	S	200	-	-	-	-
MXU i 4x4 LOF P. BRAKE	13/17	W	1483X / 1483	L/R	S	202	95	4,0	4	8,5								
UXV i TURF / P. BRAKE	14/17	W	1384X	L/R	S	202	95	3,5	4	8,5	-	L/R	S	200	-	-	-	-
UXV i TURF / P. BRAKE	14/17	W	1483X / 1483	L/R	S	202	95	4,0	4	8,5								
MASSEY - FERGUSON																		
MASSEY - FERGUSON																		
250 c.c.																		250 c.c.
MF 2WD / 4WD	04	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
MF 2WD / 4WD	04	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
300 c.c.																		300 c.c.
MF 2WD / 4WD	04	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
MF 2WD / 4WD	04	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
400 c.c.																		400 c.c.
MF 4WD / AUTO 4WD	05/09	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
MF 4WD / AUTO 4WD	05/09	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
500 c.c.																		500 c.c.
MF 4WD / AUTO	05/09	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
MF 4WD / AUTO	05/09	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
TBX AUTO	05/09	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
TBX AUTO	05/09	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
650 c.c.																		650 c.c.
MF / MF 4WD AUTO	05/09	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
MF / MF 4WD AUTO	05/09	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
700 c.c.																		700 c.c.
MF 2D / MF 4WD AUTO	05/08	Q	1384X	L/R	S	202	95	3,5	4	8,5	1384X	-	S	202	95	3,5	4	8,5
MF 2D / MF 4WD AUTO	05/08	Q	1483X / 1483	L/R	S	202	95	4,0	4	8,5	1483X / 1483	-	S	202	95	4,0	4	8,5
MASSIMO MOTOR																		
MASSIMO MOTOR																		
400 c.c.																		400 c.c.
MSU	-	Q	1412X	L/R	S	200	72	3,5	4	10,5	1413X	-	S	165	46	5,0	6	7,5
700 c.c.																		700 c.c.
MSU / MSU-4	-	Q	1412X	L/R	S	200	72	3,5	4	10,5	1413X	-	S	165	46	5,0	6	7,5
POLARIS																		
POLARIS																		
200 c.c.																		200 c.c.
PHOENIX	05/14	Q	-	L/R	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-
PHOENIX	05/09	Q	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
PHOENIX	10/17	Q	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-	-
250 c.c.																		250 c.c.
2x4 / 4x4	90	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	-	-	-	-	-	-	-	-
BIG BOSS MODELS																		
4x6 M. AXLE BRAKE	89/92	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	-	-	-	-	-	-	-	-
6x6	91	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	-	-	-	-	-	-	-	-
6x6 M. AXLE BRAKE	91/93	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	-	-	-	-	-	-	-	-
TRAIL BLAZER	99/04	Q	1207	L/R	S	180	73	4,0	4	8,5	493 / 493X	-	S	177,5	51,5	4,5	3	10,5
TRAIL BLAZER	05/06	Q	-	-	-	-	-	-	-	-	1215	-	S	203	83,5	4,0	3	8,5
TRAIL BLAZER FREEDOM	01/04	Q	1207	L/R	S	180	73	4,0	4	8,5	493 / 493X	-	S	177,5	51,5	4,5	3	10,5
XPLORER 4x4	00	Q	1207	L/R	S	180	73	4,0	4	8,5	-	-	-	-	-	-	-	-
300 c.c.																		300 c.c.
BIG BOSS 6x6 M. AXLE	94/02	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	-	-	-	-	-	-	-	-
325 c.c.																		325 c.c.
HAWKEYE 2x4	15	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5



MAGNUM MODELS																		
4x4 / 2x4 ALL MODELS	00/01	Q	492	L/R	S	183	73	4,0	4	8,5	493 / 493X	-	S	177,5	51,5	4,5	3	10,5
4x4 ALL MODELS	02	Q	492	L/R	S	183	73	4,0	4	8,5	1216	-	S	206	89	4,5	4	8,5
4x4 HDS	02	Q	492	L/R	S	183	73	4,0	4	8,5	1216	-	S	206	89	4,5	4	8,5
MOSE 2x4 / 4x4	01	Q	492	L/R	S	183	73	4,0	4	8,5	493 / 493X	-	S	177,5	51,5	4,5	3	10,5
SPORTSMAN ACE	14	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
SPORTMAN ACE Efi	15	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
SPORTSMAN ACE	15	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
SPORTMAN ACE HD	15	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
POLARIS																		
325 c.c.																		
TRAIL BOSS	00/02	Q	1207	L/R	S	180	73	4,0	4	8,5	493 / 493X	-	S	177,5	51,5	4,5	3	10,5
XPEDITION	00	Q	1207	L/R	S	180	73	4,0	4	8,5	493 / 493X	-	S	177,5	51,5	4,5	3	10,5
XPEDITION	02	Q	1207	L/R	S	180	73	4,0	4	8,5	1216	-	S	206	89	4,5	4	8,5
330 c.c.																		
ATP 4x4	04/05	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	1216	-	S	206	89	4,5	4	8,5
MAGNUM 2x4 / HDS	03/06	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	1216	-	S	206	89	4,5	4	8,5
MAGNUM 4x4 / HDS	03/04	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	1216	-	S	206	89	4,5	4	8,5
TRAIL BOSS	03/04	Q	1207	L/R	S	180	73	4,0	4	8,5	493 / 493X	-	S	177,5	51,5	4,5	3	10,5
TRAIL BOSS	05/09	Q	-	-	-	-	-	-	-	-	1215	-	S	203	83,5	4,0	3	8,5
TRAIL BOSS	10/13	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	1215	-	S	203	83,5	4,0	3	8,5
TRAIL BLAZER	08/09	Q	-	-	-	-	-	-	-	-	1215	-	S	203	83,5	4,0	3	8,5
TRAIL BLAZER	10/13	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	1215	-	S	203	83,5	4,0	3	8,5
335 c.c.																		
SPORTSMAN 4x4	99/00	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	-	-	-	-	-	-	-	-
350 c.c.																		
L 4x4	90	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	-	-	-	-	-	-	-	-
BIG BOSS L	93	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	-	-	-	-	-	-	-	-
BIG BOSS L M. AXLE BRAKE	93	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	-	-	-	-	-	-	-	-
SPORTSMAN 4x4	93	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	-	-	-	-	-	-	-	-
TRAIL BOSS L 4x4	91	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	-	-	-	-	-	-	-	-
400 c.c.																		
BIG BOSS L 6x6	94/97	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	-	-	-	-	-	-	-	-
BIG BOSS M. AXLE BR	94/97	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	-	-	-	-	-	-	-	-
HAWKEYE H.O. 2x4	13/14	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	-	-	-	-	-	-	-	-
L 4x4	94	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	-	-	-	-	-	-	-	-
RANGER H0 4x4	10/11	Q	1207	L/R	S	180	73	4,0	4	8,5	-	-	-	-	-	-	-	-
SCRAMBLER L 4x4	95/97	Q	492	L/R	S	183	73	4,0	4	8,5	493 / 493X	-	S	177,5	51,5	4,5	3	10,5
SCRAMBLER 2x4 / 4x4	98/02	Q	1207	L/R	S	180	73	4,0	4	8,5	493 / 493X	-	S	177,5	51,5	4,5	3	10,5
SPORT	99/00	Q	492	L/R	S	183	73	4,0	4	8,5	-	-	-	-	-	-	-	-
SPORT L	94/98	Q	492	L/R	S	183	73	4,0	4	8,5	493 / 493X	-	S	177,5	51,5	4,5	3	10,5
SPORTSMAN	01/05	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	047	-	S	149	61	4,5	8	5,5
SPORTSMAN L 4x4	94/97	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	-	-	-	-	-	-	-	-
SPORTSMAN HO 4x4	11/14	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
TRAIL BLAZER	03	Q	1207	L/R	S	180	73	4,0	4	8,5	493 / 493X	-	S	177,5	51,5	4,5	3	10,5
XPLOER / 4x4	01/02	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	-	-	-	-	-	-	-	-
XPLOER L 4x4	95/00	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	-	-	-	-	-	-	-	-
X PRESS L	97	Q	1002	L/R	S	173	-	4,0	4	8,5	-	-	-	-	-	-	-	-
425 c.c.																		
MAGNUM 2x4	95/98	Q	492	L/R	S	183	73	4,0	4	8,5	-	-	-	-	-	-	-	-
MAGNUM 4x4 / 6x6	95/98	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	-	-	-	-	-	-	-	-
MAGNUM 6x6 M. AXLE BRAKE	97	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	-	-	-	-	-	-	-	-
XPEDITION 4x4	00	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	493 / 493X	-	S	177,5	51,5	4,5	3	10,5
450 / 455 c.c.																		
DIESEL	01	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	-	-	-	-	-	-	-	-
DIESEL 4x4 EBS	99/00	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	-	-	-	-	-	-	-	-
OUTLAW MXR	09/10	Q	1476 / 1476X	L/R	S	228	77	4,0	4	8,5	1500 / 1500X	-	S	227,5	142	4,0	4	8,5
OUTLAW S	08	Q	1476 / 1476X	L/R	S	228	77	4,0	4	8,5	-	-	-	-	-	-	-	-
SPORTSMAN	06	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	-	-	-	-	-	-	-	-



MODEL	YEAR	Q	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
SPORTSMAN	07	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
SPORTSMAN 4x4	06/07	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	-	-	-	-	-	-	-	-
500 c.c.																		
ATP HO 4x4	04/05	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	1216	-	S	206	89	4,5	4	8,5
ATV PRO 4x4 PPS	02	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	1216	-	S	206	89	4,5	4	8,5
BIG BOSS 6x6	98/99	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	-	-	-	-	-	-	-	-
BIG BOSS 6x6 M. AXLE BRAKE	98/99	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	-	-	-	-	-	-	-	-
POLARIS																		
500 c.c.																		
MAGNUM	01	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	493 / 493X	-	S	177,5	51,5	4,5	3	10,5
MAGNUM 4x4	99/01	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	493 / 493X	-	S	177,5	51,5	4,5	3	10,5
MAGNUM 2x4 HDS	02	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	1216	-	S	206	89	4,5	4	8,5
MAGNUM 4x4 HDS	02/03	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	1216	-	S	206	89	4,5	4	8,5
OUTLAW	06/07	Q	1476 / 1476X	L/R	S	228	77	4,0	4	8,5	1500 / 1500X	-	S	227,5	142	4,0	4	8,5
PREDATOR	00/03	Q	363	L/R	S	177,8	63,5	4,0	4	8,5	ND / NA	-	S	196	76,5	4,0	4	6,5
PREDATOR / TLD	03/07	Q	1476 / 1476X	L/R	S	228	77	4,0	4	8,5	786	-	S	197	76	4,0	4	8,5
SCRAMBLER 2x4	96/00	Q	492	L/R	S	183	73	4,0	4	8,5	493 / 493X	-	S	177,5	51,5	4,5	3	10,5
SCRAMBLER 2x4	01/02	Q	1207	L/R	S	180	73	4,0	4	8,5	493 / 493X	-	S	177,5	51,5	4,5	3	10,5
SCRAMBLER 2x4	07/08	Q	-	-	-	-	-	-	-	-	1215	-	S	203	83,5	4,0	3	8,5
SCRAMBLER 4x4	98/04	Q	1207	L/R	S	180	73	4,0	4	8,5	493 / 493X	-	S	177,5	51,5	4,5	3	10,5
SCRAMBLER 4x4	05/09	Q	1207	L/R	S	180	73	4,0	4	8,5	1215	-	S	203	83,5	4,0	3	8,5
SCRAMBLER 4x4	10/12	Q	1207	L/R	S	180	73	4,0	4	8,5	-	-	-	-	-	-	-	-
SPORTSMAN MODELS																		
4x4	96/08	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	653 / 653X	-	S	219	105	4,0	4	9,5
6x6	96/08	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	653 / 653X	-	S	219	105	4,0	4	9,5
Efi	07/08	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
Efi QUAD H.O.	08/13	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
Efi TOURING	08/09	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	-	-	-	-	-	-	-	-
FOREST	12	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
H.O.	09/12	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
SPORTSMAN	98/02	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	-	-	-	-	-	-	-	-
SPORTSMAN / H.O.	01/02	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	047	-	S	149	61	4,5	8	5,5
TOURING H.O.	08/13	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
X2	06/08	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
X2 Efi 4x4	07/09	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
WORKER 4x4	98/02	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	-	-	-	-	-	-	-	-
WORKER EBS / RSE	98/02	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	-	-	-	-	-	-	-	-
XPLOER 4x4	97	Q	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	-	-	-	-	-	-	-	-
XP SPORTSMAN	09	Q	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0
525 c.c.																		
OUTLAW S	08/10	Q	1476 / 1476X	L/R	S	228	77	4,0	4	8,5	-	-	S	-	-	-	-	-
OUTLAW IRS	08/11	Q	1476 / 1476X	L/R	S	228	77	4,0	4	8,5	1500 / 1500X	-	S	227,5	142	4,0	4	8,5
550 c.c.																		
SPORTSMAN	11/13	Q	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0
SPORTSMAN Efi XP / EPS	09	Q	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0
SPORTSMAN EPS / X2	10/14	Q	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0
SPORTSMAN FOREST	10/12	Q	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0
SPORTSMAN TOURING EPS	10/14	Q	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0
XP SPORTSMAN EPS	09/11	Q	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0
570 c.c.																		
ACE T3	16/17	Q	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
FOREST TRACTOR Efi	15	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
FOREST TRACTOR EPS	15	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
SPORTSMAN / T3 / EPS	16/17	Q	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
SPORTSMAN EPS T3	16/17	Q	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
SPORTSMAN EPS SP	16/17	Q	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
SPORTSMAN EPS SP T3	16/17	Q	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
SPORTSMAN TOUR. EPS T3	16/17	Q	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-



SPORTSMAN ACE	15	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
SPORTSMAN ACE	15	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
SPORTSMAN Efi	11/13	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
SPORTSMAN TOURING Efi	14	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
SPORTSMAN 6x6 T3	16/17	Q	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-

POLARIS

600 c.c.

SPORTSMAN 4x4	03/05	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	653 / 653X	-	S	219	105	4,0	4	9,5
---------------	-------	---	------------	-----	---	-----	----	-----	---	-----	------------	---	---	-----	-----	-----	---	-----

700 c.c.

SPORTSMAN	01/02	Q	-	-	-	-	-	-	-	-	653 / 653X	-	S	219	105	4,0	4	9,5
SPORTSMAN 4x4 Efi	02/07	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	653 / 653X	-	S	219	105	4,0	4	9,5
SPORTSMAN Efi	02/07	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	653 / 653X	-	S	219	105	4,0	4	9,5
SPORTSMAN MV	05/06	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	653 / 653X	-	S	219	105	4,0	4	9,5
SPORTSMAN X2	08	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5

800 c.c.

SPORTSMAN MODELS

BIG BOSS / Efi 6x6	09/14	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
BIG BOSS Efi	09/14	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
Efi	05/06	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	653 / 653X	-	S	219	105	4,0	4	9,5
Efi	08/13	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
Efi 6x6	09/12	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	-	-	-	-	-	-	-	-
Efi INTL	07/11	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
Efi HO	07/11	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
SPORTSMAN	12/14	Q	1422X	L/R	S	245	134,5	5,0	4	11,0	-	-	S	-	-	-	-	-
TOURING / Efi	08/09	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
TWIN Efi	06	Q	-	-	-	-	-	-	-	-	653 / 653X	-	S	219	105	4,0	4	9,5
X2 Efi	07/09	Q	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5

850 c.c.

EPS / XP SPORTSMAN	09/13	Q	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0
FOREST	15	Q	1422X	L/R	S	245	134,5	5,0	4	11,0	1502X / 1502	-	S	218	105,5	4,7	4	10,5
SCRAMBLER	13/17	Q	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0
SCRAMBLER XP	13/15	Q	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0

SPORTSMAN MODELS

Efi XP	09/11	Q	1422X	L/R	S	245	134,5	5,0	4	11,0	-	-	-	-	-	-	-	-
Efi XP	09/10	Q	-	-	-	-	-	-	-	11,0	1422X	-	S	245	134,5	5,0	4	11,0
FOREST	12	Q	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0
TOURING EPS	10/13	Q	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0
TOURING H.O. EPS	13/14	Q	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0

1000 c.c.

FOREST	15	Q	1422X	L/R	S	245	134,5	5,0	4	11,0	1502X / 1502	-	S	218	105,5	4,7	4	10,5
SCRAMBLER XP	14/17	Q	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0
SCRAMBLER T3 / EPS	16/17	Q	-	L/R	S	-	-	-	-	-	-	L/R	-	-	-	-	-	-

SPORTSMAN MODELS

MD / XP	15	Q	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	L/R	S	245	134,5	5,0	4	11,0
XP EPS / XP EPS T3	16/17	Q	-	L/R	S	-	-	-	-	-	-	L/R	-	-	-	-	-	-
TOURING XP EPS T3	16/17	Q	-	L/R	S	-	-	-	-	-	-	L/R	-	-	-	-	-	-

RANGER SSV TYPE

ELECTRIC

EV	10/14	WV	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
EV AVALANCHE / T3	16/17	WV	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
PPS / PTV 4x4 S 10	-	WV	652 / 652X	L/R	S	227	89	4,0	4	8,5	1216	-	S	206	89	4,5	4	8,5
PPS / PTV 6x6 S 10	-	WV	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	1216	-	S	206	89	4,5	4	8,5

- C.C.

2x4 / 4x4	04/05	W	652 / 652X	L/R	S	227	89	4,0	4	8,5	653 / 653X	-	S	219	105	4,0	4	9,5
6x6	04/05	W	652 / 652X	L/R	S	227	89	4,0	4	8,5	653 / 653X	-	S	219	105	4,0	4	9,5
PPS LUH 6x6	02	W	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	-	-	-	-	-	-	-	-
PPS / 2x4 / 4x6 S 10	-	W	652 / 652X	L/R	S	227	89	4,0	4	8,5	653 / 653X	-	S	219	105	4,0	4	9,5
PPS 2x4 / 4x4 SERIES 11	-	W	652 / 652X	L/R	S	227	89	4,0	4	8,5	653 / 653X	-	S	219	105	4,0	4	9,5



PPS 6x6 SERIES 11	-	W	652 / 652X	L/R	S	227	89	4,0	4	8,5	653 / 653X	-	S	219	105	4,0	4	9,5
SERIES 10	-	W	652 / 652X	L/R	S	227	89	4,0	4	8,5	653 / 653X	-	S	219	105	4,0	4	9,5
SERIES 11	-	W	652 / 652X	L/R	S	227	89	4,0	4	8,5	653 / 653X	-	S	219	105	4,0	4	9,5
TM	04/05	W	652 / 652X	L/R	S	227	89	4,0	4	8,5	653 / 653X	-	S	219	105	4,0	4	9,5

POLARIS

RANGER SSV TYPE

- C.C.

XP	05	W	652 / 652X	L/R	S	227	89	4,0	4	8,5	653 / 653X	-	S	219	105	4,0	4	9,5
----	----	---	------------	-----	---	-----	----	-----	---	-----	------------	---	---	-----	-----	-----	---	-----

325 c.c.

RANGER, ETX	15/16	W	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
-------------	-------	---	------------	-----	---	-----	----	-----	---	-----	--------------	---	---	-----	-------	-----	---	------

400 c.c.

ALL MODELS	10/14	W	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
------------	-------	---	------------	-----	---	-----	----	-----	---	-----	--------------	---	---	-----	-------	-----	---	------

500 c.c.

4x4	08	W	1082	L/R	S	210	90	4,0	4	6,5	1082	-	S	210	90	4,0	4	6,5
-----	----	---	------	-----	---	-----	----	-----	---	-----	------	---	---	-----	----	-----	---	-----

M. BRAKE N / A	99	W	265 / 265X	L/R	S	227	79	4/4,2	4	8,5	-	-	-	-	-	-	-	-
----------------	----	---	------------	-----	---	-----	----	-------	---	-----	---	---	---	---	---	---	---	---

2x4 CARB	08/09	W	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
----------	-------	---	------------	-----	---	-----	----	-----	---	-----	--------------	---	---	-----	-------	-----	---	------

2x4 / 4x4	06/07	W	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
-----------	-------	---	------------	-----	---	-----	----	-----	---	-----	--------------	---	---	-----	-------	-----	---	------

4x4 Efi	06/13	W	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
---------	-------	---	------------	-----	---	-----	----	-----	---	-----	--------------	---	---	-----	-------	-----	---	------

4x4 Efi H.O.	09/11	W	1395 / 1395X	L/R	S	227	114	5,0	4	14,3	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
--------------	-------	---	--------------	-----	---	-----	-----	-----	---	------	--------------	---	---	-----	-------	-----	---	------

4x4 CREW Efi	09	W	1207	L/R	S	180	73	4,0	4	8,5	653 / 653X	-	S	219	105	4,0	4	9,5
--------------	----	---	------	-----	---	-----	----	-----	---	-----	------------	---	---	-----	-----	-----	---	-----

6x6 SERIES 10	-	W	652 / 652X	L/R	S	227	89	4,0	4	8,5	653 / 653X	-	S	219	105	4,0	4	9,5
---------------	---	---	------------	-----	---	-----	----	-----	---	-----	------------	---	---	-----	-----	-----	---	-----

CREW	11/13	W	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
------	-------	---	------------	-----	---	-----	----	-----	---	-----	--------------	---	---	-----	-------	-----	---	------

OBEY	09	W	1141	L/R	S	190	-	4,0	4	6,5	1141	-	S	190	-	4,0	4	6,5
------	----	---	------	-----	---	-----	---	-----	---	-----	------	---	---	-----	---	-----	---	-----

550 c.c.

SPORTSMAN X2	10	W	1422X	L/R	S	245	134,5	5,0	4	11,0	1422X	-	S	245	134,5	5,0	4	11,0
--------------	----	---	-------	-----	---	-----	-------	-----	---	------	-------	---	---	-----	-------	-----	---	------

570 c.c.

Efi / CREW Efi	14/15	W	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
----------------	-------	---	------------	-----	---	-----	----	-----	---	-----	--------------	---	---	-----	-------	-----	---	------

EPS / T3	16/17	W	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
----------	-------	---	---	-----	---	---	---	---	---	---	---	-----	---	---	---	---	---	---

700 c.c.

4x4 Efi	09	W	1395 / 1395X	L/R	S	227	114	5,0	4	14,3	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
---------	----	---	--------------	-----	---	-----	-----	-----	---	------	--------------	---	---	-----	-------	-----	---	------

4x4 Efi / LE	07	W	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
--------------	----	---	------------	-----	---	-----	----	-----	---	-----	--------------	---	---	-----	-------	-----	---	------

4x4 Efi CREW	09	W	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
--------------	----	---	------------	-----	---	-----	----	-----	---	-----	--------------	---	---	-----	-------	-----	---	------

4x4 XP	06/08	W	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
--------	-------	---	------------	-----	---	-----	----	-----	---	-----	--------------	---	---	-----	-------	-----	---	------

6x4 Efi	08	W	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
---------	----	---	------------	-----	---	-----	----	-----	---	-----	--------------	---	---	-----	-------	-----	---	------

6x6 Efi	06/09	W	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
---------	-------	---	------------	-----	---	-----	----	-----	---	-----	--------------	---	---	-----	-------	-----	---	------

800 c.c.

CREW	10/14	W	1395 / 1395X	L/R	S	227	114	5,0	4	14,3	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
------	-------	---	--------------	-----	---	-----	-----	-----	---	------	--------------	---	---	-----	-------	-----	---	------

Efi	13/14	W	1395 / 1395X	L/R	S	227	114	5,0	4	14,3	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
-----	-------	---	--------------	-----	---	-----	-----	-----	---	------	--------------	---	---	-----	-------	-----	---	------

EV	10/11	W	1207	L/R	S	180	73	4,0	4	8,5	-	-	-	-	-	-	-	-
----	-------	---	------	-----	---	-----	----	-----	---	-----	---	---	---	---	---	---	---	---

6x6	10/14	W	1395 / 1395X	L/R	S	227	114	5,0	4	14,3	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
-----	-------	---	--------------	-----	---	-----	-----	-----	---	------	--------------	---	---	-----	-------	-----	---	------

6x6 Efi T3	16/17	W	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
------------	-------	---	---	-----	---	---	---	---	---	---	---	-----	---	---	---	---	---	---

MID SIZE	13/14	W	652 / 652X	L/R	S	227	89	4,0	4	8,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
----------	-------	---	------------	-----	---	-----	----	-----	---	-----	--------------	---	---	-----	-------	-----	---	------

RANGER	10/12	W	1395 / 1395X	L/R	S	227	114	5,0	4	14,3	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
--------	-------	---	--------------	-----	---	-----	-----	-----	---	------	--------------	---	---	-----	-------	-----	---	------

TM 2x4	04/06	W	1207	L/R	S	180	73	4,0	4	8,5	-	-	-	-	-	-	-	-
--------	-------	---	------	-----	---	-----	----	-----	---	-----	---	---	---	---	---	---	---	---

XP	10/12	W	1395 / 1395X	L/R	S	227	114	5,0	4	14,3	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
----	-------	---	--------------	-----	---	-----	-----	-----	---	------	--------------	---	---	-----	-------	-----	---	------

900 c.c.

RANGER MODELS

CREW	10/14	W	1395 / 1395X	L/R	S	227	114	5,0	4	14,3	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
------	-------	---	--------------	-----	---	-----	-----	-----	---	------	--------------	---	---	-----	-------	-----	---	------

CREW 1000 6 EPS T3	16/17	W	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
--------------------	-------	---	---	-----	---	---	---	---	---	---	---	-----	---	---	---	---	---	---

D CREW DIESEL	13/14	W	1395 / 1395X	L/R	S	227	114	5,0	4	14,3	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
---------------	-------	---	--------------	-----	---	-----	-----	-----	---	------	--------------	---	---	-----	-------	-----	---	------

D 4x4 DIESEL	11/14	W	1395 / 1395X	L/R	S	227	114	5,0	4	14,3	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
--------------	-------	---	--------------	-----	---	-----	-----	-----	---	------	--------------	---	---	-----	-------	-----	---	------

XP	13/15	W	1395 / 1395X	L/R	S	227	114	5,0	4	14,3	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
----	-------	---	--------------	-----	---	-----	-----	-----	---	------	--------------	---	---	-----	-------	-----	---	------

XP EPS / XP EPS T3	16/17	W	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
--------------------	-------	---	---	-----	---	---	---	---	---	---	---	-----	---	---	---	---	---	---

XP EPS SAGE T3	16/17	W	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
----------------	-------	---	---	-----	---	---	---	---	---	---	---	-----	---	---	---	---	---	---

1000 c.c.

GENERAL EPS / T3	16/17	W	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
------------------	-------	---	---	-----	---	---	---	---	---	---	---	-----	---	---	---	---	---	---

GENERAL E EPS T3	17	W	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
------------------	----	---	---	-----	---	---	---	---	---	---	---	-----	---	---	---	---	---	---

RANGER MODELS

DIESEL / CREW	15	W	1395 / 1395X	L/R	S	227	114	5,0	4	14,3	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
---------------	----	---	--------------	-----	---	-----	-----	-----	---	------	--------------	---	---	-----	-------	-----	---	------

LAS DIMENSIONES INDICADAS PUEDEN ESTAR SUJETAS A CAMBIOS SIN PREVIO AVISO

PARA MÁS INFORMACIÓN VER LA PÁGINA DE INFORMACIÓN TÉCNICA

DIMENSIONS SUBJECTED TO CHANGE WITHOUT FURTHER NOTICE
FOR MORE INFORMATION, SEE THE TECHNICAL INFORMATION PAGE





DIESEL HD EPS T3	16/17	W	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
1500 c.c.																		1500 c.c.
PPS / UTV 2x4 SERIES 11	-	W	652 / 652X	L/R	S	227	89	4,0	4	8,5	653 / 653X	-	S	219	105	4,0	4	9,5
POLARIS																		
RZR SSV TYPE																		
170 c.c.																		170 c.c.
RZR	16/17	W	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
570 c.c.																		570 c.c.
RZR	12/13	W	1475 / 1475X	L/R	S	235	123	4,8	4	11,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
RZR	14	W	1395 / 1395X	L/R	S	227	114	5,0	4	14,3	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
RZR / T3	16/17	W	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
800 c.c.																		800 c.c.
INC EPS MODELS	08/14	W	1475 / 1475X	L/R	S	235	123	4,8	4	11,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
RANGER	08/14	W	1475 / 1475X	L/R	S	235	123	4,8	4	11,5	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
RZR - 4 Efi	10/14	W	1395 / 1395X	L/R	S	227	114	5,0	4	14,3	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
RZR - 4 EPS RANGER	12	W	1395 / 1395X	L/R	S	227	114	5,0	4	14,3	1502 / 1502X	-	S	218	105,5	4,7	4	10,5
RZR SSV TYPE																		
900 c.c.																		900 c.c.
4 XP	12/14	W	1395 / 1395X	L/R	S	227	114	5,0	4	14,3	1473 / 1473X	-	S	219	99	5,0	4	14,3
50 / 60' ALL OPTIONS	15	W	1395 / 1395X	L/R	S	227	114	5,0	4	14,3	1395 / 1395X	-	S	227	114	5,0	4	14,3
S EPS	16/17	W	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-
XP INC EPS MODELS	11/14	W	1395 / 1395X	L/R	S	227	114	5,0	4	14,3	1473 / 1473X	-	S	219	99	5,0	4	14,3
925 c.c.																		925 c.c.
RZR XP MODELS																		
1000 TURBO EPS	16/17	W	1671	L/R	S	248,5	-	7,5	4	15,3	1671	L/R	S	248,5	-	7,5	4	15,3
1000 4 TURBO EPS T3	16/17	W	1671	L/R	S	248,5	-	7,5	4	15,3	1671	L/R	S	248,5	-	7,5	4	15,3
1000 TURBO EPS CR.	16/17	W	1671	L/R	S	248,5	-	7,5	4	15,3	1671	L/R	S	248,5	-	7,5	4	15,3
1000 EPS VELOCITY	16/17	W	1671	L/R	S	248,5	-	7,5	4	15,3	1671	L/R	S	248,5	-	7,5	4	15,3
1000 c.c.																		1000 c.c.
XP	14/15	W	1495 / 1495X	L/R	S	247,5	-	4,7	4	15,4	1495 / 1495X	-	S	247,5	-	4,7	4	15,4
XP4 EPS / T3	16/17	W	1495 / 1495X	L/R	S	247,5	-	4,7	4	15,4	-	L/R	S	-	-	-	-	-
RBS																		
SSV TYPE																		
900 c.c.																		900 c.c.
ADVENTURE / GT	13/17	W	1626	L/R	S	256	94	4,0	4	8,5	1627	L/R	S	220	90	4,0	4	8,5
1200 c.c.																		1200 c.c.
ATACAMA	13/17	W	1626	L/R	S	256	94	4,0	4	8,5	1627	L/R	S	220	90	4,0	4	8,5
SUZUKI																		
230 c.c.																		230 c.c.
LT E QUADRUNNER	87/93	Q	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	-	-	-	-	-	-	-	-
LT QUADSPORT	85/88	Q	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	-	-	-	-	-	-	-	-
250 c.c.																		250 c.c.
LT R QUADSPORT	85/92	Q	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	-	-	-	-	-	-	-	-
LT RF / RG / RH	85/87	Q	1090 / 1090X	L/R	S	240	105	4,5	6	6,5	ND / NA	-	S	220	50	4,0	3	8,5
LT RJ / RK / RL / RM / RN	88/92	Q	1090 / 1090X	L/R	S	240	105	4,5	6	6,5	ND / NA	-	S	220	50	4,0	3	8,5
LT S QUADSPORT	89/90	Q	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	-	-	-	-	-	-	-	-
LT Z	04/10	Q	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	043 / 043X	-	S	220	105	4,0	4	10,5
400 c.c.																		400 c.c.
LT-A EIGER 2WD AUTO	08	Q	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	043 / 043X	-	S	220	105	4,0	4	10,5
LT-A F EIGER AUTO	02/08	Q	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	043 / 043X	-	S	220	105	4,0	4	10,5
LT-A F KING QUAD AS	08/10	Q	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	043 / 043X	-	S	220	105	4,0	4	10,5
LT-A F KING QUAD Asi	11/14	Q	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	043 / 043X	-	S	220	105	4,0	4	10,5
LT-A K6 EIGER AUTO	06	Q	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	043 / 043X	-	S	220	105	4,0	4	10,5
LT-A K2-K4 EIGER 2WD	02/04	Q	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	043 / 043X	-	S	220	105	4,0	4	10,5
LT-F F KING QUAD FS	08/12	Q	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	043 / 043X	-	S	220	105	4,0	4	10,5
LT-F F KING QUAD FSi	11/14	Q	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	043 / 043X	-	S	220	105	4,0	4	10,5
LT-F FK2-FK6 EIGER 4W	02/07	Q	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	043 / 043X	-	S	220	105	4,0	4	10,5
LT-F K2-K4 EIGER 2W	02/07	Q	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	043 / 043X	-	S	220	105	4,0	4	10,5
LT Z QUADSPORT	02/15	Q	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	043 / 043X	-	S	220	105	4,0	4	10,5
450 c.c.																		450 c.c.
LT-R	06/08	Q	1020	L/R	S	160	48	3,0	3	10,5	1019	-	S	190	78	4,0	3	10,5



500 c.c.														500 c.c.													
YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø
LT-A VINSON 4 WD	02/07	Q	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	-	-	-	-	-	-	-										
SUZUKI														SUZUKI													
500 c.c.														500 c.c.													
LT-F VINSON MASTER	03/07	Q	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	-	-	-	-	-	-	-										
LT R QUADRACER	87/90	Q	1003 / 1003X	L/R	S	170	48,2	3,0	3	10,5	-	-	-	-	-	-	-										
700 c.c.														700 c.c.													
LT-A X KING	05/08	Q	1554	L/R	S	200	89,5	4,0	4	10,5	-	-	-	-	-	-	-										
750 c.c.														750 c.c.													
LT-A X	10/16	Q	xxxx	L/R	S	190	90,2	3,5	4	10,5	-	-	-	-	-	-	-										
LT-A X KING	08/10	Q	-	L/R	S	-	-	-	-	-	-	-	-	-	-	-	-										
LT-A X KING	05/07	Q	1554	L/R	S	200	89,5	4,0	4	10,5	-	-	-	-	-	-	-										
LT-A XP KING	05/07	Q	1554	L/R	S	200	89,5	4,0	4	10,5	-	-	-	-	-	-	-										
SYM														SYM													
300 c.c.														300 c.c.													
QUADLANDER	14/17	Q	-	L/R	S	175	-	-	-	-	-	-	S	190	-	-	-										
QUADLANDER / S	14/17	Q	-	L/R	S	175	-	-	-	-	-	-	S	190	-	-	-										
600 c.c.														600 c.c.													
QUADRAIDER LE	14/16	Q	-	L/R	S	220	-	-	-	-	-	-	S	180	-	-	-										
YAMAHA														YAMAHA													
90 c.c.														90 c.c.													
YFM	16/17	Q	-	L/R	S	-	-	-	-	-	Drum	-	-	-	-	-	-										
125 c.c.														125 c.c.													
YFM RAPTOR RA	11/13	Q	264	L/R	S	161	48	3,5	4	10,5	362	-	S	200	51	3,5	4	8,5									
200 c.c.														200 c.c.													
BANSHEE SP	06	Q	264	L/R	S	161	48	3,5	4	10,5	494 / 494X	-	S	220	58	4,0	4	8,5									
YFS BLASTER	88/04	Q	Drum	-	-	-	-	-	-	-	494 / 494X	-	S	220	58	4,0	4	8,5									
YFS R BLASTER	88/07	Q	264	L/R	S	161	48	3,5	4	10,5	494 / 494X	-	S	220	58	4,0	4	8,5									
250 c.c.														250 c.c.													
YFM	01/09	Q	264	L/R	S	161	48	3,5	4	10,5	Drum	-	-	-	-	-	-										
YFM BEAR TRACKER	01/04	Q	264	L/R	S	161	48	3,5	4	10,5	-	-	-	-	-	-	-										
YFM BIG BEAR BW / BX	07/09	Q	264	L/R	S	161	48	3,5	4	10,5	494 / 494X	-	S	220	58	4,0	4	8,5									
YFM BRUIN BT / BV	05/06	Q	264	L/R	S	161	48	3,5	4	10,5	494 / 494X	-	S	220	58	4,0	4	8,5									
YFM RAPTOR	08/13	Q	264	L/R	S	161	48	3,5	4	10,5	362	-	S	200	51	3,5	4	8,5									
YFM RSPX SPECIAL EDITION	08	Q	264	L/R	S	161	48	3,5	4	10,5	-	-	-	-	-	-	-										
350 c.c.														350 c.c.													
YFM 2WD GRIZZLY	16/17	Q	-	L/R	S	-	-	-	-	-	Drum	-	-	-	-	-	-										
YFM R	04/08	Q	264	L/R	S	161	48	3,5	4	10,5	362	-	S	200	51	3,5	4	8,5									
YFM RAPTOR	04/11	Q	264	L/R	S	161	48	3,5	4	10,5	362	-	S	200	51	3,5	4	8,5									
YFM RAPTOR RBW	12/13	Q	264	L/R	S	161	48	3,5	4	10,5	362	-	S	200	51	3,5	4	8,5									
YFM WARRIOR	87/89	Q	264	L/R	S	161	48	3,5	4	10,5	494 / 494X	-	S	220	58	4,0	4	8,5									
YFM WOLVERINE	05/06	Q	264	L/R	S	161	48	3,5	4	10,5	494 / 494X	-	S	220	58	4,0	4	8,5									
YFM X WARRIOR	87/89	Q	264	L/R	S	161	48	3,5	4	10,5	494 / 494X	-	S	220	58	4,0	4	8,5									
YFM X WARRIOR	90/04	Q	264	L/R	S	161	48	3,5	4	10,5	495	-	S	245	58,5	4,5	4	8,5									
YFZ BANSHEE	87/11	Q	264	L/R	S	161	48	3,5	4	10,5	494 / 494X	-	S	220	58	4,0	4	8,5									
400 c.c.														400 c.c.													
YFM FAHM / YFM MC	00/02	Q	393	L/R	S	180	48	3,5	4	10,5	494 / 494X	-	S	220	58	4,0	4	8,5									
YFM FAM / YFM FAN	00/02	Q	393	L/R	S	180	48	3,5	4	10,5	494 / 494X	-	S	220	58	4,0	4	8,5									
YFM FAP KODIAK	00/02	Q	393	L/R	S	180	48	3,5	4	10,5	494 / 494X	-	S	220	58	4,0	4	8,5									
YFM KODIAK 2WD AM	00/01	Q	393	L/R	S	180	48	3,5	4	10,5	494 / 494X	-	S	220	58	4,0	4	8,5									
YFM KODIAK 2WD AN	00/01	Q	393	L/R	S	180	48	3,5	4	10,5	494 / 494X	-	S	220	58	4,0	4	8,5									
YFM KODIAK 4X4 HUNT	00/02	Q	393	L/R	S	180	48	3,5	4	10,5	494 / 494X	-	S	220	58	4,0	4	8,5									
YFM N / YFM NCP	00/02	Q	393	L/R	S	180	48	3,5	4	10,5	494 / 494X	-	S	220	58	4,0	4	8,5									
450 c.c.														450 c.c.													
GRIZZLY IRIS / IRIS T3	16/17	Q	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-										
KODIAK / T3 / EPS	18	Q	-	L/R	S	-	-	-	-	-	-	-	S	-	-	-	-										
YFM	04/05	Q	264	L/R	S	161	48	3,5	4	10,5	362	-	S	200	51	3,5	4	8,5									
YFM	06/14	Q	264	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5									
YFM FAR / YFM FAS	03/04	Q	-	-	-	-	-	-	-	-	494 / 494X	-	S	220	58	4,0	4	8,5									



YFM FXV / FXW / FXX	06/08	Q	-	-	-	-	-	-	-	-	-	494 / 494X	-	S	220	58	4,0	4	8,5
YAMAHA										YAMAHA									
450 c.c.										450 c.c.									
YFM FXY WOLVERINE	06/08	Q	-	-	-	-	-	-	-	-	-	494 / 494X	-	S	220	58	4,0	4	8,5
YFZ B / YFZ D / YFZ V	06/13	Q	264	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5	
YFZ BB / YFZ DB	12/13	Q	264	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5	
YFZ BBV EDITION	06/07	Q	264	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5	
YFZ BILL BALANCE EDITION	06/07	Q	264	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5	
YFZ R	09	Q	264	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5	
YFZ R	15/17	Q	-	L/R	S	-	-	-	--	-	-	-	S	-	-	-	-	-	
YFZ R RE / YFZ E RSE	14	Q	264	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5	
YFZ LES SPECIAL EDITION	04	Q	264	L/R	S	161	48	3,5	4	10,5	362	-	S	200	51	3,5	4	8,5	
YFZ RA / RB / RY / RZ	09/12	Q	264	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5	
YFZ S	06/09	Q	264	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5	
YFZ S / YFZ T	04/05	Q	264	L/R	S	161	48	3,5	4	10,5	362	-	S	200	51	3,5	4	8,5	
YFZ SET SPECIAL EDITION	05	Q	264	L/R	S	161	48	3,5	4	10,5	362	-	S	200	51	3,5	4	8,5	
YFZ SEW / YFZ SPV	06/08	Q	264	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5	
YFZ SPX SPECIAL EDITION	06/08	Q	264	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5	
YFZ W / YFZ X / YFZ Y	06/13	Q	264	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5	
YXR	04/09	Q	-	-	-	-	-	-	-	-	1413X	-	S	165	46	5,0	6	7,5	
600 c.c.										600 c.c.									
YFM FWA HUNTER	01	Q	264	L/R	S	161	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-	
YFM GRIZZLY	-	Q	264	L/R	S	161	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-	
YFM HUNTING	98/01	Q	264	L/R	S	161	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-	
660 c.c.										660 c.c.									
RR RAPTOR	06/09	Q	264	L/R	S	161	48	3,5	4	10,5	494 / 494X	-	S	220	58	4,0	4	8,5	
YFM GRIZZLY	02	Q	264	L/R	S	161	48	3,5	4	10,5	-	-	-	-	-	-	-	-	
YFM MODELS																			
R RAPTOR / SE	02/05	Q	264	L/R	S	161	48	3,5	4	10,5	494 / 494X	-	S	220	58	4,0	4	8,5	
RN / YFM RP / RPB	06/09	Q	264	L/R	S	161	48	3,5	4	10,5	494 / 494X	-	S	220	58	4,0	4	8,5	
RS / YFM RAPTOR RT	01/05	Q	264	L/R	S	161	48	3,5	4	10,5	494 / 494X	-	S	220	58	4,0	4	8,5	
FWA GRIZZLY	01/04	Q	901	L/R	S	220	107	3,5	4	10,5	-	-	-	-	-	-	-	-	
700 c.c.										700 c.c.									
YFM MODELS																			
GRIZZLY EPS	16/17	Q	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-	
GRIZZLY T3	16/17	Q	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-	
KODIAK	16/17	Q	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-	
KODIAK T3	16/17	Q	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-	
KODIAK EPS	16/17	Q	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-	
KODIAK EPS T3	16/17	Q	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-	
R RAPTOR	06/13	Q	264	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5	
R RAPTOR	15/17	Q	1683	L/R	S	207	102	4,2	4	10,5	1683	-	S	207	102	4,2	4	10,5	
RAPTOR	09/14	Q	264	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5	
RAPTOR 7" R SEW	07/08	Q	264	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5	
RAPTOR R	06/13	Q	264	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5	
RAPTOR R SE	13/14	Q	264	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5	
RAPTOR R SPX	07/08	Q	264	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5	
RAPTOR RD / RE	13/14	Q	264	L/R	S	161	48	3,5	4	10,5	1059 / 1059X	-	S	200	51,3	3,5	4	10,5	
SSV TYPE																			
700 c.c.										700 c.c.									
YXC VIKING E EP	15/16	W	-	L/R	S	207	102	4,2	4	10,5	-	L/R	S	207	102	4,2	4	10,5	
YXM VIKING EPS	16/17	W	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-	
YXM WOLVERINE R	16/17	W	-	L/R	S	-	-	-	-	-	-	L/R	S	-	-	-	-	-	
1000 c.c.										1000 c.c.									
YXZ R	16/17	W	1546	L/R	S	244	100	5,5	4	10,5	1546	L/R	S	244	100	5,5	4	10,5	
YXZ R SE	16/17	W	1546	L/R	S	244	100	5,5	4	10,5	1546	L/R	S	244	100	5,5	4	10,5	
YXZ R SS	16/17	W	1546	L/R	S	244	100	5,5	4	10,5	1546	L/R	S	244	100	5,5	4	10,5	
YXZ R SS SE	16/17	W	1546	L/R	S	244	100	5,5	4	10,5	1546	L/R	S	244	100	5,5	4	10,5	

  																			
	YEAR	MODEL TYPE	REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø		REFERENCE	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	Nº HOLES	HOLE Ø
INTERNATIONAL STD.	-	B	1461X	L	S	140	-	2,0	6	5,0		1461X	L	S	140	-	2,0	6	5,0
INTERNATIONAL STD.	-	B	1447X	L	S	160	-	1,8	6	5,0		1447X	L	S	160	-	1,8	6	5,0
INTERNATIONAL STD.	-	B	1462X	L	S	180	-	1,8	6	5,0		1462X	L	S	180	-	1,8	6	5,0
INTERNATIONAL STD.	-	B	1463X	L	S	203	-	1,8	6	5,0		1463X	L	S	203	-	1,8	6	5,0

**PLATOS CADENA SEMIMECANIZADOS
HALF FINISHED SPROCKETS***TIPO CADENA / CHAIN TYPE: RENOLD 110054***5/8" 520**

AKZ110 = 5/8" 30Z 6mm
AKZ111 = 5/8" 31Z 6mm
AKZ112 = 5/8" 32Z 6mm
AKZ113 = 5/8" 33Z 6mm
AKZ114 = 5/8" 34Z 6mm
AKZ115 = 5/8" 35Z 6mm
AKZ116 = 5/8" 36Z 6mm
AKZ117 = 5/8" 37Z 6mm
AKZ118 = 5/8" 38Z 6mm
AKZ119 = 5/8" 39Z 6mm
AKZ120 = 5/8" 40Z 6mm
AKZ121 = 5/8" 41Z 6mm
AKZ122 = 5/8" 42Z 6mm
AKZ123 = 5/8" 43Z 6mm
AKZ124 = 5/8" 44Z 6mm
AKZ125 = 5/8" 45Z 6mm
AKZ126 = 5/8" 46Z 6mm
AKZ127 = 5/8" 47Z 6mm
AKZ128 = 5/8" 48Z 6mm
AKZ129 = 5/8" 49Z 6mm
AKZ130 = 5/8" 50Z 6mm
AKZ131 = 5/8" 51Z 6mm
AKZ132 = 5/8" 52Z 6mm
AKZ133 = 5/8" 53Z 6mm
AKZ134 = 5/8" 54Z 6mm
AKZ135 = 5/8" 55Z 6mm
AKZ136 = 5/8" 56Z 6mm
AKZ137 = 5/8" 57Z 6mm
AKZ138 = 5/8" 58Z 6mm

1/2" 420

AKZ401 = 1/2" 33Z 6mm
AKZ402 = 1/2" 34Z 6mm
AKZ403 = 1/2" 35Z 6mm
AKZ404 = 1/2" 36Z 6mm
AKZ405 = 1/2" 37Z 6mm
AKZ406 = 1/2" 38Z 6mm
AKZ407 = 1/2" 39Z 6mm
AKZ408 = 1/2" 40Z 6mm
AKZ409 = 1/2" 41Z 6mm
AKZ410 = 1/2" 42Z 6mm
AKZ411 = 1/2" 43Z 6mm
AKZ412 = 1/2" 44Z 6mm
AKZ413 = 1/2" 45Z 6mm
AKZ414 = 1/2" 46Z 6mm
AKZ415 = 1/2" 47Z 6mm
AKZ416 = 1/2" 48Z 6mm
AKZ417 = 1/2" 49Z 6mm
AKZ418 = 1/2" 50Z 6mm
AKZ419 = 1/2" 51Z 6mm
AKZ420 = 1/2" 52Z 6mm
AKZ421 = 1/2" 53Z 6mm
AKZ422 = 1/2" 54Z 6mm
AKZ423 = 1/2" 55Z 6mm
AKZ424 = 1/2" 56Z 6mm
AKZ425 = 1/2" 57Z 6mm
AKZ426 = 1/2" 58Z 6mm
AKZ427 = 1/2" 59Z 6mm
AKZ428 = 1/2" 60Z 6mm
AKZ429 = 1/2" 61Z 6mm
AKZ430 = 1/2" 62Z 6mm

INSTRUCCIONES WEB / WEB INSTRUCTIONS

BUSQUEDA POR MARCA y MODELO / SEARCH BY BRAND & MODEL

- 1** INTRODUCIR LA PAGINA WEB DE NG EN EL EXPLORADOR
INTRODUCE THE NG WEBSITE IN THE EXPLORER



- 2** PULSAR EN MENU "CATALOGO"
CLICK ON MENU "CATALOGUE"

- 3** PULSAR EN CATALOGO ONLINE
CLICK ON CATALOGUE ONLINE

- 4** SELECCIONAR LA MARCA
SELECT THE BRAND



- 5** SELECCIONAR LA CILINDRADA
SELECT THE CUBIC CAPACITY

- 6** SELECCIONAR EL MODELO
SELECT THE MODEL


- 7** SELECCIONAR EL AÑO
SELECT THE YEAR



- 8** APLICACIONES ENCONTRADAS
ITEMS FOUND

- 9** VER DETALLE (PARA MAS INFORMACIÓN)
VIEW DETAILS (FOR MORE INFORMATION)

- 10** INFORMACION DETALLADA
DETAILED INFORMATION




BUSQUEDA POR REFERENCIA / SEARCH BY REFERENCE

- 1** PULSAR CATALOGO ONLINE
CLICK ON CATALOGUE ONLINE

- 2** INTRODUCIR LA REFERENCIA
INTRODUCE THE REFERENCE

- 3** APLICACIONES ENCONTRADAS
ITEMS FOUND



Lined area for notes.



ESPAÑA / SPAIN
TECME
Camp, 83
08290 Cerdanyola del Valles
Barcelona
Phone: +34 936 920 635
Mail: info@ngbrakedisc.com
Only Catalonia



ESPAÑA / SPAIN
INDUSTRIAS VICMA, S.A.
Carretera Nacional 340 Km. 619,4
Apartado de correos 25
38050 Totana (Murcia)
Phone: +34 968 424 752
Fax: +34 968 422 778
Mail: info@vicma.es
Web: http://www.vicma.es
All Spain except Catalonia



AUSTRALIA
KENMA AUSTRALIA PTY LTD
8 Lymore Ave,
Thornleigh,
NSW 2120
Phone: 61 2 9484 0777
Phone Free: 1800 251 145
Fax: 61 2 9484 0877
Mail: sales@kenma.com.au
http://www.kenma.com.au



AUSTRIA
SCHUMOTO HANDELSGES
Freistaedterstrasse 338
To A4040 Linz
Phone: +437327570800
Fax: +4373275708090
Mail: office@schumoto.at
http://www.schumoto.at



BELGIUM
OFF ROAD ACTION
Berbroek Business Park, Unit 33-34
Steenweg 3
3540 Herk-de-Stad
Mail: info@offroadaction.net
http://www.offroadaction.net



BULGARIA
MOTOSTAR 777 LTD
Trayan Tanev 78
1362 Sofia, Suhodol
Phone: +(359 2) 9296602
Mobile: +(359) 878689389
Mail: alexmoto@abv.bg
http://www.motostar777.com



CROATIA
NOVEMA NOVA D.O.O
Draganici 30/1, Karlovac
47201 Croatia
Phone: 00385/47/715-930
Fax: 00385/47/715-933
Mail: info@novema-nova.hr
http://www.novema-nova.hr



FINLAND
MOPO SPORT
Petikontie 22
01720 Vantas
Phone: +358 10 315 1100
Fax: +358 10 315 1119
Mail: asiakaspalvelu@moposport.fi
http://www.moposport.fi



CYPRUS
N.S. NICOLAIDES LTD
49 Thermopylon str.,
3041 Limassol
Phone: +357 25 369021
Fax: +357 25 348632
Mail: n.nicolaides@cytanet.com.cy



CZECH REPUBLIC
MOTOPOINT S.R.O.
Vrchovina 88
50901 Nova Paka
Phone: +420493722248
Fax: +420493720474
Mail: info@motopoint.cz
http://www.motopoint.cz



DENMARK
ERKI
Nr. Lindvej 28
7400 Heming
Phone: +4597224111
Mail: mail@erki.dk
http://www.erki.dk



FRANCE
BIHR
ZI Park 3
7 rue Robert Schuman
68870 Bartenheim
Phone: +33 3 89 70 30 30
Fax: +33 3 89 70 30 99
Mail: info@bihr.eu
http://www.bihr.eu



FRANCE
CGN
167, Boulevard Salvador Allende
44812 - Saint-Herblain Cedex
Phone: +33 0240920095
Fax: +33 0240920488
Mail: service.comande@cgfrance.com



GERMANY
LANGENSCHIEDT GMBH
Gottlieb-Daimler-Str. 10
45711 Datteln
Phone: (0 23 63) 36 18-0
Fax: (0 23 63) 36 18-30
Mail: info@langenscheidt-gmbh.de



GERMANY
RACING PLANET VERTRIEB GMBH
Löbsterder Str. 50
07749 Jena
Phone: +49(0) 3461-87615-20
Fax: +49(0) 3461-87615-11
http://www.racing-planet.de



GREAT BRITAIN
DIRECT DISTRIBUTION SERVICES. LTD
Unit 49
Tong Park Ind Est
Baildon
Shipley
BD17 7OD
Phone: +44-1274-599172
Mail: info@directdistributionservices.co.uk



GREECE
KOSTPART
Stamatis Kontogiannis
28-30 Dimitrakopoulou STR.,
Koukaki
117 42 Athens
Phone: +30 210 9241 400
Fax: +30 210 9213 038
Mail: kostpart@otenet.gr
http://www.kostpart.gr



HUNGARY
BARDI AUTO ZRT.
Orczy ut 44-46
1089, Budapest
Hungary
Mail: portfolio@bardiauto.hu
http://www.bardiauto.hu



ISRAEL
OFNOIT.LTD
46, Salame RD,
IS-66073 Tel-Aviv
Phone: +97236823076
Fax: +97236812755
Mail: ofnoit@netvision.net.il
http://www.ofnoit.co.il



ITALY
SOCIETÀ GENERALE RICAMBI
Via P. Sottocorno 52
20129 Milano
Phone: +39 051722557
Fax: +39 051720376
Mail: info@sg-r.it
http://www.sg-r.it



JAPAN
TEISHO CORPORATION
9-2-10 Minatojima
Chuou-Ku Kobe
650-0045 Japan
Phone: 81-78-302-0372
Fax: 81-78-302-0347



MALAYSIA
SYARIKAT MOTOSIKAL SUNNY
Setapak 53000
Kuala Lumpur
Phone: 4021 1661 / 4021 6611
Fax: 4021 1088
Mail: sunnycycle@gmail.com



MOROCCO
MOTO PLUS SARL
86 Rue Hadj Ammar Riffi
Mers Sulten
Casablanca 20 120 - Morokko (MA)
Phone: +212 5 22 20 38 15
Phone: +212 5 22 22 49 53
Fax: +212 22 20 34 83
Mail: motoplus@menara.ma
Mail: motoplus.ma@hotmail.com



NORWAY
SPARE PARTS SERVICE AS
Pb. 174
2021 Skedsmokorset
Phone: 64837500
Mail: info@sps.no
http://www.sps.no



POLAND
OLEK MOTOCYKLE
ul. Szkłana 17
43-300 Bielsko-Biala
Phone: +48 33 497 95 50
Fax: +48 512 154 721
Mail: sklep@olekmotocykle.pl



PORTUGAL
LUSOMOTOS VEÍCULOS E ACESSÓRIOS, S.A.
Rua do Barreiro nº 31
3780-621 Aguiar - Anadia
Phone: 00351 231 510 860
Fax: 00351 231 515 269
Mail: geral@lusomotos.com
http://www.lusomotos.com



ROMANIA
SC BARDI AUTO SRL.
Str. Industriilor nr. 20-26
077040 Chiajna, Ind. lifov.
Phone: 0040/213132626
Fax: 0040/213132655
http://www.bardiauto.ro



RUSSIA
MOTO50
Saint-Petersburg
Phone: +7 921 326 58 31
Mail: info@moto50.ru
http://www.moto50.ru



SINGAPORE
CHONG AIK INTERNATIONAL PTE LTD
198 Joo Chiat Road, #02-01
427469 Singapore
Phone: +65-6345 5183
Fax: +65-6344 7376
Mail: admin@chongaik.com.sg
http://www.chongaik.com.sg



SLOVAKIA
BARDI AUTO SLOVAKIA
Pri Starom myte 2,
831 Bratislava
Phone: 02/44634674
Phone: 02/44634675
Fax: 02/44634676
Mail: bardiauto@bardiauto.sk



SOUTH AFRICA
F.G ENTERPRISES
P.O. Box 38591
Pinelands 7430
Phone: +27 21 931 0441
Fax: +27 21 531 5933
Mail: frank@iburst.co.za



SWITZERLAND
MOTACC SUISSE
PF 1349
4133 Pratteln 1
Phone: +41 (0) 618269626
Fax: +41 (0) 618269625
Mail: info@motacc.com
http://www.motacc.com



SWITZERLAND
PP PASSION PARTS AG
Stöcklimattstr. 34
CH-4543 Dettlingen SO
Phone: +41 32 672 04 41
Fax: +41 32 672 04 40
Mail: info@passionparts.ch
http://www.passionparts.ch



SWITZERLAND
COMAXS AG
Feldstrasse 7
8800 Thalwil
Schweiz
Phone: +41 (0)43 388 0550
Fax: +41 (0)43 388 0553
Mail: contact@comaxs.ch
http://www.comaxs.ch



THE NETHERLAND
TSCOOTERSELEX BV
Purmerend
The online scooter
and moped shop.
http://www.scootersselex.nl
http://www.easyparts.nl



VENEZUELA
TMOTO MEGA MG CA
Esquina Cuartel Viejo a
Pinoda Edificio Misto
PB Local 1-2
Phone: 02128607577
http://www.molomega1.com

EN LA WEB CATÁLOGOS ACTUALIZADOS PERIODICAMENTE POR ESPECIALIDADES
IN OUR WEB REGULARLY UPDATED CATALOGUES BY RANGES



OFFROAD



OVERSIZE KIT



ATV - UTV - UXV



RACING - STREET




SCOOTER



CUSTOM - TOURING




MOPED W/GEAR 50 TO 100 C.C.




BICYCLE



ELECTRIC MOTORCYCLE - SCOOTER



DRAWINGS REFERENCES AND OUTSIDE DIAMETER



UPDATED - NEW'S ONLY



GENERAL



www.ngbrakedisc.com



NG
Brake Disc

TECNOLOGIES METAL-LURGIQUES M.T. S.L.
C/ CAMP 83 - 08290 CERDANYOLA DEL VALLES (BARCELONA) - SPAIN
TEL +34.93.692.06.35 FAX +34.93.580.07.92 info@ngbrakedisc.com